



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 05:31 PM UTC

PDB ID : 3FO3 / pdb_00003fo3
Title : Structure of the Thioalkalivibrio nitratireducens cytochrome c nitrite reductase reduced by sodium dithionite (sulfite complex)
Authors : Trofimov, A.A.; Polyakov, K.M.; Boyko, K.M.; Slutsky, A.; Tikhonova, T.V.; Antipov, A.N.; Zvyagilskaya, R.A.; Popov, A.N.; Lamzin, V.S.; Bourenkov, G.P.; Popov, V.O.
Deposited on : 2008-12-27
Resolution : 1.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.40-1.40)
Clashscore	190562	2660 (1.40-1.40)
Ramachandran outliers	187476	2611 (1.40-1.40)
Sidechain outliers	187428	2610 (1.40-1.40)
RSRZ outliers	180081	2561 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	525	 96%
1	B	525	 2% 95%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	PG4	A	538[A]	-	X	-	-
10	PG4	B	547	-	-	X	-

2 Entry composition [i](#)


There are 12 unique types of molecules in this entry. The entry contains 16308 atoms, of which 5637 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Eight-heme nitrite reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	519	6892	2580	2734	754	786	38	0	19	1
1	B	519	6913	2591	2727	762	796	37	0	21	1

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Fe	H	N			O
2	A	1	55	34	1	12	4	4	0	0
2	A	1	55	34	1	12	4	4	0	0
2	A	1	55	34	1	12	4	4	0	0
2	A	1	55	36	1	8	4	6	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	A	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	A	1	Total	C	Fe	H	N	O	0	1
			55	36	1	8	4	6		
2	A	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	B	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	B	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	B	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	B	1	Total	C	Fe	H	N	O	0	1
			55	36	1	8	4	6		
2	B	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	B	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		
2	B	1	Total	C	Fe	H	N	O	0	1
			55	36	1	8	4	6		
2	B	1	Total	C	Fe	H	N	O	0	0
			55	34	1	12	4	4		

- Molecule 3 is SULFITE ION (CCD ID: SO3) (formula: O₃S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			4	3	1		
3	B	1	Total	O	S	0	0
			4	3	1		
3	B	1	Total	O	S	0	1
			6	4	2		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ca	0	0
			2	2		
4	B	2	Total	Ca	0	0
			2	2		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is THIOSULFATE (CCD ID: THJ) (formula: O₃S₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	3	2		
6	B	1	Total	O	S	0	0
			5	3	2		

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Na	0	0
			2	2		
7	B	3	Total	Na	0	0
			3	3		

- Molecule 8 is 1-(2-METHOXY-ETHOXY)-2-{2-[2-(2-METHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHANE (CCD ID: PG6) (formula: C₁₂H₂₆O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			17	11	6		
8	A	1	Total	C	O	0	0
			8	5	3		
8	A	1	Total	C	O	0	0
			9	6	3		
8	A	1	Total	C	O	0	0
			5	3	2		
8	A	1	Total	C	O	0	0
			10	6	4		
8	B	1	Total	C	O	0	0
			17	11	6		
8	B	1	Total	C	O	0	0
			8	5	3		
8	B	1	Total	C	O	0	0
			5	3	2		

- Molecule 9 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
9	A	1	Total	C	N	O	0	0
			8	4	1	3		
9	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 10 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			5	3	2		
10	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	1
			10	6	4		
10	A	1	Total	C	O	0	0
			6	4	2		
10	A	1	Total	C	O	0	0
			6	4	2		
10	A	1	Total	C	O	0	0
			6	4	2		
10	B	1	Total	C	O	0	0
			8	5	3		
10	B	1	Total	C	O	0	0
			10	6	4		
10	B	1	Total	C	O	0	0
			7	4	3		
10	B	1	Total	C	O	0	0
			5	3	2		
10	B	1	Total	C	O	0	0
			4	2	2		
10	B	1	Total	C	O	0	0
			5	3	2		
10	B	1	Total	C	O	0	0
			4	2	2		
10	B	1	Total	C	O	0	0
			5	3	2		
10	B	1	Total	C	O	0	0
			4	2	2		
10	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 11 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	B	1	Total C O 4 2 2	0	0

- Molecule 12 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	A	701	Total O 701 701	0	0
12	B	684	Total O 684 684	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Eight-heme nitrite reductase

Chain A:  96%



- Molecule 1: Eight-heme nitrite reductase

Chain B:  95%



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	193.79Å 193.79Å 193.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	12.00 – 1.40 12.00 – 1.40	Depositor EDS
% Data completeness (in resolution range)	99.4 (12.00-1.40) 99.4 (12.00-1.40)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.19 (at 1.40Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.126 , 0.139 0.127 , 0.141	Depositor DCC
R_{free} test set	23479 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	13.9	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.45 , 55.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.024 for l,-k,h	Xtrriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	16308	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO3, TRS, NA, ACT, PG6, CA, PG4, SO4, HEC, THJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.70	0/4368	0.80	0/5922
1	B	0.71	0/4404	0.80	1/5968 (0.0%)
All	All	0.71	0/8772	0.80	1/11890 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	384	MET	CB-CA-C	-5.67	103.58	111.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4158	2734	3865	10	0
1	B	4186	2727	3886	24	0
2	A	352	88	196	4	0
2	B	352	88	196	2	0
3	A	4	0	0	0	0
3	B	10	0	0	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	5	0	0	0	0
5	B	5	0	0	0	0
6	A	5	0	0	1	0
6	B	5	0	0	0	0
7	A	2	0	0	0	0
7	B	3	0	0	0	0
8	A	49	0	61	1	0
8	B	30	0	38	1	0
9	A	8	0	12	0	0
9	B	8	0	12	1	0
10	A	37	0	43	2	0
10	B	59	0	69	13	0
11	B	4	0	3	0	0
12	A	701	0	0	4	0
12	B	684	0	0	2	0
All	All	10671	5637	8381	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 41 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:181:ASN:HD22	10:B:547:PG4:H21	1.17	1.02
1:B:307:PRO:CD	10:B:547:PG4:H22	1.94	0.97
1:B:307:PRO:HD2	10:B:547:PG4:H22	1.48	0.95
1:B:181:ASN:ND2	10:B:547:PG4:H21	1.87	0.89
1:B:213[B]:GLU:OE1	1:B:216[B]:GLU:CD	2.28	0.77

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	537/525 (102%)	515 (96%)	22 (4%)	0	100	100
1	B	539/525 (103%)	517 (96%)	22 (4%)	0	100	100
All	All	1076/1050 (102%)	1032 (96%)	44 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	453/443 (102%)	450 (99%)	3 (1%)	76	52
1	B	458/443 (103%)	458 (100%)	0	100	100
All	All	911/886 (103%)	908 (100%)	3 (0%)	88	70

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61[A]	MET
1	A	61[B]	MET
1	A	61[C]	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	388	GLN
1	A	521	GLN
1	B	143	GLN
1	B	388	GLN
1	B	521	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 65 ligands modelled in this entry, 9 are monoatomic - leaving 56 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	PG6	A	543	-	9,9,17	0.52	0	8,8,16	0.43	0
2	HEC	B	1005	1	46,50,50	1.77	6 (13%)	58,82,82	1.84	3 (5%)
10	PG4	A	535	-	4,4,12	0.34	0	3,3,11	0.60	0
8	PG6	B	542	-	4,4,17	0.42	0	3,3,16	0.27	0
2	HEC	A	1004	3,1	46,50,50	1.65	5 (10%)	58,82,82	1.62	3 (5%)
10	PG4	A	538[B]	-	7,7,12	0.46	0	6,6,11	0.43	0
10	PG4	A	538[A]	-	7,4,12	21.50	1 (14%)	6,3,11	5.48	2 (33%)
2	HEC	B	1007[B]	4	46,50,50	1.76	7 (15%)	58,82,82	1.77	7 (12%)
2	HEC	B	1007[A]	-	46,50,50	1.76	7 (15%)	58,82,82	1.75	6 (10%)
10	PG4	A	539	-	5,5,12	0.46	0	4,4,11	0.51	0
6	THJ	A	530	-	3,4,4	0.76	0	2,6,6	0.04	0
2	HEC	A	1006	4,1	46,50,50	1.73	5 (10%)	58,82,82	1.79	3 (5%)
2	HEC	B	1006	4,1	46,50,50	1.72	4 (8%)	58,82,82	1.80	3 (5%)
5	SO4	A	529	-	4,4,4	0.53	0	6,6,6	0.72	0
10	PG4	B	537	-	9,9,12	0.45	0	8,8,11	0.29	0
2	HEC	B	1008	1	46,50,50	1.73	6 (13%)	58,82,82	1.80	4 (6%)
2	HEC	A	1002	1	46,50,50	1.68	3 (6%)	58,82,82	1.75	3 (5%)
6	THJ	B	530	-	3,4,4	0.69	0	2,6,6	0.11	0
9	TRS	A	533	-	7,7,7	0.34	0	9,9,9	1.08	1 (11%)
2	HEC	A	1003[B]	-	46,50,50	1.78	5 (10%)	58,82,82	1.70	7 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEC	B	1003[B]	-	46,50,50	1.81	7 (15%)	58,82,82	1.69	5 (8%)
2	HEC	A	1003[A]	-	46,50,50	1.78	5 (10%)	58,82,82	1.69	7 (12%)
2	HEC	B	1003[A]	-	46,50,50	1.82	8 (17%)	58,82,82	1.66	6 (10%)
9	TRS	B	533	-	7,7,7	0.31	0	9,9,9	0.47	0
10	PG4	B	547	-	6,6,12	0.31	0	5,5,11	0.97	0
10	PG4	A	540	-	5,5,12	0.46	0	4,4,11	0.26	0
10	PG4	B	540	-	3,3,12	0.30	0	2,2,11	0.43	0
10	PG4	B	539	-	4,4,12	0.41	0	3,3,11	0.30	0
2	HEC	A	1005	1	46,50,50	1.71	5 (10%)	58,82,82	1.73	3 (5%)
5	SO4	B	534	-	4,4,4	0.30	0	6,6,6	0.47	0
11	ACT	B	546	-	3,3,3	0.93	0	3,3,3	0.65	0
2	HEC	A	1001	1	46,50,50	1.75	6 (13%)	58,82,82	1.68	2 (3%)
2	HEC	A	1007[B]	4	46,50,50	1.70	6 (13%)	58,82,82	1.74	7 (12%)
10	PG4	B	544	-	4,4,12	0.48	0	3,3,11	0.20	0
10	PG4	B	536	-	7,7,12	0.42	0	6,6,11	0.72	0
3	SO3	B	529[B]	-	1,3,3	0.59	0	0,3,3	-	-
2	HEC	B	1001	1	46,50,50	1.86	6 (13%)	58,82,82	1.83	5 (8%)
3	SO3	B	529[A]	-	1,3,3	0.88	0	0,3,3	-	-
8	PG6	A	532	-	16,16,17	0.52	0	15,15,16	0.35	0
2	HEC	A	1007[A]	-	46,50,50	1.70	6 (13%)	58,82,82	1.73	6 (10%)
8	PG6	A	542	-	4,4,17	0.39	0	3,3,16	0.39	0
8	PG6	B	535	-	7,7,17	0.44	0	6,6,16	0.57	0
8	PG6	B	532	-	16,16,17	0.56	0	15,15,16	0.44	0
8	PG6	A	534	-	7,7,17	0.54	0	6,6,16	0.24	0
8	PG6	A	536	-	8,8,17	0.50	0	7,7,16	0.19	0
10	PG4	B	545	-	3,3,12	0.30	0	2,2,11	0.40	0
2	HEC	A	1008	1	46,50,50	1.78	6 (13%)	58,82,82	1.83	3 (5%)
2	HEC	B	1002	1	46,50,50	1.69	4 (8%)	58,82,82	1.81	4 (6%)
10	PG4	A	541	-	5,5,12	0.52	0	4,4,11	0.39	0
10	PG4	B	541	-	4,4,12	0.38	0	3,3,11	0.32	0
10	PG4	B	543	-	3,3,12	0.37	0	2,2,11	0.22	0
10	PG4	B	538	-	6,6,12	0.43	0	5,5,11	0.40	0
2	HEC	B	1004	3,1	46,50,50	1.74	6 (13%)	58,82,82	1.65	3 (5%)
10	PG4	A	537	-	3,3,12	0.36	0	2,2,11	0.39	0
3	SO3	A	526	2	1,3,3	1.97	0	0,3,3	-	-
3	SO3	B	526	2	1,3,3	2.19	1 (100%)	0,3,3	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	PG6	A	543	-	-	6/7/7/15	-
2	HEC	B	1005	1	-	8/14/54/54	-
10	PG4	A	535	-	-	0/2/2/10	-
8	PG6	B	542	-	-	2/2/2/15	-
2	HEC	A	1004	3,1	-	6/14/54/54	-
10	PG4	A	538[B]	-	-	2/5/5/10	-
10	PG4	A	538[A]	-	-	4/5/2/10	-
2	HEC	B	1007[B]	4	-	5/14/54/54	-
2	HEC	B	1007[A]	-	-	4/14/54/54	-
10	PG4	A	539	-	-	1/3/3/10	-
2	HEC	A	1006	4,1	-	4/14/54/54	-
2	HEC	B	1006	4,1	-	4/14/54/54	-
10	PG4	B	537	-	-	3/7/7/10	-
2	HEC	B	1008	1	-	8/14/54/54	-
2	HEC	A	1002	1	-	6/14/54/54	-
9	TRS	A	533	-	-	6/9/9/9	-
2	HEC	A	1003[B]	-	-	8/14/54/54	-
2	HEC	B	1003[B]	-	-	6/14/54/54	-
2	HEC	A	1003[A]	-	-	6/14/54/54	-
2	HEC	B	1003[A]	-	-	6/14/54/54	-
9	TRS	B	533	-	-	9/9/9/9	-
10	PG4	B	547	-	-	3/4/4/10	-
10	PG4	A	540	-	-	2/3/3/10	-
10	PG4	B	540	-	-	0/1/1/10	-
10	PG4	B	539	-	-	1/2/2/10	-
2	HEC	A	1005	1	-	8/14/54/54	-
2	HEC	A	1001	1	-	8/14/54/54	-
2	HEC	A	1007[B]	4	-	4/14/54/54	-
10	PG4	B	544	-	-	1/2/2/10	-
10	PG4	B	536	-	-	4/5/5/10	-
2	HEC	B	1001	1	-	7/14/54/54	-
8	PG6	A	532	-	-	0/14/14/15	-
2	HEC	A	1007[A]	-	-	4/14/54/54	-
8	PG6	A	542	-	-	2/2/2/15	-
8	PG6	B	535	-	-	1/5/5/15	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	PG6	B	532	-	-	0/14/14/15	-
8	PG6	A	534	-	-	1/5/5/15	-
8	PG6	A	536	-	-	4/6/6/15	-
10	PG4	B	545	-	-	1/1/1/10	-
2	HEC	A	1008	1	-	8/14/54/54	-
2	HEC	B	1002	1	-	6/14/54/54	-
10	PG4	A	541	-	-	1/3/3/10	-
10	PG4	B	541	-	-	0/2/2/10	-
10	PG4	B	543	-	-	1/1/1/10	-
10	PG4	B	538	-	-	4/4/4/10	-
2	HEC	B	1004	3,1	-	6/14/54/54	-
10	PG4	A	537	-	-	0/1/1/10	-

The worst 5 of 115 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	A	538[A]	PG4	O3-C5	56.88	3.88	1.42
2	B	1001	HEC	CAC-C3C	6.77	1.57	1.35
2	B	1008	HEC	CAC-C3C	6.76	1.57	1.35
2	B	1004	HEC	CAB-C3B	6.70	1.56	1.35
2	B	1005	HEC	CAC-C3C	6.63	1.56	1.35

The worst 5 of 93 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	A	538[A]	PG4	C5-O3-C4	-12.94	56.63	113.26
2	A	1008	HEC	CBB-CAB-C3B	-10.80	105.84	127.43
2	B	1008	HEC	CBB-CAB-C3B	-10.65	106.16	127.43
2	B	1005	HEC	CBB-CAB-C3B	-10.19	107.07	127.43
2	B	1006	HEC	CBB-CAB-C3B	-9.63	108.18	127.43

There are no chirality outliers.

5 of 181 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1004	HEC	C2B-C3B-CAB-CBB
2	A	1004	HEC	C4B-C3B-CAB-CBB
2	A	1004	HEC	C2C-C3C-CAC-CBC
2	A	1004	HEC	C4C-C3C-CAC-CBC
2	A	1005	HEC	C2B-C3B-CAB-CBB


There are no ring outliers.


15 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	543	PG6	1	0
10	A	538[A]	PG4	1	0
10	A	539	PG4	1	0
6	A	530	THJ	1	0
10	B	537	PG4	1	0
2	A	1002	HEC	1	0
2	A	1003[B]	HEC	3	0
2	B	1003[B]	HEC	1	0
9	B	533	TRS	1	0
10	B	547	PG4	8	0
10	B	539	PG4	1	0
10	B	536	PG4	2	0
8	B	535	PG6	1	0
2	B	1002	HEC	1	0
10	B	541	PG4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	519/525 (98%)	-0.88	2 (0%) 88 91	9, 15, 25, 44	20 (3%)
1	B	519/525 (98%)	-0.83	8 (1%) 72 75	9, 15, 26, 44	23 (4%)
All	All	1038/1050 (98%)	-0.86	10 (0%) 79 83	9, 15, 25, 44	43 (4%)

The worst 5 of 10 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	523	ALA	9.2
1	B	523	ALA	9.1
1	B	522	VAL	5.0
1	A	522	VAL	4.9
1	B	51	ARG	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	PG6	A	536	9/18	0.56	0.30	40,42,42,42	9
11	ACT	B	546	4/4	0.59	0.26	34,35,36,36	0
10	PG4	B	544	5/13	0.67	0.19	25,26,28,29	5
10	PG4	B	537	10/13	0.70	0.22	39,42,44,44	10
10	PG4	B	540	4/13	0.70	0.27	29,31,31,31	4
10	PG4	A	541	6/13	0.76	0.23	36,36,37,38	6
10	PG4	B	541	5/13	0.76	0.19	47,47,48,49	0
10	PG4	A	538[A]	5/13	0.77	0.21	36,38,40,41	2
10	PG4	A	538[B]	8/13	0.77	0.21	39,40,41,41	5
8	PG6	A	542	5/18	0.79	0.34	52,52,52,53	5
8	PG6	A	543	10/18	0.79	0.19	29,31,33,34	10
10	PG4	A	537	4/13	0.80	0.21	35,36,36,36	4
9	TRS	B	533	8/8	0.81	0.16	15,15,16,16	8
10	PG4	B	545	4/13	0.81	0.44	35,35,36,36	4
10	PG4	A	539	6/13	0.81	0.17	47,48,48,48	0
10	PG4	B	538	7/13	0.84	0.13	31,31,32,33	7
8	PG6	B	542	5/18	0.85	0.17	45,45,45,45	5
10	PG4	B	536	8/13	0.85	0.18	18,25,29,29	8
8	PG6	B	535	8/18	0.85	0.13	34,36,38,38	0
10	PG4	B	543	4/13	0.86	0.14	47,48,48,48	0
8	PG6	B	532	17/18	0.86	0.14	16,19,22,25	17
8	PG6	A	532	17/18	0.87	0.12	17,21,27,29	17
10	PG4	A	540	6/13	0.87	0.12	50,50,51,51	0
9	TRS	A	533	8/8	0.88	0.13	12,13,14,14	8
10	PG4	B	547	7/13	0.89	0.14	18,22,24,26	7
8	PG6	A	534	8/18	0.89	0.12	28,33,40,40	0
10	PG4	B	539	5/13	0.91	0.14	23,27,27,27	5
3	SO3	B	529[A]	4/4	0.92	0.22	17,18,20,22	4
3	SO3	B	529[B]	4/4	0.92	0.22	17,18,22,22	4
5	SO4	A	529	5/5	0.92	0.16	19,21,26,26	5
10	PG4	A	535	5/13	0.94	0.12	14,17,20,22	5
5	SO4	B	534	5/5	0.96	0.13	14,18,23,25	5
6	THJ	A	530	5/5	0.96	0.08	24,24,24,28	5
7	NA	B	548	1/1	0.97	0.09	24,24,24,24	1
7	NA	B	549	1/1	0.97	0.07	30,30,30,30	1
6	THJ	B	530	5/5	0.98	0.07	23,23,23,25	5
2	HEC	B	1003[B]	43/43	0.99	0.05	12,13,23,33	4
2	HEC	B	1001	43/43	0.99	0.05	17,19,24,26	0
2	HEC	A	1004	43/43	0.99	0.04	11,12,14,17	0
2	HEC	A	1005	43/43	0.99	0.03	11,12,16,19	0
4	CA	A	528	1/1	0.99	0.03	18,18,18,18	1
2	HEC	A	1006	43/43	0.99	0.04	10,11,12,14	0
2	HEC	A	1007[A]	43/43	0.99	0.04	10,11,13,14	4

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	HEC	A	1007[B]	43/43	0.99	0.04	10,11,13,14	4
2	HEC	A	1008	43/43	0.99	0.05	12,14,22,34	0
7	NA	A	544	1/1	0.99	0.03	23,23,23,23	1
2	HEC	A	1002	43/43	0.99	0.03	12,13,15,17	0
2	HEC	A	1003[A]	43/43	0.99	0.05	11,13,21,29	4
2	HEC	A	1003[B]	43/43	0.99	0.05	11,13,23,29	4
2	HEC	A	1001	43/43	0.99	0.04	13,14,20,21	0
2	HEC	B	1004	43/43	0.99	0.04	10,12,14,16	0
2	HEC	B	1007[A]	43/43	0.99	0.04	10,11,13,14	4
2	HEC	B	1007[B]	43/43	0.99	0.04	10,11,13,14	4
2	HEC	B	1008	43/43	0.99	0.04	11,14,21,32	0
2	HEC	B	1002	43/43	0.99	0.04	13,15,17,19	0
2	HEC	B	1003[A]	43/43	0.99	0.05	12,13,23,33	4
2	HEC	B	1006	43/43	1.00	0.03	9,11,12,13	0
2	HEC	B	1005	43/43	1.00	0.03	10,12,15,19	0
4	CA	A	527	1/1	1.00	0.01	13,13,13,13	0
7	NA	A	531	1/1	1.00	0.02	23,23,23,23	1
3	SO3	A	526	4/4	1.00	0.05	14,15,17,18	0
7	NA	B	531	1/1	1.00	0.08	23,23,23,23	1
4	CA	B	527	1/1	1.00	0.01	13,13,13,13	0
4	CA	B	528	1/1	1.00	0.02	18,18,18,18	1
3	SO3	B	526	4/4	1.00	0.05	14,14,16,17	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PG6 A 536:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG6 A 542:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG6 A 543:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG6 B 542:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG6 B 535:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG6 A 534:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1003 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1007 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1007 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1008:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1003 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC A 1003 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1007 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1007 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1008:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1003 (A):


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC B 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.