



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:07 PM UTC

PDB ID : 2FPV / pdb_00002fpv
Title : Dual binding mode of a novel series of DHODH inhibitors
Authors : Baumgartner, R.; Leban, J.
Deposited on : 2006-01-17
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	395	77% 15% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	A	401	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3134 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydroorotate dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	364	Total	C	N	O	S	0	0	0
			2785	1746	517	518	4			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2	MET	-	cloning artifact	UNP Q02127
A	3	GLY	-	cloning artifact	UNP Q02127
A	4	HIS	-	expression tag	UNP Q02127
A	5	HIS	-	expression tag	UNP Q02127
A	6	HIS	-	expression tag	UNP Q02127
A	7	HIS	-	expression tag	UNP Q02127
A	8	HIS	-	expression tag	UNP Q02127
A	9	HIS	-	expression tag	UNP Q02127
A	10	HIS	-	expression tag	UNP Q02127
A	11	HIS	-	expression tag	UNP Q02127
A	12	HIS	-	expression tag	UNP Q02127
A	13	HIS	-	expression tag	UNP Q02127
A	14	SER	-	cloning artifact	UNP Q02127
A	15	SER	-	cloning artifact	UNP Q02127
A	16	GLY	-	cloning artifact	UNP Q02127
A	17	HIS	-	cloning artifact	UNP Q02127
A	18	ILE	-	cloning artifact	UNP Q02127
A	19	ASP	-	cloning artifact	UNP Q02127
A	20	ASP	-	cloning artifact	UNP Q02127
A	21	ASP	-	cloning artifact	UNP Q02127
A	22	ASP	-	cloning artifact	UNP Q02127
A	23	LYS	-	cloning artifact	UNP Q02127
A	24	HIS	-	cloning artifact	UNP Q02127
A	25	MET	-	cloning artifact	UNP Q02127
A	26	LEU	-	cloning artifact	UNP Q02127
A	27	GLU	-	cloning artifact	UNP Q02127
A	28	ASP	-	cloning artifact	UNP Q02127

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	29	PRO	-	cloning artifact	UNP Q02127

- Molecule 2 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0

- Molecule 4 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 31 17 4 9 1	0	0

- Molecule 5 is OROTIC ACID (CCD ID: ORO) (formula: $C_5H_4N_2O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			11	5	2	4		

- Molecule 6 is 3-[(3-FLUORO-3'-METHOXYBIPHENYL-4-YL)AMINO]CARBONYL}THIOPHENE-2-CARBOXYLIC ACID (CCD ID: ILC) (formula: $C_{19}H_{14}FNO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	F	N	O	0	1
			52	38	2	2	8		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	227	Total 227	O 227	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Dihydroorotate dehydrogenase, mitochondrial



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	90.75 Å 90.75 Å 122.78 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.40 – 1.80	Depositor
% Data completeness (in resolution range)	99.8 (19.40-1.80)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS, CNX 2002	Depositor
R, R_{free}	0.195 , 0.205	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3134	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ILC, ORO, ACT, FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/2831	0.89	7/3824 (0.2%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	251	ALA	N-CA-C	-5.84	102.66	110.55
1	A	364	PRO	N-CA-C	5.65	117.59	110.70
1	A	201	VAL	N-CA-C	5.64	116.29	110.82
1	A	137	LEU	CA-C-N	5.46	124.92	119.24
1	A	137	LEU	C-N-CA	5.46	124.92	119.24
1	A	278	ASP	N-CA-C	5.27	117.94	111.82
1	A	150	ASN	N-CA-C	-5.01	102.44	109.96

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2785	0	2849	45	0
2	A	8	0	6	3	0
3	A	20	0	0	0	0
4	A	31	0	19	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	11	0	3	0	0
6	A	52	0	26	5	0
7	A	227	0	0	7	0
All	All	3134	0	2903	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:PRO:HB2	1:A:134:VAL:HG13	1.65	0.77
1:A:168:GLN:HG3	2:A:401:ACT:H2	1.70	0.73
1:A:215:SER:HB3	1:A:221:LEU:HD23	1.74	0.69
2:A:401:ACT:H3	7:A:440:HOH:O	1.93	0.67
1:A:184:LYS:HE3	1:A:221:LEU:HD13	1.76	0.66
1:A:169:ALA:HA	2:A:401:ACT:H1	1.76	0.66
1:A:227:LYS:HE2	1:A:231:ARG:NH2	2.20	0.56
1:A:189:VAL:HG12	1:A:189:VAL:O	2.07	0.55
1:A:393:ASP:O	1:A:396:ARG:HG2	2.08	0.54
1:A:241:ARG:HD2	1:A:241:ARG:C	2.32	0.53
1:A:247:VAL:HG23	1:A:248:HIS:CD2	2.43	0.53
1:A:136:ARG:HG2	6:A:405[B]:ILC:H25	1.90	0.52
1:A:193:GLU:O	1:A:197:GLU:HG3	2.13	0.47
1:A:221:LEU:HD12	1:A:224:LEU:HD12	1.95	0.47
1:A:213:VAL:HB	7:A:568:HOH:O	2.13	0.47
1:A:68:LEU:CD2	6:A:405[B]:ILC:H12	2.45	0.47
1:A:43:MET:HB2	1:A:44:PRO:HD3	1.96	0.46
1:A:61:ARG:HH11	1:A:61:ARG:HG3	1.80	0.46
1:A:36:ARG:HD3	7:A:594:HOH:O	2.14	0.46
1:A:136:ARG:CG	6:A:405[B]:ILC:H25	2.46	0.46
1:A:356:TYR:C	1:A:356:TYR:CD2	2.94	0.46
1:A:56:HIS:HD2	7:A:548:HOH:O	1.99	0.46
6:A:405[B]:ILC:O23	6:A:405[B]:ILC:H14	2.16	0.45
1:A:215:SER:HB3	1:A:221:LEU:CD2	2.44	0.45
1:A:247:VAL:HG22	7:A:468:HOH:O	2.16	0.45
1:A:72:ARG:HG3	1:A:73:PHE:H	1.81	0.45
1:A:272:VAL:HG13	1:A:277:ILE:HB	1.98	0.45
1:A:355:LEU:HD12	1:A:355:LEU:C	2.42	0.44
1:A:83:VAL:HG22	1:A:84:LEU:N	2.32	0.44
1:A:61:ARG:HG3	1:A:61:ARG:NH1	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:347:ARG:NH1	1:A:383:PHE:HZ	2.16	0.44
1:A:136:ARG:C	1:A:138:PRO:HD3	2.43	0.44
1:A:195:TYR:OH	1:A:221:LEU:HD11	2.18	0.43
1:A:38:TYR:HE2	6:A:405[B]:ILC:O3	2.02	0.43
1:A:123:PRO:HA	1:A:154:LEU:HG	2.00	0.43
1:A:73:PHE:CD2	1:A:371:LYS:HE3	2.54	0.42
1:A:68:LEU:HD22	1:A:111:MET:HE2	1.99	0.42
1:A:282:VAL:HG13	1:A:283:THR:HG22	2.02	0.42
1:A:226:GLY:O	1:A:230:LEU:HB2	2.20	0.42
1:A:213:VAL:HG23	1:A:225:GLN:HG3	2.02	0.41
1:A:79:LEU:O	1:A:91:PRO:HD3	2.21	0.41
1:A:56:HIS:HE1	1:A:98:PHE:O	2.04	0.41
1:A:225:GLN:N	7:A:568:HOH:O	2.53	0.41
1:A:203:GLY:N	1:A:204:PRO:CD	2.84	0.41
1:A:282:VAL:CG1	1:A:283:THR:HG22	2.51	0.40
1:A:225:GLN:HG3	7:A:568:HOH:O	2.20	0.40
1:A:46:LEU:HD11	1:A:50:LEU:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/395 (92%)	349 (96%)	13 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	294/322 (91%)	294 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	HIS
1	A	141	GLN
1	A	239	GLN
1	A	381	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ACT	A	400	-	3,3,3	1.02	0	3,3,3	1.38	0
3	SO4	A	406	-	4,4,4	0.38	0	6,6,6	0.07	0
6	ILC	A	405[A]	-	28,28,28	3.74	17 (60%)	36,39,39	2.57	12 (33%)
5	ORO	A	399	-	11,11,11	1.26	2 (18%)	14,15,15	1.34	3 (21%)
3	SO4	A	402	-	4,4,4	0.35	0	6,6,6	0.07	0
4	FMN	A	398	-	33,33,33	1.42	5 (15%)	48,50,50	1.23	4 (8%)
3	SO4	A	403	-	4,4,4	0.36	0	6,6,6	0.07	0
6	ILC	A	405[B]	-	28,28,28	3.73	18 (64%)	36,39,39	2.57	12 (33%)
2	ACT	A	401	-	3,3,3	1.06	0	3,3,3	1.31	0
3	SO4	A	404	-	4,4,4	0.38	0	6,6,6	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ILC	A	405[B]	-	-	5/18/18/18	0/3/3/3
6	ILC	A	405[A]	-	-	6/18/18/18	0/3/3/3
5	ORO	A	399	-	-	2/4/4/4	0/1/1/1
4	FMN	A	398	-	-	6/18/18/18	0/3/3/3

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	405[A]	ILC	C8-C2	7.04	1.50	1.39
6	A	405[B]	ILC	C8-C2	7.03	1.50	1.39
6	A	405[A]	ILC	C16-C18	6.83	1.47	1.39
6	A	405[B]	ILC	C16-C18	6.72	1.47	1.39
6	A	405[A]	ILC	C1-C2	5.76	1.49	1.38
6	A	405[B]	ILC	C1-C2	5.71	1.49	1.38
6	A	405[B]	ILC	C14-C16	5.65	1.48	1.39
6	A	405[B]	ILC	C20-C10	5.56	1.49	1.39
6	A	405[A]	ILC	C14-C16	5.54	1.48	1.39
6	A	405[A]	ILC	C20-C10	5.50	1.49	1.39
6	A	405[B]	ILC	C13-C10	5.44	1.50	1.39
6	A	405[A]	ILC	C13-C10	5.44	1.50	1.39
6	A	405[B]	ILC	C11-C9	4.87	1.49	1.39
6	A	405[A]	ILC	C11-C9	4.84	1.49	1.39
6	A	405[A]	ILC	C20-C18	4.69	1.45	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	405[A]	ILC	C8-C9	4.60	1.47	1.39
6	A	405[A]	ILC	C21-N17	4.59	1.45	1.35
6	A	405[B]	ILC	C20-C18	4.59	1.45	1.37
6	A	405[B]	ILC	C8-C9	4.59	1.47	1.39
6	A	405[B]	ILC	C21-N17	4.47	1.44	1.35
4	A	398	FMN	C6-C5A	3.86	1.45	1.40
6	A	405[A]	ILC	C12-C11	3.76	1.45	1.38
6	A	405[B]	ILC	C12-C11	3.72	1.45	1.38
6	A	405[B]	ILC	C12-C1	3.30	1.44	1.38
6	A	405[A]	ILC	C12-C1	3.27	1.44	1.38
6	A	405[A]	ILC	C14-C13	3.15	1.43	1.38
6	A	405[B]	ILC	C22-C27	3.11	1.44	1.38
4	A	398	FMN	C9A-C5A	3.09	1.46	1.41
6	A	405[B]	ILC	C14-C13	3.09	1.43	1.38
6	A	405[B]	ILC	C28-C27	-3.06	1.43	1.48
6	A	405[A]	ILC	C22-C27	3.05	1.43	1.38
6	A	405[A]	ILC	C28-C27	-3.05	1.43	1.48
6	A	405[B]	ILC	C27-S26	-3.02	1.67	1.72
6	A	405[A]	ILC	C27-S26	-3.00	1.67	1.72
6	A	405[B]	ILC	O23-C21	2.74	1.28	1.23
6	A	405[A]	ILC	O23-C21	2.62	1.28	1.23
4	A	398	FMN	C2-N3	2.49	1.44	1.39
4	A	398	FMN	C8-C7	2.40	1.46	1.40
5	A	399	ORO	C5-C4	2.23	1.47	1.42
5	A	399	ORO	C6-C7	2.12	1.53	1.48
4	A	398	FMN	C4A-C10	2.06	1.50	1.44
6	A	405[B]	ILC	C22-C21	-2.01	1.43	1.49

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	405[A]	ILC	C25-S26-C27	8.65	100.22	91.38
6	A	405[B]	ILC	C25-S26-C27	8.61	100.19	91.38
6	A	405[A]	ILC	C22-C21-N17	6.50	124.77	115.61
6	A	405[B]	ILC	C22-C21-N17	6.48	124.75	115.61
6	A	405[A]	ILC	C22-C27-S26	-4.97	105.99	111.94
6	A	405[B]	ILC	C22-C27-S26	-4.94	106.03	111.94
6	A	405[A]	ILC	C24-C25-S26	-3.84	105.99	112.86
6	A	405[B]	ILC	C24-C25-S26	-3.83	106.00	112.86
6	A	405[B]	ILC	F19-C18-C16	3.21	121.58	117.59
6	A	405[A]	ILC	F19-C18-C16	3.21	121.58	117.59
6	A	405[B]	ILC	C20-C18-C16	-3.06	120.30	123.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	405[A]	ILC	C20-C18-C16	-3.04	120.32	123.43
6	A	405[A]	ILC	O30-C28-O29	-2.83	117.15	123.90
6	A	405[B]	ILC	O30-C28-O29	-2.81	117.22	123.90
6	A	405[A]	ILC	O23-C21-N17	-2.75	117.36	123.89
6	A	405[B]	ILC	O23-C21-N17	-2.71	117.46	123.89
4	A	398	FMN	C10-N1-C2	2.61	122.50	116.85
4	A	398	FMN	C4-C4A-N5	2.57	121.76	118.21
6	A	405[B]	ILC	C1-C2-C8	-2.55	117.07	120.50
6	A	405[A]	ILC	C1-C2-C8	-2.54	117.09	120.50
6	A	405[A]	ILC	C8-C9-C10	2.47	124.99	120.84
6	A	405[B]	ILC	C8-C9-C10	2.47	124.99	120.84
6	A	405[B]	ILC	C11-C9-C10	-2.44	117.05	121.25
6	A	405[A]	ILC	C11-C9-C10	-2.44	117.05	121.25
5	A	399	ORO	C6-N1-C2	-2.40	120.09	122.65
5	A	399	ORO	C5-C6-N1	2.34	123.62	120.87
4	A	398	FMN	C9A-C9-C8	2.33	123.90	119.22
6	A	405[B]	ILC	C14-C16-C18	2.27	119.70	117.23
6	A	405[A]	ILC	C14-C16-C18	2.25	119.68	117.23
4	A	398	FMN	C9-C9A-N10	2.18	124.78	121.85
5	A	399	ORO	O72-C7-O71	2.10	128.91	123.90

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	399	ORO	N1-C6-C7-O71
5	A	399	ORO	N1-C6-C7-O72
6	A	405[A]	ILC	N17-C21-C22-C24
6	A	405[A]	ILC	O23-C21-C22-C24
6	A	405[B]	ILC	N17-C21-C22-C24
6	A	405[B]	ILC	O23-C21-C22-C24
6	A	405[B]	ILC	C1-C2-O3-C4
6	A	405[A]	ILC	C1-C2-O3-C4
6	A	405[A]	ILC	C8-C2-O3-C4
6	A	405[B]	ILC	C8-C2-O3-C4
4	A	398	FMN	O3'-C3'-C4'-C5'
4	A	398	FMN	C2'-C3'-C4'-C5'
4	A	398	FMN	C2'-C3'-C4'-O4'
4	A	398	FMN	O3'-C3'-C4'-O4'
4	A	398	FMN	C4'-C5'-O5'-P
6	A	405[A]	ILC	C18-C16-N17-C21
4	A	398	FMN	C5'-O5'-P-O1P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	A	405[A]	ILC	O23-C21-C22-C27
6	A	405[B]	ILC	O23-C21-C22-C27


There are no ring outliers.


2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	405[B]	ILC	5	0
2	A	401	ACT	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.