



Full wwPDB EM Validation Report ⓘ

Apr 15, 2026 – 03:06 AM UTC

PDB ID : 8FPK / pdb_00008fpk
EMDB ID : EMD-29367
Title : LBD conformation 1 of GluA2 flip Q isoform of AMPA receptor in complex with gain-of-function TARP gamma-2, with 10mM CaCl₂, 150mM NaCl, 1mM MgCl₂, 330uM CTZ, and 100uM CNQX (Closed-CaNaMg)
Authors : Nakagawa, T.
Deposited on : 2023-01-04
Resolution : 2.76 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10642 (2.26 - 3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	889	
1	B	889	
1	C	889	
1	D	889	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	Y4Y	A	901	-	X	-	-
2	Y4Y	C	901	-	X	-	-
2	Y4Y	D	901	-	X	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8156 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	B	256	Total	C	N	O	S	0	0
			1992	1269	330	379	14		
1	C	256	Total	C	N	O	S	2	0
			2009	1281	333	381	14		
1	A	256	Total	C	N	O	S	0	0
			1992	1269	330	379	14		
1	D	256	Total	C	N	O	S	1	0
			1999	1275	330	380	14		

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	848	ASP	-	insertion	UNP P19491
B	849	TYR	-	insertion	UNP P19491
B	850	LYS	-	insertion	UNP P19491
B	851	ASP	-	insertion	UNP P19491
B	852	ASP	-	insertion	UNP P19491
B	853	ASP	-	insertion	UNP P19491
B	854	ASP	TYR	conflict	UNP P19491
C	848	ASP	-	insertion	UNP P19491
C	849	TYR	-	insertion	UNP P19491
C	850	LYS	-	insertion	UNP P19491
C	851	ASP	-	insertion	UNP P19491
C	852	ASP	-	insertion	UNP P19491
C	853	ASP	-	insertion	UNP P19491
C	854	ASP	TYR	conflict	UNP P19491
A	848	ASP	-	insertion	UNP P19491
A	849	TYR	-	insertion	UNP P19491
A	850	LYS	-	insertion	UNP P19491
A	851	ASP	-	insertion	UNP P19491
A	852	ASP	-	insertion	UNP P19491
A	853	ASP	-	insertion	UNP P19491
A	854	ASP	TYR	conflict	UNP P19491
D	848	ASP	-	insertion	UNP P19491

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	849	TYR	-	insertion	UNP P19491
D	850	LYS	-	insertion	UNP P19491
D	851	ASP	-	insertion	UNP P19491
D	852	ASP	-	insertion	UNP P19491
D	853	ASP	-	insertion	UNP P19491
D	854	ASP	TYR	conflict	UNP P19491

- Molecule 2 is 6-(aminomethyl)-7-nitro-1,4-dihydroquinoxaline-2,3-dione (CCD ID: Y4Y) (formula: C₉H₈N₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
2	B	1	Total	C	N	O	0
			17	9	4	4	
2	C	1	Total	C	N	O	0
			17	9	4	4	
2	A	1	Total	C	N	O	0
			17	9	4	4	
2	D	1	Total	C	N	O	0
			17	9	4	4	

- Molecule 3 is CYCLOTHIAZIDE (CCD ID: CYZ) (formula: C₁₄H₁₆ClN₃O₄S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						AltConf
3	B	1	Total 24	C 14	Cl 1	N 3	O 4	S 2	0
3	C	1	Total 24	C 14	Cl 1	N 3	O 4	S 2	0
3	A	1	Total 24	C 14	Cl 1	N 3	O 4	S 2	0
3	D	1	Total 24	C 14	Cl 1	N 3	O 4	S 2	0

ASP	VAL	R675		GLN	TRP	V406
ASP	ALA			GLN	MET	M407
ASP	GLY	P679		GLY	CYS	M408
LYS	VAL	S680		CYS	ILE	K409
GLU	PHE	V681		ASP	VAL	
GLY	TYR			ILE	PHE	E416
TYR	ILE			SER	ALA	
	LEU	T685		PRO	TYR	E422
LEU	LEU	T686		ARG	ILE	
VAL	VAL	A687		SER	GLY	A433
TYR	GLY	E688		LEU	VAL	
GLY	GLY			SER	SER	F438
ILE	LEU	A691		SER	VAL	
GLU	GLY			GLY	VAL	K441
SER	LEU	K695		ARG	VAL	
VAL	ALA			ILE	LEU	
LYS	MET			VAL	PHE	D454
ILE	LEU	A701		GLY	LEU	A455
	VAL	L703		VAL	VAL	D456
ALA	LEU			TRP	ARG	T457
	LEU	T707		TRP	PHE	
ILE	ILE	M708		PHE	SER	G462
GLU	GLU	N709		PHE	PRO	
PHE	CYS	E710		THR	TYR	E466
	TYR	Y711		LEU	GLU	L467
LYS	LYS			ILE	TRP	
SER	SER	R715		ILE	HIS	D473
ARG	ARG			ILE	THR	I474
ALA	ALA	S729		ILE	GLU	A475
	GLU			SER	GLU	
ALA	ALA	A735		THR	PHE	V484
LYS	ARG	T736		THR	GLU	
	MET	P737		ALA	ASP	V488
				ASN	GLY	I489
	LYS	K763		LEU	ARG	
VAL	VAL	M764		ALA	GLU	S492
ALA	ALA	K765		ALA	THR	
LYS	LYS	T766		PHE	GLN	M496
ASN	ASN	Y767		THR	SER	
PRO	PRO	Y768		LEU	SER	M503
GLN	GLN	D769		VAL	GLU	
ASN	ASN			GLU	SER	K506
ILE	ILE	C773		ARG	THR	PRO
ASN	ASN			MET	ASN	GLN
PRO	PRO			VAL	GLU	LYS
SER	SER			SER	PHE	SER
SER	SER			P632	GLY	LYS
SER	SER			P633	ILE	PRO
GLN	GLN				PHE	GLY
ASN	ASN			L639	ASN	VAL
SER	SER				SER	PHE
GLY	GLY				LEU	SER
LYS	LYS			Y647	TRP	PHE
GLN	GLN			G648	PHE	LEU
ASN	ASN			T649	THR	PRO
PHE	PHE				SER	ASP
ALA	ALA				SER	LEU
ALA	ALA			D668	GLY	PRO
ASP	ASP				THR	LEU
TYR	TYR			T672	ALA	TYR
LYS	LYS			Y673	PHE	GLU
SER	SER			M674	MEI	TYR
ASN	ASN					TYR

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	215404	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	56	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.145	Depositor
Minimum map value	-0.080	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0203	Depositor
Map size (Å)	295.02002, 295.02002, 295.02002	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8195, 0.8195, 0.8195	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Y4Y, CYZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.12	0/2027	0.26	0/2727
1	B	0.11	0/2027	0.26	0/2727
1	C	0.12	0/2049	0.28	0/2758
1	D	0.12	0/2038	0.25	0/2743
All	All	0.12	0/8141	0.26	0/10955

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1992	0	2013	21	0
1	B	1992	0	2013	20	0
1	C	2009	0	2021	31	0
1	D	1999	0	2015	29	0
2	A	17	0	0	0	0
2	B	17	0	0	0	0
2	C	17	0	0	1	0
2	D	17	0	0	0	0
3	A	24	0	16	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	24	0	16	0	0
3	C	24	0	16	3	0
3	D	24	0	16	1	0
All	All	8156	0	8126	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:413:GLU:N	1:C:413:GLU:OE1	2.24	0.71
1:D:395:VAL:HG13	1:D:473:ASP:HB2	1.75	0.68
1:A:486:GLU:HG2	1:A:491:PHE:HD2	1.62	0.64
1:B:496:MET:HE3	1:B:707:THR:HG21	1.81	0.62
1:B:765:LYS:HA	1:B:769:ASP:HB2	1.82	0.60
1:B:685:THR:OG1	1:B:688:GLU:OE1	2.19	0.60
1:A:633:ILE:HG23	1:A:638:ASP:HB2	1.84	0.59
1:B:395:VAL:HG13	1:B:473:ASP:HB2	1.84	0.59
1:D:496:MET:HE3	1:D:707:THR:HG21	1.84	0.58
1:C:497:SER:OG	3:C:902:CYZ:O2	2.16	0.58
1:C:666:VAL:O	1:C:670:MET:HG3	2.04	0.58
1:D:649:THR:HG22	1:D:703:LEU:HB2	1.85	0.58
1:B:503:MET:HB3	1:B:702:TYR:HB3	1.87	0.57
1:C:497:SER:OG	3:C:902:CYZ:S1	2.63	0.57
1:A:497:SER:OG	3:A:902:CYZ:S1	2.64	0.56
3:A:902:CYZ:O1	1:D:729:SER:OG	2.23	0.56
1:A:497:SER:OG	3:A:902:CYZ:O2	2.21	0.55
1:C:666:VAL:HA	1:C:669:LYS:HE2	1.89	0.55
1:C:719:ASP:OD2	1:C:719:ASP:N	2.40	0.54
1:B:647:TYR:HB3	1:B:701:ALA:HB3	1.91	0.53
1:B:489:ILE:HD12	1:B:735:ALA:HB1	1.91	0.53
1:B:649:THR:HG22	1:B:703:LEU:HB2	1.90	0.53
1:D:633:ILE:HG21	1:D:639:LEU:HD13	1.91	0.53
1:C:693:VAL:HG21	1:C:702:TYR:HB2	1.90	0.53
1:D:399:THR:CG2	1:D:406:VAL:HG21	2.38	0.53
1:A:402:GLU:OE1	1:A:450:TYR:OH	2.23	0.52
1:A:719:ASP:OD1	1:A:719:ASP:N	2.40	0.52
1:D:433:ALA:HA	1:D:438:PHE:CE1	2.45	0.52
1:A:493:LYS:HG3	1:A:751:LEU:HD21	1.92	0.52
1:D:454:ASP:OD2	1:D:457:THR:OG1	2.28	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:475:ALA:HB3	1:D:735:ALA:HB3	1.93	0.51
1:D:765:LYS:HA	1:D:769:ASP:HB2	1.92	0.51
1:A:653:GLY:O	1:A:657:GLU:HG2	2.10	0.50
1:D:489:ILE:HD12	1:D:735:ALA:HB1	1.92	0.50
1:C:633:ILE:HD13	1:C:645:ILE:HD13	1.94	0.50
1:D:462:GLY:O	1:D:466:GLU:HG2	2.12	0.50
1:D:668:ASP:O	1:D:672:THR:HG22	2.12	0.49
3:D:902:CYZ:O3	3:D:902:CYZ:CL	2.67	0.49
1:C:715:ARG:NH2	1:C:770:LYS:O	2.43	0.49
1:C:467:LEU:HD22	1:C:737:PRO:HD3	1.94	0.49
1:C:504:ILE:HD12	1:C:632:PRO:HD2	1.95	0.49
1:A:765:LYS:HA	1:A:769:ASP:HB2	1.94	0.49
1:B:462:GLY:O	1:B:466:GLU:HG2	2.13	0.48
1:B:684:ARG:HD2	1:B:684:ARG:H	1.79	0.48
1:D:691:ALA:O	1:D:695:LYS:HG3	2.13	0.48
1:C:649:THR:HG22	1:C:703:LEU:HB2	1.95	0.47
1:C:674:MET:HB3	1:C:682:PHE:CZ	2.50	0.47
1:C:685:THR:HG23	1:C:688:GLU:H	1.78	0.47
1:A:460:TRP:HH2	1:A:484:VAL:HG22	1.80	0.47
1:A:497:SER:OG	3:A:902:CYZ:O1	2.32	0.47
1:D:503:MET:HB3	1:D:702:TYR:HB3	1.97	0.47
1:C:694:ARG:HG2	1:C:719:ASP:OD1	2.15	0.46
1:C:738:LYS:HE2	1:C:738:LYS:HB2	1.83	0.46
1:C:765:LYS:HA	1:C:769:ASP:HB2	1.97	0.46
1:A:413:GLU:H	1:A:413:GLU:CD	2.21	0.46
1:A:413:GLU:OE1	1:A:413:GLU:N	2.35	0.46
1:D:467:LEU:HD22	1:D:737:PRO:HD3	1.98	0.46
1:B:674:MET:HG2	1:B:681:VAL:HG21	1.98	0.46
1:D:399:THR:HG21	1:D:406:VAL:HG21	1.97	0.46
1:D:685:THR:HB	1:D:688:GLU:OE1	2.16	0.46
1:D:674:MET:HG2	1:D:681:VAL:HG21	1.97	0.45
1:C:404:PRO:HA	1:C:407:MET:SD	2.57	0.45
1:B:484:VAL:O	1:B:488:VAL:HG22	2.17	0.45
1:A:493:LYS:NZ	1:D:492:SER:O	2.50	0.45
1:D:409:LYS:HE3	1:D:422:GLU:HB3	1.99	0.45
1:C:659:PHE:HB3	1:C:671:TRP:HB2	1.99	0.44
1:C:402:GLU:OE1	1:C:450:TYR:OH	2.30	0.44
1:A:683:VAL:HG11	1:A:689:GLY:N	2.33	0.44
1:D:405:TYR:HE1	1:D:496:MET:HE1	1.83	0.44
1:C:633:ILE:HG23	1:C:638:ASP:HB2	2.00	0.44
1:A:420:ARG:NH2	1:A:421:TYR:OH	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:451:GLY:HA2	1:A:461:ASN:O	2.17	0.44
1:C:485:ARG:NH1	2:C:901:Y4Y:O2	2.50	0.44
1:D:711:TYR:O	1:D:715:ARG:HG2	2.17	0.44
1:A:693:VAL:HG21	1:A:702:TYR:HB2	2.00	0.43
1:A:428:LEU:O	1:A:432:ILE:HG12	2.18	0.43
1:B:763:LYS:O	1:B:767:TRP:HB2	2.19	0.43
1:D:647:TYR:HB3	1:D:701:ALA:HB3	1.99	0.43
1:C:506:LYS:HD3	1:C:721:MET:HB2	1.99	0.43
1:A:408:MET:HE3	1:A:420:ARG:HB3	2.01	0.43
1:B:485:ARG:O	1:B:489:ILE:HG12	2.19	0.43
1:A:497:SER:H	3:A:902:CYZ:H11	1.84	0.43
1:C:668:ASP:O	1:C:672:THR:HG23	2.18	0.43
1:D:639:LEU:HG	1:D:647:TYR:CD2	2.55	0.42
1:C:683:VAL:HG11	1:C:689:GLY:N	2.34	0.42
1:B:405:TYR:HE1	1:B:496:MET:HE1	1.85	0.42
1:D:441:LYS:HB3	1:D:441:LYS:HE3	1.67	0.42
1:D:484:VAL:O	1:D:488:VAL:HG22	2.20	0.42
1:D:503:MET:HE3	1:D:709:ASN:OD1	2.20	0.42
1:C:696:SER:OG	1:C:699:LYS:HB3	2.20	0.41
1:B:503:MET:HE3	1:B:709:ASN:OD1	2.20	0.41
1:C:692:ARG:O	1:C:696:SER:HB2	2.20	0.41
1:B:633:ILE:HG21	1:B:639:LEU:HG	2.02	0.41
1:C:498:LEU:HD12	1:C:705:GLU:HG2	2.02	0.41
1:C:464:VAL:O	1:C:468:VAL:HG23	2.20	0.41
1:B:684:ARG:HD3	1:B:688:GLU:OE2	2.21	0.41
1:C:744:THR:N	1:C:745:PRO:HD2	2.35	0.41
1:D:763:LYS:O	1:D:767:TRP:HB2	2.20	0.41
1:B:463:MET:H	1:B:463:MET:HG3	1.62	0.41
1:B:433:ALA:HA	1:B:438:PHE:CE1	2.56	0.40
1:C:497:SER:H	3:C:902:CYZ:H11	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/889 (28%)	247 (98%)	5 (2%)	0	100	100
1	B	252/889 (28%)	245 (97%)	7 (3%)	0	100	100
1	C	254/889 (29%)	250 (98%)	4 (2%)	0	100	100
1	D	253/889 (28%)	246 (97%)	7 (3%)	0	100	100
All	All	1011/3556 (28%)	988 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	214/763 (28%)	211 (99%)	3 (1%)	59	75
1	B	214/763 (28%)	213 (100%)	1 (0%)	81	89
1	C	216/763 (28%)	214 (99%)	2 (1%)	70	82
1	D	215/763 (28%)	212 (99%)	3 (1%)	59	75
All	All	859/3052 (28%)	850 (99%)	9 (1%)	63	81

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	736	THR
1	C	457	THR
1	C	692	ARG
1	A	638	ASP
1	A	655	THR
1	A	681	VAL
1	D	394	THR
1	D	408	MET
1	D	686	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	764	ASN
1	D	412	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	Y4Y	A	901	-	18,18,18	4.81	10 (55%)	22,26,26	2.48	8 (36%)
3	CYZ	D	902	-	26,27,27	7.84	20 (76%)	38,44,44	2.59	11 (28%)
2	Y4Y	B	901	-	18,18,18	4.82	9 (50%)	22,26,26	2.44	8 (36%)
3	CYZ	C	902	-	26,27,27	7.84	20 (76%)	38,44,44	2.46	9 (23%)
2	Y4Y	C	901	-	18,18,18	4.80	10 (55%)	22,26,26	2.53	8 (36%)
3	CYZ	B	902	-	26,27,27	7.85	20 (76%)	38,44,44	2.52	9 (23%)
3	CYZ	A	902	-	26,27,27	7.83	20 (76%)	38,44,44	2.48	9 (23%)
2	Y4Y	D	901	-	18,18,18	4.81	10 (55%)	22,26,26	2.49	8 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	Y4Y	A	901	-	-	3/4/6/6	0/2/2/2
3	CYZ	D	902	-	-	4/7/42/42	0/5/4/4
2	Y4Y	B	901	-	-	3/4/6/6	0/2/2/2
3	CYZ	C	902	-	-	1/7/42/42	0/5/4/4
2	Y4Y	C	901	-	-	3/4/6/6	0/2/2/2
3	CYZ	B	902	-	-	1/7/42/42	0/5/4/4
3	CYZ	A	902	-	-	1/7/42/42	0/5/4/4
2	Y4Y	D	901	-	-	3/4/6/6	0/2/2/2

All (119) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	902	CYZ	O2-S1	20.11	1.66	1.43
3	B	902	CYZ	O2-S1	20.10	1.66	1.43
3	D	902	CYZ	O2-S1	20.04	1.66	1.43
3	A	902	CYZ	O2-S1	20.02	1.66	1.43
3	D	902	CYZ	O1-S1	19.17	1.65	1.43
3	B	902	CYZ	O1-S1	19.09	1.65	1.43
3	A	902	CYZ	O1-S1	19.05	1.65	1.43
3	C	902	CYZ	O1-S1	19.00	1.65	1.43
2	C	901	Y4Y	O3-N3	12.25	1.43	1.22
2	B	901	Y4Y	O3-N3	12.24	1.43	1.22
2	A	901	Y4Y	O3-N3	12.23	1.43	1.22
2	D	901	Y4Y	O3-N3	12.21	1.43	1.22
3	D	902	CYZ	O3-S2	11.42	1.63	1.43
2	D	901	Y4Y	O2-C2	11.39	1.45	1.23
2	A	901	Y4Y	O2-C2	11.37	1.45	1.23
3	B	902	CYZ	O3-S2	11.35	1.63	1.43
2	B	901	Y4Y	O2-C2	11.34	1.45	1.23
3	C	902	CYZ	O3-S2	11.34	1.63	1.43
2	C	901	Y4Y	O2-C2	11.33	1.45	1.23
3	A	902	CYZ	O3-S2	11.30	1.63	1.43
3	B	902	CYZ	O4-S2	10.64	1.62	1.43
3	A	902	CYZ	O4-S2	10.63	1.62	1.43
3	C	902	CYZ	C1-C8	10.61	1.63	1.53
3	C	902	CYZ	O4-S2	10.55	1.62	1.43
3	D	902	CYZ	O4-S2	10.53	1.62	1.43
3	A	902	CYZ	C1-C8	10.52	1.63	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	902	CYZ	C1-C8	10.39	1.63	1.53
3	D	902	CYZ	C1-C8	10.33	1.63	1.53
3	B	902	CYZ	C10-N2	9.01	1.55	1.39
3	D	902	CYZ	C4-C3	8.97	1.58	1.32
3	B	902	CYZ	C4-C3	8.96	1.58	1.32
3	C	902	CYZ	C4-C3	8.96	1.58	1.32
3	A	902	CYZ	C4-C3	8.96	1.58	1.32
3	A	902	CYZ	C10-N2	8.95	1.55	1.39
3	C	902	CYZ	C10-N2	8.94	1.55	1.39
3	D	902	CYZ	C10-N2	8.90	1.55	1.39
3	D	902	CYZ	C2-C1	-8.82	1.36	1.55
3	A	902	CYZ	C2-C1	-8.76	1.37	1.55
3	C	902	CYZ	C2-C1	-8.73	1.37	1.55
3	B	902	CYZ	C2-C1	-8.71	1.37	1.55
2	C	901	Y4Y	O1-C1	8.18	1.39	1.23
2	A	901	Y4Y	O1-C1	8.14	1.39	1.23
2	B	901	Y4Y	O1-C1	8.12	1.39	1.23
2	D	901	Y4Y	O1-C1	8.10	1.38	1.23
3	D	902	CYZ	C12-S2	6.18	1.85	1.77
3	C	902	CYZ	C12-S2	6.16	1.85	1.77
3	A	902	CYZ	C12-S2	6.14	1.85	1.77
3	B	902	CYZ	C12-S2	6.07	1.85	1.77
3	B	902	CYZ	C9-S1	-5.89	1.70	1.75
3	D	902	CYZ	C9-S1	-5.84	1.70	1.75
3	C	902	CYZ	C9-S1	-5.79	1.70	1.75
3	A	902	CYZ	C9-S1	-5.74	1.70	1.75
3	C	902	CYZ	S2-N3	5.53	1.71	1.60
3	A	902	CYZ	S2-N3	5.51	1.71	1.60
3	B	902	CYZ	S2-N3	5.49	1.71	1.60
3	D	902	CYZ	S2-N3	5.46	1.71	1.60
3	B	902	CYZ	C10-C9	-5.19	1.33	1.40
3	B	902	CYZ	C8-N2	5.18	1.52	1.46
3	D	902	CYZ	C10-C9	-5.15	1.33	1.40
3	A	902	CYZ	C10-C9	-5.10	1.33	1.40
3	C	902	CYZ	C10-C9	-5.07	1.33	1.40
3	C	902	CYZ	C8-N2	5.07	1.52	1.46
3	D	902	CYZ	C8-N2	5.06	1.52	1.46
3	A	902	CYZ	C8-N2	5.02	1.52	1.46
2	B	901	Y4Y	C2-C1	-4.25	1.43	1.52
2	D	901	Y4Y	C2-C1	-4.18	1.43	1.52
3	A	902	CYZ	C6-C1	-4.18	1.41	1.53
3	C	902	CYZ	C6-C1	-4.16	1.41	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	902	CYZ	C6-C1	-4.15	1.41	1.53
3	D	902	CYZ	C6-C1	-4.15	1.41	1.53
2	A	901	Y4Y	C2-C1	-4.14	1.43	1.52
2	C	901	Y4Y	C2-C1	-4.12	1.43	1.52
3	D	902	CYZ	C11-C9	4.09	1.45	1.39
3	A	902	CYZ	C11-C9	4.03	1.45	1.39
3	C	902	CYZ	C11-C9	4.00	1.45	1.39
3	B	902	CYZ	C11-C9	3.94	1.45	1.39
3	C	902	CYZ	C7-C2	3.89	1.63	1.54
3	A	902	CYZ	C7-C2	3.87	1.63	1.54
3	B	902	CYZ	C7-C2	3.85	1.63	1.54
3	D	902	CYZ	C7-C2	3.82	1.63	1.54
2	A	901	Y4Y	C6-C4	3.45	1.45	1.39
2	C	901	Y4Y	C6-C4	3.44	1.44	1.39
2	B	901	Y4Y	C6-C4	3.41	1.44	1.39
2	B	901	Y4Y	C5-C3	3.40	1.44	1.39
2	D	901	Y4Y	C6-C4	3.35	1.44	1.39
2	B	901	Y4Y	C2-N2	-3.33	1.31	1.35
2	D	901	Y4Y	C2-N2	-3.32	1.31	1.35
3	D	902	CYZ	C6-C5	-3.32	1.33	1.52
3	C	902	CYZ	C6-C5	-3.32	1.33	1.52
3	B	902	CYZ	C6-C5	-3.32	1.33	1.52
3	A	902	CYZ	C6-C5	-3.32	1.33	1.52
2	C	901	Y4Y	C5-C3	3.31	1.44	1.39
2	A	901	Y4Y	C5-C3	3.31	1.44	1.39
2	D	901	Y4Y	C5-C3	3.29	1.44	1.39
2	C	901	Y4Y	C2-N2	-3.13	1.31	1.35
2	A	901	Y4Y	C2-N2	-3.09	1.31	1.35
3	D	902	CYZ	C2-C3	-2.87	1.43	1.51
3	A	902	CYZ	C2-C3	-2.87	1.43	1.51
3	B	902	CYZ	C2-C3	-2.86	1.43	1.51
3	C	902	CYZ	C2-C3	-2.81	1.43	1.51
3	B	902	CYZ	C7-C5	2.64	1.66	1.52
3	D	902	CYZ	C7-C5	2.63	1.66	1.52
3	C	902	CYZ	C7-C5	2.61	1.66	1.52
2	C	901	Y4Y	C7-N3	2.61	1.50	1.45
2	D	901	Y4Y	C7-N3	2.61	1.50	1.45
3	A	902	CYZ	C7-C5	2.60	1.66	1.52
2	A	901	Y4Y	C7-N3	2.60	1.50	1.45
2	B	901	Y4Y	C7-N3	2.57	1.50	1.45
3	C	902	CYZ	C13-CL	2.41	1.79	1.73
3	A	902	CYZ	C13-CL	2.39	1.79	1.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	Y4Y	C7-C8	2.37	1.43	1.40
2	D	901	Y4Y	C7-C8	2.37	1.43	1.40
3	B	902	CYZ	C13-CL	2.34	1.79	1.73
3	D	902	CYZ	C13-CL	2.28	1.79	1.73
2	B	901	Y4Y	C7-C8	2.25	1.43	1.40
2	C	901	Y4Y	C7-C8	2.20	1.43	1.40
2	A	901	Y4Y	C3-N1	-2.13	1.36	1.39
2	C	901	Y4Y	C3-N1	-2.07	1.36	1.39
2	D	901	Y4Y	C3-N1	-2.02	1.36	1.39

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	902	CYZ	C9-S1-N1	6.74	111.60	103.42
3	A	902	CYZ	C9-S1-N1	6.57	111.40	103.42
3	D	902	CYZ	O2-S1-O1	-6.56	111.77	118.44
3	C	902	CYZ	C9-S1-N1	6.52	111.35	103.42
3	B	902	CYZ	C9-S1-N1	6.41	111.21	103.42
3	B	902	CYZ	O2-S1-O1	-6.35	111.97	118.44
3	A	902	CYZ	O2-S1-O1	-6.31	112.02	118.44
3	D	902	CYZ	O4-S2-O3	-6.10	109.41	118.80
3	C	902	CYZ	O2-S1-O1	-6.03	112.30	118.44
3	B	902	CYZ	O4-S2-O3	-6.03	109.53	118.80
3	A	902	CYZ	O4-S2-O3	-5.89	109.73	118.80
3	C	902	CYZ	O4-S2-O3	-5.89	109.74	118.80
2	A	901	Y4Y	C1-C2-N2	5.53	120.69	116.82
2	C	901	Y4Y	C1-C2-N2	5.51	120.68	116.82
2	D	901	Y4Y	C1-C2-N2	5.41	120.60	116.82
2	B	901	Y4Y	C1-C2-N2	5.30	120.53	116.82
2	C	901	Y4Y	C2-C1-N1	5.20	120.46	116.82
2	B	901	Y4Y	C2-C1-N1	5.16	120.43	116.82
2	D	901	Y4Y	C2-C1-N1	5.12	120.40	116.82
2	A	901	Y4Y	C2-C1-N1	5.10	120.39	116.82
3	C	902	CYZ	C1-C2-C3	4.70	114.11	106.86
3	B	902	CYZ	C1-C2-C3	4.58	113.93	106.86
3	A	902	CYZ	C1-C2-C3	4.54	113.87	106.86
2	C	901	Y4Y	C4-N2-C2	-4.51	118.51	124.82
2	A	901	Y4Y	C4-N2-C2	-4.49	118.53	124.82
2	D	901	Y4Y	C4-N2-C2	-4.35	118.73	124.82
3	D	902	CYZ	C1-C2-C3	4.32	113.52	106.86
2	B	901	Y4Y	C4-N2-C2	-4.28	118.83	124.82
3	D	902	CYZ	C13-C12-S2	-4.04	118.62	123.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	901	Y4Y	C3-N1-C1	-3.97	119.27	124.82
2	C	901	Y4Y	C3-N1-C1	-3.94	119.30	124.82
2	B	901	Y4Y	C3-N1-C1	-3.93	119.32	124.82
3	D	902	CYZ	C6-C1-C2	3.92	110.44	104.04
2	A	901	Y4Y	C3-N1-C1	-3.90	119.36	124.82
3	A	902	CYZ	C6-C1-C2	3.88	110.36	104.04
3	B	902	CYZ	C6-C1-C2	3.88	110.36	104.04
3	B	902	CYZ	C12-C13-CL	-3.85	118.73	121.52
3	C	902	CYZ	C6-C1-C2	3.85	110.31	104.04
3	D	902	CYZ	C12-C13-CL	-3.84	118.74	121.52
3	B	902	CYZ	C7-C2-C1	-3.81	92.87	101.21
3	C	902	CYZ	C7-C2-C1	-3.74	93.03	101.21
3	D	902	CYZ	C7-C2-C1	-3.73	93.05	101.21
3	A	902	CYZ	C7-C2-C1	-3.64	93.26	101.21
3	B	902	CYZ	C13-C12-S2	-3.58	119.17	123.47
2	D	901	Y4Y	C3-C4-N2	3.58	121.22	118.53
2	C	901	Y4Y	C3-C4-N2	3.57	121.22	118.53
3	D	902	CYZ	C2-C1-C8	-3.56	109.77	114.88
3	C	902	CYZ	C13-C12-S2	-3.54	119.23	123.47
3	A	902	CYZ	C2-C1-C8	-3.52	109.83	114.88
2	A	901	Y4Y	C3-C4-N2	3.49	121.16	118.53
3	A	902	CYZ	C13-C12-S2	-3.49	119.28	123.47
2	B	901	Y4Y	C3-C4-N2	3.46	121.14	118.53
3	B	902	CYZ	C2-C1-C8	-3.27	110.19	114.88
3	C	902	CYZ	C2-C1-C8	-3.07	110.47	114.88
3	C	902	CYZ	C12-C13-CL	-3.05	119.31	121.52
2	C	901	Y4Y	C6-C8-C7	3.02	120.17	116.87
2	C	901	Y4Y	C-C8-C7	-2.96	119.80	124.11
2	D	901	Y4Y	C6-C8-C7	2.92	120.07	116.87
2	A	901	Y4Y	C6-C8-C7	2.79	119.93	116.87
3	A	902	CYZ	C12-C13-CL	-2.76	119.52	121.52
2	B	901	Y4Y	C6-C8-C7	2.74	119.88	116.87
2	D	901	Y4Y	C5-C7-C8	-2.63	119.90	123.03
2	B	901	Y4Y	C-C8-C7	-2.58	120.36	124.11
2	D	901	Y4Y	C-C8-C7	-2.55	120.40	124.11
2	A	901	Y4Y	C-C8-C7	-2.54	120.41	124.11
3	D	902	CYZ	C11-C12-S2	2.53	121.28	118.26
2	A	901	Y4Y	C5-C7-C8	-2.53	120.03	123.03
2	B	901	Y4Y	C5-C7-C8	-2.45	120.12	123.03
2	C	901	Y4Y	C5-C7-C8	-2.44	120.13	123.03
3	D	902	CYZ	O4-S2-N3	2.03	110.28	107.35

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	901	Y4Y	N17-C-C8-C7
2	A	901	Y4Y	C5-C7-N3-O3
2	A	901	Y4Y	C8-C7-N3-O3
2	D	901	Y4Y	N17-C-C8-C7
2	D	901	Y4Y	C5-C7-N3-O3
2	D	901	Y4Y	C8-C7-N3-O3
3	B	902	CYZ	C6-C1-C8-N2
3	C	902	CYZ	C6-C1-C8-N2
3	A	902	CYZ	C6-C1-C8-N2
3	D	902	CYZ	C13-C12-S2-O4
3	D	902	CYZ	C11-C12-S2-O4
2	B	901	Y4Y	C5-C7-N3-O3
2	C	901	Y4Y	C5-C7-N3-O3
2	B	901	Y4Y	C8-C7-N3-O3
2	C	901	Y4Y	C8-C7-N3-O3
2	B	901	Y4Y	N17-C-C8-C7
3	D	902	CYZ	C13-C12-S2-O3
3	D	902	CYZ	C13-C12-S2-N3
2	A	901	Y4Y	N17-C-C8-C7


There are no ring outliers.

4 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	902	CYZ	1	0
3	C	902	CYZ	3	0
2	C	901	Y4Y	1	0
3	A	902	CYZ	5	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand Y4Y A 901




Ligand CYZ D 902








Ligand CYZ A 902



Ligand Y4Y D 901



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29367. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 212




Y Index: 182




Z Index: 213


6.3.2 Raw map



X Index: 212



Y Index: 194




Z Index: 213


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.0203. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_29367_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 53 nm^3 ; this corresponds to an approximate mass of 48 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.362 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.362 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.76	-	-
Author-provided FSC curve	2.73	3.12	2.79
Unmasked-calculated*	3.22	3.77	3.31

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.22 differs from the reported value 2.76 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-29367 and PDB model 8FPK. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0203).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0203) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8320	0.5950
A	0.8200	0.5860
B	0.8470	0.6080
C	0.8140	0.5830
D	0.8480	0.6050

