



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 03:42 AM UTC

PDB ID : 1FQK / pdb_00001fqk
Title : CRYSTAL STRUCTURE OF THE HETERODIMERIC COMPLEX OF THE
RGS DOMAIN OF RGS9, AND THE GT/I1 CHIMERA ALPHA SUBUNIT
[(RGS9)-(GT/I1ALPHA)-(GDP)-(ALF4)-(MG2+)]
Authors : Slep, K.C.; Kercher, M.A.; He, W.; Cowan, C.W.; Wensel, T.G.; Sigler, P.B.
Deposited on : 2000-09-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	12% 71% 26% ..
1	C	325	19% 70% 27% ..
2	B	147	28% 64% 27% .. 7%
2	D	147	18% 73% 22% ..

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7634 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(t) subunit alpha-1, Guanine nucleotide-binding protein G(i) subunit alpha-1, Guanine nucleotide-binding protein G(t) subunit alpha-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	318	Total	C	N	O	S	0	0	0
			2564	1626	425	494	19			
1	C	317	Total	C	N	O	S	0	0	0
			2553	1620	421	493	19			


- Molecule 2 is a protein called Regulator of G-protein signaling 9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	136	Total	C	N	O	S	0	0	0
			1135	734	197	198	6			
2	D	143	Total	C	N	O	S	0	0	0
			1198	777	207	208	6			

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		

- Molecule 4 is TETRAFLUOROALUMINATE ION (CCD ID: ALF) (formula: AlF_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	Al	F	0	0
			5	1	4		
4	C	1	Total	Al	F	0	0
			5	1	4		

- Molecule 5 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0
			28	10	5	11	2	
5	C	1	Total	C	N	O	P	0
			28	10	5	11	2	


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	47	Total 47	O 47	0	0
6	B	10	Total 10	O 10	0	0
6	C	43	Total 43	O 43	0	0
6	D	16	Total 16	O 16	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Guanine nucleotide-binding protein G(t) subunit alpha-1, Guanine nucleotide-binding protein G(i) subunit alpha-1, Guanine nucleotide-binding protein G(t) subunit alpha-1




- Molecule 1: Guanine nucleotide-binding protein G(t) subunit alpha-1, Guanine nucleotide-binding protein G(i) subunit alpha-1, Guanine nucleotide-binding protein G(t) subunit alpha-1




- Molecule 2: Regulator of G-protein signaling 9





● Molecule 2: Regulator of G-protein signaling 9



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	96.78Å 115.07Å 136.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 50.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	87.4 (50.00-2.30) 87.3 (50.00-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 2.29Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.231 , 0.268 0.239 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	42.6	Xtriage
Anisotropy	0.591	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7634	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ALF, MG, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/2607	0.92	9/3511 (0.3%)
1	C	0.42	0/2596	0.92	9/3497 (0.3%)
2	B	0.39	0/1163	0.91	4/1559 (0.3%)
2	D	0.47	0/1229	0.94	5/1649 (0.3%)
All	All	0.43	0/7595	0.92	27/10216 (0.3%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	277	SER	CA-C-N	8.60	129.12	119.83
1	C	277	SER	C-N-CA	8.60	129.12	119.83
1	A	277	SER	CA-C-N	7.71	128.16	119.83
1	A	277	SER	C-N-CA	7.71	128.16	119.83
2	D	287	ILE	CA-C-N	7.67	127.44	119.76
2	D	287	ILE	C-N-CA	7.67	127.44	119.76
2	B	382	ARG	N-CA-C	7.13	118.74	110.97
1	A	265	ASN	N-CA-C	6.92	120.76	110.52
2	B	378	LYS	N-CA-C	-6.91	105.01	113.50
1	C	279	LEU	N-CA-C	-6.70	104.97	113.01
2	B	296	TRP	N-CA-C	-6.13	105.29	112.89
1	A	132	ILE	N-CA-C	-5.89	104.76	110.42
1	C	231	ALA	N-CA-C	-5.85	105.64	112.89
2	D	355	LEU	N-CA-C	5.84	120.53	113.41
1	C	319	MET	N-CA-C	-5.68	99.92	108.96
1	A	92	GLY	N-CA-C	-5.62	105.98	112.50
1	C	211	PHE	N-CA-C	5.49	119.84	113.20
1	A	293	GLU	N-CA-C	5.33	117.52	111.02
1	C	276	LYS	N-CA-C	5.30	119.46	112.89
1	C	240	HIS	N-CA-C	-5.29	105.52	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	379	HIS	CA-C-N	5.17	125.17	119.90
2	D	379	HIS	C-N-CA	5.17	125.17	119.90
1	A	320	THR	N-CA-C	5.12	117.45	109.52
1	A	319	MET	N-CA-C	-5.10	101.44	109.25
1	A	240	HIS	N-CA-C	-5.06	105.77	111.28
2	B	418	ILE	N-CA-C	5.02	115.47	108.84
1	C	192	PHE	N-CA-C	5.02	116.92	109.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2564	0	2552	63	0
1	C	2553	0	2539	67	0
2	B	1135	0	1146	30	0
2	D	1198	0	1204	27	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
4	A	5	0	0	0	0
4	C	5	0	0	0	0
5	A	28	0	12	4	0
5	C	28	0	12	4	0
6	A	47	0	0	2	0
6	B	10	0	0	1	0
6	C	43	0	0	3	0
6	D	16	0	0	2	0
All	All	7634	0	7465	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:52:ILE:HD13	1:C:329:LYS:HB3	1.42	1.02
2:B:290:LYS:HA	2:B:417:ALA:HB1	1.53	0.89
2:D:318:ARG:HH11	2:D:318:ARG:HB3	1.42	0.85
1:A:106:MET:HE1	1:A:118:GLU:HG3	1.58	0.83
1:C:267:LYS:HG2	1:C:321:CYS:SG	2.22	0.79
1:A:32:LEU:HD23	1:A:194:MET:HE2	1.65	0.79
2:D:295:ARG:HH11	2:D:295:ARG:HB3	1.49	0.78
1:C:337:ASP:HB3	1:C:341:LYS:NZ	1.97	0.78
2:D:318:ARG:HB3	2:D:318:ARG:NH1	2.00	0.76
2:B:288:PRO:HB3	2:B:292:ARG:HD3	1.68	0.75
1:A:106:MET:O	1:A:110:ILE:HG23	1.89	0.72
2:D:295:ARG:HA	2:D:298:PHE:CD2	2.26	0.70
1:C:298:TYR:O	1:C:302:GLN:HG2	1.91	0.70
1:C:90:GLN:HB3	6:C:390:HOH:O	1.90	0.70
2:D:375:LYS:O	2:D:378:LYS:HG2	1.91	0.69
2:D:401:TYR:CE1	2:D:405:LEU:HD21	2.27	0.69
1:C:212:GLU:HG2	1:C:254:TRP:CZ3	2.27	0.69
2:B:412:GLU:HB3	2:B:416:LYS:HE3	1.75	0.69
1:C:334:ALA:O	1:C:338:ILE:HG13	1.94	0.68
1:A:118:GLU:HB2	6:A:377:HOH:O	1.93	0.68
1:C:106:MET:O	1:C:110:ILE:HG23	1.95	0.67
2:B:294:GLU:HG2	2:B:414:LEU:HD11	1.78	0.65
2:D:290:LYS:HA	2:D:417:ALA:HB1	1.78	0.65
2:D:335:LEU:HG	6:D:77:HOH:O	1.96	0.65
1:C:278:PRO:HA	1:C:290:ASN:OD1	1.97	0.64
2:B:290:LYS:CA	2:B:417:ALA:HB1	2.28	0.64
1:C:172:ARG:NH1	5:C:361:GDP:HN22	1.95	0.63
2:B:310:ARG:HB3	6:B:33:HOH:O	1.98	0.63
2:B:405:LEU:H	2:B:405:LEU:HD22	1.64	0.62
1:C:39:GLU:N	5:C:361:GDP:O3B	2.33	0.62
1:A:309:ARG:NH2	1:A:311:ASP:HB3	2.15	0.62
1:C:59:LEU:O	1:C:63:LEU:HD23	2.00	0.61
1:A:60:GLU:O	1:A:64:GLU:HG3	1.99	0.61
1:A:32:LEU:HD12	1:A:216:ALA:O	2.00	0.60
1:C:42:LYS:N	5:C:361:GDP:O1B	2.29	0.60
1:C:337:ASP:HB3	1:C:341:LYS:HZ3	1.64	0.60
1:A:258:THR:O	1:A:313:LYS:NZ	2.31	0.59
2:B:382:ARG:HD3	2:B:383:TYR:CE1	2.37	0.59
1:A:182:GLU:HB2	1:A:195:PHE:CE1	2.38	0.59
1:A:58:SER:OG	1:A:60:GLU:HG2	2.02	0.59
1:C:316:TYR:N	1:C:316:TYR:CD1	2.71	0.59
2:B:344:LYS:O	2:B:348:GLU:HB2	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:351:TYR:HA	2:B:355:LEU:HD12	1.86	0.56
1:A:181:ILE:HD12	1:A:181:ILE:N	2.20	0.56
1:A:230:LEU:HD11	1:A:241:GLU:CD	2.30	0.56
1:C:155:LEU:HA	1:C:158:LEU:HD12	1.87	0.56
1:A:230:LEU:HD11	1:A:241:GLU:CG	2.36	0.56
1:A:310:ARG:HA	1:A:313:LYS:O	2.06	0.55
2:B:312:SER:OG	2:B:413:MET:HE3	2.06	0.55
1:C:337:ASP:HB3	1:C:341:LYS:HZ2	1.67	0.55
1:A:83:ALA:HB3	1:A:135:CYS:SG	2.47	0.55
1:A:47:LYS:HG2	1:A:57:TYR:OH	2.08	0.54
1:C:29:THR:HG22	1:C:191:ASN:HB2	1.89	0.54
1:C:223:LEU:HD21	1:C:264:LEU:HB3	1.89	0.54
2:B:382:ARG:HD3	2:B:383:TYR:HE1	1.72	0.54
1:A:48:GLN:O	1:A:52:ILE:HG13	2.07	0.54
1:C:226:TYR:OH	1:C:273:LYS:HG2	2.08	0.54
1:A:102:LYS:O	1:A:106:MET:HG3	2.08	0.54
1:A:39:GLU:N	5:A:360:GDP:O3B	2.39	0.54
2:D:326:LEU:O	2:D:330:GLU:HG3	2.08	0.53
1:A:50:LYS:HD3	1:A:57:TYR:CZ	2.43	0.53
1:C:32:LEU:HD22	1:C:194:MET:HE2	1.89	0.53
1:C:50:LYS:HA	1:C:54:GLN:HB2	1.89	0.53
2:D:401:TYR:CZ	2:D:405:LEU:HD21	2.42	0.53
1:A:59:LEU:O	1:A:63:LEU:HG	2.09	0.53
1:C:345:LYS:HA	1:C:345:LYS:HE3	1.89	0.53
1:C:230:LEU:HD11	1:C:241:GLU:CD	2.34	0.53
1:A:261:ILE:HD12	1:A:261:ILE:N	2.23	0.52
2:B:290:LYS:O	2:B:294:GLU:HG3	2.09	0.52
1:A:32:LEU:HD23	1:A:194:MET:CE	2.37	0.52
1:A:71:GLY:O	1:A:75:GLN:HG2	2.10	0.52
1:C:344:LEU:HD12	1:C:345:LYS:NZ	2.25	0.52
1:A:280:THR:HA	1:A:283:TYR:O	2.10	0.52
1:C:280:THR:HG22	1:C:284:PRO:HA	1.91	0.52
1:A:180:ILE:C	1:A:181:ILE:HD12	2.35	0.51
1:C:99:ASP:HB3	1:C:122:ILE:HG23	1.91	0.51
2:B:286:ASP:O	2:B:288:PRO:HD3	2.10	0.51
1:C:230:LEU:HD21	1:C:241:GLU:HG2	1.92	0.51
1:A:42:LYS:N	5:A:360:GDP:O1B	2.43	0.51
2:D:343:VAL:HG13	2:D:344:LYS:N	2.26	0.51
1:A:298:TYR:O	1:A:302:GLN:HG2	2.11	0.50
2:B:285:VAL:HG22	2:B:286:ASP:N	2.27	0.50
1:C:181:ILE:N	1:C:181:ILE:HD12	2.26	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:290:LYS:HE2	2:D:294:GLU:OE1	2.11	0.50
1:C:307:ASN:C	1:C:307:ASN:HD22	2.19	0.50
2:D:281:ASN:HB3	2:D:284:LEU:HG	1.94	0.50
2:B:301:SER:O	2:B:305:ARG:HG2	2.12	0.50
2:D:337:TYR:N	2:D:337:TYR:CD2	2.78	0.50
1:A:177:THR:HA	2:B:399:ASP:OD2	2.12	0.49
1:C:52:ILE:CD1	1:C:329:LYS:HB3	2.29	0.49
2:D:310:ARG:O	2:D:314:GLN:HB2	2.12	0.49
1:A:300:LYS:HE3	1:A:317:SER:OG	2.13	0.49
2:B:313:PHE:CZ	2:B:317:LEU:HD21	2.48	0.49
2:B:401:TYR:CE1	2:B:405:LEU:HD21	2.48	0.48
1:C:181:ILE:HG12	2:D:403:ARG:NE	2.28	0.48
1:C:183:THR:HG22	1:C:194:MET:HB3	1.95	0.48
2:B:310:ARG:HD2	2:B:326:LEU:HD11	1.95	0.48
2:D:317:LEU:HD22	2:D:322:SER:OG	2.13	0.48
1:A:309:ARG:C	1:A:311:ASP:N	2.72	0.48
1:A:222:ALA:HB3	1:A:225:ASP:OD2	2.13	0.48
1:A:33:LEU:HD23	1:A:195:PHE:HB2	1.96	0.48
1:A:307:ASN:HD22	1:A:308:MET:N	2.12	0.48
2:D:355:LEU:CD2	2:D:363:ILE:HD11	2.44	0.47
1:A:50:LYS:HA	1:A:54:GLN:HB2	1.97	0.47
2:B:353:LEU:HD11	2:B:361:ARG:HG3	1.96	0.47
2:B:290:LYS:HA	2:B:417:ALA:CB	2.35	0.47
1:C:154:ASP:OD2	1:C:157:ARG:NE	2.47	0.47
2:D:290:LYS:CA	2:D:417:ALA:HB1	2.44	0.47
1:C:120:SER:O	1:C:124:GLN:HG3	2.15	0.47
1:A:172:ARG:HA	5:A:360:GDP:O2'	2.15	0.47
2:B:384:VAL:HG13	2:B:385:LEU:HD23	1.96	0.46
1:C:316:TYR:H	1:C:316:TYR:HD1	1.58	0.46
1:A:52:ILE:HD13	1:A:329:LYS:HB2	1.98	0.46
1:A:222:ALA:HB3	1:A:225:ASP:CG	2.40	0.46
1:A:309:ARG:C	1:A:311:ASP:H	2.22	0.46
1:A:251:ASN:CG	1:A:308:MET:HG3	2.41	0.46
1:C:172:ARG:HA	5:C:361:GDP:O2'	2.16	0.46
1:C:52:ILE:HD13	1:C:329:LYS:CB	2.28	0.46
1:A:212:GLU:HG2	1:A:254:TRP:CZ3	2.51	0.46
1:C:52:ILE:HG22	1:C:53:HIS:CD2	2.50	0.46
1:A:30:VAL:HG23	1:A:30:VAL:O	2.16	0.45
1:C:267:LYS:HE3	1:C:321:CYS:SG	2.56	0.45
1:A:251:ASN:HB3	1:A:308:MET:HE2	1.98	0.45
1:C:280:THR:HA	1:C:283:TYR:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:307:ASN:HD22	1:C:308:MET:N	2.15	0.45
1:C:338:ILE:O	1:C:342:GLU:HB2	2.16	0.45
1:C:65:PHE:O	1:C:69:ILE:HG13	2.15	0.45
1:A:96:ARG:NE	1:A:96:ARG:HA	2.32	0.45
1:A:211:PHE:O	1:A:214:VAL:HG23	2.17	0.45
2:B:375:LYS:O	2:B:378:LYS:HG3	2.17	0.45
2:D:418:ILE:HG22	2:D:419:GLU:N	2.32	0.45
1:C:271:GLU:O	1:C:274:ILE:HG22	2.17	0.45
2:D:286:ASP:HB3	2:D:308:LYS:HE3	1.97	0.45
1:A:214:VAL:HG12	1:A:258:THR:HG21	1.99	0.44
2:B:326:LEU:O	2:B:330:GLU:HG3	2.18	0.44
1:A:99:ASP:OD1	1:A:125:ARG:NH1	2.50	0.44
1:C:58:SER:OG	1:C:61:GLU:HG3	2.17	0.44
2:B:403:ARG:HG3	2:B:403:ARG:HH11	1.82	0.44
1:C:100:ALA:O	1:C:104:MET:HG2	2.18	0.44
1:A:102:LYS:NZ	6:A:377:HOH:O	2.50	0.44
1:C:34:LEU:CD1	1:C:46:VAL:HG23	2.48	0.43
1:A:324:ASP:O	1:A:328:VAL:HG23	2.19	0.43
1:C:318:HIS:CD2	1:C:331:VAL:HG13	2.54	0.43
1:A:251:ASN:OD1	1:A:308:MET:HG3	2.19	0.43
1:A:335:VAL:O	1:A:339:ILE:HG13	2.18	0.43
2:D:405:LEU:HD22	2:D:405:LEU:N	2.32	0.43
1:A:206:LYS:NZ	2:B:324:GLU:OE2	2.50	0.43
1:C:32:LEU:HD22	1:C:194:MET:CE	2.48	0.43
2:D:366:ASP:OD1	2:D:368:LYS:HB3	2.18	0.43
1:A:182:GLU:OE2	1:A:193:ARG:NH1	2.52	0.43
2:B:301:SER:HA	2:B:304:ILE:HG22	2.01	0.43
1:C:65:PHE:CE1	1:C:170:VAL:HG13	2.54	0.43
1:C:181:ILE:HG12	2:D:403:ARG:CZ	2.49	0.42
1:A:271:GLU:O	1:A:275:LYS:HE3	2.19	0.42
1:A:277:SER:HA	1:A:278:PRO:HD3	1.72	0.42
1:C:305:GLU:HG2	1:C:310:ARG:NH1	2.34	0.42
2:D:355:LEU:HD21	2:D:363:ILE:HD11	2.00	0.42
1:C:307:ASN:C	1:C:307:ASN:ND2	2.77	0.42
1:C:339:ILE:O	1:C:343:ASN:HB2	2.18	0.42
2:D:405:LEU:HD22	2:D:405:LEU:H	1.84	0.42
1:C:345:LYS:HA	1:C:345:LYS:CE	2.50	0.42
1:A:28:ARG:NE	1:A:28:ARG:HA	2.33	0.42
2:B:313:PHE:O	2:B:317:LEU:HG	2.20	0.42
1:C:344:LEU:HD12	1:C:345:LYS:HZ2	1.84	0.42
1:A:47:LYS:O	1:A:51:ILE:HG13	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:48:GLN:HG3	1:C:328:VAL:HG21	2.01	0.42
1:C:111:GLU:O	1:C:114:THR:OG1	2.35	0.41
1:C:157:ARG:HG2	1:C:157:ARG:HH11	1.84	0.41
1:A:34:LEU:HD23	1:A:218:ILE:HB	2.01	0.41
1:C:49:MET:HE2	1:C:49:MET:HA	2.03	0.41
1:C:187:PHE:HB2	6:C:382:HOH:O	2.19	0.41
1:A:265:ASN:O	1:A:266:LYS:HB2	2.21	0.41
2:B:379:HIS:N	2:B:380:PRO:HD3	2.36	0.41
1:C:325:THR:O	1:C:327:ASN:N	2.54	0.41
1:A:233:ASP:OD1	1:A:235:GLU:HB2	2.21	0.41
1:C:267:LYS:HE3	6:C:392:HOH:O	2.21	0.41
1:C:327:ASN:O	1:C:331:VAL:HG23	2.21	0.40
1:C:102:LYS:HD2	1:C:102:LYS:HA	1.95	0.40
1:A:32:LEU:CD1	1:A:216:ALA:HB3	2.51	0.40
1:A:39:GLU:HA	5:A:360:GDP:O3B	2.22	0.40
1:A:160:THR:O	1:A:161:PRO:C	2.65	0.40
2:D:382:ARG:HA	6:D:77:HOH:O	2.21	0.40
1:C:61:GLU:O	1:C:62:CYS:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	316/325 (97%)	300 (95%)	16 (5%)	0	100	100
1	C	315/325 (97%)	291 (92%)	22 (7%)	2 (1%)	21	27
2	B	134/147 (91%)	124 (92%)	10 (8%)	0	100	100
2	D	141/147 (96%)	135 (96%)	5 (4%)	1 (1%)	18	23
All	All	906/944 (96%)	850 (94%)	53 (6%)	3 (0%)	36	46

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	56	GLY
2	D	289	THR
1	C	326	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	285/290 (98%)	282 (99%)	3 (1%)	65	81
1	C	284/290 (98%)	280 (99%)	4 (1%)	59	76
2	B	119/128 (93%)	117 (98%)	2 (2%)	53	72
2	D	125/128 (98%)	122 (98%)	3 (2%)	43	62
All	All	813/836 (97%)	801 (98%)	12 (2%)	57	75

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	103	LEU
1	A	264	LEU
1	A	345	LYS
2	B	334	ASP
2	B	382	ARG
1	C	90	GLN
1	C	183	THR
1	C	316	TYR
1	C	345	LYS
2	D	295	ARG
2	D	318	ARG
2	D	408	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	124	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	297	ASN
1	A	307	ASN
1	A	318	HIS
2	B	299	ASN
2	B	325	ASN
1	C	53	HIS
1	C	90	GLN
1	C	307	ASN
2	D	325	ASN
2	D	379	HIS
2	D	381	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ALF	A	362	5,3,6	4,4,4	1.09	0	-		
4	ALF	C	363	5,3,6	4,4,4	1.25	0	-		
5	GDP	A	360	3,4	29,30,30	2.60	11 (37%)	45,47,47	3.54	16 (35%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GDP	C	361	3,4	29,30,30	2.80	12 (41%)	45,47,47	3.55	19 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GDP	A	360	3,4	-	3/16/32/32	0/3/3/3
5	GDP	C	361	3,4	-	2/16/32/32	0/3/3/3

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	360	GDP	O6-C6	6.51	1.35	1.23
5	C	361	GDP	PA-O3A	6.17	1.66	1.59
5	C	361	GDP	O6-C6	6.13	1.35	1.23
5	C	361	GDP	C8-N9	5.83	1.50	1.37
5	A	360	GDP	C8-N9	5.39	1.49	1.37
5	C	361	GDP	C2-N1	4.93	1.49	1.37
5	A	360	GDP	C2-N1	4.79	1.49	1.37
5	A	360	GDP	PA-O3A	4.33	1.64	1.59
5	C	361	GDP	O4'-C1'	4.05	1.51	1.42
5	C	361	GDP	PB-O2B	-3.97	1.40	1.54
5	C	361	GDP	C8-N7	3.60	1.42	1.32
5	A	360	GDP	O4'-C1'	3.54	1.50	1.42
5	A	360	GDP	PB-O2B	-3.48	1.41	1.54
5	A	360	GDP	C5-N7	-3.16	1.32	1.39
5	A	360	GDP	C8-N7	3.10	1.41	1.32
5	A	360	GDP	C2-N3	-3.07	1.25	1.33
5	C	361	GDP	C2-N3	-2.72	1.26	1.33
5	C	361	GDP	C5-N7	-2.51	1.34	1.39
5	C	361	GDP	C5-C4	2.44	1.45	1.38
5	C	361	GDP	O4'-C4'	2.28	1.50	1.45
5	A	360	GDP	O3'-C3'	2.08	1.48	1.43
5	C	361	GDP	C6-N1	-2.03	1.35	1.38
5	A	360	GDP	O4'-C4'	2.02	1.49	1.45

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	360	GDP	N9-C8-N7	-11.00	93.01	113.40
5	C	361	GDP	N9-C8-N7	-10.87	93.24	113.40
5	A	360	GDP	C8-N7-C5	9.64	121.43	104.26
5	C	361	GDP	C8-N7-C5	9.50	121.19	104.26
5	C	361	GDP	C6-C5-N7	8.72	146.16	130.29
5	A	360	GDP	C6-C5-N7	8.51	145.77	130.29
5	C	361	GDP	N2-C2-N3	6.11	131.60	119.67
5	C	361	GDP	C6-C5-C4	-6.11	109.64	118.83
5	A	360	GDP	C6-C5-C4	-6.05	109.73	118.83
5	A	360	GDP	N2-C2-N3	6.01	131.41	119.67
5	A	360	GDP	C8-N9-C4	5.69	116.69	106.03
5	C	361	GDP	C8-N9-C4	5.61	116.54	106.03
5	C	361	GDP	C2-N3-C4	4.86	120.66	112.30
5	A	360	GDP	C2-N3-C4	4.72	120.43	112.30
5	A	360	GDP	C5-C6-N1	4.59	124.94	113.25
5	C	361	GDP	C5-C6-N1	4.56	124.87	113.25
5	A	360	GDP	O6-C6-C5	-4.15	115.57	126.53
5	A	360	GDP	C2-N1-C6	-4.12	117.64	125.11
5	C	361	GDP	C4-C5-N7	-4.08	104.20	110.67
5	C	361	GDP	C2-N1-C6	-3.92	118.01	125.11
5	A	360	GDP	C4-C5-N7	-3.90	104.50	110.67
5	C	361	GDP	N2-C2-N1	-3.84	108.66	116.76
5	C	361	GDP	O6-C6-C5	-3.80	116.51	126.53
5	A	360	GDP	N2-C2-N1	-3.74	108.87	116.76
5	A	360	GDP	C2'-C3'-C4'	3.34	109.07	102.61
5	C	361	GDP	C2'-C3'-C4'	3.05	108.51	102.61
5	A	360	GDP	O3B-PB-O2B	3.00	119.05	107.80
5	C	361	GDP	O3B-PB-O2B	2.96	118.88	107.80
5	A	360	GDP	C1'-N9-C8	-2.72	119.01	126.73
5	C	361	GDP	C1'-N9-C8	-2.67	119.13	126.73
5	C	361	GDP	O3'-C3'-C4'	-2.64	103.51	111.08
5	C	361	GDP	C4'-O4'-C1'	2.17	114.25	109.47
5	A	360	GDP	C4'-O4'-C1'	2.10	114.10	109.47
5	C	361	GDP	O2'-C2'-C3'	2.02	118.31	111.82
5	C	361	GDP	O2A-PA-O5'	2.01	116.66	107.57

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	360	GDP	PA-O3A-PB-O2B
5	C	361	GDP	PA-O3A-PB-O2B
5	C	361	GDP	PA-O3A-PB-O3B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	360	GDP	PA-O3A-PB-O1B
5	A	360	GDP	PA-O3A-PB-O3B


There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	360	GDP	4	0
5	C	361	GDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	318/325 (97%)	0.94	40 (12%) 8 9	40, 58, 89, 104	0
1	C	317/325 (97%)	1.29	63 (19%) 3 3	43, 67, 90, 109	0
2	B	136/147 (92%)	1.57	41 (30%) 1 1	50, 73, 94, 103	0
2	D	143/147 (97%)	1.04	27 (18%) 3 4	41, 60, 91, 109	0
All	All	914/944 (96%)	1.17	171 (18%) 3 4	40, 64, 92, 109	0

All (171) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	282	ALA	6.2
2	D	418	ILE	5.3
1	A	256	THR	5.1
2	D	295	ARG	5.0
2	D	277	PHE	5.0
1	C	344	LEU	5.0
1	A	312	VAL	4.9
2	B	383	TYR	4.7
2	D	318	ARG	4.7
1	A	254	TRP	4.6
1	A	28	ARG	4.3
1	C	93	ASP	4.3
2	B	412	GLU	4.3
1	C	312	VAL	4.2
2	B	285	VAL	4.2
1	A	326	GLN	4.2
2	D	298	PHE	4.2
1	A	344	LEU	4.1
2	B	418	ILE	4.0
1	C	345	LYS	3.9
1	C	55	ASP	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	253	LYS	3.9
1	A	308	MET	3.9
1	A	311	ASP	3.8
1	C	315	ILE	3.8
2	D	285	VAL	3.8
1	C	341	LYS	3.8
2	B	341	SER	3.7
1	A	252	ASN	3.6
1	A	310	ARG	3.6
1	C	262	LEU	3.6
1	A	313	LYS	3.6
1	C	340	ILE	3.5
1	C	308	MET	3.4
2	B	419	GLU	3.4
1	C	327	ASN	3.4
2	D	413	MET	3.3
1	A	309	ARG	3.3
1	C	309	ARG	3.3
2	B	295	ARG	3.3
1	C	29	THR	3.3
2	B	298	PHE	3.3
2	B	409	ILE	3.3
1	C	326	GLN	3.3
1	C	292	TYR	3.2
2	D	293	VAL	3.2
2	D	419	GLU	3.2
2	B	337	TYR	3.1
1	C	210	CYS	3.1
2	B	315	HIS	3.1
1	A	251	ASN	3.1
1	C	272	GLU	3.1
1	C	213	GLY	3.1
1	C	257	ASP	3.0
2	D	337	TYR	3.0
1	C	287	ALA	3.0
2	B	287	ILE	3.0
2	B	303	LEU	2.9
2	D	297	ALA	2.9
1	A	210	CYS	2.9
1	C	291	THR	2.9
1	C	311	ASP	2.9
1	A	255	PHE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	347	ALA	2.9
1	C	285	GLU	2.9
1	C	110	ILE	2.9
2	D	279	ASP	2.9
1	A	29	THR	2.8
1	C	52	ILE	2.8
2	D	409	ILE	2.8
1	C	253	LYS	2.8
1	C	310	ARG	2.8
1	A	190	LEU	2.8
1	C	62	CYS	2.8
2	D	415	ALA	2.8
1	A	118	GLU	2.7
1	C	124	GLN	2.7
2	B	348	GLU	2.7
2	B	356	ALA	2.7
1	A	98	ASP	2.7
2	B	371	ASP	2.7
2	B	299	ASN	2.6
2	D	291	MET	2.6
2	B	417	ALA	2.6
1	C	281	ILE	2.6
2	B	416	LYS	2.6
2	D	402	ALA	2.6
1	C	162	GLY	2.5
1	C	329	LYS	2.5
1	C	150	TYR	2.5
1	A	101	ARG	2.5
2	B	414	LEU	2.5
1	C	90	GLN	2.5
1	C	289	SER	2.5
1	A	102	LYS	2.5
1	A	90	GLN	2.5
1	A	31	LYS	2.5
1	A	341	LYS	2.5
2	B	297	ALA	2.5
2	B	379	HIS	2.5
2	B	338	GLY	2.5
1	A	191	ASN	2.4
2	B	339	ASP	2.4
1	A	345	LYS	2.4
2	B	342	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	416	LYS	2.4
2	B	374	VAL	2.4
2	B	307	PRO	2.4
1	C	59	LEU	2.4
1	C	92	GLY	2.3
1	C	168	GLN	2.3
2	D	280	LEU	2.3
1	A	92	GLY	2.3
1	A	94	SER	2.3
1	A	60	GLU	2.3
1	C	190	LEU	2.3
2	D	283	LYS	2.3
1	C	271	GLU	2.3
1	A	32	LEU	2.3
1	A	33	LEU	2.3
2	B	405	LEU	2.3
2	D	290	LYS	2.3
2	B	376	GLY	2.3
1	C	244	LYS	2.3
1	C	57	TYR	2.2
1	C	235	GLU	2.2
1	C	40	SER	2.2
2	B	350	ILE	2.2
1	C	297	ASN	2.2
1	C	58	SER	2.2
1	C	163	TYR	2.2
1	C	186	SER	2.2
1	A	30	VAL	2.2
1	C	330	PHE	2.2
2	D	417	ALA	2.2
2	B	304	ILE	2.2
2	D	284	LEU	2.2
2	D	287	ILE	2.2
1	A	186	SER	2.2
1	A	289	SER	2.2
1	C	277	SER	2.2
1	A	57	TYR	2.1
2	B	410	TYR	2.1
2	D	314	GLN	2.1
1	C	67	ALA	2.1
1	C	89	ILE	2.1
2	B	335	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	337	ASP	2.1
2	D	281	ASN	2.1
1	C	30	VAL	2.1
1	A	258	THR	2.1
2	B	305	ARG	2.1
1	C	290	ASN	2.1
1	C	316	TYR	2.1
1	A	104	MET	2.1
1	C	269	LEU	2.1
2	B	284	LEU	2.1
1	A	257	ASP	2.1
1	C	98	ASP	2.1
1	C	56	GLY	2.1
2	B	406	LYS	2.0
1	C	256	THR	2.0
1	A	209	HIS	2.0
1	C	189	ASP	2.0
2	B	384	VAL	2.0
2	B	290	LYS	2.0
1	C	295	ALA	2.0
2	B	286	ASP	2.0
2	D	405	LEU	2.0
1	C	116	PRO	2.0
2	B	344	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ALF	A	362	5/5	0.94	0.12	49,50,55,55	0
5	GDP	A	360	28/28	0.94	0.10	39,45,56,60	0
5	GDP	C	361	28/28	0.94	0.12	49,52,61,67	0
3	MG	C	352	1/1	0.96	0.07	58,58,58,58	0
3	MG	A	352	1/1	0.97	0.08	47,47,47,47	0
4	ALF	C	363	5/5	0.97	0.08	44,52,53,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around GDP C 361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.