



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 15, 2026 – 12:20 AM UTC

PDB ID : 4FQ0 / pdb_00004fq0
Title : Crystal structure of FliG-FliM complex from H. pylori
Authors : Lam, K.H.; Au, S.W.N.
Deposited on : 2012-06-24
Resolution : 2.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	210	2% 58% 24% • 14%
1	B	210	59% 26% • 13%
2	C	111	49% 22% • 28%
2	D	111	37% 32% • 28%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3974 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flagellar motor switch protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	182	Total	C	N	O	S	0	0	0
			1377	874	224	267	12			
1	A	180	Total	C	N	O	S	0	0	0
			1376	873	229	262	12			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	28	GLY	-	expression tag	UNP O25675
B	29	PRO	-	expression tag	UNP O25675
B	30	LEU	-	expression tag	UNP O25675
B	31	GLY	-	expression tag	UNP O25675
B	32	SER	-	expression tag	UNP O25675
A	28	GLY	-	expression tag	UNP O25675
A	29	PRO	-	expression tag	UNP O25675
A	30	LEU	-	expression tag	UNP O25675
A	31	GLY	-	expression tag	UNP O25675
A	32	SER	-	expression tag	UNP O25675

- Molecule 2 is a protein called Flagellar motor switch protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	80	Total	C	N	O	S	0	0	0
			606	389	100	114	3			
2	D	80	Total	C	N	O	S	0	0	0
			606	389	100	114	3			

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	95	HIS	-	expression tag	UNP O25119
C	96	HIS	-	expression tag	UNP O25119

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	97	HIS	-	expression tag	UNP O25119
C	98	HIS	-	expression tag	UNP O25119
C	99	HIS	-	expression tag	UNP O25119
C	100	HIS	-	expression tag	UNP O25119
C	101	HIS	-	expression tag	UNP O25119
C	102	MET	-	expression tag	UNP O25119
C	103	ALA	-	expression tag	UNP O25119
C	104	SER	-	expression tag	UNP O25119
C	105	MET	-	expression tag	UNP O25119
C	106	THR	-	expression tag	UNP O25119
C	107	GLY	-	expression tag	UNP O25119
C	108	GLY	-	expression tag	UNP O25119
C	109	GLN	-	expression tag	UNP O25119
C	110	GLN	-	expression tag	UNP O25119
C	111	MET	-	expression tag	UNP O25119
C	112	GLY	-	expression tag	UNP O25119
C	113	ARG	-	expression tag	UNP O25119
C	114	GLY	-	expression tag	UNP O25119
C	115	SER	-	expression tag	UNP O25119
D	95	HIS	-	expression tag	UNP O25119
D	96	HIS	-	expression tag	UNP O25119
D	97	HIS	-	expression tag	UNP O25119
D	98	HIS	-	expression tag	UNP O25119
D	99	HIS	-	expression tag	UNP O25119
D	100	HIS	-	expression tag	UNP O25119
D	101	HIS	-	expression tag	UNP O25119
D	102	MET	-	expression tag	UNP O25119
D	103	ALA	-	expression tag	UNP O25119
D	104	SER	-	expression tag	UNP O25119
D	105	MET	-	expression tag	UNP O25119
D	106	THR	-	expression tag	UNP O25119
D	107	GLY	-	expression tag	UNP O25119
D	108	GLY	-	expression tag	UNP O25119
D	109	GLN	-	expression tag	UNP O25119
D	110	GLN	-	expression tag	UNP O25119
D	111	MET	-	expression tag	UNP O25119
D	112	GLY	-	expression tag	UNP O25119
D	113	ARG	-	expression tag	UNP O25119
D	114	GLY	-	expression tag	UNP O25119
D	115	SER	-	expression tag	UNP O25119


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	O 1	0	0
3	A	2	Total 2	O 2	0	0
3	C	5	Total 5	O 5	0	0
3	D	1	Total 1	O 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Flagellar motor switch protein



- Molecule 1: Flagellar motor switch protein





- Molecule 2: Flagellar motor switch protein



- Molecule 2: Flagellar motor switch protein

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	40.09Å 124.54Å 137.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.77 – 2.82 36.77 – 2.82	Depositor EDS
% Data completeness (in resolution range)	96.9 (36.77-2.82) 97.0 (36.77-2.82)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.237 , 0.308 0.239 , 0.312	Depositor DCC
R_{free} test set	880 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	84.4	Xtriage
Anisotropy	0.164	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 46.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3974	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 65.20 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.3534e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.89	1/1398 (0.1%)	1.11	2/1893 (0.1%)
1	B	0.86	0/1399	1.12	6/1898 (0.3%)
2	C	0.93	0/617	1.23	3/840 (0.4%)
2	D	0.88	0/617	1.26	3/840 (0.4%)
All	All	0.88	1/4031 (0.0%)	1.16	14/5471 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	50	LYS	CA-C	5.55	1.55	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	213	MET	N-CA-C	8.52	122.22	109.95
1	B	141	ASP	N-CA-C	7.85	119.53	110.97
2	C	151	ALA	CA-C-N	-7.37	111.17	119.28
2	C	151	ALA	C-N-CA	-7.37	111.17	119.28
2	C	150	GLU	N-CA-C	-6.49	101.97	110.53
1	A	51	GLU	N-CA-C	-6.17	105.61	113.01
2	D	138	HIS	CA-C-N	-5.82	113.81	119.87
2	D	138	HIS	C-N-CA	-5.82	113.81	119.87
1	B	189	VAL	N-CA-C	5.67	115.73	106.72
1	B	176	PHE	CA-C-N	5.64	126.89	119.84
1	B	176	PHE	C-N-CA	5.64	126.89	119.84
1	B	188	VAL	N-CA-C	5.60	116.24	110.36
2	D	141	THR	N-CA-C	-5.45	105.42	111.36
1	B	211	ARG	N-CA-C	5.40	117.98	108.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1376	0	1376	39	0
1	B	1377	0	1361	34	0
2	C	606	0	597	13	0
2	D	606	0	597	25	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
3	C	5	0	0	0	0
3	D	1	0	0	0	0
All	All	3974	0	3931	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:GLN:HG3	1:A:164:ILE:HD11	1.55	0.89
1:B:100:SER:HB3	1:A:100:SER:HB2	1.59	0.84
2:D:140:GLN:HG2	2:D:172:ARG:HH11	1.45	0.82
2:D:140:GLN:HG2	2:D:172:ARG:NH1	1.98	0.79
2:D:149:MET:HE2	2:D:153:ASN:HB3	1.67	0.76
2:D:121:TYR:CE2	2:D:192:GLU:HG3	2.24	0.73
2:D:154:ALA:O	2:D:158:LEU:HB2	1.91	0.71
1:B:75:MET:HE1	1:B:128:MET:HA	1.71	0.71
2:D:142:ILE:HG21	2:D:169:ILE:HD13	1.74	0.68
2:D:149:MET:HE2	2:D:153:ASN:CB	2.24	0.67
1:B:191:ILE:HG13	1:B:192:VAL:N	2.09	0.67
2:C:127:PRO:HG2	2:C:156:GLU:CD	2.20	0.66
1:B:95:LEU:C	1:B:97:SER:H	2.03	0.65
1:A:144:ARG:NH2	1:A:150:GLU:OE2	2.31	0.64
2:D:121:TYR:CD2	2:D:192:GLU:HG3	2.33	0.63
2:D:195:LEU:O	2:D:196:GLU:HB2	1.96	0.63
1:B:94:PHE:O	1:B:97:SER:HB3	1.99	0.61
1:B:133:LEU:HD22	2:C:144:LEU:HD22	1.83	0.61
1:A:75:MET:HE1	1:A:131:ARG:HB3	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:ILE:O	1:A:128:MET:HG3	2.03	0.59
1:A:103:SER:O	1:A:119:GLU:HA	2.05	0.56
1:A:83:LEU:HA	1:A:203:LEU:HD23	1.88	0.55
2:D:149:MET:CE	2:D:153:ASN:HB3	2.36	0.55
2:D:145:ILE:HD13	2:D:191:LEU:HD22	1.89	0.55
1:B:183:GLU:HG3	1:B:188:VAL:HB	1.88	0.54
1:A:75:MET:CE	1:A:131:ARG:HB3	2.37	0.53
2:C:121:TYR:CE2	2:C:192:GLU:HB2	2.44	0.53
1:A:134:GLY:O	2:D:176:LEU:O	2.27	0.52
1:A:212:GLY:HA2	1:A:213:MET:HE2	1.92	0.52
1:A:108:SER:O	1:A:177:PRO:HA	2.10	0.52
2:D:117:LYS:N	2:D:185:LYS:HA	2.25	0.52
1:A:119:GLU:OE1	1:A:215:ASN:ND2	2.38	0.52
1:A:107:PHE:CE1	1:A:109:MET:HE2	2.46	0.51
1:B:141:ASP:O	1:A:92:GLY:HA3	2.11	0.51
1:B:155:ASP:CG	1:B:182:LYS:HZ1	2.19	0.51
1:A:94:PHE:HD1	1:A:200:MET:HG3	1.75	0.50
1:A:98:LEU:HD13	1:A:119:GLU:HG3	1.92	0.50
1:A:203:LEU:HD12	1:A:214:MET:HE2	1.94	0.49
1:B:70:GLN:HG3	1:B:164:ILE:HD11	1.94	0.49
1:B:100:SER:HB3	1:A:100:SER:CB	2.38	0.49
2:C:140:GLN:OE1	2:C:172:ARG:HB3	2.12	0.49
2:C:134:ILE:O	2:C:142:ILE:HD11	2.13	0.49
1:A:81:ILE:HA	1:A:204:GLU:O	2.13	0.49
1:B:63:MET:HE1	1:B:165:LEU:HD12	1.95	0.49
1:A:195:ASN:OD1	1:A:195:ASN:N	2.27	0.49
1:B:81:ILE:HA	1:B:204:GLU:O	2.12	0.48
1:B:67:LEU:HD21	1:B:214:MET:HE1	1.95	0.48
1:B:148:ASP:HB2	2:C:194:LYS:NZ	2.29	0.48
1:B:122:PRO:HB2	1:A:96:MET:HB2	1.96	0.47
1:B:108:SER:O	1:B:177:PRO:HA	2.14	0.47
1:A:94:PHE:CD1	1:A:200:MET:HG3	2.49	0.47
2:D:180:SER:HB2	2:D:181:PRO:HD2	1.96	0.47
1:B:92:GLY:HA3	1:A:141:ASP:O	2.15	0.47
1:B:124:ILE:HD12	1:B:124:ILE:HA	1.75	0.47
1:B:195:ASN:HB3	1:A:141:ASP:OD2	2.15	0.47
2:D:194:LYS:O	2:D:195:LEU:HG	2.14	0.47
1:A:144:ARG:HH21	1:A:150:GLU:CD	2.23	0.47
2:C:146:LEU:CD1	2:C:158:LEU:HD13	2.45	0.47
2:C:119:PHE:HB3	2:C:122:LEU:CD1	2.45	0.46
1:B:87:ASP:HB2	1:B:89:MET:HE3	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:SER:OG	1:A:219:PRO:HA	2.16	0.46
2:C:125:ILE:HG22	2:C:126:LYS:O	2.16	0.46
2:C:135:ILE:HG13	2:C:161:PHE:CE1	2.51	0.46
1:B:155:ASP:CG	1:B:182:LYS:NZ	2.74	0.45
1:A:211:ARG:HE	1:A:211:ARG:HB2	1.61	0.45
1:B:95:LEU:C	1:B:97:SER:N	2.74	0.45
1:A:140:TYR:OH	1:A:144:ARG:NH1	2.49	0.45
1:A:192:VAL:HG23	1:A:193:ALA:O	2.17	0.45
1:B:94:PHE:CZ	1:B:98:LEU:HD11	2.51	0.44
1:B:166:LYS:O	1:B:167:GLU:C	2.60	0.44
1:A:95:LEU:C	1:A:97:SER:H	2.26	0.44
2:C:176:LEU:HD22	2:C:179:ILE:HD11	1.99	0.44
2:D:117:LYS:HA	2:D:184:VAL:HG12	1.99	0.44
1:B:170:SER:N	1:B:171:PRO:HD2	2.33	0.43
2:C:121:TYR:CZ	2:C:192:GLU:HB2	2.54	0.43
2:D:142:ILE:CG2	2:D:169:ILE:HD13	2.46	0.43
1:B:200:MET:HE2	1:B:215:ASN:OD1	2.18	0.43
1:A:57:ARG:O	1:A:61:ASP:HB2	2.19	0.43
1:A:200:MET:HE2	1:A:215:ASN:OD1	2.19	0.43
1:A:120:ILE:HG12	1:A:214:MET:HG3	2.01	0.42
2:D:151:ALA:HB3	2:D:152:PRO:HD3	2.01	0.42
1:B:48:VAL:HG21	1:B:199:ILE:HD11	2.00	0.42
2:D:165:MET:O	2:D:169:ILE:HG13	2.19	0.42
2:D:157:THR:O	2:D:157:THR:HG22	2.18	0.42
2:D:181:PRO:C	2:D:183:VAL:H	2.27	0.42
2:D:135:ILE:HG13	2:D:161:PHE:CD1	2.55	0.42
1:B:153:LEU:N	1:B:153:LEU:HD23	2.35	0.41
1:A:124:ILE:HD12	1:A:124:ILE:HA	1.83	0.41
1:A:67:LEU:HD12	1:A:71:VAL:HG23	2.03	0.41
1:A:162:MET:O	1:A:177:PRO:HG2	2.21	0.41
2:C:135:ILE:HG13	2:C:161:PHE:CD1	2.56	0.41
1:B:154:LEU:O	1:B:158:LEU:HG	2.21	0.41
2:D:169:ILE:O	2:D:172:ARG:HB2	2.21	0.41
2:D:121:TYR:CE2	2:D:192:GLU:CG	2.99	0.40
1:B:75:MET:HE2	1:B:207:ILE:HD13	2.03	0.40
1:A:152:ASN:OD1	2:D:186:ARG:HD3	2.21	0.40
1:B:96:MET:HE1	1:A:140:TYR:H	1.86	0.40
1:B:187:ASN:O	1:B:190:GLN:NE2	2.55	0.40
1:B:155:ASP:O	1:B:156:THR:C	2.63	0.40
1:A:75:MET:HE3	1:A:75:MET:HB3	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	178/210 (85%)	164 (92%)	13 (7%)	1 (1%)	21	48
1	B	180/210 (86%)	171 (95%)	8 (4%)	1 (1%)	21	48
2	C	78/111 (70%)	69 (88%)	9 (12%)	0	100	100
2	D	78/111 (70%)	67 (86%)	9 (12%)	2 (3%)	4	14
All	All	514/642 (80%)	471 (92%)	39 (8%)	4 (1%)	16	41

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	96	MET
1	A	114	GLY
2	D	124	LYS
2	D	182	GLN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	157/192 (82%)	140 (89%)	17 (11%)	6	20
1	B	157/192 (82%)	147 (94%)	10 (6%)	16	42
2	C	63/95 (66%)	57 (90%)	6 (10%)	8	25
2	D	63/95 (66%)	54 (86%)	9 (14%)	3	10
All	All	440/574 (77%)	398 (90%)	42 (10%)	8	25

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	65	ARG
1	B	69	SER
1	B	76	ARG
1	B	78	ILE
1	B	138	SER
1	B	150	GLU
1	B	152	ASN
1	B	154	LEU
1	B	211	ARG
1	B	221	ILE
1	A	55	SER
1	A	67	LEU
1	A	82	GLN
1	A	100	SER
1	A	108	SER
1	A	115	THR
1	A	124	ILE
1	A	138	SER
1	A	144	ARG
1	A	152	ASN
1	A	154	LEU
1	A	165	LEU
1	A	195	ASN
1	A	210	SER
1	A	216	ILE
1	A	221	ILE
1	A	228	SER
2	C	118	ASN
2	C	150	GLU
2	C	158	LEU
2	C	170	SER
2	C	188	SER
2	C	195	LEU
2	D	125	ILE
2	D	135	ILE
2	D	146	LEU
2	D	158	LEU
2	D	164	GLU
2	D	170	SER
2	D	183	VAL
2	D	188	SER
2	D	189	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	105	ASN
1	B	190	GLN
1	B	194	GLN
1	A	143	ASN
2	C	175	ASN
2	D	175	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	180/210 (85%)	0.09	4 (2%) 62 52	69, 94, 112, 126	0
1	B	182/210 (86%)	0.03	1 (0%) 87 82	70, 90, 110, 126	0
2	C	80/111 (72%)	0.01	0 100 100	62, 89, 104, 108	0
2	D	80/111 (72%)	-0.04	0 100 100	62, 88, 107, 117	0
All	All	522/642 (81%)	0.04	5 (0%) 79 72	62, 90, 110, 126	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	228	SER	3.1
1	A	51	GLU	2.6
1	B	186	ALA	2.4
1	A	153	LEU	2.0
1	A	50	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.