



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 08:02 PM UTC

PDB ID : 8FR3 / pdb_00008fr3
Title : E. coli EF-Tu in complex with KKL-55
Authors : Nguyen, H.A.; Kuzmishin Nagy, A.B.; Dunham, C.M.
Deposited on : 2023-01-06
Resolution : 2.23 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
Ramachandran outliers	187476	3500 (2.26-2.22)
Sidechain outliers	187428	3501 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	402	21% 90% 6% .
1	B	402	30% 87% 9% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6018 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Elongation factor Tu.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	385	Total	C	N	O	S	0	0	0
			2965	1875	510	567	13			
1	B	385	Total	C	N	O	S	0	0	0
			2965	1875	510	567	13			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	394	ARG	-	expression tag	UNP E2QFJ4
A	395	SER	-	expression tag	UNP E2QFJ4
A	396	HIS	-	expression tag	UNP E2QFJ4
A	397	HIS	-	expression tag	UNP E2QFJ4
A	398	HIS	-	expression tag	UNP E2QFJ4
A	399	HIS	-	expression tag	UNP E2QFJ4
A	400	HIS	-	expression tag	UNP E2QFJ4
A	401	HIS	-	expression tag	UNP E2QFJ4
B	394	ARG	-	expression tag	UNP E2QFJ4
B	395	SER	-	expression tag	UNP E2QFJ4
B	396	HIS	-	expression tag	UNP E2QFJ4
B	397	HIS	-	expression tag	UNP E2QFJ4
B	398	HIS	-	expression tag	UNP E2QFJ4
B	399	HIS	-	expression tag	UNP E2QFJ4
B	400	HIS	-	expression tag	UNP E2QFJ4
B	401	HIS	-	expression tag	UNP E2QFJ4

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

-
- The image displays the chemical structure of GDP (Guanosine Diphosphate). It consists of a guanine base (a purine ring system with an amino group at C2 and a carbonyl group at C6) linked to a ribose sugar via a glycosidic bond at the N9 position. The ribose sugar is further linked to two phosphate groups (P1 and P2) via phosphodiester bonds. The structure is labeled with atom names and numbers, and the phosphate groups are shown with their respective negative charges (O⁻).

- Molecule 4 is 3-chloro-N-(1-propyl-1H-tetrazol-5-yl)benzamide (CCD ID: Y7C) (formula: $\text{C}_{11}\text{H}_{12}\text{ClN}_5\text{O}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	0
			18	11	1	5	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	6	Total	O	0	0
			6	6		
5	B	6	Total	O	0	0
			6	6		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Elongation factor Tu



• Molecule 1: Elongation factor Tu



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.38Å 65.22Å 70.56Å 107.67° 98.79° 107.08°	Depositor
Resolution (Å)	64.82 – 2.23 64.81 – 2.23	Depositor EDS
% Data completeness (in resolution range)	94.0 (64.82-2.23) 91.9 (64.81-2.23)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.06 (at 2.22Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.245 , 0.275 0.245 , 0.275	Depositor DCC
R_{free} test set	2040 reflections (4.51%)	wwPDB-VP
Wilson B-factor (Å ²)	54.4	Xtriage
Anisotropy	0.573	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6018	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MG, Y7C

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/3020	0.89	0/4091
1	B	0.57	0/3020	0.89	0/4091
All	All	0.57	0/6040	0.89	0/8182

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2965	0	2978	12	0
1	B	2965	0	2978	20	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	28	0	12	0	0
3	B	28	0	12	1	0
4	A	18	0	0	2	0
5	A	6	0	0	0	0
5	B	6	0	0	0	0
All	All	6018	0	5980	31	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 3.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378:GLU:OE1	4:A:503:Y7C:C14	2.10	0.98
1:B:344:PRO:O	1:B:347:VAL:HG12	1.92	0.69
1:B:123:ARG:HD3	1:B:160:TYR:O	1.97	0.64
1:A:294:LYS:HD3	1:A:297:THR:HG21	1.85	0.59
1:A:327:ARG:HG2	1:A:340:THR:HG22	1.84	0.57
1:A:94:GLY:O	1:A:373:ARG:NH1	2.38	0.57
1:A:51:ASN:ND2	1:B:51:ASN:O	2.39	0.56
1:B:125:VAL:HG12	1:B:387:VAL:HG11	1.88	0.54
1:B:310:ILE:N	1:B:310:ILE:HD12	2.21	0.54
1:B:128:PRO:HB2	1:B:129:TYR:CD1	2.43	0.53
4:A:503:Y7C:N12	4:A:503:Y7C:C16	2.72	0.52
1:A:91:MET:HE3	1:A:98:MET:HE1	1.92	0.52
1:B:220:ILE:CG1	1:B:223:ARG:HB2	2.42	0.50
1:B:343:LEU:HB3	1:B:347:VAL:CG1	2.43	0.48
1:B:211:LEU:HB3	1:B:233:ARG:HD3	1.96	0.47
1:B:88:VAL:HA	1:B:121:LEU:HD21	1.97	0.46
1:B:251:GLN:HE22	1:B:285:GLU:HB3	1.79	0.46
1:A:138:ASP:OD2	1:A:139:MET:HE3	2.16	0.46
1:B:139:MET:HE2	3:B:502:GDP:HN22	1.81	0.46
1:A:13:ASN:HD22	1:A:77:ALA:HB3	1.82	0.45
1:A:262:ARG:HH11	1:B:284:GLU:HA	1.81	0.44
1:B:54:GLU:HG3	1:B:61:THR:HG23	2.01	0.43
1:B:151:MET:HE2	1:B:151:MET:N	2.35	0.42
1:B:356:ILE:HD11	1:B:358:MET:HE3	2.01	0.42
1:B:370:ASP:HA	1:B:388:VAL:HG23	2.01	0.42
1:A:305:GLU:OE1	1:A:390:LYS:NZ	2.52	0.42
1:B:344:PRO:HD2	1:B:347:VAL:HG11	2.02	0.42
1:B:71:THR:HB	1:B:72:PRO:HD2	2.02	0.42
1:A:71:THR:HB	1:A:72:PRO:HD2	2.01	0.41
1:A:112:MET:HB3	1:A:113:PRO:HD2	2.02	0.41
1:B:323:PHE:HE1	1:B:349:MET:HE2	1.86	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	383/402 (95%)	375 (98%)	8 (2%)	0	100	100
1	B	383/402 (95%)	374 (98%)	9 (2%)	0	100	100
All	All	766/804 (95%)	749 (98%)	17 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/334 (95%)	314 (99%)	4 (1%)	61	71
1	B	318/334 (95%)	313 (98%)	5 (2%)	55	65
All	All	636/668 (95%)	627 (99%)	9 (1%)	59	69

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	167	THR
1	A	302	THR
1	A	329	GLN
1	A	390	LYS
1	B	116	ARG
1	B	204	ARG
1	B	233	ARG
1	B	302	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	324	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	ASN
1	A	19	HIS
1	A	301	HIS
1	A	355	ASN
1	B	13	ASN
1	B	66	HIS
1	B	251	GLN
1	B	301	HIS
1	B	329	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	Y7C	A	503	-	19,19,19	1.54	3 (15%)	22,25,25	2.46	7 (31%)
3	GDP	A	502	2	29,30,30	1.26	3 (10%)	45,47,47	1.73	6 (13%)
3	GDP	B	502	2	29,30,30	1.39	3 (10%)	45,47,47	1.77	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	Y7C	A	503	-	-	3/11/11/11	0/2/2/2
3	GDP	A	502	2	-	2/16/32/32	0/3/3/3
3	GDP	B	502	2	-	2/16/32/32	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	GDP	PA-O3A	4.70	1.64	1.59
4	A	503	Y7C	C07-N08	4.53	1.45	1.37
3	B	502	GDP	C5-C4	3.39	1.48	1.38
3	A	502	GDP	C5-C4	3.25	1.47	1.38
3	A	502	GDP	PA-O3A	3.08	1.62	1.59
4	A	503	Y7C	C09-N08	2.60	1.46	1.37
3	A	502	GDP	C6-N1	-2.49	1.34	1.38
4	A	503	Y7C	O17-C07	-2.33	1.17	1.23
3	B	502	GDP	C6-N1	-2.32	1.34	1.38

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	503	Y7C	C06-C07-N08	6.59	125.75	116.25
3	A	502	GDP	C5-C4-N3	-5.75	119.24	128.39
3	B	502	GDP	C5-C4-N3	-5.71	119.31	128.39
4	A	503	Y7C	C09-N10-N11	5.52	109.85	104.58
3	A	502	GDP	C2-N3-C4	4.97	120.87	112.30
3	B	502	GDP	C2-N3-C4	4.79	120.55	112.30
3	A	502	GDP	N9-C4-N3	4.32	134.59	125.95
3	B	502	GDP	N9-C4-N3	4.17	134.30	125.95
3	B	502	GDP	C6-C5-N7	3.75	137.11	130.29
4	A	503	Y7C	N10-N11-N12	-3.74	106.94	111.07
3	A	502	GDP	C6-C5-N7	3.56	136.77	130.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	503	Y7C	O17-C07-C06	-3.03	114.90	120.90
4	A	503	Y7C	C09-N08-C07	-2.75	116.58	125.04
3	B	502	GDP	C4-C5-N7	-2.59	106.57	110.67
4	A	503	Y7C	N13-N12-N11	2.48	108.41	106.17
3	A	502	GDP	C4-C5-N7	-2.42	106.83	110.67
3	B	502	GDP	O3B-PB-O2B	2.36	116.67	107.80
3	B	502	GDP	C5-C6-N1	2.13	118.68	113.25
3	A	502	GDP	C5-C6-N1	2.01	118.37	113.25
4	A	503	Y7C	O17-C07-N08	-2.00	119.35	122.27

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	502	GDP	PA-O3A-PB-O2B
3	B	502	GDP	PA-O3A-PB-O3B
3	A	502	GDP	PA-O3A-PB-O2B
3	A	502	GDP	PA-O3A-PB-O3B
4	A	503	Y7C	C15-C14-N13-N12
4	A	503	Y7C	C05-C06-C07-N08
4	A	503	Y7C	C18-C06-C07-N08


There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	503	Y7C	2	0
3	B	502	GDP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand Y7C A 503



Ligand GDP A 502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	385/402 (95%)	1.39	84 (21%) 2 1	40, 59, 80, 96	0
1	B	385/402 (95%)	1.64	120 (31%) 1 1	41, 62, 85, 103	0
All	All	770/804 (95%)	1.51	204 (26%) 1 1	40, 61, 83, 103	0

All (204) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	356	ILE	4.7
1	A	121	LEU	4.5
1	B	323	PHE	4.2
1	A	383	VAL	4.1
1	B	360	VAL	3.8
1	B	353	GLY	3.6
1	B	350	VAL	3.5
1	A	80	ASP	3.5
1	B	241	GLU	3.5
1	A	8	THR	3.4
1	A	43	ALA	3.4
1	A	95	ALA	3.4
1	B	145	LEU	3.3
1	A	56	LYS	3.3
1	B	321	PRO	3.3
1	B	52	ALA	3.2
1	B	140	VAL	3.3
1	B	182	ALA	3.2
1	B	41	GLY	3.2
1	B	352	PRO	3.2
1	A	58	ARG	3.2
1	A	59	GLY	3.2
1	B	343	LEU	3.2
1	B	206	ILE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	182	ALA	3.2
1	A	343	LEU	3.2
1	B	205	ALA	3.2
1	B	322	PHE	3.1
1	B	319	HIS	3.1
1	B	60	ILE	3.1
1	B	349	MET	3.1
1	A	92	ILE	3.1
1	B	64	THR	3.1
1	B	93	THR	3.1
1	B	250	THR	3.0
1	A	322	PHE	3.0
1	A	39	TYR	3.0
1	A	44	ARG	3.0
1	B	141	ASP	3.0
1	B	46	PHE	3.0
1	B	43	ALA	3.0
1	B	342	GLU	3.0
1	B	341	ILE	3.0
1	A	180	GLY	3.0
1	A	91	MET	2.9
1	A	379	GLY	2.9
1	B	184	TRP	2.9
1	B	57	ALA	2.9
1	B	177	ALA	2.9
1	B	392	LEU	2.9
1	B	304	PHE	2.9
1	B	68	GLU	2.9
1	B	324	LYS	2.9
1	A	64	THR	2.9
1	A	93	THR	2.9
1	A	40	GLY	2.8
1	A	326	TYR	2.8
1	B	85	ALA	2.8
1	B	44	ARG	2.8
1	A	323	PHE	2.8
1	B	95	ALA	2.8
1	A	203	GLU	2.8
1	B	181	ASP	2.7
1	B	280	GLY	2.7
1	A	321	PRO	2.7
1	B	175	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	340	THR	2.7
1	B	96	ALA	2.7
1	B	107	ALA	2.7
1	A	319	HIS	2.7
1	B	345	GLU	2.7
1	B	351	MET	2.7
1	A	61	THR	2.7
1	B	303	LYS	2.7
1	A	83	GLY	2.7
1	A	279	ARG	2.7
1	B	146	LEU	2.7
1	A	21	ASP	2.6
1	B	359	VAL	2.6
1	A	220	ILE	2.6
1	A	181	ASP	2.6
1	A	351	MET	2.6
1	B	346	GLY	2.6
1	A	221	SER	2.6
1	B	311	LEU	2.6
1	B	358	MET	2.6
1	A	15	GLY	2.6
1	A	296	GLY	2.6
1	A	235	ILE	2.6
1	B	326	TYR	2.6
1	A	320	THR	2.5
1	B	347	VAL	2.5
1	B	62	ILE	2.5
1	B	211	LEU	2.5
1	B	260	MET	2.5
1	A	57	ALA	2.5
1	A	106	ALA	2.5
1	A	352	PRO	2.5
1	A	108	THR	2.5
1	B	310	ILE	2.5
1	B	366	ILE	2.5
1	B	391	VAL	2.5
1	A	139	MET	2.5
1	A	28	THR	2.4
1	A	259	GLU	2.4
1	B	197	SER	2.4
1	A	55	GLU	2.4
1	B	172	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	359	VAL	2.4
1	A	280	GLY	2.4
1	B	149	VAL	2.4
1	A	157	LEU	2.4
1	B	11	HIS	2.4
1	A	342	GLU	2.4
1	B	183	GLU	2.4
1	B	53	PRO	2.4
1	A	88	VAL	2.4
1	A	347	VAL	2.4
1	B	166	ASP	2.3
1	B	245	VAL	2.3
1	B	381	ARG	2.3
1	A	266	ASP	2.3
1	B	87	TYR	2.3
1	B	357	LYS	2.3
1	B	293	ALA	2.3
1	B	385	ALA	2.3
1	A	265	LEU	2.3
1	B	313	LYS	2.3
1	A	100	GLY	2.3
1	A	385	ALA	2.3
1	A	341	ILE	2.3
1	B	387	VAL	2.3
1	B	278	LEU	2.3
1	B	23	GLY	2.3
1	B	91	MET	2.3
1	A	60	ILE	2.3
1	B	20	VAL	2.3
1	B	325	GLY	2.2
1	A	42	ALA	2.2
1	A	160	TYR	2.2
1	B	270	ALA	2.2
1	B	297	THR	2.2
1	A	274	VAL	2.2
1	A	52	ALA	2.2
1	B	219	SER	2.2
1	B	363	ILE	2.2
1	A	392	LEU	2.2
1	B	178	LEU	2.2
1	B	231	VAL	2.2
1	A	200	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	10	PRO	2.2
1	A	81	CYS	2.2
1	B	234	GLY	2.2
1	B	97	GLN	2.2
1	B	376	ILE	2.2
1	B	242	VAL	2.2
1	B	210	PHE	2.2
1	B	36	ALA	2.2
1	B	42	ALA	2.2
1	B	204	ARG	2.1
1	A	102	ILE	2.1
1	B	121	LEU	2.1
1	B	21	ASP	2.1
1	A	202	PRO	2.1
1	A	301	HIS	2.1
1	A	45	ALA	2.1
1	B	320	THR	2.1
1	A	204	ARG	2.1
1	B	220	ILE	2.1
1	B	390	LYS	2.1
1	B	47	ASP	2.1
1	B	227	VAL	2.1
1	B	123	ARG	2.1
1	A	65	SER	2.1
1	A	263	LYS	2.1
1	A	311	LEU	2.1
1	B	55	GLU	2.1
1	B	134	LEU	2.1
1	B	201	GLU	2.1
1	B	235	ILE	2.1
1	B	286	ILE	2.1
1	B	153	VAL	2.1
1	A	339	GLY	2.1
1	B	246	GLY	2.1
1	A	260	MET	2.1
1	B	305	GLU	2.1
1	A	51	ASN	2.1
1	A	206	ILE	2.1
1	A	369	ASP	2.1
1	B	67	VAL	2.1
1	A	316	GLY	2.1
1	B	223	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	185	GLU	2.0
1	B	314	ASP	2.0
1	A	10	PRO	2.0
1	B	295	PRO	2.0
1	A	238	VAL	2.0
1	B	105	VAL	2.0
1	A	151	MET	2.0
1	A	349	MET	2.0
1	B	61	THR	2.0
1	A	107	ALA	2.0
1	B	292	LEU	2.0
1	B	373	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	Y7C	A	503	18/18	0.62	0.20	92,102,106,114	0
2	MG	B	501	1/1	0.80	0.32	62,62,62,62	0
2	MG	A	501	1/1	0.85	0.32	63,63,63,63	0
3	GDP	B	502	28/28	0.91	0.10	45,54,59,60	0
3	GDP	A	502	28/28	0.95	0.10	45,51,58,60	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Y7C A 503:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.