



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 08:44 AM UTC

PDB ID : 1FSE / pdb_00001fse
Title : CRYSTAL STRUCTURE OF THE BACILLUS SUBTILIS REGULATORY PROTEIN GERE
Authors : Ducros, V.M.-A.; Lewis, R.J.; Verma, C.S.; Dodson, E.J.; Leonard, G.; Turkenburg, J.P.; Murshudov, G.N.; Wilkinson, A.J.; Brannigan, J.A.
Deposited on : 2000-09-08
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	74	73% 15% • 9%
1	B	74	68% 18% 8% • 5%
1	C	74	77% 8% 5% 9%
1	D	74	62% 23% • 11%
1	E	74	51% 27% 8% 14%
1	F	74	41% 24% • 32%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	D	601	-	X	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 3484 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GERE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	67	Total	C	N	O	S	0	3	0
			543	341	97	103	2			
1	B	70	Total	C	N	O	S	0	2	0
			571	358	103	108	2			
1	C	67	Total	C	N	O	S	0	2	0
			540	339	96	103	2			
1	D	66	Total	C	N	O	S	0	4	0
			541	340	97	102	2			
1	E	64	Total	C	N	O	S	0	4	0
			530	331	98	99	2			
1	F	50	Total	C	N	O	S	0	0	0
			399	250	75	72	2			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	43	Total	O	0	0
			43	43		
4	B	66	Total	O	0	0
			66	66		
4	C	69	Total	O	0	0
			69	69		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	74	Total 74	O 74	0	0
4	E	34	Total 34	O 34	0	0
4	F	36	Total 36	O 36	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: GERE

Chain A: 



- Molecule 1: GERE

Chain B: 



- Molecule 1: GERE

Chain C: 



- Molecule 1: GERE

Chain D: 




- Molecule 1: GERE

Chain E: 



- Molecule 1: GERE

Chain F: 

MET	LYS	GLU	LYS	GLU	PHE	GLN	SER	LYS	P10	L11	L12		R17	E18	V19	F20	E21	L22	L23	V24	Q25	D26	K27	THR	THR	LYS	GLU	ILE	ALA	SER	GLU	LEU	PHE	ILE	SER	GLU	LYS	THR	V43	R44	N45	H46	I47	S48	N49		Q52	K53	L54		Q61		L66		M69	G70	E71		L74
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	--	-----	-----	-----	--	-----	--	-----	--	-----	-----	-----	--	-----

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	109.02Å 61.75Å 71.74Å 90.00° 97.08° 90.00°	Depositor
Resolution (Å)	20.00 – 2.05	Depositor
% Data completeness (in resolution range)	99.0 (20.00-2.05)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.214 , 0.272	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3484	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.52	0/561	1.30	2/748 (0.3%)
1	B	0.51	0/585	1.42	5/781 (0.6%)
1	C	0.63	0/553	1.41	3/739 (0.4%)
1	D	0.47	0/564	1.39	0/754
1	E	0.43	0/552	1.19	3/735 (0.4%)
1	F	0.43	0/400	1.42	1/532 (0.2%)
All	All	0.50	0/3215	1.36	14/4289 (0.3%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	73	GLU	N-CA-C	8.74	124.55	112.93
1	B	29	THR	OG1-CB-CG2	-7.21	94.87	109.30
1	F	61	GLN	N-CA-C	-6.66	104.10	111.36
1	E	25	GLN	N-CA-C	-5.77	105.55	112.59
1	C	35[A]	GLU	N-CA-C	5.75	118.33	111.71
1	C	35[B]	GLU	N-CA-C	5.75	118.33	111.71
1	B	25	GLN	N-CA-C	-5.55	105.72	112.88
1	A	11	LEU	N-CA-C	5.49	117.67	108.73
1	B	35	GLU	N-CA-C	5.47	117.24	111.28
1	C	26	ASP	N-CA-C	5.43	119.85	113.23
1	A	29	THR	OG1-CB-CG2	-5.36	98.59	109.30
1	B	68	ARG	NE-CZ-NH1	-5.27	116.23	121.50
1	E	11	LEU	CA-C-N	5.19	131.45	121.54
1	E	11	LEU	C-N-CA	5.19	131.45	121.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	543	0	580	15	0
1	B	571	0	597	18	1
1	C	540	0	573	7	0
1	D	541	0	578	14	0
1	E	530	0	566	14	0
1	F	399	0	422	17	0
2	B	6	0	8	2	0
2	D	6	0	7	3	0
2	F	6	0	8	2	0
3	C	10	0	0	0	0
3	D	10	0	0	0	0
4	A	43	0	0	2	0
4	B	66	0	0	2	1
4	C	69	0	0	1	0
4	D	74	0	0	3	0
4	E	34	0	0	0	0
4	F	36	0	0	3	0
All	All	3484	0	3339	80	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:61[A]:GLN:HG2	4:B:651:HOH:O	1.63	0.98
1:B:38:ILE:HA	2:D:601:GOL:H2	1.48	0.96
1:A:14[B]:LYS:HG2	4:A:91:HOH:O	1.69	0.91
1:B:5:GLU:HG2	1:B:6:PHE:H	1.32	0.91
1:F:26:ASP:OD2	4:F:602:HOH:O	1.94	0.86
1:C:15:ARG:NH1	4:C:534:HOH:O	2.13	0.81
1:D:61:GLN:HG2	1:E:26:ASP:OD1	1.80	0.81
1:F:66:LEU:HD23	1:F:69:MET:CE	2.12	0.78
1:F:17:ARG:HH12	2:F:600:GOL:H11	1.50	0.77
1:E:28:THR:HG23	1:E:31:GLU:H	1.50	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14[B]:LYS:HE3	4:F:613:HOH:O	1.86	0.74
1:A:61:GLN:HG3	4:A:93:HOH:O	1.89	0.71
1:B:5:GLU:CG	1:B:6:PHE:H	2.03	0.70
1:D:65:GLU:HG3	1:D:69:MET:HE3	1.72	0.69
1:F:54:LEU:HD21	1:F:69:MET:HE1	1.74	0.68
1:D:49:ASN:OD1	2:D:601:GOL:H12	1.94	0.68
1:E:65:GLU:OE1	1:E:69:MET:HE3	1.94	0.68
1:B:73:GLU:O	1:B:74:LEU:HB2	1.93	0.67
1:D:17[A]:ARG:HG3	4:D:628:HOH:O	1.95	0.66
1:A:9:LYS:HE2	1:A:11:LEU:HD21	1.80	0.63
1:D:29[A]:THR:HG21	4:D:618:HOH:O	1.98	0.62
1:F:45:ASN:O	1:F:49:ASN:ND2	2.31	0.62
1:F:17:ARG:NH1	1:F:21:GLU:OE2	2.32	0.62
1:B:5:GLU:N	1:B:5:GLU:OE1	2.31	0.62
1:A:9:LYS:HE2	1:A:11:LEU:CD2	2.30	0.62
1:E:73:GLU:O	1:E:74:LEU:HD22	1.99	0.62
1:D:45:ASN:ND2	4:D:623:HOH:O	2.34	0.61
1:A:45:ASN:HD22	1:C:9[B]:LYS:HE3	1.66	0.61
1:B:65:GLU:HA	1:B:65:GLU:OE1	2.01	0.61
1:B:5:GLU:HG2	1:B:6:PHE:N	2.11	0.60
1:B:52:GLN:NE2	4:B:620:HOH:O	2.13	0.58
1:A:17:ARG:NH2	1:A:71:GLU:CD	2.62	0.58
1:B:67:LEU:HD21	1:B:74:LEU:HD13	1.86	0.57
1:E:15[A]:ARG:NH2	1:E:36:LEU:O	2.37	0.56
1:E:72:LEU:O	1:E:73:GLU:C	2.48	0.56
1:F:43:VAL:HG23	1:F:46:HIS:H	1.69	0.56
1:A:17:ARG:HH22	1:A:71:GLU:CD	2.15	0.55
1:C:27:LYS:NZ	1:C:35[A]:GLU:OE1	2.37	0.55
1:B:25:GLN:O	1:B:26:ASP:HB2	2.07	0.54
1:F:12:LEU:HD11	1:F:66:LEU:HD13	1.90	0.54
1:D:9:LYS:HB3	1:D:10:PRO:HD3	1.89	0.53
1:F:24:VAL:C	1:F:26:ASP:H	2.16	0.53
1:F:21:GLU:O	1:F:24:VAL:HG22	2.09	0.52
1:F:17:ARG:NH1	2:F:600:GOL:H11	2.23	0.52
1:E:28:THR:HG23	1:E:31:GLU:N	2.22	0.51
1:F:66:LEU:HD23	1:F:69:MET:HE3	1.91	0.51
1:D:29[A]:THR:OG1	1:D:40:GLU:HG2	2.10	0.51
1:A:17:ARG:NH2	1:A:71:GLU:OE1	2.44	0.50
1:B:14:LYS:HG3	2:B:602:GOL:H2	1.93	0.50
1:A:45:ASN:HA	1:C:9[B]:LYS:HE3	1.94	0.48
1:D:9:LYS:CB	1:D:10:PRO:HD3	2.41	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:GLU:CG	1:B:6:PHE:N	2.68	0.48
1:C:47:ILE:O	1:C:51:MET:HG3	2.14	0.48
1:E:30:LYS:HB2	1:E:40[B]:GLU:OE1	2.15	0.47
1:F:66:LEU:HD23	1:F:69:MET:HE1	1.96	0.47
1:D:9:LYS:HB3	1:D:9:LYS:NZ	2.30	0.47
1:A:48:SER:OG	1:C:9[B]:LYS:HE2	2.14	0.46
1:B:14:LYS:NZ	2:B:602:GOL:O1	2.48	0.46
1:F:54:LEU:HD21	1:F:69:MET:CE	2.43	0.45
1:F:69:MET:HE3	1:F:71:GLU:HG3	1.99	0.45
1:A:14[B]:LYS:CG	1:A:15:ARG:N	2.82	0.43
1:E:33:ALA:HB1	1:E:38:ILE:O	2.19	0.43
1:A:45:ASN:ND2	1:C:9[B]:LYS:HE3	2.32	0.43
1:B:51:MET:HG2	1:B:62:ALA:HB2	2.01	0.43
1:D:47:ILE:O	1:D:51:MET:HG3	2.19	0.43
1:D:49:ASN:O	2:D:601:GOL:O2	2.36	0.43
1:A:67:LEU:HD23	1:A:67:LEU:HA	1.83	0.42
1:B:56:VAL:HB	1:B:61[A]:GLN:HG3	2.02	0.42
1:D:68:ARG:HH11	1:D:68:ARG:HD2	1.70	0.42
1:E:74:LEU:HD13	1:E:74:LEU:HA	1.87	0.42
1:A:14[B]:LYS:CE	4:F:613:HOH:O	2.58	0.41
1:F:18:GLU:H	1:F:18:GLU:HG3	1.64	0.41
1:F:46:HIS:HA	1:F:49:ASN:ND2	2.34	0.41
1:B:23:LEU:HD13	1:B:32:ILE:CD1	2.51	0.41
1:D:33:ALA:HB1	1:D:38:ILE:O	2.21	0.41
1:E:70:GLY:HA2	1:E:74:LEU:HD23	2.03	0.41
1:B:25:GLN:O	1:B:26:ASP:CB	2.68	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:GLU:OE2	4:B:628:HOH:O[2_656]	2.03	0.17

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	68/74 (92%)	65 (96%)	3 (4%)	0	100	100
1	B	70/74 (95%)	69 (99%)	1 (1%)	0	100	100
1	C	67/74 (90%)	67 (100%)	0	0	100	100
1	D	68/74 (92%)	68 (100%)	0	0	100	100
1	E	66/74 (89%)	63 (96%)	1 (2%)	2 (3%)	3	0
1	F	46/74 (62%)	45 (98%)	0	1 (2%)	5	1
All	All	385/444 (87%)	377 (98%)	5 (1%)	3 (1%)	16	9

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	12	LEU
1	E	73	GLU
1	F	25	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	63/68 (93%)	60 (95%)	3 (5%)	23	16
1	B	65/68 (96%)	58 (89%)	7 (11%)	6	2
1	C	62/68 (91%)	55 (89%)	7 (11%)	5	1
1	D	63/68 (93%)	52 (82%)	11 (18%)	2	0
1	E	61/68 (90%)	49 (80%)	12 (20%)	1	0
1	F	44/68 (65%)	38 (86%)	6 (14%)	3	1
All	All	358/408 (88%)	312 (87%)	46 (13%)	5	1

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	ARG
1	A	22	LEU
1	A	30	LYS
1	B	5	GLU
1	B	23	LEU
1	B	26	ASP
1	B	61[A]	GLN
1	B	61[B]	GLN
1	B	65	GLU
1	B	73	GLU
1	C	8	SER
1	C	9[A]	LYS
1	C	9[B]	LYS
1	C	11	LEU
1	C	15	ARG
1	C	23	LEU
1	C	26	ASP
1	D	9	LYS
1	D	11	LEU
1	D	15	ARG
1	D	17[A]	ARG
1	D	17[B]	ARG
1	D	29[A]	THR
1	D	29[B]	THR
1	D	34	SER
1	D	67	LEU
1	D	72[A]	LEU
1	D	72[B]	LEU
1	E	14[A]	LYS
1	E	14[B]	LYS
1	E	22	LEU
1	E	23	LEU
1	E	25	GLN
1	E	27	LYS
1	E	30	LYS
1	E	34	SER
1	E	52	GLN
1	E	59	ARG
1	E	72	LEU
1	E	74	LEU
1	F	18	GLU
1	F	19	VAL
1	F	22	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	48	SER
1	F	49	ASN
1	F	52	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	25	GLN
1	E	25	GLN
1	F	46	HIS
1	F	49	ASN
1	F	52	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	C	502	-	4,4,4	0.38	0	6,6,6	0.63	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	D	601	-	5,5,5	1.06	1 (20%)	5,5,5	3.07	4 (80%)
3	SO4	D	503	-	4,4,4	0.27	0	6,6,6	0.34	0
2	GOL	F	600	-	5,5,5	0.28	0	5,5,5	1.06	0
3	SO4	D	504	-	4,4,4	0.22	0	6,6,6	0.95	0
2	GOL	B	602	-	5,5,5	0.47	0	5,5,5	1.35	1 (20%)
3	SO4	C	501	-	4,4,4	0.20	0	6,6,6	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	F	600	-	-	4/4/4/4	-
2	GOL	D	601	-	-	3/4/4/4	-
2	GOL	B	602	-	-	0/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	GOL	O2-C2	-2.28	1.36	1.43

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	GOL	O2-C2-C3	-4.23	91.67	109.18
2	D	601	GOL	O2-C2-C1	-3.98	92.69	109.18
2	B	602	GOL	C3-C2-C1	2.55	121.16	111.80
2	D	601	GOL	O3-C3-C2	2.31	120.75	110.38
2	D	601	GOL	C3-C2-C1	2.13	119.62	111.80

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	601	GOL	O1-C1-C2-C3
2	F	600	GOL	O1-C1-C2-C3
2	F	600	GOL	O1-C1-C2-O2
2	F	600	GOL	C1-C2-C3-O3
2	D	601	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	601	GOL	O2-C2-C3-O3
2	F	600	GOL	O2-C2-C3-O3

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	601	GOL	3	0
2	F	600	GOL	2	0
2	B	602	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.