



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 08:00 PM UTC

PDB ID : 7FS4 / pdb_00007fs4
Title : Structure of liver pyruvate kinase in complex with allosteric modulator 16
Authors : Lulla, A.; Nilsson, O.; Brear, P.; Nain-Perez, A.; Grotli, M.; Hyvonen, M.
Deposited on : 2022-12-18
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	27% 85% 9% • 6%
1	B	447	31% 89% 7% • •
1	C	447	12% 88% 6% • 5%
1	D	447	4% 88% 5% • 5%
1	E	447	21% 86% 7% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	603	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	F	602	-	X	-	-
3	OXL	G	602	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 27979 atoms, of which 84 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	422	Total	C	N	O	S	0	6	0
			3236	2034	585	597	20			
1	B	436	Total	C	N	O	S	0	4	0
			3329	2090	604	615	20			
1	C	425	Total	C	N	O	S	0	4	0
			3247	2040	585	603	19			
1	D	425	Total	C	N	O	S	0	6	0
			3252	2042	590	601	19			
1	E	419	Total	C	N	O	S	0	5	0
			3210	2018	579	593	20			
1	F	432	Total	C	N	O	S	0	7	0
			3321	2090	597	614	20			
1	G	421	Total	C	N	O	S	0	6	0
			3231	2031	581	600	19			
1	H	425	Total	C	N	O	S	0	4	0
			3251	2040	594	598	19			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	1	MET	-	expression tag	UNP P30613
A	2	GLU	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	1	MET	-	expression tag	UNP P30613
B	2	GLU	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613
C	0	SER	-	expression tag	UNP P30613
C	1	MET	-	expression tag	UNP P30613
C	2	GLU	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	1	MET	-	expression tag	UNP P30613
D	2	GLU	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	1	MET	-	expression tag	UNP P30613
E	2	GLU	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	228	GLY	-	linker	UNP P30613
E	229	SER	-	linker	UNP P30613
E	230	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	1	MET	-	expression tag	UNP P30613
F	2	GLU	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	228	GLY	-	linker	UNP P30613
F	229	SER	-	linker	UNP P30613
F	230	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	1	MET	-	expression tag	UNP P30613
G	2	GLU	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	1	MET	-	expression tag	UNP P30613
H	2	GLU	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: C₆H₁₄O₁₂P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		


- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is 4,4',5-trihydroxy-N-{{4-(3-hydroxybenzene-1-sulfonyl)phenyl}methyl}[1,1'-biphenyl]-2-sulfonamide (CCD ID: O9R) (formula: C₂₅H₂₁NO₈S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	C	1	Total	C	H	N	O	S	21	0
			57	25	21	1	8	2		
6	D	1	Total	C	H	N	O	S	21	0
			57	25	21	1	8	2		
6	F	1	Total	C	H	N	O	S	21	0
			57	25	21	1	8	2		
6	G	1	Total	C	H	N	O	S	21	0
			57	25	21	1	8	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	101	Total	O	0	0
			101	101		
7	B	109	Total	O	0	0
			109	109		
7	C	195	Total	O	0	0
			195	195		
7	D	237	Total	O	0	0
			237	237		
7	E	117	Total	O	0	0
			117	117		
7	F	186	Total	O	0	0
			186	186		
7	G	218	Total	O	0	0
			218	218		
7	H	287	Total	O	0	0
			287	287		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pyruvate kinase PKLR




• Molecule 1: Pyruvate kinase PKLR





- Molecule 1: Pyruvate kinase PKLR

Chain C: 




- Molecule 1: Pyruvate kinase PKLR

Chain D: 



- Molecule 1: Pyruvate kinase PKLR


Chain E: 





- Molecule 1: Pyruvate kinase PKLR

Chain F: 







● Molecule 1: Pyruvate kinase PKLR



● Molecule 1: Pyruvate kinase PKLR



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	208.15Å 113.02Å 188.62Å 90.00° 91.93° 90.00°	Depositor
Resolution (Å)	188.51 – 2.19 188.51 – 2.19	Depositor EDS
% Data completeness (in resolution range)	76.8 (188.51-2.19) 76.7 (188.51-2.19)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.18Å)	Xtriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.207 , 0.236 0.197 , 0.223	Depositor DCC
R_{free} test set	8436 reflections (3.76%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	27979	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.65 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.2726e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FBP, K, MG, O9R, OXL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	1/3307 (0.0%)	1.02	7/4469 (0.2%)
1	B	0.67	1/3396 (0.0%)	1.02	5/4592 (0.1%)
1	C	0.72	1/3313 (0.0%)	1.02	3/4479 (0.1%)
1	D	0.74	0/3326	1.03	8/4497 (0.2%)
1	E	0.66	0/3278	1.01	4/4430 (0.1%)
1	F	0.73	1/3396 (0.0%)	1.03	6/4591 (0.1%)
1	G	0.75	1/3303 (0.0%)	1.02	5/4465 (0.1%)
1	H	0.77	0/3316	1.03	3/4483 (0.1%)
All	All	0.71	5/26635 (0.0%)	1.02	41/36006 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	374	SER	CA-C	6.78	1.55	1.52
1	F	116	SER	CA-C	6.27	1.61	1.52
1	B	374	SER	CA-C	6.04	1.55	1.52
1	G	525	THR	CA-CB	5.48	1.61	1.53
1	A	374	SER	CA-C	5.14	1.55	1.52

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	539	VAL	N-CA-CB	6.01	118.24	111.21
1	D	422	GLU	CB-CG-CD	5.99	122.78	112.60
1	E	422	GLU	CB-CG-CD	5.74	122.36	112.60
1	D	421	THR	CA-C-N	5.68	127.82	120.44
1	D	421	THR	C-N-CA	5.68	127.82	120.44
1	A	421	THR	CA-C-N	5.58	127.69	120.44
1	A	421	THR	C-N-CA	5.58	127.69	120.44
1	F	422	GLU	CB-CG-CD	5.56	122.05	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	421	THR	CA-C-N	5.52	127.61	120.44
1	B	421	THR	C-N-CA	5.52	127.61	120.44
1	A	422	GLU	CB-CG-CD	5.51	121.96	112.60
1	F	46	ASP	CA-CB-CG	5.47	118.08	112.60
1	A	453	LEU	CA-C-N	5.46	127.60	120.28
1	A	453	LEU	C-N-CA	5.46	127.60	120.28
1	G	514	PHE	CA-CB-CG	5.42	119.22	113.80
1	D	339	ALA	CA-C-N	5.35	131.75	121.54
1	D	339	ALA	C-N-CA	5.35	131.75	121.54
1	D	514	PHE	CA-CB-CG	5.29	119.09	113.80
1	E	421	THR	CA-C-N	5.28	127.30	120.44
1	E	421	THR	C-N-CA	5.28	127.30	120.44
1	F	339	ALA	CA-C-N	5.25	131.57	121.54
1	F	339	ALA	C-N-CA	5.25	131.57	121.54
1	G	270	LEU	CA-C-N	5.21	130.05	121.87
1	G	270	LEU	C-N-CA	5.21	130.05	121.87
1	F	421	THR	CA-C-N	5.20	127.20	120.44
1	F	421	THR	C-N-CA	5.20	127.20	120.44
1	A	339	ALA	CA-C-N	5.20	131.46	121.54
1	A	339	ALA	C-N-CA	5.20	131.46	121.54
1	D	453	LEU	CA-C-N	5.19	127.23	120.28
1	D	453	LEU	C-N-CA	5.19	127.23	120.28
1	G	453	LEU	CA-C-N	5.18	127.22	120.28
1	G	453	LEU	C-N-CA	5.18	127.22	120.28
1	C	453	LEU	CA-C-N	5.13	127.15	120.28
1	C	453	LEU	C-N-CA	5.13	127.15	120.28
1	H	514	PHE	CA-CB-CG	5.11	118.91	113.80
1	B	46	ASP	CA-CB-CG	5.08	117.68	112.60
1	B	339	ALA	CA-C-N	5.02	131.12	121.54
1	B	339	ALA	C-N-CA	5.02	131.12	121.54
1	H	421	THR	CA-C-N	5.00	126.95	120.44
1	H	421	THR	C-N-CA	5.00	126.95	120.44
1	C	46	ASP	CA-CB-CG	5.00	117.60	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3236	0	3299	18	0
1	B	3329	0	3394	19	1
1	C	3247	0	3299	18	0
1	D	3252	0	3310	12	0
1	E	3210	0	3270	19	0
1	F	3321	0	3393	17	0
1	G	3231	0	3284	23	0
1	H	3251	0	3306	14	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	1	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	C	36	21	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	D	36	21	0	0	0
6	F	36	21	0	3	0
6	G	36	21	0	2	0
7	A	101	0	0	0	0
7	B	109	0	0	2	0
7	C	195	0	0	2	0
7	D	237	0	0	1	0
7	E	117	0	0	0	0
7	F	186	0	0	2	0
7	G	218	0	0	1	0
7	H	287	0	0	1	0
All	All	27895	84	26635	129	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:PRO:HA	1:A:275:HIS:NE2	1.92	0.83
1:C:411:ARG:HG3	1:C:426:ILE:HD11	1.63	0.81
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.70	0.74
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.70	0.72
1:D:411:ARG:HG2	1:D:426:ILE:HD11	1.72	0.71
1:A:418[A]:ARG:HG3	1:B:16:LEU:HD11	1.73	0.70
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.71	0.69
1:E:235:GLU:O	1:E:239:ARG:HD3	1.93	0.69
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.73	0.68
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.77	0.66
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.64	0.65
1:A:408:GLU:OE2	1:B:411:ARG:NH2	2.31	0.63
1:D:242[A]:ARG:HD2	1:D:269:ALA:O	1.99	0.62
1:G:411:ARG:HG3	1:G:426:ILE:HD11	1.81	0.62
1:G:272:PRO:HD2	1:G:273:GLU:OE1	1.99	0.61
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.82	0.61
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.84	0.60
1:H:245:VAL:HG11	1:H:273:GLU:HG2	1.83	0.60
1:G:537:MET:HE3	1:H:537:MET:HG2	1.83	0.59
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.85	0.59
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.85	0.59
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:ARG:HD3	1:B:285:ASN:HD21	1.68	0.58
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.86	0.58
1:D:340:THR:HG22	1:D:341:GLN:HG3	1.87	0.57
1:C:340:THR:HG22	1:C:341:GLN:HG3	1.87	0.57
1:G:340:THR:HG22	1:G:341:GLN:HG3	1.88	0.56
1:C:538:ARG:HD3	7:C:766:HOH:O	2.06	0.56
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.88	0.56
1:E:340:THR:HG22	1:E:341:GLN:HG3	1.87	0.56
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.88	0.55
1:A:340:THR:HG22	1:A:341:GLN:HG3	1.89	0.55
1:B:340:THR:HG22	1:B:341:GLN:HG3	1.91	0.53
1:H:35:ALA:HB1	1:H:40:GLU:HB3	1.91	0.53
1:C:35:ALA:HB1	1:C:40:GLU:HB3	1.91	0.53
1:E:56:SER:HB2	1:E:480:GLY:HA2	1.90	0.53
1:E:415:PRO:HB3	1:F:12:ASP:HA	1.90	0.53
1:B:242:ARG:HD3	7:B:803:HOH:O	2.10	0.52
1:B:35:ALA:HB1	1:B:40:GLU:HB3	1.90	0.52
1:H:340:THR:HG22	1:H:341:GLN:HG3	1.91	0.51
6:F:605:O9R:O1	1:H:402:TYR:HB3	2.10	0.51
1:D:35:ALA:HB1	1:D:40:GLU:HB3	1.94	0.50
1:E:539:VAL:HG22	1:F:420:PRO:HB3	1.93	0.50
1:A:35:ALA:HB1	1:A:40:GLU:HB3	1.93	0.50
1:G:245:VAL:CG1	1:G:273:GLU:HG2	2.42	0.50
1:F:317:LYS:NZ	7:F:708:HOH:O	2.43	0.49
1:F:115:LEU:O	1:F:116:SER:HB3	2.12	0.49
1:F:35:ALA:HB1	1:F:40:GLU:HB3	1.94	0.49
1:F:340:THR:HG22	1:F:341:GLN:HG3	1.94	0.49
1:G:269:ALA:C	1:G:271:GLY:H	2.19	0.49
1:B:236:GLN:HG3	7:B:757:HOH:O	2.13	0.48
1:C:271:GLY:HA3	7:C:757:HOH:O	2.13	0.48
1:C:527:TRP:CD2	1:C:528:ARG:HG2	2.49	0.47
1:F:30:LEU:O	1:F:34:MET:HG2	2.14	0.47
1:F:56:SER:HB2	1:F:480:GLY:CA	2.44	0.47
1:B:71:GLU:H	1:B:71:GLU:CD	2.22	0.47
1:B:407:PHE:CE2	1:B:411:ARG:NH1	2.80	0.47
1:B:56:SER:HB2	1:B:480:GLY:CA	2.45	0.47
1:H:475:VAL:CG2	1:H:483:PRO:HB3	2.45	0.47
1:G:56:SER:HB2	1:G:480:GLY:CA	2.44	0.47
1:H:56:SER:HB2	1:H:480:GLY:CA	2.45	0.47
6:F:605:O9R:O3	7:F:701:HOH:O	2.20	0.47
1:B:30:LEU:O	1:B:34:MET:HG2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:286:HIS:CE1	1:C:290:LYS:HG3	2.51	0.46
1:C:56:SER:HB2	1:C:480:GLY:CA	2.45	0.46
1:D:317:LYS:NZ	7:D:704:HOH:O	2.48	0.46
1:C:30:LEU:O	1:C:34:MET:HG2	2.16	0.46
1:A:411:ARG:HG3	1:A:426:ILE:HD11	1.98	0.45
1:B:65:PRO:HG2	1:B:379:LYS:HG2	1.97	0.45
1:A:407:PHE:O	1:A:411:ARG:HB2	2.16	0.45
1:E:258:ARG:HD3	1:E:285:ASN:HD21	1.81	0.45
1:G:30:LEU:O	1:G:34:MET:HG2	2.17	0.45
1:H:317:LYS:NZ	7:H:703:HOH:O	2.46	0.45
1:A:30:LEU:O	1:A:34:MET:HG2	2.17	0.45
1:E:407:PHE:O	1:E:411:ARG:HB2	2.17	0.45
1:B:407:PHE:CD2	1:B:411:ARG:NH1	2.85	0.45
1:C:235:GLU:HG3	1:G:529:PRO:HG3	1.99	0.45
1:F:382:PHE:HB3	1:F:385:GLU:HB2	1.98	0.45
1:D:56:SER:HB2	1:D:480:GLY:CA	2.46	0.44
1:G:470:GLN:NE2	7:G:705:HOH:O	2.48	0.44
1:B:521:VAL:HG12	1:B:540[B]:LEU:HB3	2.00	0.44
1:H:30:LEU:O	1:H:34:MET:HG2	2.16	0.44
1:A:382:PHE:HB3	1:A:385:GLU:HB2	2.00	0.44
1:A:402:TYR:HB3	6:C:601:O9R:O1	2.18	0.43
1:G:286:HIS:CE1	1:G:290:LYS:HG3	2.53	0.43
1:C:337:VAL:HG22	1:C:370:CYS:HB2	2.00	0.43
1:A:28:GLN:HB3	1:A:52:VAL:HG22	2.00	0.43
1:E:305:ALA:HB1	3:E:602:OXL:C2	2.49	0.43
1:E:411:ARG:HG3	1:E:426:ILE:HD11	2.00	0.43
1:F:286:HIS:CE1	1:F:290:LYS:HG3	2.53	0.43
1:A:486:TYR:CZ	1:A:488[B]:GLU:HB2	2.52	0.43
1:E:55:ARG:HB2	1:E:395:ARG:HG3	2.01	0.43
1:G:486:TYR:CZ	1:G:488:GLU:HB2	2.54	0.43
1:C:538:ARG:HG2	1:D:536:ILE:HG12	2.01	0.42
1:C:382:PHE:HB3	1:C:385:GLU:HB2	2.00	0.42
1:H:535:ASN:OD1	1:H:536:ILE:HG13	2.19	0.42
1:A:517:VAL:HG13	1:A:543:SER:HB3	2.00	0.42
1:E:30:LEU:O	1:E:34:MET:HG3	2.20	0.42
1:G:527:TRP:CD2	1:G:528:ARG:HG2	2.55	0.42
1:D:286:HIS:CE1	1:D:290:LYS:HG3	2.55	0.42
1:E:337:VAL:HG22	1:E:370:CYS:HB2	2.01	0.42
1:G:421:THR:HG22	1:G:452:LEU:HD12	2.02	0.42
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.35	0.42
1:G:337:VAL:HG22	1:G:370:CYS:HB2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:337:VAL:HG22	1:F:370:CYS:HB2	2.01	0.42
1:G:28:GLN:HB3	1:G:52:VAL:HG22	2.02	0.42
1:D:55:ARG:HB2	1:D:395:ARG:HG3	2.01	0.41
1:C:527:TRP:CE2	1:C:528:ARG:HG2	2.56	0.41
6:F:605:O9R:O1	6:F:605:O9R:C17	2.69	0.41
1:A:55:ARG:HB2	1:A:395:ARG:HG3	2.03	0.41
1:B:337:VAL:HG22	1:B:370:CYS:HB2	2.02	0.41
1:E:382:PHE:HB3	1:E:385:GLU:HB2	2.02	0.41
1:F:421:THR:HG22	1:F:452:LEU:HD12	2.03	0.41
1:G:55:ARG:HB2	1:G:395:ARG:HG3	2.03	0.41
1:B:286:HIS:CE1	1:B:290:LYS:HG3	2.55	0.41
1:B:421:THR:HG22	1:B:452:LEU:HD12	2.03	0.41
1:D:30:LEU:O	1:D:34:MET:HG3	2.21	0.41
1:E:28:GLN:HB3	1:E:52:VAL:HG22	2.02	0.41
1:A:286:HIS:CE1	1:A:290:LYS:HG3	2.55	0.41
1:C:486:TYR:CZ	1:C:488:GLU:HB2	2.55	0.41
1:E:56:SER:HB2	1:E:480:GLY:CA	2.49	0.41
1:A:337:VAL:HG22	1:A:370:CYS:HB2	2.02	0.41
1:A:421:THR:HG22	1:A:452:LEU:HD12	2.03	0.41
6:G:605:O9R:C21	6:G:605:O9R:O5	2.69	0.41
1:E:286:HIS:CE1	1:E:290:LYS:HG3	2.56	0.40
1:E:418:ARG:HG3	1:F:16:LEU:HD11	2.03	0.40
1:G:412:ARG:CZ	1:H:404:ARG:HD3	2.51	0.40
1:G:38:PHE:HE2	6:G:605:O9R:C17	2.34	0.40
1:C:55:ARG:HB2	1:C:395:ARG:HG3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:511:LEU:O	1:B:511:LEU:O[2_555]	1.91	0.29

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/447 (95%)	420 (99%)	3 (1%)	1 (0%)	43	51
1	B	438/447 (98%)	432 (99%)	5 (1%)	1 (0%)	43	51
1	C	425/447 (95%)	417 (98%)	7 (2%)	1 (0%)	43	51
1	D	429/447 (96%)	423 (99%)	5 (1%)	1 (0%)	43	51
1	E	420/447 (94%)	415 (99%)	4 (1%)	1 (0%)	43	51
1	F	435/447 (97%)	428 (98%)	5 (1%)	2 (0%)	24	27
1	G	423/447 (95%)	414 (98%)	8 (2%)	1 (0%)	43	51
1	H	427/447 (96%)	422 (99%)	4 (1%)	1 (0%)	43	51
All	All	3421/3576 (96%)	3371 (98%)	41 (1%)	9 (0%)	36	42

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	116	SER
1	A	340	THR
1	B	340	THR
1	C	340	THR
1	D	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	H	340	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/352 (97%)	330 (97%)	10 (3%)	37	51
1	B	349/352 (99%)	333 (95%)	16 (5%)	24	32
1	C	341/352 (97%)	336 (98%)	5 (2%)	57	73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	342/352 (97%)	331 (97%)	11 (3%)	34	47
1	E	338/352 (96%)	328 (97%)	10 (3%)	36	49
1	F	350/352 (99%)	341 (97%)	9 (3%)	40	55
1	G	340/352 (97%)	332 (98%)	8 (2%)	43	58
1	H	340/352 (97%)	333 (98%)	7 (2%)	47	63
All	All	2740/2816 (97%)	2664 (97%)	76 (3%)	42	52

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	ARG
1	A	86	LEU
1	A	395	ARG
1	A	412	ARG
1	A	422	GLU
1	A	508	SER
1	A	531	SER
1	A	537[A]	MET
1	A	537[B]	MET
1	A	540	LEU
1	B	10	ARG
1	B	16	LEU
1	B	26	GLN
1	B	40	GLU
1	B	76[A]	MET
1	B	76[B]	MET
1	B	115	LEU
1	B	263	VAL
1	B	379	LYS
1	B	412	ARG
1	B	422	GLU
1	B	511	LEU
1	B	516	ARG
1	B	521	VAL
1	B	537[A]	MET
1	B	537[B]	MET
1	C	40	GLU
1	C	76[A]	MET
1	C	76[B]	MET
1	C	395	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	412	ARG
1	D	68	ARG
1	D	69	SER
1	D	118	ARG
1	D	242[A]	ARG
1	D	242[B]	ARG
1	D	395	ARG
1	D	411	ARG
1	D	412	ARG
1	D	422	GLU
1	D	521	VAL
1	D	537	MET
1	E	115	LEU
1	E	395	ARG
1	E	412	ARG
1	E	422	GLU
1	E	454[A]	SER
1	E	454[B]	SER
1	E	511	LEU
1	E	537[A]	MET
1	E	537[B]	MET
1	E	539	VAL
1	F	16	LEU
1	F	242	ARG
1	F	291	ARG
1	F	395	ARG
1	F	412	ARG
1	F	422	GLU
1	F	521	VAL
1	F	537[A]	MET
1	F	537[B]	MET
1	G	76[A]	MET
1	G	76[B]	MET
1	G	273	GLU
1	G	331	LEU
1	G	395	ARG
1	G	412	ARG
1	G	443	LEU
1	G	540	LEU
1	H	40	GLU
1	H	69	SER
1	H	242	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	395	ARG
1	H	412	ARG
1	H	422	GLU
1	H	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	90	HIS
1	A	236	GLN
1	B	27	GLN
1	B	90	HIS
1	B	390	GLN
1	C	27	GLN
1	C	90	HIS
1	C	275	HIS
1	D	27	GLN
1	D	90	HIS
1	E	27	GLN
1	E	90	HIS
1	F	27	GLN
1	F	90	HIS
1	F	390	GLN
1	G	27	GLN
1	G	90	HIS
1	G	275	HIS
1	G	503	GLN
1	H	27	GLN
1	H	90	HIS
1	H	390	GLN
1	H	535	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 16 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FBP	H	601	-	18,20,20	0.97	1 (5%)	21,32,32	0.73	0
3	OXL	E	602	4	5,5,5	2.36	2 (40%)	6,6,6	1.56	2 (33%)
3	OXL	F	602	4	5,5,5	2.96	4 (80%)	6,6,6	2.75	3 (50%)
3	OXL	D	602	4	5,5,5	2.26	2 (40%)	6,6,6	2.61	3 (50%)
3	OXL	C	603	4	5,5,5	2.02	2 (40%)	6,6,6	1.11	1 (16%)
3	OXL	H	602	4	5,5,5	2.02	2 (40%)	6,6,6	1.22	1 (16%)
2	FBP	A	601	-	18,20,20	0.55	0	21,32,32	0.78	0
2	FBP	B	601	-	18,20,20	0.74	0	21,32,32	0.80	1 (4%)
2	FBP	C	602	-	18,20,20	0.64	0	21,32,32	0.63	0
2	FBP	D	601	-	18,20,20	0.49	0	21,32,32	0.93	1 (4%)
3	OXL	B	602	4	5,5,5	2.42	2 (40%)	6,6,6	1.79	2 (33%)
2	FBP	E	601	-	18,20,20	0.47	0	21,32,32	0.77	1 (4%)
2	FBP	F	601	-	18,20,20	0.32	0	21,32,32	0.75	0
6	O9R	C	601	-	39,39,39	0.20	0	57,58,58	0.68	1 (1%)
6	O9R	F	605	-	39,39,39	0.24	0	57,58,58	0.99	4 (7%)
6	O9R	G	605	-	39,39,39	0.30	0	57,58,58	0.71	3 (5%)
6	O9R	D	605	-	39,39,39	0.26	0	57,58,58	0.58	1 (1%)
3	OXL	A	602	4	5,5,5	1.98	2 (40%)	6,6,6	2.42	3 (50%)
3	OXL	G	602	4	5,5,5	2.08	2 (40%)	6,6,6	2.43	3 (50%)
2	FBP	G	601	-	18,20,20	0.58	0	21,32,32	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
3	OXL	E	602	4	-	4/4/4/4	-
3	OXL	F	602	4	-	4/4/4/4	-
3	OXL	D	602	4	-	4/4/4/4	-
3	OXL	C	603	4	-	4/4/4/4	-
3	OXL	H	602	4	-	4/4/4/4	-
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
2	FBP	C	602	-	-	2/13/32/32	0/1/1/1
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
3	OXL	B	602	4	-	4/4/4/4	-
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
6	O9R	C	601	-	-	2/28/28/28	0/4/4/4
6	O9R	F	605	-	-	3/28/28/28	0/4/4/4
6	O9R	G	605	-	-	1/28/28/28	0/4/4/4
6	O9R	D	605	-	-	3/28/28/28	0/4/4/4
3	OXL	A	602	4	-	4/4/4/4	-
3	OXL	G	602	4	-	4/4/4/4	-
2	FBP	G	601	-	-	1/13/32/32	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	OXL	O2-C2	4.52	1.33	1.22
3	E	602	OXL	O1-C1	4.50	1.33	1.22
3	F	602	OXL	O2-C2	3.96	1.32	1.22
3	D	602	OXL	O2-C2	3.91	1.32	1.22
3	A	602	OXL	O2-C2	3.73	1.31	1.22
3	F	602	OXL	O3-C1	-3.71	1.20	1.30
3	C	603	OXL	O1-C1	3.46	1.31	1.22
3	H	602	OXL	O2-C2	3.42	1.31	1.22
3	G	602	OXL	O1-C1	3.12	1.30	1.22
3	G	602	OXL	O3-C1	-3.10	1.22	1.30
3	F	602	OXL	O1-C1	2.93	1.29	1.22
3	D	602	OXL	O4-C2	-2.85	1.22	1.30
3	B	602	OXL	O4-C2	-2.85	1.22	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	602	OXL	O4-C2	-2.81	1.22	1.30
3	C	603	OXL	O3-C1	-2.73	1.23	1.30
2	H	601	FBP	P1-O1	-2.50	1.52	1.60
3	E	602	OXL	O3-C1	-2.48	1.23	1.30
3	A	602	OXL	O4-C2	-2.37	1.24	1.30
3	F	602	OXL	O4-C2	-2.14	1.24	1.30

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	602	OXL	O4-C2-C1	4.39	121.35	112.83
3	A	602	OXL	O4-C2-C1	4.18	120.94	112.83
3	G	602	OXL	O3-C1-C2	4.07	120.72	112.83
3	D	602	OXL	O3-C1-C2	4.00	120.59	112.83
3	F	602	OXL	O3-C1-C2	3.86	120.32	112.83
6	F	605	O9R	C15-C10-S1	-3.80	117.98	122.56
3	D	602	OXL	O4-C2-C1	3.78	120.16	112.83
2	D	601	FBP	O5P-P2-O6	3.64	116.15	106.67
6	F	605	O9R	C11-C10-C15	3.36	124.02	120.25
3	G	602	OXL	O4-C2-C1	3.01	118.66	112.83
3	B	602	OXL	O4-C2-C1	2.96	118.58	112.83
3	F	602	OXL	O2-C2-C1	-2.93	114.52	120.63
3	A	602	OXL	O3-C1-C2	2.92	118.49	112.83
3	A	602	OXL	O2-C2-C1	-2.80	114.80	120.63
6	F	605	O9R	C10-S1-N	-2.78	104.07	107.86
3	B	602	OXL	O3-C1-C2	2.74	118.15	112.83
6	G	605	O9R	C11-C10-S1	-2.64	113.75	118.59
3	E	602	OXL	O3-C1-C2	2.60	117.87	112.83
3	D	602	OXL	O1-C1-C2	-2.58	115.27	120.63
3	H	602	OXL	O4-C2-C1	2.52	117.72	112.83
3	E	602	OXL	O4-C2-C1	2.45	117.58	112.83
6	F	605	O9R	C8-C9-N	2.43	117.39	112.08
3	G	602	OXL	O1-C1-C2	-2.42	115.59	120.63
3	C	603	OXL	O3-C1-C2	2.38	117.45	112.83
2	B	601	FBP	O3P-P1-O2P	2.37	116.68	107.80
6	G	605	O9R	C15-C10-S1	2.36	125.40	122.56
6	C	601	O9R	C11-C10-C15	2.30	122.83	120.25
2	E	601	FBP	O3P-P1-O2P	2.29	116.38	107.80
6	D	605	O9R	C11-C10-S1	-2.20	114.55	118.59
6	G	605	O9R	C14-C15-C16	-2.02	114.93	118.63

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	D	605	O9R	C10-C15-C16-C21
6	D	605	O9R	C10-C15-C16-C17
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	C	602	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
6	F	605	O9R	C9-N-S1-O1
6	F	605	O9R	C9-N-S1-C10
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
2	C	602	FBP	O5-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
3	C	603	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O4
2	G	601	FBP	C4-C5-C6-O6
3	B	602	OXL	O1-C1-C2-O2
3	C	603	OXL	O1-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O3-C1-C2-O4
3	A	602	OXL	O1-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O2
3	G	602	OXL	O1-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O2
2	D	601	FBP	O5-C5-C6-O6
3	A	602	OXL	O1-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O2
3	C	603	OXL	O1-C1-C2-O4
3	C	603	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O2
3	G	602	OXL	O1-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O3-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O4
3	H	602	OXL	O1-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O2
6	C	601	O9R	C14-C15-C16-C17
6	D	605	O9R	C14-C15-C16-C21
6	F	605	O9R	C9-N-S1-O5
6	G	605	O9R	C14-C15-C16-C21
6	C	601	O9R	C10-C15-C16-C17


There are no ring outliers.


4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	602	OXL	1	0
6	C	601	O9R	1	0
6	F	605	O9R	3	0
6	G	605	O9R	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














Ligand FBP E 601




Ligand FBP F 601




Ligand O9R C 601




Ligand O9R F 605




Ligand O9R G 605



Ligand O9R D 605





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	422/447 (94%)	1.45	119 (28%) 1 1	32, 62, 95, 110	6 (1%)
1	B	436/447 (97%)	1.50	140 (32%) 1 0	32, 58, 95, 107	4 (0%)
1	C	425/447 (95%)	0.81	53 (12%) 8 6	25, 48, 74, 111	4 (0%)
1	D	425/447 (95%)	0.20	16 (3%) 44 41	18, 38, 66, 113	6 (1%)
1	E	419/447 (93%)	1.32	94 (22%) 2 1	29, 58, 91, 108	5 (1%)
1	F	432/447 (96%)	0.75	51 (11%) 9 7	29, 46, 74, 95	7 (1%)
1	G	421/447 (94%)	0.28	24 (5%) 29 26	23, 40, 62, 89	7 (1%)
1	H	425/447 (95%)	-0.03	17 (4%) 42 39	17, 33, 60, 100	4 (0%)
All	All	3405/3576 (95%)	0.79	514 (15%) 5 4	17, 48, 86, 113	43 (1%)

All (514) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	115	LEU	8.0
1	F	231	PRO	7.7
1	B	511	LEU	7.5
1	B	517	VAL	7.4
1	B	115	LEU	7.3
1	H	21	GLY	7.2
1	A	232	GLY	6.9
1	A	25	PHE	6.8
1	A	132	GLY	6.7
1	D	25	PHE	6.5
1	F	116	SER	6.5
1	D	24	PHE	6.4
1	F	114	PRO	6.3
1	E	232	GLY	6.1
1	H	25	PHE	5.8
1	H	24	PHE	5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	25	PHE	5.7
1	E	129	PRO	5.6
1	B	543	SER	5.6
1	B	509	GLY	5.4
1	E	238	VAL	5.3
1	A	543	SER	5.3
1	E	115	LEU	5.3
1	A	238	VAL	5.2
1	B	231	PRO	5.1
1	D	21	GLY	5.1
1	G	271	GLY	5.1
1	A	24	PHE	5.1
1	E	23	ALA	5.1
1	C	20	LEU	5.1
1	E	114	PRO	5.1
1	D	22	THR	5.0
1	E	25	PHE	5.0
1	B	515	LEU	5.0
1	C	132	GLY	5.0
1	B	490	PRO	4.9
1	B	13	VAL	4.9
1	D	23	ALA	4.9
1	C	22	THR	4.9
1	G	24	PHE	4.9
1	A	23	ALA	4.8
1	C	23	ALA	4.8
1	B	114	PRO	4.8
1	E	33	ALA	4.7
1	A	115	LEU	4.7
1	C	232	GLY	4.7
1	B	514	PHE	4.7
1	B	116	SER	4.6
1	B	124	LEU	4.6
1	B	527	TRP	4.5
1	F	512	ARG	4.5
1	B	489	PRO	4.4
1	B	117	TYR	4.4
1	B	275	HIS	4.4
1	F	516	ARG	4.4
1	H	22	THR	4.3
1	B	542	ILE	4.3
1	F	232	GLY	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	23	ALA	4.3
1	E	116	SER	4.3
1	C	111	ALA	4.2
1	B	513	GLY	4.2
1	B	512	ARG	4.2
1	B	516	ARG	4.2
1	C	231	PRO	4.2
1	F	267[A]	ARG	4.2
1	B	118	ARG	4.1
1	A	33	ALA	4.1
1	E	244	GLY	4.1
1	C	34	MET	4.1
1	G	34	MET	4.1
1	F	489	PRO	4.1
1	B	267[A]	ARG	4.0
1	B	508	SER	4.0
1	E	543	SER	4.0
1	B	12	ASP	4.0
1	B	11	ALA	3.9
1	F	543	SER	3.9
1	E	490	PRO	3.9
1	E	541[A]	SER	3.9
1	B	232	GLY	3.9
1	E	24	PHE	3.9
1	H	516	ARG	3.9
1	E	275	HIS	3.8
1	B	504	PHE	3.8
1	C	117	TYR	3.8
1	F	11	ALA	3.8
1	E	487	ARG	3.8
1	A	34	MET	3.8
1	C	66	ALA	3.8
1	B	110	PHE	3.8
1	A	378	ALA	3.7
1	E	124	LEU	3.7
1	E	540	LEU	3.7
1	C	75	GLU	3.7
1	C	114	PRO	3.7
1	E	489	PRO	3.7
1	H	23	ALA	3.7
1	C	115	LEU	3.6
1	G	116	SER	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	495	ALA	3.6
1	A	540	LEU	3.6
1	A	95	TYR	3.6
1	A	91	GLY	3.6
1	G	132	GLY	3.6
1	A	32	ALA	3.6
1	E	111	ALA	3.6
1	F	233	LEU	3.6
1	A	541	SER	3.6
1	B	107	VAL	3.6
1	E	113	SER	3.6
1	A	482	PHE	3.5
1	C	25	PHE	3.5
1	E	268	ALA	3.5
1	E	110	PHE	3.5
1	B	272	PRO	3.5
1	B	95	TYR	3.5
1	E	351	ARG	3.5
1	B	493	ILE	3.5
1	E	269	ALA	3.5
1	E	264	ALA	3.4
1	G	33	ALA	3.4
1	E	272	PRO	3.4
1	C	21	GLY	3.4
1	E	495	ALA	3.4
1	B	86	LEU	3.4
1	B	249	VAL	3.4
1	B	502	VAL	3.4
1	B	111	ALA	3.4
1	C	63	ILE	3.4
1	F	492	ALA	3.4
1	E	120	VAL	3.3
1	B	378	ALA	3.3
1	B	506	ILE	3.3
1	A	241	LEU	3.3
1	E	485	LEU	3.3
1	A	233	LEU	3.3
1	C	271	GLY	3.3
1	A	264	ALA	3.3
1	B	540[A]	LEU	3.3
1	D	275[A]	HIS	3.2
1	B	495	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	12	ASP	3.2
1	E	126	THR	3.2
1	B	498	VAL	3.2
1	E	257	VAL	3.2
1	E	117	TYR	3.2
1	E	542	ILE	3.2
1	A	256	PHE	3.2
1	A	130	GLY	3.2
1	D	232	GLY	3.2
1	F	112	GLY	3.2
1	C	65	PRO	3.2
1	F	527	TRP	3.1
1	A	311	ILE	3.1
1	B	233	LEU	3.1
1	F	484	LEU	3.1
1	B	10	ARG	3.1
1	A	488[A]	GLU	3.1
1	F	275	HIS	3.1
1	B	127	LYS	3.1
1	G	231	PRO	3.1
1	A	66	ALA	3.1
1	F	487	ARG	3.1
1	B	238	VAL	3.1
1	B	276	GLY	3.1
1	B	119	PRO	3.1
1	D	231	PRO	3.1
1	F	490	PRO	3.1
1	B	66	ALA	3.1
1	B	123	ALA	3.1
1	B	103	VAL	3.1
1	E	502	VAL	3.1
1	B	541	SER	3.1
1	B	507	GLU	3.0
1	A	111	ALA	3.0
1	A	70	VAL	3.0
1	A	116	SER	3.0
1	B	64	GLY	3.0
1	B	91	GLY	3.0
1	B	112	GLY	3.0
1	E	242	ARG	3.0
1	C	43	CYS	3.0
1	E	101	ALA	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	493	ILE	3.0
1	B	100	ILE	3.0
1	A	110	PHE	3.0
1	B	88	PHE	3.0
1	E	245	VAL	2.9
1	A	112	GLY	2.9
1	B	375	GLY	2.9
1	H	34	MET	2.9
1	A	118	ARG	2.9
1	B	486	TYR	2.9
1	B	270	LEU	2.9
1	B	248	GLY	2.9
1	E	112	GLY	2.9
1	F	517	VAL	2.9
1	A	63	ILE	2.9
1	A	272	PRO	2.9
1	A	494	TRP	2.9
1	G	115	LEU	2.9
1	B	77	ILE	2.9
1	B	109	SER	2.9
1	A	80	GLY	2.9
1	A	527	TRP	2.9
1	B	16	LEU	2.8
1	E	511	LEU	2.8
1	E	249	VAL	2.8
1	A	31	PRO	2.8
1	A	268	ALA	2.8
1	E	276	GLY	2.8
1	E	464	ALA	2.8
1	A	30	LEU	2.8
1	A	507	GLU	2.8
1	A	426	ILE	2.8
1	A	489	PRO	2.8
1	E	109	SER	2.8
1	F	118	ARG	2.8
1	C	24	PHE	2.8
1	C	108	GLU	2.8
1	A	114	PRO	2.8
1	A	249	VAL	2.8
1	B	120	VAL	2.8
1	E	34	MET	2.8
1	A	124	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	485	LEU	2.8
1	A	107	VAL	2.8
1	A	492	ALA	2.7
1	A	270	LEU	2.7
1	B	241	LEU	2.7
1	C	404	ARG	2.7
1	F	242	ARG	2.7
1	A	277	ILE	2.7
1	B	488	GLU	2.7
1	E	527	TRP	2.7
1	B	21	GLY	2.7
1	A	514	PHE	2.7
1	C	110	PHE	2.7
1	B	487	ARG	2.7
1	F	515	LEU	2.7
1	F	533	TYR	2.7
1	A	273	GLU	2.7
1	B	72	ARG	2.7
1	F	124	LEU	2.7
1	A	129	PRO	2.7
1	E	95	TYR	2.7
1	B	113	SER	2.7
1	C	116	SER	2.7
1	E	52	VAL	2.7
1	D	242[A]	ARG	2.7
1	E	494	TRP	2.7
1	G	412	ARG	2.7
1	A	93	HIS	2.6
1	B	484	LEU	2.6
1	E	270	LEU	2.6
1	H	231	PRO	2.6
1	A	237	ASP	2.6
1	A	120	VAL	2.6
1	A	127	LYS	2.6
1	F	542[A]	ILE	2.6
1	A	459	ARG	2.6
1	G	487	ARG	2.6
1	B	130	GLY	2.6
1	A	28	GLN	2.6
1	C	27	GLN	2.6
1	A	90	HIS	2.6
1	B	106	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	88	PHE	2.6
1	E	243	PHE	2.6
1	G	42	LEU	2.6
1	B	510	LYS	2.6
1	H	232	GLY	2.6
1	E	90	HIS	2.6
1	A	260	ALA	2.6
1	B	97	ALA	2.6
1	B	121	ALA	2.6
1	B	348	THR	2.6
1	C	397	ALA	2.6
1	E	265	ALA	2.6
1	B	379	LYS	2.6
1	B	99	SER	2.6
1	E	118	ARG	2.6
1	A	298	VAL	2.6
1	B	52	VAL	2.6
1	B	245	VAL	2.6
1	A	244	GLY	2.6
1	B	274	GLY	2.6
1	E	380	GLY	2.6
1	A	84	ALA	2.6
1	A	357	THR	2.6
1	C	305	ALA	2.6
1	E	123	ALA	2.6
1	F	351	ARG	2.6
1	G	114	PRO	2.6
1	E	30	LEU	2.6
1	A	126	THR	2.5
1	B	268	ALA	2.5
1	A	515	LEU	2.5
1	B	73	LEU	2.5
1	C	95	TYR	2.5
1	A	350	PRO	2.5
1	B	33	ALA	2.5
1	B	61	ALA	2.5
1	E	26	GLN	2.5
1	E	507	GLU	2.5
1	G	113	SER	2.5
1	E	233	LEU	2.5
1	E	514	PHE	2.5
1	C	90	HIS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	412	ARG	2.5
1	F	493	ILE	2.5
1	C	26	GLN	2.5
1	C	408	GLU	2.5
1	B	492	ALA	2.5
1	D	30	LEU	2.5
1	B	76[A]	MET	2.5
1	B	90	HIS	2.5
1	E	256	PHE	2.5
1	B	244	GLY	2.5
1	B	518	GLY	2.5
1	A	257	VAL	2.4
1	A	542	ILE	2.5
1	E	122	ILE	2.5
1	E	263	VAL	2.4
1	E	277	ILE	2.5
1	F	13	VAL	2.4
1	E	28	GLN	2.4
1	A	117	TYR	2.4
1	A	99	SER	2.4
1	E	99	SER	2.4
1	A	119	PRO	2.4
1	B	264	ALA	2.4
1	C	79	ALA	2.4
1	E	66	ALA	2.4
1	A	73	LEU	2.4
1	A	511	LEU	2.4
1	B	416	LEU	2.4
1	B	520	LEU	2.4
1	A	72	ARG	2.4
1	A	242	ARG	2.4
1	A	404	ARG	2.4
1	E	72	ARG	2.4
1	G	411	ARG	2.4
1	B	271	GLY	2.4
1	E	504	PHE	2.4
1	A	441	ILE	2.4
1	B	277	ILE	2.4
1	E	108	GLU	2.4
1	B	475	VAL	2.4
1	F	238	VAL	2.4
1	C	129	PRO	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	471	ALA	2.4
1	F	269	ALA	2.4
1	H	411	ARG	2.4
1	E	515	LEU	2.4
1	A	243	PHE	2.4
1	C	94	GLU	2.4
1	D	235	GLU	2.4
1	A	496	ASP	2.4
1	F	34	MET	2.4
1	D	412	ARG	2.4
1	E	254	ALA	2.4
1	F	416	LEU	2.4
1	B	505	GLY	2.4
1	E	505	GLY	2.4
1	G	232	GLY	2.4
1	C	311	ILE	2.4
1	A	351	ARG	2.4
1	A	69	SER	2.4
1	B	74	LYS	2.4
1	H	412	ARG	2.4
1	C	32	ALA	2.3
1	F	33	ALA	2.3
1	B	256	PHE	2.3
1	A	493	ILE	2.3
1	B	70	VAL	2.3
1	C	103	VAL	2.3
1	B	71	GLU	2.3
1	B	108	GLU	2.3
1	E	119	PRO	2.3
1	A	26	GLN	2.3
1	E	121	ALA	2.3
1	E	241	LEU	2.3
1	G	112	GLY	2.3
1	A	407	PHE	2.3
1	B	24	PHE	2.3
1	A	113	SER	2.3
1	B	67	SER	2.3
1	C	69	SER	2.3
1	B	251	ILE	2.3
1	C	77	ILE	2.3
1	B	521	VAL	2.3
1	E	235	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	94	GLU	2.3
1	A	402	TYR	2.3
1	C	64	GLY	2.3
1	H	30	LEU	2.3
1	A	92	SER	2.3
1	G	109	SER	2.3
1	G	26	GLN	2.3
1	B	266	VAL	2.3
1	A	490	PRO	2.3
1	C	413	ALA	2.3
1	C	80	GLY	2.3
1	E	274	GLY	2.3
1	E	513	GLY	2.3
1	F	408	GLU	2.2
1	F	488	GLU	2.2
1	B	65	PRO	2.2
1	C	107	VAL	2.2
1	B	240	ASP	2.2
1	B	305	ALA	2.2
1	H	416	LEU	2.2
1	F	90	HIS	2.2
1	H	275[A]	HIS	2.2
1	D	543	SER	2.2
1	E	234	SER	2.2
1	B	242	ARG	2.2
1	B	411	ARG	2.2
1	A	349	LYS	2.2
1	C	52	VAL	2.2
1	C	70	VAL	2.2
1	F	129	PRO	2.2
1	D	34	MET	2.2
1	H	36	ASP	2.2
1	C	101	ALA	2.2
1	D	408	GLU	2.2
1	A	412	ARG	2.2
1	B	25	PHE	2.2
1	B	347	ILE	2.2
1	C	319	PHE	2.2
1	A	263	VAL	2.2
1	E	521	VAL	2.2
1	B	408	GLU	2.2
1	B	236	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	438	ALA	2.2
1	F	412	ARG	2.2
1	A	279	ILE	2.1
1	A	245	VAL	2.1
1	B	252	VAL	2.1
1	C	384	VAL	2.1
1	A	128	GLY	2.1
1	E	271	GLY	2.1
1	F	513	GLY	2.1
1	E	97	ALA	2.1
1	B	473	ARG	2.1
1	F	379	LYS	2.1
1	E	488	GLU	2.1
1	F	240	ASP	2.1
1	B	126	THR	2.1
1	B	494	TRP	2.1
1	F	504	PHE	2.1
1	G	311	ILE	2.1
1	A	52	VAL	2.1
1	A	248	GLY	2.1
1	A	275	HIS	2.1
1	A	517	VAL	2.1
1	B	93	HIS	2.1
1	D	130	GLY	2.1
1	E	517	VAL	2.1
1	F	530	GLY	2.1
1	A	101	ALA	2.1
1	B	101	ALA	2.1
1	E	106	ALA	2.1
1	A	94	GLU	2.1
1	A	108	GLU	2.1
1	B	75	GLU	2.1
1	F	507	GLU	2.1
1	B	237	ASP	2.1
1	A	352	PRO	2.1
1	A	505	GLY	2.1
1	E	506	ILE	2.1
1	G	516	ARG	2.1
1	H	130	GLY	2.1
1	A	79	ALA	2.1
1	A	265	ALA	2.1
1	A	269	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	464	ALA	2.1
1	B	14	ALA	2.1
1	B	269	ALA	2.1
1	B	413	ALA	2.1
1	F	14	ALA	2.1
1	E	331	LEU	2.1
1	B	94	GLU	2.1
1	H	273	GLU	2.1
1	A	534	THR	2.1
1	B	383	PRO	2.1
1	E	247	HIS	2.1
1	A	532	GLY	2.1
1	E	91	GLY	2.1
1	A	122	ILE	2.1
1	B	122	ILE	2.1
1	E	442	VAL	2.1
1	A	450	ALA	2.1
1	B	89	SER	2.1
1	B	265	ALA	2.1
1	F	234	SER	2.1
1	B	519	ASP	2.0
1	F	411	ARG	2.0
1	G	118	ARG	2.0
1	A	274	GLY	2.0
1	E	402	TYR	2.0
1	B	92	SER	2.0
1	C	109	SER	2.0
1	C	113	SER	2.0
1	A	53	ALA	2.0
1	A	27	GLN	2.0
1	C	343	LEU	2.0
1	G	28	GLN	2.0
1	F	418	ARG	2.0
1	A	403	HIS	2.0
1	B	62	THR	2.0
1	C	380	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	O9R	C	601	36/36	0.80	0.19	65,70,77,77	21
3	OXL	E	602	6/6	0.83	0.14	75,75,75,75	0
6	O9R	F	605	36/36	0.84	0.17	57,59,63,63	21
3	OXL	C	603	6/6	0.88	0.12	64,65,66,66	0
6	O9R	G	605	36/36	0.88	0.15	56,63,67,67	21
3	OXL	D	602	6/6	0.89	0.12	53,54,54,54	0
5	K	E	604	1/1	0.90	0.26	103,103,103,103	0
3	OXL	A	602	6/6	0.90	0.10	74,74,74,75	0
3	OXL	B	602	6/6	0.91	0.10	50,50,52,53	0
3	OXL	F	602	6/6	0.91	0.10	55,56,57,57	0
4	MG	C	604	1/1	0.93	0.15	34,34,34,34	0
6	O9R	D	605	36/36	0.93	0.12	51,58,62,62	21
5	K	C	605	1/1	0.93	0.12	72,72,72,72	0
2	FBP	B	601	20/20	0.93	0.10	55,60,62,62	0
4	MG	A	603	1/1	0.94	0.09	46,46,46,46	0
2	FBP	E	601	20/20	0.94	0.09	54,55,57,57	0
3	OXL	G	602	6/6	0.94	0.09	52,52,53,54	0
3	OXL	H	602	6/6	0.94	0.12	44,44,44,44	0
5	K	G	604	1/1	0.95	0.12	72,72,72,72	0
5	K	A	604	1/1	0.95	0.09	92,92,92,92	0
5	K	B	604	1/1	0.95	0.11	72,72,72,72	0
2	FBP	A	601	20/20	0.95	0.08	52,54,56,56	0
4	MG	E	603	1/1	0.95	0.11	41,41,41,41	0
4	MG	F	603	1/1	0.96	0.13	27,27,27,27	0
4	MG	D	603	1/1	0.96	0.16	27,27,27,27	0
5	K	F	604	1/1	0.96	0.08	79,79,79,79	0
2	FBP	F	601	20/20	0.96	0.07	42,50,52,52	0
4	MG	B	603	1/1	0.97	0.11	37,37,37,37	0
2	FBP	G	601	20/20	0.98	0.04	29,31,34,34	0
2	FBP	C	602	20/20	0.98	0.04	29,30,34,34	0
5	K	D	604	1/1	0.98	0.09	52,52,52,52	0
5	K	H	604	1/1	0.98	0.09	53,53,53,53	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FBP	D	601	20/20	0.99	0.04	30,31,33,33	0
2	FBP	H	601	20/20	0.99	0.04	25,27,30,30	0
4	MG	G	603	1/1	1.00	0.07	19,19,19,19	0
4	MG	H	603	1/1	1.00	0.07	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around O9R C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around O9R F 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around O9R G 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O9R D 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP F 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP C 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP H 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.