



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:58 AM UTC

PDB ID : 7FS5 / pdb_00007fs5
Title : Structure of liver pyruvate kinase in complex with allosteric modulator 17
Authors : Lulla, A.; Nilsson, O.; Brear, P.; Nain-Perez, A.; Grotli, M.; Hyvonen, M.
Deposited on : 2022-12-18
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	
1	B	447	
1	C	447	
1	D	447	
1	E	447	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	602	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	F	602	-	X	-	-
3	OXL	G	602	-	X	-	-
3	OXL	H	603	-	X	-	-
5	K	E	604	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 28228 atoms, of which 76 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	422	Total	C	N	O	S	0	6	0
			3236	2034	585	597	20			
1	B	436	Total	C	N	O	S	0	4	0
			3329	2090	604	615	20			
1	C	425	Total	C	N	O	S	0	4	0
			3247	2040	585	603	19			
1	D	425	Total	C	N	O	S	0	6	0
			3252	2042	590	601	19			
1	E	418	Total	C	N	O	S	0	5	0
			3201	2013	578	590	20			
1	F	432	Total	C	N	O	S	0	7	0
			3321	2090	597	614	20			
1	G	421	Total	C	N	O	S	0	6	0
			3231	2031	581	600	19			
1	H	425	Total	C	N	O	S	0	4	0
			3251	2040	594	598	19			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	1	MET	-	expression tag	UNP P30613
A	2	GLU	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	1	MET	-	expression tag	UNP P30613
B	2	GLU	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613
C	0	SER	-	expression tag	UNP P30613
C	1	MET	-	expression tag	UNP P30613
C	2	GLU	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	1	MET	-	expression tag	UNP P30613
D	2	GLU	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	1	MET	-	expression tag	UNP P30613
E	2	GLU	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	228	GLY	-	linker	UNP P30613
E	229	SER	-	linker	UNP P30613
E	230	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	1	MET	-	expression tag	UNP P30613
F	2	GLU	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	228	GLY	-	linker	UNP P30613
F	229	SER	-	linker	UNP P30613
F	230	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	1	MET	-	expression tag	UNP P30613
G	2	GLU	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	1	MET	-	expression tag	UNP P30613
H	2	GLU	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: C₆H₁₄O₁₂P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		


- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is (10aP)-6-[4-(3,4-dihydroxybenzene-1-sulfonyl)phenyl]methyl}-2,3,8,9-tetrahydroxy-5lambda 6 -dibenzo[c,e][1,2]thiazine-5,5(6H)-dione (CCD ID: O8O) (formula: C₂₅H₁₉NO₁₀S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	A	1	Total 57	C 25	H 19	N 1	O 10	S 2	19	0
6	D	1	Total 57	C 25	H 19	N 1	O 10	S 2	19	0
6	E	1	Total 57	C 25	H 19	N 1	O 10	S 2	19	0
6	H	1	Total 57	C 25	H 19	N 1	O 10	S 2	19	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	169	Total	O	0	0
			169	169		
7	B	153	Total	O	0	0
			153	153		
7	C	230	Total	O	0	0
			230	230		
7	D	283	Total	O	0	0
			283	283		
7	E	152	Total	O	0	0
			152	152		
7	F	173	Total	O	0	0
			173	173		
7	G	236	Total	O	0	0
			236	236		
7	H	312	Total	O	0	0
			312	312		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase PKLR




• Molecule 1: Pyruvate kinase PKLR






• Molecule 1: Pyruvate kinase PKLR











- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR





- Molecule 1: Pyruvate kinase PKLR





● Molecule 1: Pyruvate kinase PKLR



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	209.75Å 113.24Å 189.40Å 90.00° 90.62° 90.00°	Depositor
Resolution (Å)	189.39 – 2.18 189.39 – 2.18	Depositor EDS
% Data completeness (in resolution range)	89.2 (189.39-2.18) 89.2 (189.39-2.18)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 2.18Å)	Xtriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.209 , 0.234 0.199 , 0.221	Depositor DCC
R_{free} test set	10163 reflections (4.42%)	wwPDB-VP
Wilson B-factor (Å ²)	45.0	Xtriage
Anisotropy	0.016	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	28228	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 40.61 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6688e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: K, O8O, FBP, MG, OXL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.69	0/3307	1.03	6/4469 (0.1%)
1	B	0.70	1/3396 (0.0%)	1.01	2/4592 (0.0%)
1	C	0.75	1/3313 (0.0%)	1.02	6/4479 (0.1%)
1	D	0.77	0/3326	1.04	6/4497 (0.1%)
1	E	0.66	0/3268	1.01	4/4415 (0.1%)
1	F	0.69	0/3396	1.01	3/4591 (0.1%)
1	G	0.76	2/3303 (0.1%)	1.02	4/4465 (0.1%)
1	H	0.75	0/3316	1.02	6/4483 (0.1%)
All	All	0.72	4/26625 (0.0%)	1.02	37/35991 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	374	SER	CA-C	7.17	1.56	1.52
1	C	374	SER	CA-C	5.77	1.55	1.52
1	G	374[A]	SER	CA-C	5.33	1.55	1.52
1	G	374[B]	SER	CA-C	5.33	1.55	1.52

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	542	ILE	CA-C-N	6.66	133.68	121.70
1	A	542	ILE	C-N-CA	6.66	133.68	121.70
1	H	514	PHE	CA-CB-CG	6.62	120.42	113.80
1	G	514	PHE	CA-CB-CG	6.33	120.13	113.80
1	D	514	PHE	CA-CB-CG	6.00	119.80	113.80
1	E	539	VAL	N-CA-CB	5.73	117.92	111.21
1	D	453	LEU	CA-C-N	5.58	127.76	120.28
1	D	453	LEU	C-N-CA	5.58	127.76	120.28
1	E	514	PHE	CA-CB-CG	5.52	119.32	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	339	ALA	CA-C-N	5.48	132.00	121.54
1	F	339	ALA	C-N-CA	5.48	132.00	121.54
1	C	507	GLU	CB-CG-CD	5.44	121.85	112.60
1	C	339	ALA	CA-C-N	5.36	131.78	121.54
1	C	339	ALA	C-N-CA	5.36	131.78	121.54
1	F	46	ASP	CA-CB-CG	5.34	117.94	112.60
1	A	55	ARG	CA-C-N	5.33	129.74	120.68
1	A	55	ARG	C-N-CA	5.33	129.74	120.68
1	H	339	ALA	CA-C-N	5.29	131.64	121.54
1	H	339	ALA	C-N-CA	5.29	131.64	121.54
1	C	453	LEU	CA-C-N	5.21	127.26	120.28
1	C	453	LEU	C-N-CA	5.21	127.26	120.28
1	H	330	ASN	CA-CB-CG	5.18	117.78	112.60
1	G	453	LEU	CA-C-N	5.17	127.47	120.38
1	G	453	LEU	C-N-CA	5.17	127.47	120.38
1	A	46	ASP	CA-CB-CG	5.13	117.73	112.60
1	C	514	PHE	CA-CB-CG	5.13	118.93	113.80
1	A	514	PHE	CA-CB-CG	5.09	118.89	113.80
1	E	339	ALA	CA-C-N	5.08	131.25	121.54
1	E	339	ALA	C-N-CA	5.08	131.25	121.54
1	D	46	ASP	CA-CB-CG	5.07	117.67	112.60
1	B	339	ALA	CA-C-N	5.05	131.19	121.54
1	B	339	ALA	C-N-CA	5.05	131.19	121.54
1	D	339	ALA	CA-C-N	5.03	131.16	121.54
1	D	339	ALA	C-N-CA	5.03	131.16	121.54
1	H	453	LEU	CA-C-N	5.02	127.00	120.28
1	H	453	LEU	C-N-CA	5.02	127.00	120.28
1	G	46	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3236	0	3300	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3329	0	3394	15	0
1	C	3247	0	3299	17	0
1	D	3252	0	3311	18	0
1	E	3201	0	3264	18	0
1	F	3321	0	3394	12	0
1	G	3231	0	3285	23	0
1	H	3251	0	3307	16	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	38	19	0	0	0
6	D	38	19	0	1	0
6	E	38	19	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	38	19	0	0	0
7	A	169	0	0	0	0
7	B	153	0	0	0	0
7	C	230	0	0	1	0
7	D	283	0	0	2	0
7	E	152	0	0	0	0
7	F	173	0	0	0	0
7	G	236	0	0	0	0
7	H	312	0	0	3	0
All	All	28152	76	26634	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.67	0.77
1:E:411:ARG:HG3	1:E:426:ILE:HD11	1.67	0.77
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.71	0.71
1:A:272:PRO:HA	1:A:275:HIS:NE2	2.05	0.71
1:C:411:ARG:HG3	1:C:426:ILE:HD11	1.73	0.68
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.76	0.68
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.76	0.68
1:A:418[A]:ARG:HG3	1:B:16:LEU:HD11	1.76	0.67
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.75	0.67
1:B:411:ARG:HG2	1:B:426:ILE:HD11	1.77	0.67
1:D:411:ARG:HG3	1:D:426:ILE:HD11	1.78	0.66
1:A:272:PRO:HA	1:A:275:HIS:CE1	2.30	0.65
1:D:68:ARG:NH2	1:D:95:TYR:O	2.30	0.65
1:A:517:VAL:HG22	1:A:543:SER:HB3	1.79	0.64
1:E:539:VAL:HG22	1:F:420:PRO:HB3	1.79	0.64
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.79	0.63
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.80	0.63
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.70	0.59
1:A:538:ARG:HG2	1:B:536:ILE:HG12	1.83	0.59
1:E:235:GLU:O	1:E:239:ARG:HD3	2.02	0.59
1:C:538:ARG:HD3	7:C:785:HOH:O	2.03	0.58
1:D:68:ARG:HH22	1:D:98:GLU:HB2	1.66	0.58
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.85	0.58
1:C:529:PRO:HG2	1:G:235:GLU:HG2	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:56:SER:HB2	1:E:480:GLY:HA2	1.87	0.57
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.87	0.57
1:D:64:GLY:O	1:D:68:ARG:HG3	2.05	0.56
1:H:541:SER:HB2	7:H:951:HOH:O	2.04	0.55
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.89	0.55
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.89	0.55
1:G:537:MET:HE3	1:H:537:MET:HG2	1.88	0.54
6:D:605:O8O:O6	7:D:1901:HOH:O	2.17	0.53
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.90	0.53
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.90	0.53
1:G:245:VAL:CG1	1:G:273:GLU:HG2	2.39	0.52
1:G:411:ARG:HH21	1:H:411:ARG:NH2	2.08	0.52
1:A:412:ARG:NH1	1:B:404:ARG:HH11	2.07	0.52
1:C:287:GLU:HG2	1:C:291:ARG:HD2	1.93	0.51
1:G:340:THR:HG22	1:G:341:GLN:HG3	1.93	0.51
1:H:272:PRO:HA	1:H:275[A]:HIS:CE1	2.47	0.50
1:E:408:GLU:O	1:E:412:ARG:HB2	2.12	0.50
1:C:340:THR:HG22	1:C:341:GLN:HG3	1.94	0.50
1:G:28:GLN:HB3	1:G:52:VAL:HG22	1.94	0.50
1:A:28:GLN:HB3	1:A:52:VAL:HG22	1.93	0.49
1:G:267:ARG:HG2	1:G:279:ILE:CD1	2.43	0.49
1:A:486:TYR:CZ	1:A:488[B]:GLU:HB2	2.47	0.49
1:C:416:LEU:HD13	1:D:436:CYS:SG	2.53	0.49
1:H:56:SER:HB2	1:H:480:GLY:CA	2.43	0.49
1:E:415:PRO:HB3	1:F:12:ASP:HA	1.95	0.48
1:E:418:ARG:HD3	1:F:16:LEU:HD11	1.95	0.48
1:A:421:THR:HG22	1:A:452:LEU:HD12	1.96	0.48
1:G:56:SER:HB2	1:G:480:GLY:CA	2.43	0.47
1:E:28:GLN:HB3	1:E:52:VAL:HG22	1.96	0.47
1:C:28:GLN:HB3	1:C:52:VAL:HG22	1.96	0.47
1:C:528:ARG:HH22	1:G:233:LEU:HB3	1.79	0.47
1:G:486:TYR:CZ	1:G:488:GLU:HB2	2.49	0.47
1:H:421:THR:HG22	1:H:452:LEU:HD12	1.97	0.47
1:E:340:THR:HG22	1:E:341:GLN:HG3	1.97	0.47
1:D:267:ARG:HD2	7:D:2155:HOH:O	2.15	0.46
1:A:436:CYS:SG	1:B:416:LEU:HD13	2.55	0.46
1:G:267:ARG:HG2	1:G:279:ILE:HD12	1.96	0.46
1:A:340:THR:HG22	1:A:341:GLN:HG3	1.97	0.46
1:B:340:THR:HG22	1:B:341:GLN:HG3	1.97	0.46
1:D:272:PRO:HA	1:D:275[A]:HIS:CE1	2.52	0.45
1:E:421:THR:HG22	1:E:452:LEU:HD12	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:412:ARG:CZ	1:H:404:ARG:HD3	2.47	0.45
1:B:421:THR:HG22	1:B:452:LEU:HD12	1.99	0.45
1:D:421:THR:HG22	1:D:452:LEU:HD12	1.99	0.45
1:C:110:PHE:O	1:C:117:TYR:HB2	2.17	0.45
1:D:340:THR:HG22	1:D:341:GLN:HG3	1.99	0.45
1:A:67:SER:HA	1:A:72:ARG:HG2	1.99	0.44
1:F:56:SER:HB2	1:F:480:GLY:CA	2.48	0.44
1:H:522:ILE:HG23	1:H:537:MET:HE3	2.00	0.44
1:F:421:THR:HG22	1:F:452:LEU:HD12	1.99	0.44
1:C:404:ARG:HD3	1:D:412:ARG:NH2	2.33	0.44
1:C:421:THR:HG22	1:C:452:LEU:HD12	2.00	0.44
1:D:331:LEU:CD1	1:D:413:ALA:HB1	2.47	0.44
1:G:537:MET:HE3	1:H:537:MET:CG	2.48	0.44
1:G:269:ALA:C	1:G:271:GLY:H	2.25	0.44
1:D:411:ARG:CG	1:D:426:ILE:HD11	2.48	0.43
1:G:421:THR:HG22	1:G:452:LEU:HD12	1.99	0.43
1:B:56:SER:HB2	1:B:480:GLY:CA	2.48	0.43
1:F:28:GLN:HG3	1:F:30:LEU:HG	2.01	0.43
1:A:28:GLN:HG3	1:A:30:LEU:HG	2.01	0.43
1:F:340:THR:HG22	1:F:341:GLN:HG3	2.01	0.43
1:C:407:PHE:O	1:C:411:ARG:HB2	2.18	0.42
1:H:284:GLU:HG2	1:H:305:ALA:HB3	2.01	0.42
1:E:76[B]:MET:HG2	1:E:384:VAL:HG22	2.02	0.42
1:D:56:SER:HB2	1:D:480:GLY:CA	2.49	0.42
1:B:300:ASP:O	1:B:335:PRO:HD2	2.20	0.42
1:G:411:ARG:HG3	1:G:426:ILE:HD11	2.02	0.42
1:E:56:SER:HB2	1:E:480:GLY:CA	2.49	0.42
1:G:435:CYS:HB2	1:G:520:LEU:HD12	2.02	0.42
1:B:28:GLN:HG3	1:B:30:LEU:HG	2.01	0.41
1:B:435:CYS:HB2	1:B:520:LEU:HD12	2.02	0.41
1:E:68:ARG:NH2	1:E:98:GLU:HB3	2.35	0.41
1:A:435:CYS:HB2	1:A:520:LEU:HD12	2.01	0.41
1:G:416:LEU:HD13	1:H:436:CYS:SG	2.60	0.41
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.34	0.41
1:D:28:GLN:HG3	1:D:30:LEU:HG	2.03	0.41
1:E:284:GLU:HG2	1:E:305:ALA:HB3	2.01	0.41
1:E:339:ALA:HB1	1:E:372:MET:HE2	2.03	0.41
1:B:284:GLU:HG2	1:B:305:ALA:HB3	2.02	0.41
1:E:28:GLN:HG3	1:E:30:LEU:HG	2.02	0.41
1:F:68:ARG:NH2	1:F:98:GLU:HB3	2.36	0.41
1:H:340:THR:HG22	1:H:341:GLN:HG3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:SER:HB2	1:C:480:GLY:CA	2.50	0.40
1:G:28:GLN:HG3	1:G:30:LEU:HG	2.03	0.40
1:H:317:LYS:NZ	7:H:707:HOH:O	2.53	0.40
1:A:284:GLU:HG2	1:A:305:ALA:HB3	2.03	0.40
1:B:335:PRO:HB3	1:B:477:LEU:O	2.22	0.40
1:C:529:PRO:CG	1:G:235:GLU:HG2	2.50	0.40
1:D:300:ASP:O	1:D:335:PRO:HD2	2.21	0.40
1:A:76[B]:MET:HG2	1:A:384:VAL:HG22	2.04	0.40
1:H:75:GLU:HG3	7:H:997:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/447 (95%)	419 (99%)	4 (1%)	1 (0%)	43	49
1	B	438/447 (98%)	434 (99%)	2 (0%)	2 (0%)	24	25
1	C	425/447 (95%)	419 (99%)	4 (1%)	2 (0%)	24	25
1	D	429/447 (96%)	425 (99%)	2 (0%)	2 (0%)	24	25
1	E	417/447 (93%)	413 (99%)	3 (1%)	1 (0%)	43	49
1	F	435/447 (97%)	431 (99%)	3 (1%)	1 (0%)	43	49
1	G	423/447 (95%)	415 (98%)	6 (1%)	2 (0%)	24	25
1	H	427/447 (96%)	422 (99%)	3 (1%)	2 (0%)	24	25
All	All	3418/3576 (96%)	3378 (99%)	27 (1%)	13 (0%)	30	31

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	231	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	340	THR
1	B	340	THR
1	C	340	THR
1	D	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	H	340	THR
1	H	231	PRO
1	D	231	PRO
1	B	231	PRO
1	G	231	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/352 (97%)	332 (98%)	8 (2%)	43	55
1	B	349/352 (99%)	337 (97%)	12 (3%)	32	41
1	C	341/352 (97%)	335 (98%)	6 (2%)	51	65
1	D	342/352 (97%)	336 (98%)	6 (2%)	51	65
1	E	337/352 (96%)	332 (98%)	5 (2%)	57	70
1	F	350/352 (99%)	343 (98%)	7 (2%)	48	61
1	G	340/352 (97%)	334 (98%)	6 (2%)	51	65
1	H	340/352 (97%)	336 (99%)	4 (1%)	63	75
All	All	2739/2816 (97%)	2685 (98%)	54 (2%)	55	61

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	LEU
1	A	235	GLU
1	A	259	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	426	ILE
1	A	531	SER
1	A	537[A]	MET
1	A	537[B]	MET
1	A	540	LEU
1	B	71	GLU
1	B	76[A]	MET
1	B	76[B]	MET
1	B	131	SER
1	B	259	LYS
1	B	263	VAL
1	B	379	LYS
1	B	412	ARG
1	B	511	LEU
1	B	516	ARG
1	B	537[A]	MET
1	B	537[B]	MET
1	C	76[A]	MET
1	C	76[B]	MET
1	C	259	LYS
1	C	422[A]	GLU
1	C	422[B]	GLU
1	C	531	SER
1	D	72	ARG
1	D	242[A]	ARG
1	D	242[B]	ARG
1	D	259	LYS
1	D	521	VAL
1	D	537	MET
1	E	259	LYS
1	E	511	LEU
1	E	537[A]	MET
1	E	537[B]	MET
1	E	539	VAL
1	F	76[A]	MET
1	F	76[B]	MET
1	F	242	ARG
1	F	259	LYS
1	F	511	LEU
1	F	537[A]	MET
1	F	537[B]	MET
1	G	76[A]	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	76[B]	MET
1	G	273	GLU
1	G	331	LEU
1	G	422[A]	GLU
1	G	422[B]	GLU
1	H	259	LYS
1	H	273	GLU
1	H	412	ARG
1	H	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	B	27	GLN
1	B	390	GLN
1	B	405	GLN
1	C	90	HIS
1	C	275	HIS
1	D	90	HIS
1	D	405	GLN
1	E	27	GLN
1	E	90	HIS
1	F	405	GLN
1	G	27	GLN
1	G	90	HIS
1	H	90	HIS
1	H	390	GLN
1	H	405	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 36 ligands modelled in this entry, 16 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OXL	F	602	4	5,5,5	2.84	4 (80%)	6,6,6	2.46	3 (50%)
6	O8O	H	601	-	42,42,42	2.39	13 (30%)	63,66,66	2.67	19 (30%)
2	FBP	E	601	-	18,20,20	0.40	0	21,32,32	0.66	1 (4%)
6	O8O	E	605	-	42,42,42	2.13	12 (28%)	63,66,66	2.39	21 (33%)
3	OXL	H	603	4	5,5,5	1.90	2 (40%)	6,6,6	1.50	1 (16%)
2	FBP	G	601	-	18,20,20	0.45	0	21,32,32	0.76	1 (4%)
6	O8O	D	605	-	42,42,42	2.24	11 (26%)	63,66,66	2.36	17 (26%)
2	FBP	D	601	-	18,20,20	0.71	1 (5%)	21,32,32	0.67	1 (4%)
3	OXL	C	602	4	5,5,5	2.06	2 (40%)	6,6,6	1.16	1 (16%)
3	OXL	G	602	4	5,5,5	2.14	2 (40%)	6,6,6	2.47	4 (66%)
2	FBP	F	601	-	18,20,20	0.33	0	21,32,32	0.66	0
3	OXL	A	602	4	5,5,5	2.15	2 (40%)	6,6,6	1.69	1 (16%)
6	O8O	A	605	-	42,42,42	2.23	11 (26%)	63,66,66	2.39	21 (33%)
2	FBP	B	601	-	18,20,20	0.70	1 (5%)	21,32,32	0.69	0
3	OXL	D	602	4	5,5,5	2.22	2 (40%)	6,6,6	2.51	4 (66%)
2	FBP	C	601	-	18,20,20	0.64	0	21,32,32	0.98	1 (4%)
3	OXL	B	602	4	5,5,5	2.30	2 (40%)	6,6,6	1.48	2 (33%)
2	FBP	H	602	-	18,20,20	0.84	0	21,32,32	0.52	0
2	FBP	A	601	-	18,20,20	0.62	0	21,32,32	0.60	0
3	OXL	E	602	4	5,5,5	2.19	2 (40%)	6,6,6	1.29	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OXL	F	602	4	-	4/4/4/4	-
6	O8O	H	601	-	-	0/16/36/36	0/5/5/5
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
6	O8O	E	605	-	-	0/16/36/36	0/5/5/5
3	OXL	H	603	4	-	4/4/4/4	-
2	FBP	G	601	-	-	2/13/32/32	0/1/1/1
6	O8O	D	605	-	-	0/16/36/36	0/5/5/5
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
3	OXL	C	602	4	-	4/4/4/4	-
3	OXL	G	602	4	-	4/4/4/4	-
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
3	OXL	A	602	4	-	4/4/4/4	-
6	O8O	A	605	-	-	0/16/36/36	0/5/5/5
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	4	-	4/4/4/4	-
2	FBP	C	601	-	-	2/13/32/32	0/1/1/1
3	OXL	B	602	4	-	4/4/4/4	-
2	FBP	H	602	-	-	2/13/32/32	0/1/1/1
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
3	OXL	E	602	4	-	4/4/4/4	-

All (67) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	E	605	O8O	C22-S1	-7.84	1.64	1.75
6	D	605	O8O	C22-S1	-7.72	1.64	1.75
6	A	605	O8O	C22-S1	-7.66	1.64	1.75
6	H	601	O8O	C22-S1	-7.14	1.65	1.75
6	H	601	O8O	C3-C8	6.05	1.48	1.41
6	D	605	O8O	S1-N	5.65	1.73	1.64
6	H	601	O8O	S1-N	5.59	1.73	1.64
6	A	605	O8O	S1-N	4.86	1.72	1.64
6	H	601	O8O	C14-S	-4.78	1.69	1.77
6	A	605	O8O	C15-C14	4.73	1.46	1.38
6	A	605	O8O	C14-S	-4.55	1.70	1.77
6	H	601	O8O	C9-C10	4.46	1.59	1.51
6	E	605	O8O	S1-N	4.38	1.71	1.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	605	O8O	C3-C8	4.34	1.46	1.41
3	B	602	OXL	O2-C2	4.25	1.33	1.22
6	D	605	O8O	C15-C14	3.99	1.45	1.38
3	E	602	OXL	O1-C1	3.94	1.32	1.22
3	C	602	OXL	O1-C1	3.90	1.32	1.22
3	A	602	OXL	O2-C2	3.81	1.32	1.22
6	A	605	O8O	C3-C8	3.79	1.45	1.41
3	D	602	OXL	O2-C2	3.75	1.31	1.22
6	D	605	O8O	C14-S	-3.70	1.71	1.77
6	A	605	O8O	C9-C10	3.63	1.58	1.51
3	F	602	OXL	O2-C2	3.62	1.31	1.22
3	G	602	OXL	O1-C1	3.46	1.31	1.22
3	F	602	OXL	O3-C1	-3.32	1.21	1.30
6	D	605	O8O	C9-C10	3.28	1.57	1.51
6	E	605	O8O	C23-C22	3.27	1.44	1.39
6	E	605	O8O	C15-C14	3.26	1.44	1.38
6	E	605	O8O	C14-S	-3.19	1.72	1.77
3	D	602	OXL	O4-C2	-3.15	1.22	1.30
6	H	601	O8O	C11-C12	3.13	1.43	1.38
3	H	603	OXL	O2-C2	3.11	1.30	1.22
3	G	602	OXL	O3-C1	-3.09	1.22	1.30
3	F	602	OXL	O1-C1	3.00	1.30	1.22
6	E	605	O8O	C9-C10	2.96	1.56	1.51
6	E	605	O8O	C24-C	2.94	1.45	1.40
6	H	601	O8O	C23-C22	2.91	1.44	1.39
6	E	605	O8O	C8-N	-2.91	1.40	1.43
3	E	602	OXL	O3-C1	-2.85	1.22	1.30
6	E	605	O8O	C20-C21	2.84	1.43	1.38
6	A	605	O8O	C24-C	2.83	1.44	1.40
3	B	602	OXL	O4-C2	-2.79	1.23	1.30
6	H	601	O8O	O6-S	2.75	1.49	1.44
6	D	605	O8O	C13-S	-2.72	1.72	1.77
3	H	603	OXL	O4-C2	-2.71	1.23	1.30
6	E	605	O8O	C3-C8	2.71	1.44	1.41
3	F	602	OXL	O4-C2	-2.70	1.23	1.30
3	A	602	OXL	O4-C2	-2.60	1.23	1.30
6	H	601	O8O	C24-C	2.53	1.44	1.40
6	A	605	O8O	C17-C18	2.51	1.44	1.40
6	E	605	O8O	O5-S	2.51	1.48	1.44
6	D	605	O8O	C20-C13	2.51	1.42	1.38
6	D	605	O8O	C1-C	2.40	1.42	1.38
3	C	602	OXL	O3-C1	-2.40	1.24	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	605	O8O	C23-C22	2.32	1.43	1.39
6	A	605	O8O	C8-N	-2.30	1.41	1.43
6	D	605	O8O	C5-C6	2.14	1.43	1.40
6	H	601	O8O	C15-C14	2.12	1.42	1.38
2	D	601	FBP	P2-O5P	-2.07	1.47	1.54
6	H	601	O8O	C12-C13	2.04	1.42	1.38
6	E	605	O8O	C19-C18	2.04	1.41	1.38
6	D	605	O8O	C9-N	-2.02	1.46	1.49
6	H	601	O8O	C9-N	-2.02	1.46	1.49
6	H	601	O8O	C2-C22	2.00	1.43	1.40
2	B	601	FBP	P2-O5P	-2.00	1.47	1.54
6	A	605	O8O	C13-S	-2.00	1.73	1.77

All (99) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	601	O8O	O8-S1-N	8.58	117.39	108.17
6	H	601	O8O	O6-S-C13	7.85	117.61	107.96
6	A	605	O8O	O8-S1-N	7.07	115.76	108.17
6	D	605	O8O	O8-S1-N	6.89	115.57	108.17
6	E	605	O8O	O5-S-C13	6.78	116.29	107.96
6	H	601	O8O	C22-S1-N	-6.42	91.49	101.67
6	A	605	O8O	C22-S1-N	-6.37	91.56	101.67
6	D	605	O8O	C22-S1-N	-6.19	91.86	101.67
6	A	605	O8O	O8-S1-C22	5.66	116.85	109.10
6	E	605	O8O	C22-S1-N	-5.45	93.02	101.67
6	D	605	O8O	O8-S1-C22	5.32	116.39	109.10
6	H	601	O8O	C12-C13-S	5.08	126.11	119.49
6	E	605	O8O	C12-C13-C20	-5.04	113.89	120.47
6	H	601	O8O	C12-C13-C20	-5.00	113.95	120.47
6	H	601	O8O	C21-C20-C13	4.87	124.18	119.44
6	A	605	O8O	C3-C8-N	-4.84	113.60	118.84
6	E	605	O8O	C20-C13-S	4.83	125.78	119.49
6	E	605	O8O	C11-C12-C13	4.80	124.11	119.44
6	E	605	O8O	O8-S1-C22	4.68	115.50	109.10
6	H	601	O8O	C3-C8-N	-4.61	113.85	118.84
6	A	605	O8O	C12-C13-C20	-4.61	114.46	120.47
6	D	605	O8O	C12-C13-C20	-4.56	114.52	120.47
6	D	605	O8O	C3-C8-N	-4.54	113.93	118.84
6	H	601	O8O	O8-S1-C22	4.43	115.17	109.10
6	D	605	O8O	C2-C22-S1	4.40	122.80	117.31
6	A	605	O8O	O7-S1-O8	-4.29	113.07	118.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	605	O8O	C2-C22-S1	4.18	122.52	117.31
6	D	605	O8O	C20-C13-S	4.14	124.88	119.49
6	D	605	O8O	C3-C2-C22	-4.03	116.95	121.69
6	H	601	O8O	O7-S1-O8	-4.00	113.44	118.53
6	A	605	O8O	C3-C2-C22	-3.99	117.00	121.69
6	D	605	O8O	C16-C15-C14	3.98	123.31	119.44
6	D	605	O8O	C11-C12-C13	3.91	123.24	119.44
6	H	601	O8O	C3-C2-C22	-3.90	117.09	121.69
3	F	602	OXL	O4-C2-C1	3.89	120.37	112.83
6	E	605	O8O	O8-S1-N	3.84	112.30	108.17
6	A	605	O8O	C2-C22-S1	3.83	122.09	117.31
6	E	605	O8O	C16-C15-C14	3.83	123.16	119.44
3	D	602	OXL	O4-C2-C1	3.82	120.23	112.83
6	A	605	O8O	C11-C12-C13	3.82	123.15	119.44
6	H	601	O8O	C2-C22-S1	3.81	122.06	117.31
6	E	605	O8O	C3-C8-N	-3.79	114.74	118.84
6	A	605	O8O	C20-C13-S	3.78	124.42	119.49
3	D	602	OXL	O3-C1-C2	3.74	120.08	112.83
3	G	602	OXL	O3-C1-C2	3.69	119.99	112.83
6	D	605	O8O	O7-S1-O8	-3.66	113.88	118.53
6	A	605	O8O	C16-C15-C14	3.63	122.97	119.44
3	F	602	OXL	O3-C1-C2	3.60	119.81	112.83
3	G	602	OXL	O4-C2-C1	3.59	119.80	112.83
6	E	605	O8O	C21-C20-C13	3.58	122.92	119.44
6	E	605	O8O	C3-C2-C22	-3.55	117.50	121.69
6	A	605	O8O	C21-C20-C13	3.36	122.71	119.44
6	E	605	O8O	C15-C14-C19	-3.35	116.54	120.68
3	A	602	OXL	O4-C2-C1	3.29	119.22	112.83
3	H	603	OXL	O4-C2-C1	3.22	119.08	112.83
6	E	605	O8O	O7-S1-O8	-3.19	114.47	118.53
6	D	605	O8O	C15-C14-C19	-3.14	116.79	120.68
6	H	601	O8O	O5-S-C13	-3.13	104.11	107.96
6	D	605	O8O	C21-C20-C13	3.10	122.46	119.44
6	H	601	O8O	C11-C12-C13	3.10	122.45	119.44
6	D	605	O8O	O6-S-C14	-3.06	104.20	107.96
6	E	605	O8O	C19-C14-S	2.99	123.13	119.15
6	A	605	O8O	C15-C14-C19	-2.88	117.11	120.68
6	H	601	O8O	C16-C15-C14	2.87	122.23	119.44
6	H	601	O8O	C9-C10-C11	2.79	125.89	120.75
6	E	605	O8O	O6-S-C13	-2.76	104.56	107.96
6	D	605	O8O	O1-C5-C6	2.71	125.66	118.42
3	B	602	OXL	O3-C1-C2	2.58	117.83	112.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	605	O8O	O1-C5-C6	2.58	125.31	118.42
6	E	605	O8O	O5-S-C14	-2.57	104.80	107.96
2	C	601	FBP	O6-P2-O4P	2.57	113.38	106.44
6	E	605	O8O	O3-C17-C18	2.51	125.13	118.42
3	C	602	OXL	O3-C1-C2	2.44	117.57	112.83
2	D	601	FBP	O5P-P2-O6	2.44	113.03	106.67
6	A	605	O8O	O3-C17-C18	2.42	124.88	118.42
6	A	605	O8O	O6-S-C14	-2.39	105.02	107.96
6	E	605	O8O	O1-C5-C6	2.39	124.80	118.42
6	H	601	O8O	C1-C2-C22	2.37	119.40	117.44
3	E	602	OXL	O3-C1-C2	2.36	117.40	112.83
3	G	602	OXL	O1-C1-C2	-2.32	115.79	120.63
3	F	602	OXL	O2-C2-C1	-2.32	115.79	120.63
3	B	602	OXL	O4-C2-C1	2.30	117.28	112.83
6	D	605	O8O	O3-C17-C18	2.29	124.54	118.42
6	A	605	O8O	C1-C2-C22	2.23	119.29	117.44
2	E	601	FBP	O3P-P1-O2P	2.23	116.16	107.80
6	A	605	O8O	C19-C18-C17	2.22	121.94	119.89
6	A	605	O8O	C15-C16-C17	-2.20	118.30	120.50
6	D	605	O8O	C1-C2-C22	2.19	119.26	117.44
3	D	602	OXL	O1-C1-C2	-2.18	116.09	120.63
6	A	605	O8O	O-C-C24	2.17	124.22	118.42
3	G	602	OXL	O2-C2-C1	-2.16	116.12	120.63
3	D	602	OXL	O2-C2-C1	-2.16	116.13	120.63
6	H	601	O8O	O3-C17-C18	2.08	123.99	118.42
6	E	605	O8O	O7-S1-C22	2.08	111.95	109.10
6	E	605	O8O	O-C-C24	2.06	123.94	118.42
6	H	601	O8O	C15-C14-C19	-2.03	118.16	120.68
2	G	601	FBP	O3P-P1-O2P	2.01	115.33	107.80
6	A	605	O8O	O6-S-C13	2.01	110.43	107.96
6	H	601	O8O	O-C-C24	2.01	123.78	118.42

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	C	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	H	602	FBP	C4-C5-C6-O6
2	G	601	FBP	C4-C5-C6-O6
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6
2	C	601	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	G	601	FBP	O5-C5-C6-O6
2	H	602	FBP	O5-C5-C6-O6
3	A	602	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	C	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O4
3	H	603	OXL	O3-C1-C2-O4
3	A	602	OXL	O1-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O2
3	C	602	OXL	O1-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O2
3	H	603	OXL	O1-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O2
3	G	602	OXL	O1-C1-C2-O2
3	B	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4
3	A	602	OXL	O1-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O4
3	C	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O3-C1-C2-O2
3	F	602	OXL	O3-C1-C2-O2
3	H	603	OXL	O1-C1-C2-O4
3	H	603	OXL	O3-C1-C2-O2
3	C	602	OXL	O1-C1-C2-O4
3	E	602	OXL	O1-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O4
3	G	602	OXL	O1-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O2

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	605	O8O	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand FBP E 601




Ligand O8O E 605







Ligand O8O D 605




Ligand FBP D 601





Ligand FBP F 601





Ligand O8O A 605











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	422/447 (94%)	1.01	52 (12%)	8 7	30, 55, 82, 98	6 (1%)
1	B	436/447 (97%)	1.08	75 (17%)	4 3	30, 54, 86, 102	4 (0%)
1	C	425/447 (95%)	0.45	34 (8%)	18 17	24, 45, 68, 112	4 (0%)
1	D	425/447 (95%)	0.17	22 (5%)	33 32	21, 40, 62, 103	6 (1%)
1	E	418/447 (93%)	1.14	77 (18%)	3 3	30, 57, 88, 109	5 (1%)
1	F	432/447 (96%)	0.98	64 (14%)	5 5	32, 52, 82, 98	7 (1%)
1	G	421/447 (94%)	0.36	20 (4%)	35 35	25, 44, 62, 82	7 (1%)
1	H	425/447 (95%)	0.19	22 (5%)	33 32	23, 41, 63, 84	4 (0%)
All	All	3404/3576 (95%)	0.67	366 (10%)	11 10	21, 49, 80, 112	43 (1%)

All (366) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	115	LEU	9.3
1	A	115	LEU	8.3
1	F	511	LEU	7.5
1	D	25	PHE	7.5
1	A	25	PHE	7.4
1	H	21	GLY	7.1
1	E	23	ALA	7.0
1	F	115	LEU	6.8
1	F	116	SER	6.5
1	G	25	PHE	6.4
1	D	21	GLY	6.3
1	E	25	PHE	6.0
1	F	231	PRO	5.8
1	D	22	THR	5.7
1	H	25	PHE	5.6
1	F	416	LEU	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	114	PRO	5.4
1	A	114	PRO	5.2
1	E	129	PRO	5.2
1	G	23	ALA	5.2
1	B	116	SER	5.1
1	C	132	GLY	5.1
1	B	112	GLY	5.0
1	D	24	PHE	5.0
1	A	132	GLY	4.9
1	A	511	LEU	4.8
1	B	88	PHE	4.7
1	A	540	LEU	4.7
1	F	117	TYR	4.6
1	A	232	GLY	4.6
1	A	116	SER	4.5
1	E	244	GLY	4.5
1	B	232	GLY	4.4
1	B	130	GLY	4.4
1	C	21	GLY	4.3
1	F	114	PRO	4.3
1	D	23	ALA	4.3
1	F	11	ALA	4.3
1	A	24	PHE	4.2
1	B	416	LEU	4.2
1	A	118	ARG	4.2
1	F	272	PRO	4.2
1	A	488[A]	GLU	4.2
1	E	115	LEU	4.2
1	E	89	SER	4.1
1	B	490	PRO	4.1
1	F	512	ARG	4.1
1	C	232	GLY	4.1
1	C	22	THR	4.1
1	C	231	PRO	4.1
1	D	34	MET	4.0
1	E	126	THR	4.0
1	A	117	TYR	4.0
1	H	514	PHE	4.0
1	B	236	GLN	4.0
1	B	489	PRO	4.0
1	A	63	ILE	4.0
1	C	416	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	511	LEU	3.9
1	B	543	SER	3.9
1	F	489	PRO	3.9
1	F	232	GLY	3.9
1	G	271	GLY	3.9
1	B	231	PRO	3.9
1	C	271	GLY	3.9
1	G	132	GLY	3.9
1	C	20	LEU	3.9
1	E	351	ARG	3.9
1	C	25	PHE	3.8
1	E	275	HIS	3.8
1	F	490	PRO	3.8
1	B	117	TYR	3.8
1	B	267[A]	ARG	3.8
1	B	256	PHE	3.8
1	B	113	SER	3.7
1	B	118	ARG	3.7
1	A	23	ALA	3.7
1	C	23	ALA	3.7
1	F	514	PHE	3.6
1	G	54	ALA	3.6
1	B	270	LEU	3.6
1	F	543	SER	3.6
1	E	490	PRO	3.6
1	B	269	ALA	3.6
1	D	459	ARG	3.6
1	F	238	VAL	3.5
1	E	311	ILE	3.5
1	E	489	PRO	3.5
1	F	508	SER	3.5
1	H	232	GLY	3.5
1	F	516	ARG	3.5
1	E	249	VAL	3.5
1	E	90	HIS	3.5
1	H	22	THR	3.5
1	C	117	TYR	3.5
1	G	52	VAL	3.5
1	C	114	PRO	3.4
1	E	270	LEU	3.4
1	A	351	ARG	3.4
1	B	516	ARG	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	275[A]	HIS	3.4
1	F	90	HIS	3.4
1	B	52	VAL	3.4
1	A	482	PHE	3.4
1	F	129	PRO	3.4
1	B	61	ALA	3.4
1	F	88	PHE	3.4
1	F	415	PRO	3.3
1	B	90	HIS	3.3
1	E	243	PHE	3.3
1	H	275[A]	HIS	3.3
1	B	484	LEU	3.3
1	E	232	GLY	3.2
1	A	233	LEU	3.2
1	F	233	LEU	3.2
1	A	88	PHE	3.2
1	A	70	VAL	3.2
1	E	511	LEU	3.2
1	F	256	PHE	3.2
1	F	267[A]	ARG	3.2
1	F	112	GLY	3.2
1	D	231	PRO	3.2
1	E	114	PRO	3.2
1	E	95	TYR	3.2
1	E	272	PRO	3.2
1	F	484	LEU	3.1
1	C	113	SER	3.1
1	F	492	ALA	3.1
1	A	543	SER	3.1
1	A	130	GLY	3.1
1	C	412	ARG	3.1
1	E	237	ASP	3.1
1	A	378	ALA	3.1
1	E	485	LEU	3.1
1	B	272	PRO	3.0
1	E	514	PHE	3.0
1	A	84	ALA	3.0
1	E	233	LEU	3.0
1	D	232	GLY	3.0
1	E	88	PHE	3.0
1	A	34	MET	3.0
1	B	11	ALA	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	505	GLY	3.0
1	C	272	PRO	3.0
1	G	272	PRO	3.0
1	B	12	ASP	3.0
1	H	416	LEU	3.0
1	H	267[A]	ARG	2.9
1	B	268	ALA	2.9
1	F	124	LEU	2.9
1	B	379	LYS	2.9
1	E	125	ASP	2.9
1	H	90	HIS	2.9
1	G	231	PRO	2.9
1	F	487	ARG	2.9
1	G	514	PHE	2.9
1	B	493	ILE	2.9
1	F	236	GLN	2.9
1	H	24	PHE	2.9
1	A	111	ALA	2.9
1	H	412	ARG	2.8
1	A	311	ILE	2.8
1	E	101	ALA	2.8
1	G	307	GLY	2.8
1	C	19	GLU	2.8
1	B	517	VAL	2.8
1	E	541[A]	SER	2.8
1	H	411	ARG	2.8
1	E	52	VAL	2.8
1	F	118	ARG	2.8
1	G	34	MET	2.8
1	E	540	LEU	2.8
1	E	238	VAL	2.8
1	B	412	ARG	2.7
1	D	412	ARG	2.7
1	G	412	ARG	2.7
1	B	93	HIS	2.7
1	F	275	HIS	2.7
1	F	507	GLU	2.7
1	B	128	GLY	2.7
1	F	469	ALA	2.7
1	F	485	LEU	2.7
1	A	459	ARG	2.7
1	C	415	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	516	ARG	2.7
1	A	273	GLU	2.7
1	G	53	ALA	2.7
1	A	412	ARG	2.7
1	E	241	LEU	2.7
1	F	242	ARG	2.7
1	B	498	VAL	2.7
1	G	311	ILE	2.7
1	C	351	ARG	2.7
1	E	412	ARG	2.7
1	B	464	ALA	2.7
1	D	514	PHE	2.7
1	E	26	GLN	2.7
1	A	30	LEU	2.7
1	B	233	LEU	2.7
1	B	129	PRO	2.7
1	F	93	HIS	2.7
1	E	240	ASP	2.7
1	A	377	THR	2.6
1	E	24	PHE	2.6
1	A	90	HIS	2.6
1	B	540[A]	LEU	2.6
1	C	109	SER	2.6
1	A	384	VAL	2.6
1	E	493	ILE	2.6
1	B	10	ARG	2.6
1	B	512	ARG	2.6
1	E	242	ARG	2.6
1	C	115	LEU	2.6
1	H	36	ASP	2.6
1	E	63	ILE	2.6
1	B	91	GLY	2.6
1	F	34	MET	2.6
1	C	79	ALA	2.6
1	B	487	ARG	2.6
1	E	266	VAL	2.6
1	C	75	GLU	2.6
1	E	491	GLU	2.6
1	C	111	ALA	2.6
1	B	237	ASP	2.6
1	E	118	ARG	2.6
1	H	231	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	116	SER	2.6
1	D	30	LEU	2.6
1	E	515	LEU	2.6
1	A	238	VAL	2.5
1	B	13	VAL	2.5
1	B	234	SER	2.5
1	B	415	PRO	2.5
1	F	86	LEU	2.5
1	F	270	LEU	2.5
1	B	507	GLU	2.5
1	E	97	ALA	2.5
1	E	124	LEU	2.5
1	A	91	GLY	2.5
1	D	90	HIS	2.5
1	F	412	ARG	2.5
1	H	23	ALA	2.5
1	E	443	LEU	2.5
1	G	416	LEU	2.5
1	H	34	MET	2.5
1	D	132	GLY	2.5
1	E	245	VAL	2.4
1	F	52	VAL	2.4
1	F	249	VAL	2.4
1	A	26	GLN	2.4
1	C	26	GLN	2.4
1	F	113	SER	2.4
1	G	540	LEU	2.4
1	A	112	GLY	2.4
1	E	75	GLU	2.4
1	E	100	ILE	2.4
1	F	12	ASP	2.4
1	F	493	ILE	2.4
1	B	275	HIS	2.4
1	B	520	LEU	2.4
1	D	515	LEU	2.4
1	D	26	GLN	2.4
1	F	488	GLU	2.4
1	G	26	GLN	2.4
1	H	273	GLU	2.4
1	E	122	ILE	2.4
1	E	516	ARG	2.4
1	E	123	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	408	GLU	2.4
1	F	308	ASP	2.4
1	C	413	ALA	2.3
1	G	232	GLY	2.3
1	B	110	PHE	2.3
1	B	107	VAL	2.3
1	A	126	THR	2.3
1	B	414	ALA	2.3
1	A	241	LEU	2.3
1	E	110	PHE	2.3
1	F	243	PHE	2.3
1	F	234	SER	2.3
1	B	263	VAL	2.3
1	B	87	ASN	2.3
1	E	436	CYS	2.3
1	F	491	GLU	2.3
1	A	445	THR	2.3
1	C	305	ALA	2.3
1	C	34	MET	2.3
1	E	484	LEU	2.3
1	D	273	GLU	2.2
1	C	110	PHE	2.2
1	B	475	VAL	2.2
1	E	103	VAL	2.2
1	F	521	VAL	2.2
1	H	129	PRO	2.2
1	E	487	ARG	2.2
1	B	111	ALA	2.2
1	E	34	MET	2.2
1	A	27	GLN	2.2
1	B	527	TRP	2.2
1	E	99	SER	2.2
1	B	122	ILE	2.2
1	B	377	THR	2.2
1	A	298	VAL	2.2
1	E	263	VAL	2.2
1	F	127	LYS	2.2
1	F	263	VAL	2.2
1	F	240	ASP	2.2
1	F	241	LEU	2.2
1	A	275	HIS	2.2
1	B	239	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	404	ARG	2.2
1	F	351	ARG	2.2
1	B	266	VAL	2.2
1	E	364	VAL	2.2
1	F	274	GLY	2.2
1	B	14	ALA	2.2
1	A	129	PRO	2.1
1	E	235	GLU	2.1
1	A	64	GLY	2.1
1	C	90	HIS	2.1
1	D	242[A]	ARG	2.1
1	E	267	ARG	2.1
1	A	127	LYS	2.1
1	E	510	LYS	2.1
1	B	308	ASP	2.1
1	B	488	GLU	2.1
1	B	433	PHE	2.1
1	F	411	ARG	2.1
1	G	404	ARG	2.1
1	G	487	ARG	2.1
1	H	413	ALA	2.1
1	A	436	CYS	2.1
1	B	468	SER	2.1
1	B	485	LEU	2.1
1	E	30	LEU	2.1
1	E	345	SER	2.1
1	A	108	GLU	2.1
1	E	273	GLU	2.1
1	A	237	ASP	2.1
1	C	112	GLY	2.1
1	C	459	ARG	2.1
1	H	130	GLY	2.1
1	A	514	PHE	2.1
1	A	471	ALA	2.1
1	F	540[A]	LEU	2.1
1	E	488	GLU	2.1
1	A	72	ARG	2.1
1	B	459	ARG	2.1
1	C	528	ARG	2.1
1	H	415	PRO	2.1
1	E	253	PHE	2.1
1	B	106	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	414	ALA	2.1
1	D	235	GLU	2.0
1	F	269	ALA	2.1
1	E	72	ARG	2.0
1	B	311	ILE	2.0
1	B	120	VAL	2.0
1	F	94	GLU	2.0
1	E	67	SER	2.0
1	B	260	ALA	2.0
1	E	269	ALA	2.0
1	E	378	ALA	2.0
1	F	414	ALA	2.0
1	E	309	LEU	2.0
1	E	128	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	K	E	604	1/1	0.74	0.55	105,105,105,105	0
3	OXL	A	602	6/6	0.85	0.13	77,77,77,77	0
6	O8O	E	605	38/38	0.86	0.15	56,63,67,69	19
6	O8O	H	601	38/38	0.87	0.13	47,53,56,57	19
5	K	B	604	1/1	0.89	0.16	90,90,90,90	0
3	OXL	D	602	6/6	0.91	0.10	54,55,55,56	0
3	OXL	G	602	6/6	0.92	0.11	50,50,51,52	0
6	O8O	A	605	38/38	0.92	0.12	51,57,62,62	19
5	K	A	604	1/1	0.92	0.28	83,83,83,83	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OXL	F	602	6/6	0.92	0.11	68,69,69,70	0
5	K	F	604	1/1	0.93	0.21	91,91,91,91	0
3	OXL	E	602	6/6	0.93	0.09	66,66,67,67	0
3	OXL	H	603	6/6	0.94	0.09	54,55,55,55	0
4	MG	C	603	1/1	0.94	0.11	31,31,31,31	0
5	K	G	604	1/1	0.94	0.21	69,69,69,69	0
4	MG	D	603	1/1	0.94	0.17	33,33,33,33	0
6	O8O	D	605	38/38	0.94	0.10	47,50,54,55	19
2	FBP	F	601	20/20	0.94	0.09	52,56,61,61	0
3	OXL	C	602	6/6	0.94	0.16	49,50,50,50	0
5	K	H	605	1/1	0.95	0.11	66,66,66,66	0
5	K	D	604	1/1	0.95	0.13	60,60,60,60	0
2	FBP	B	601	20/20	0.95	0.08	52,53,57,58	0
3	OXL	B	602	6/6	0.95	0.08	64,65,66,66	0
5	K	C	604	1/1	0.95	0.25	75,75,75,75	0
4	MG	F	603	1/1	0.96	0.09	42,42,42,42	0
4	MG	H	604	1/1	0.96	0.11	30,30,30,30	0
2	FBP	A	601	20/20	0.97	0.06	47,48,51,51	0
4	MG	G	603	1/1	0.97	0.09	28,28,28,28	0
4	MG	A	603	1/1	0.97	0.07	42,42,42,42	0
2	FBP	H	602	20/20	0.97	0.06	34,37,39,41	0
2	FBP	E	601	20/20	0.97	0.06	52,54,57,57	0
2	FBP	D	601	20/20	0.98	0.05	33,36,38,39	0
2	FBP	G	601	20/20	0.98	0.04	33,35,37,37	0
4	MG	E	603	1/1	0.98	0.10	34,34,34,34	0
2	FBP	C	601	20/20	0.99	0.04	33,34,39,41	0
4	MG	B	603	1/1	0.99	0.07	43,43,43,43	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around O8O E 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around O8O H 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O8O A 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O8O D 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP F 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP H 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.