



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 08:02 PM UTC

PDB ID : 7FS9 / pdb_00007fs9
Title : Structure of liver pyruvate kinase in complex with allosteric modulator 22
Authors : Lulla, A.; Nilsson, O.; Brear, P.; Nain-Perez, A.; Grotli, M.; Hyvonen, M.
Deposited on : 2022-12-18
Resolution : 1.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	11% 88% 6% 6%
1	B	447	15% 91% 6% .
1	C	447	6% 91% . 5%
1	D	447	4% 91% . 5%
1	E	447	13% 88% 5% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	 9% 92% 5%
1	G	447	 4% 88% 5% 6%
1	H	447	 4% 91% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	603	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	F	602	-	X	-	-
3	OXL	G	603	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 29801 atoms, of which 76 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	422	Total	C	N	O	S	0	6	0
			3236	2034	585	597	20			
1	B	436	Total	C	N	O	S	0	4	0
			3329	2090	604	615	20			
1	C	425	Total	C	N	O	S	0	4	0
			3247	2040	585	603	19			
1	D	425	Total	C	N	O	S	0	6	0
			3252	2042	590	601	19			
1	E	419	Total	C	N	O	S	0	5	0
			3210	2018	579	593	20			
1	F	432	Total	C	N	O	S	0	7	0
			3321	2090	597	614	20			
1	G	421	Total	C	N	O	S	0	6	0
			3231	2031	581	600	19			
1	H	425	Total	C	N	O	S	0	4	0
			3251	2040	594	598	19			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	1	MET	-	expression tag	UNP P30613
A	2	GLU	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	1	MET	-	expression tag	UNP P30613
B	2	GLU	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613
C	0	SER	-	expression tag	UNP P30613
C	1	MET	-	expression tag	UNP P30613
C	2	GLU	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	1	MET	-	expression tag	UNP P30613
D	2	GLU	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	1	MET	-	expression tag	UNP P30613
E	2	GLU	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	228	GLY	-	linker	UNP P30613
E	229	SER	-	linker	UNP P30613
E	230	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	1	MET	-	expression tag	UNP P30613
F	2	GLU	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	228	GLY	-	linker	UNP P30613
F	229	SER	-	linker	UNP P30613
F	230	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	1	MET	-	expression tag	UNP P30613
G	2	GLU	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	1	MET	-	expression tag	UNP P30613
H	2	GLU	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: C₆H₁₄O₁₂P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		


- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is 4-[4-(4-aminobenzene-1-sulfonyl)piperazine-1-sulfonyl]benzene-1,2-diol (CCD ID: OB0) (formula: C₁₆H₁₉N₃O₆S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	H	N	O	S	
			46	16	19	3	6	2	19 0
6	C	1	Total	C	H	N	O	S	
			46	16	19	3	6	2	19 0
6	F	1	Total	C	H	N	O	S	
			46	16	19	3	6	2	19 0
6	G	1	Total	C	H	N	O	S	
			46	16	19	3	6	2	19 0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	345	Total	O	0	0
			345	345		
7	B	338	Total	O	0	0
			338	338		
7	C	422	Total	O	0	0
			422	422		
7	D	471	Total	O	0	0
			471	471		
7	E	317	Total	O	0	0
			317	317		
7	F	442	Total	O	0	0
			442	442		
7	G	444	Total	O	0	0
			444	444		
7	H	537	Total	O	0	0
			537	537		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase PKLR



• Molecule 1: Pyruvate kinase PKLR





• Molecule 1: Pyruvate kinase PKLR












- Molecule 1: Pyruvate kinase PKLR





- Molecule 1: Pyruvate kinase PKLR





- Molecule 1: Pyruvate kinase PKLR



- Molecule 1: Pyruvate kinase PKLR



● Molecule 1: Pyruvate kinase PKLR



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	208.83Å 112.99Å 189.09Å 90.00° 91.18° 90.00°	Depositor
Resolution (Å)	104.39 – 1.72 104.39 – 1.72	Depositor EDS
% Data completeness (in resolution range)	79.5 (104.39-1.72) 79.5 (104.39-1.72)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.70 (at 1.72Å)	Xtriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.193 , 0.211 0.187 , 0.203	Depositor DCC
R_{free} test set	18403 reflections (3.97%)	wwPDB-VP
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.012	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	29801	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.54 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3018e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, K, OXL, OB0, FBP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/3307	0.93	1/4469 (0.0%)
1	B	0.67	1/3396 (0.0%)	0.93	1/4592 (0.0%)
1	C	0.69	0/3313	0.93	2/4479 (0.0%)
1	D	0.70	0/3326	0.91	0/4497
1	E	0.62	0/3278	0.93	0/4430
1	F	0.67	0/3396	0.93	0/4591
1	G	0.70	0/3303	0.91	1/4465 (0.0%)
1	H	0.71	0/3316	0.91	1/4483 (0.0%)
All	All	0.68	1/26635 (0.0%)	0.92	6/36006 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	374	SER	CA-C	6.28	1.55	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	514	PHE	CA-CB-CG	6.67	120.47	113.80
1	H	514	PHE	CA-CB-CG	5.51	119.31	113.80
1	G	514	PHE	CA-CB-CG	5.36	119.16	113.80
1	C	46	ASP	CA-CB-CG	5.10	117.70	112.60
1	B	46	ASP	CA-CB-CG	5.09	117.69	112.60
1	A	422	GLU	CB-CG-CD	5.08	121.23	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3236	0	3299	14	0
1	B	3329	0	3394	13	0
1	C	3247	0	3299	12	0
1	D	3252	0	3310	11	0
1	E	3210	0	3270	11	0
1	F	3321	0	3393	12	0
1	G	3231	0	3284	15	0
1	H	3251	0	3306	12	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	B	27	19	0	0	0
6	C	27	19	0	0	0
6	F	27	19	0	0	0
6	G	27	19	0	0	0
7	A	345	0	0	0	0
7	B	338	0	0	0	0
7	C	422	0	0	1	0
7	D	471	0	0	2	0
7	E	317	0	0	0	0
7	F	442	0	0	0	0
7	G	444	0	0	0	0
7	H	537	0	0	1	0
All	All	29725	76	26635	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:411:ARG:HG3	1:B:426:ILE:HD11	1.50	0.92
1:C:411:ARG:HG3	1:C:426:ILE:HD11	1.50	0.91
1:F:411:ARG:HG3	1:F:426:ILE:HD11	1.53	0.91
1:D:411:ARG:HG3	1:D:426:ILE:HD11	1.59	0.84
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.61	0.81
1:G:411:ARG:HG3	1:G:426:ILE:HD11	1.61	0.81
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.65	0.79
1:E:411:ARG:HG3	1:E:426:ILE:HD11	1.71	0.72
1:A:418[A]:ARG:HG3	1:B:16:LEU:HD11	1.72	0.71
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.73	0.70
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.72	0.70
1:A:538:ARG:HG3	1:B:536:ILE:HG12	1.74	0.69
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.76	0.68
1:A:272:PRO:HA	1:A:275:HIS:CE1	2.31	0.66
1:C:538:ARG:HD3	7:C:814:HOH:O	1.95	0.64
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.81	0.63
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.83	0.61
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:68:ARG:HH22	1:D:98:GLU:HB2	1.68	0.58
1:G:245:VAL:CG1	1:G:273:GLU:HG2	2.36	0.56
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.74	0.55
1:F:407:PHE:CD2	1:F:411:ARG:NH1	2.75	0.55
1:B:407:PHE:CD2	1:B:411:ARG:NH1	2.75	0.54
1:B:407:PHE:CE2	1:B:411:ARG:NH1	2.75	0.54
1:D:68:ARG:NH2	1:D:95:TYR:O	2.40	0.54
1:C:407:PHE:CE2	1:C:411:ARG:NH1	2.75	0.54
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.23	0.53
1:G:430[B]:GLU:OE2	1:H:430:GLU:OE1	2.27	0.53
1:C:407:PHE:CD2	1:C:411:ARG:NH1	2.77	0.52
1:H:75:GLU:HG3	7:H:1150:HOH:O	2.10	0.52
1:A:517:VAL:HG13	1:A:543:SER:HB3	1.91	0.52
1:D:242[A]:ARG:HG2	7:D:707:HOH:O	2.09	0.51
1:G:537:MET:HE3	1:H:537:MET:HG2	1.92	0.51
1:B:115:LEU:HD11	1:B:511:LEU:HD12	1.91	0.51
1:A:67:SER:HA	1:A:72:ARG:HG2	1.92	0.50
1:E:235:GLU:O	1:E:239:ARG:HD3	2.12	0.50
1:G:430[A]:GLU:OE1	1:H:430:GLU:OE1	2.30	0.50
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.94	0.49
1:F:28:GLN:HG3	1:F:30:LEU:HG	1.94	0.49
1:G:28:GLN:HG3	1:G:30:LEU:HG	1.96	0.48
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.95	0.48
1:B:382:PHE:HB3	1:B:385:GLU:HB2	1.96	0.48
1:C:67:SER:HA	1:C:72:ARG:HG2	1.96	0.47
1:C:272:PRO:HD3	1:G:446:THR:HG22	1.96	0.47
1:A:28:GLN:HG3	1:A:30:LEU:HG	1.97	0.47
1:G:486:TYR:CZ	1:G:488:GLU:HB2	2.49	0.47
1:D:28:GLN:HG3	1:D:30:LEU:HG	1.97	0.46
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.98	0.46
1:B:28:GLN:HG3	1:B:30:LEU:HG	1.97	0.46
1:A:272:PRO:HA	1:A:275:HIS:NE2	2.29	0.46
1:B:65:PRO:HG2	1:B:379:LYS:HG2	1.98	0.45
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.98	0.45
1:H:55:ARG:HB2	1:H:395:ARG:HG3	1.97	0.45
1:H:28:GLN:HG3	1:H:30:LEU:HG	1.98	0.45
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.99	0.45
1:E:28:GLN:HG3	1:E:30:LEU:HG	1.97	0.45
1:D:55:ARG:HB2	1:D:395:ARG:HG3	1.98	0.45
1:C:28:GLN:HG3	1:C:30:LEU:HG	1.99	0.45
1:E:67:SER:HA	1:E:72:ARG:HG2	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:ARG:HB2	1:A:395:ARG:HG3	1.99	0.44
1:E:56:SER:HB2	1:E:480:GLY:HA2	1.98	0.44
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.99	0.44
1:E:418:ARG:HD3	1:F:16:LEU:HD11	2.01	0.43
1:F:439:ALA:HB3	1:F:515:LEU:HD21	2.00	0.43
1:B:67:SER:HA	1:B:72:ARG:HG2	2.00	0.43
1:F:67:SER:HA	1:F:72:ARG:HG2	1.99	0.43
1:D:242[B]:ARG:HG3	7:D:707:HOH:O	2.19	0.43
1:A:430:GLU:OE2	1:B:430:GLU:OE1	2.36	0.43
1:G:55:ARG:HB2	1:G:395:ARG:HG3	2.01	0.43
1:G:67:SER:HA	1:G:72:ARG:HG2	1.99	0.43
1:G:269:ALA:C	1:G:271:GLY:H	2.27	0.43
1:D:535:ASN:OD1	1:D:536:ILE:HG13	2.19	0.42
1:C:271:GLY:O	1:C:275:HIS:CE1	2.73	0.42
1:F:382:PHE:HB3	1:F:385:GLU:HB2	2.00	0.42
1:A:486:TYR:CZ	1:A:488[B]:GLU:HB2	2.55	0.42
1:E:55:ARG:HB2	1:E:395:ARG:HG3	2.02	0.42
1:H:290:LYS:HA	1:H:290:LYS:HD2	1.86	0.42
1:C:55:ARG:HB2	1:C:395:ARG:HG3	2.02	0.41
1:A:382:PHE:HB3	1:A:385:GLU:HB2	2.02	0.41
1:A:411:ARG:HG3	1:A:426:ILE:HD11	2.03	0.41
1:E:435:CYS:HB3	1:F:423:VAL:HG21	2.03	0.41
1:A:421:THR:HG22	1:A:452:LEU:HD12	2.03	0.41
1:E:535:ASN:OD1	1:E:536:ILE:HG13	2.21	0.40
1:H:535:ASN:OD1	1:H:536:ILE:HG13	2.21	0.40
1:H:56:SER:HB2	1:H:480:GLY:CA	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/447 (95%)	419 (99%)	4 (1%)	1 (0%)	43	31
1	B	438/447 (98%)	433 (99%)	4 (1%)	1 (0%)	43	31
1	C	425/447 (95%)	419 (99%)	5 (1%)	1 (0%)	43	31
1	D	429/447 (96%)	424 (99%)	4 (1%)	1 (0%)	43	31
1	E	420/447 (94%)	415 (99%)	4 (1%)	1 (0%)	43	31
1	F	435/447 (97%)	431 (99%)	3 (1%)	1 (0%)	43	31
1	G	423/447 (95%)	413 (98%)	8 (2%)	2 (0%)	24	11
1	H	427/447 (96%)	422 (99%)	4 (1%)	1 (0%)	43	31
All	All	3421/3576 (96%)	3376 (99%)	36 (1%)	9 (0%)	36	24

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	271	GLY
1	A	340	THR
1	B	340	THR
1	C	340	THR
1	D	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	H	340	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/352 (97%)	334 (98%)	6 (2%)	51	29
1	B	349/352 (99%)	340 (97%)	9 (3%)	40	18
1	C	341/352 (97%)	341 (100%)	0	100	100
1	D	342/352 (97%)	339 (99%)	3 (1%)	70	57
1	E	338/352 (96%)	331 (98%)	7 (2%)	47	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	350/352 (99%)	345 (99%)	5 (1%)	59	40
1	G	340/352 (97%)	338 (99%)	2 (1%)	78	68
1	H	340/352 (97%)	337 (99%)	3 (1%)	70	57
All	All	2740/2816 (97%)	2705 (99%)	35 (1%)	65	43

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	LEU
1	A	408	GLU
1	A	537[A]	MET
1	A	537[B]	MET
1	A	538	ARG
1	A	540	LEU
1	B	10	ARG
1	B	71	GLU
1	B	115	LEU
1	B	263	VAL
1	B	379	LYS
1	B	412	ARG
1	B	516	ARG
1	B	537[A]	MET
1	B	537[B]	MET
1	D	68	ARG
1	D	118	ARG
1	D	537	MET
1	E	115	LEU
1	E	408	GLU
1	E	412	ARG
1	E	511	LEU
1	E	537[A]	MET
1	E	537[B]	MET
1	E	539	VAL
1	F	242	ARG
1	F	291	ARG
1	F	412	ARG
1	F	537[A]	MET
1	F	537[B]	MET
1	G	273	GLU
1	G	412	ARG
1	H	273	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	412	ARG
1	H	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	HIS
1	A	236	GLN
1	B	90	HIS
1	B	390	GLN
1	C	90	HIS
1	D	90	HIS
1	E	90	HIS
1	F	90	HIS
1	G	90	HIS
1	G	470	GLN
1	H	90	HIS
1	H	403	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 16 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FBP	H	601	-	18,20,20	0.75	0	21,32,32	0.71	1 (4%)
2	FBP	B	601	-	18,20,20	0.81	1 (5%)	21,32,32	0.79	1 (4%)
3	OXL	D	602	4	5,5,5	2.05	2 (40%)	6,6,6	2.38	3 (50%)
3	OXL	E	602	4	5,5,5	2.19	2 (40%)	6,6,6	1.79	2 (33%)
6	OB0	C	601	-	29,29,29	0.55	0	43,44,44	0.44	0
3	OXL	F	602	4	5,5,5	2.83	4 (80%)	6,6,6	2.51	3 (50%)
2	FBP	C	602	-	18,20,20	0.64	0	21,32,32	0.60	0
6	OB0	G	601	-	29,29,29	0.47	0	43,44,44	0.52	0
2	FBP	E	601	-	18,20,20	0.61	0	21,32,32	0.63	1 (4%)
2	FBP	F	601	-	18,20,20	0.46	0	21,32,32	0.56	0
3	OXL	G	603	4	5,5,5	2.16	2 (40%)	6,6,6	2.44	3 (50%)
6	OB0	B	605	-	29,29,29	0.51	0	43,44,44	0.36	0
3	OXL	A	602	4	5,5,5	1.98	2 (40%)	6,6,6	2.07	3 (50%)
6	OB0	F	605	-	29,29,29	0.52	0	43,44,44	0.52	0
3	OXL	H	602	4	5,5,5	1.70	2 (40%)	6,6,6	1.65	1 (16%)
2	FBP	A	601	-	18,20,20	0.48	0	21,32,32	0.58	0
3	OXL	B	602	4	5,5,5	2.14	2 (40%)	6,6,6	1.56	2 (33%)
2	FBP	D	601	-	18,20,20	0.44	0	21,32,32	0.70	1 (4%)
3	OXL	C	603	4	5,5,5	1.85	2 (40%)	6,6,6	1.74	1 (16%)
2	FBP	G	602	-	18,20,20	0.48	0	21,32,32	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	4	-	4/4/4/4	-
3	OXL	E	602	4	-	4/4/4/4	-
6	OB0	C	601	-	-	0/24/34/34	0/3/3/3
3	OXL	F	602	4	-	4/4/4/4	-
2	FBP	C	602	-	-	2/13/32/32	0/1/1/1
6	OB0	G	601	-	-	0/24/34/34	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
3	OXL	G	603	4	-	4/4/4/4	-
6	OB0	B	605	-	-	12/24/34/34	0/3/3/3
3	OXL	A	602	4	-	4/4/4/4	-
6	OB0	F	605	-	-	0/24/34/34	0/3/3/3
3	OXL	H	602	4	-	4/4/4/4	-
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
3	OXL	B	602	4	-	4/4/4/4	-
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
3	OXL	C	603	4	-	4/4/4/4	-
2	FBP	G	602	-	-	2/13/32/32	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	602	OXL	O1-C1	4.14	1.32	1.22
3	B	602	OXL	O2-C2	3.65	1.31	1.22
3	G	603	OXL	O1-C1	3.62	1.31	1.22
3	F	602	OXL	O1-C1	3.52	1.31	1.22
3	A	602	OXL	O2-C2	3.50	1.31	1.22
3	F	602	OXL	O2-C2	3.38	1.30	1.22
3	D	602	OXL	O2-C2	3.38	1.30	1.22
3	C	603	OXL	O1-C1	3.25	1.30	1.22
3	F	602	OXL	O3-C1	-3.22	1.21	1.30
3	G	603	OXL	O3-C1	-3.07	1.22	1.30
3	D	602	OXL	O4-C2	-3.02	1.22	1.30
3	B	602	OXL	O4-C2	-2.99	1.22	1.30
3	H	602	OXL	O4-C2	-2.73	1.23	1.30
3	A	602	OXL	O4-C2	-2.69	1.23	1.30
3	H	602	OXL	O2-C2	2.57	1.28	1.22
3	E	602	OXL	O3-C1	-2.56	1.23	1.30
3	F	602	OXL	O4-C2	-2.40	1.24	1.30
3	C	603	OXL	O3-C1	-2.35	1.24	1.30
2	B	601	FBP	P1-O3P	-2.05	1.47	1.54

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	602	OXL	O4-C2-C1	4.18	120.93	112.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	603	OXL	O3-C1-C2	3.93	120.45	112.83
3	D	602	OXL	O4-C2-C1	3.91	120.41	112.83
3	A	602	OXL	O4-C2-C1	3.78	120.16	112.83
3	C	603	OXL	O3-C1-C2	3.61	119.84	112.83
3	H	602	OXL	O4-C2-C1	3.53	119.69	112.83
3	G	603	OXL	O4-C2-C1	3.52	119.65	112.83
3	F	602	OXL	O3-C1-C2	3.35	119.33	112.83
3	E	602	OXL	O3-C1-C2	3.11	118.87	112.83
3	D	602	OXL	O3-C1-C2	3.11	118.86	112.83
3	B	602	OXL	O4-C2-C1	2.62	117.91	112.83
3	F	602	OXL	O2-C2-C1	-2.61	115.19	120.63
3	B	602	OXL	O3-C1-C2	2.52	117.71	112.83
3	E	602	OXL	O4-C2-C1	2.36	117.41	112.83
3	A	602	OXL	O2-C2-C1	-2.35	115.73	120.63
3	D	602	OXL	O2-C2-C1	-2.33	115.79	120.63
3	A	602	OXL	O3-C1-C2	2.32	117.33	112.83
2	H	601	FBP	O5P-P2-O6	2.23	112.48	106.67
2	B	601	FBP	O3P-P1-O2P	2.21	116.08	107.80
2	E	601	FBP	O3P-P1-O2P	2.06	115.52	107.80
2	D	601	FBP	O5P-P2-O6	2.04	111.98	106.67
3	G	603	OXL	O1-C1-C2	-2.03	116.41	120.63

There are no chirality outliers.

All (60) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	605	OB0	C9-N-S-O5
6	B	605	OB0	C8-N1-S1-O1
6	B	605	OB0	C8-N1-S1-O2
6	B	605	OB0	C1-N1-S1-O2
6	B	605	OB0	C9-N-S-C10
6	B	605	OB0	C9-N-S-O
6	B	605	OB0	C8-N1-S1-C2
6	B	605	OB0	C1-N1-S1-O1
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	C	602	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	G	602	FBP	C4-C5-C6-O6
6	B	605	OB0	C1-N1-S1-C2
6	B	605	OB0	C-N-S-O

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
6	B	605	OB0	C-N-S-O5
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6
2	C	602	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	G	602	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
6	B	605	OB0	C-N-S-C10
3	H	602	OXL	O3-C1-C2-O4
3	C	603	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O4
3	G	603	OXL	O3-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O4
3	A	602	OXL	O1-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O2
3	C	603	OXL	O1-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O2
3	G	603	OXL	O1-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O2
3	C	603	OXL	O1-C1-C2-O4
3	C	603	OXL	O3-C1-C2-O2
3	F	602	OXL	O3-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O2
3	A	602	OXL	O1-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O4
3	G	603	OXL	O1-C1-C2-O4
3	G	603	OXL	O3-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O4

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	E	602	OXL	O3-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O4


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














Ligand FBP E 601




Ligand FBP F 601




Ligand OB0 B 605





Ligand OB0 F 605



Ligand FBP A 601







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	422/447 (94%)	0.78	49 (11%) 9 13	17, 34, 56, 71	6 (1%)
1	B	436/447 (97%)	0.88	66 (15%) 5 8	17, 34, 56, 70	4 (0%)
1	C	425/447 (95%)	0.27	25 (5%) 28 34	16, 26, 47, 87	4 (0%)
1	D	425/447 (95%)	0.05	19 (4%) 38 45	12, 24, 43, 83	6 (1%)
1	E	419/447 (93%)	0.85	56 (13%) 7 10	18, 35, 60, 74	5 (1%)
1	F	432/447 (96%)	0.48	42 (9%) 13 19	17, 29, 50, 66	7 (1%)
1	G	421/447 (94%)	0.08	17 (4%) 42 49	14, 25, 40, 57	7 (1%)
1	H	425/447 (95%)	-0.09	18 (4%) 40 48	11, 21, 42, 67	4 (0%)
All	All	3405/3576 (95%)	0.41	292 (8%) 16 21	11, 29, 53, 87	43 (1%)

All (292) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	25	PHE	8.9
1	G	271	GLY	8.6
1	C	271	GLY	7.5
1	A	25	PHE	6.9
1	G	25	PHE	6.4
1	E	23	ALA	6.3
1	H	21	GLY	6.2
1	E	25	PHE	6.2
1	D	21	GLY	6.0
1	C	25	PHE	5.6
1	D	24	PHE	5.5
1	D	22	THR	5.5
1	C	232	GLY	5.2
1	H	25	PHE	5.2
1	C	20	LEU	5.1
1	C	231	PRO	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	23	ALA	4.9
1	F	489	PRO	4.7
1	A	24	PHE	4.7
1	F	231	PRO	4.7
1	B	489	PRO	4.6
1	E	232	GLY	4.6
1	E	514	PHE	4.4
1	C	132	GLY	4.4
1	A	543	SER	4.4
1	H	231	PRO	4.3
1	E	511	LEU	4.2
1	H	22	THR	4.2
1	B	130	GLY	4.1
1	G	23	ALA	4.0
1	E	24	PHE	4.0
1	E	490	PRO	3.9
1	A	132	GLY	3.9
1	C	21	GLY	3.9
1	F	516	ARG	3.9
1	B	416	LEU	3.9
1	B	490	PRO	3.9
1	A	23	ALA	3.8
1	H	411	ARG	3.8
1	A	232	GLY	3.8
1	C	272	PRO	3.7
1	A	30	LEU	3.7
1	F	490	PRO	3.7
1	B	231	PRO	3.7
1	E	115	LEU	3.6
1	E	269	ALA	3.6
1	G	24	PHE	3.5
1	A	488[A]	GLU	3.5
1	B	118	ARG	3.5
1	C	412	ARG	3.5
1	B	413	ALA	3.5
1	F	484	LEU	3.5
1	B	91	GLY	3.5
1	B	414	ALA	3.4
1	E	540	LEU	3.4
1	G	231	PRO	3.4
1	E	26	GLN	3.4
1	G	272	PRO	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	115	LEU	3.4
1	B	511	LEU	3.4
1	C	24	PHE	3.4
1	E	114	PRO	3.4
1	A	311	ILE	3.3
1	A	514	PHE	3.3
1	D	275[A]	HIS	3.3
1	G	132	GLY	3.3
1	H	232	GLY	3.3
1	F	517	VAL	3.3
1	C	23	ALA	3.3
1	F	512	ARG	3.3
1	G	52	VAL	3.3
1	E	493	ILE	3.2
1	C	22	THR	3.2
1	B	415	PRO	3.2
1	F	415	PRO	3.2
1	B	267[A]	ARG	3.2
1	C	411	ARG	3.2
1	B	272	PRO	3.2
1	B	132	GLY	3.2
1	F	267[A]	ARG	3.2
1	B	269	ALA	3.2
1	A	540	LEU	3.1
1	B	275	HIS	3.1
1	A	70	VAL	3.1
1	C	117	TYR	3.1
1	E	542	ILE	3.1
1	A	233	LEU	3.1
1	H	514	PHE	3.1
1	G	412	ARG	3.1
1	F	232	GLY	3.1
1	A	34	MET	3.1
1	B	379	LYS	3.1
1	F	416	LEU	3.1
1	F	492	ALA	3.1
1	E	275	HIS	3.0
1	C	34	MET	3.0
1	A	111	ALA	3.0
1	F	488	GLU	3.0
1	B	90	HIS	3.0
1	C	26	GLN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	271	GLY	3.0
1	E	129	PRO	3.0
1	B	232	GLY	3.0
1	C	111	ALA	3.0
1	E	506	ILE	3.0
1	F	411	ARG	3.0
1	H	412	ARG	3.0
1	B	488	GLU	3.0
1	B	543	SER	2.9
1	E	351	ARG	2.9
1	B	348	THR	2.9
1	F	379	LYS	2.9
1	C	233	LEU	2.9
1	E	270	LEU	2.9
1	B	268	ALA	2.9
1	E	233	LEU	2.9
1	B	411	ARG	2.9
1	F	412	ARG	2.9
1	D	412	ARG	2.9
1	G	232	GLY	2.9
1	E	110	PHE	2.8
1	A	73	LEU	2.8
1	B	241	LEU	2.8
1	C	114	PRO	2.8
1	E	89	SER	2.8
1	F	351	ARG	2.8
1	H	516	ARG	2.8
1	B	492	ALA	2.8
1	A	412	ARG	2.8
1	E	34	MET	2.8
1	B	88	PHE	2.8
1	A	273	GLU	2.8
1	E	515	LEU	2.8
1	F	233	LEU	2.8
1	E	90	HIS	2.8
1	F	504	PHE	2.7
1	E	52	VAL	2.7
1	F	493	ILE	2.7
1	A	90	HIS	2.7
1	H	23	ALA	2.7
1	E	256	PHE	2.7
1	E	238	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	90	HIS	2.7
1	B	311	ILE	2.7
1	B	507	GLU	2.7
1	F	507	GLU	2.7
1	C	112	GLY	2.7
1	D	232	GLY	2.7
1	B	233	LEU	2.7
1	E	30	LEU	2.7
1	H	52	VAL	2.7
1	A	118	ARG	2.6
1	B	242	ARG	2.6
1	C	110	PHE	2.6
1	D	30	LEU	2.6
1	H	416	LEU	2.6
1	F	90	HIS	2.6
1	E	489	PRO	2.6
1	B	270	LEU	2.6
1	B	484	LEU	2.6
1	E	499	ASP	2.6
1	B	238	VAL	2.6
1	B	271	GLY	2.6
1	E	492	ALA	2.6
1	F	11	ALA	2.6
1	B	10	ARG	2.6
1	B	412	ARG	2.6
1	D	273	GLU	2.6
1	F	275	HIS	2.5
1	E	412	ARG	2.5
1	A	493	ILE	2.5
1	D	311	ILE	2.5
1	E	311	ILE	2.5
1	F	129	PRO	2.5
1	E	109	SER	2.5
1	E	541[A]	SER	2.5
1	F	118	ARG	2.5
1	F	242	ARG	2.5
1	A	95	TYR	2.5
1	B	107	VAL	2.5
1	B	347	ILE	2.5
1	F	414	ALA	2.5
1	B	408	GLU	2.5
1	F	487	ARG	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	514	PHE	2.5
1	A	112	GLY	2.5
1	A	68	ARG	2.5
1	A	351	ARG	2.5
1	A	270	LEU	2.4
1	A	515	LEU	2.4
1	A	272	PRO	2.4
1	B	516	ARG	2.4
1	D	242[A]	ARG	2.4
1	D	404	ARG	2.4
1	A	26	GLN	2.4
1	G	26	GLN	2.4
1	H	26	GLN	2.4
1	G	411	ARG	2.4
1	B	112	GLY	2.4
1	C	115	LEU	2.4
1	A	113	SER	2.4
1	C	113	SER	2.4
1	B	266	VAL	2.4
1	F	542[A]	ILE	2.4
1	A	275	HIS	2.4
1	B	128	GLY	2.4
1	B	236	GLN	2.4
1	B	14	ALA	2.4
1	B	504	PHE	2.4
1	B	542	ILE	2.4
1	F	311	ILE	2.4
1	D	26	GLN	2.3
1	A	114	PRO	2.3
1	A	436	CYS	2.3
1	B	71	GLU	2.3
1	B	540[A]	LEU	2.3
1	H	24	PHE	2.3
1	A	63	ILE	2.3
1	E	543	SER	2.3
1	D	411	ARG	2.3
1	B	378	ALA	2.3
1	F	94	GLU	2.3
1	H	273	GLU	2.3
1	A	72	ARG	2.3
1	E	70	VAL	2.3
1	E	242	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	459	ARG	2.3
1	D	231	PRO	2.3
1	E	111	ALA	2.3
1	F	241	LEU	2.3
1	E	118	ARG	2.3
1	E	243	PHE	2.3
1	E	504	PHE	2.3
1	D	34	MET	2.3
1	E	272	PRO	2.2
1	B	512	ARG	2.2
1	F	270	LEU	2.2
1	B	493	ILE	2.2
1	C	487	ARG	2.2
1	B	106	ALA	2.2
1	E	116	SER	2.2
1	F	515	LEU	2.2
1	A	75	GLU	2.2
1	A	411	ARG	2.2
1	E	95	TYR	2.2
1	G	311	ILE	2.2
1	D	52	VAL	2.2
1	E	103	VAL	2.2
1	E	245	VAL	2.2
1	A	116	SER	2.2
1	B	111	ALA	2.2
1	H	36	ASP	2.2
1	A	404	ARG	2.2
1	A	117	TYR	2.2
1	B	100	ILE	2.2
1	A	541	SER	2.2
1	B	70	VAL	2.1
1	E	517	VAL	2.1
1	F	269	ALA	2.1
1	G	34	MET	2.1
1	B	256	PHE	2.1
1	A	242	ARG	2.1
1	E	516	ARG	2.1
1	A	238	VAL	2.1
1	B	97	ALA	2.1
1	B	517	VAL	2.1
1	H	414	ALA	2.1
1	D	436	CYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	436	CYS	2.1
1	F	272	PRO	2.1
1	B	382	PHE	2.1
1	E	513	GLY	2.1
1	F	112	GLY	2.1
1	A	517	VAL	2.1
1	B	263	VAL	2.1
1	A	241	LEU	2.1
1	G	270	LEU	2.1
1	G	404	ARG	2.1
1	B	25	PHE	2.1
1	E	274	GLY	2.0
1	B	75	GLU	2.0
1	F	268	ALA	2.0
1	F	34	MET	2.0
1	A	249	VAL	2.0
1	F	238	VAL	2.0
1	B	115	LEU	2.0
1	E	491	GLU	2.0
1	A	130	GLY	2.0
1	C	514	PHE	2.0
1	B	260	ALA	2.0
1	A	245	VAL	2.0
1	E	263	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	K	E	604	1/1	0.89	0.28	72,72,72,72	0
3	OXL	B	602	6/6	0.91	0.11	37,38,40,40	0
3	OXL	E	602	6/6	0.91	0.10	39,40,41,41	0
3	OXL	A	602	6/6	0.91	0.10	38,39,41,41	0
6	OB0	G	601	27/27	0.91	0.13	36,38,40,40	19
3	OXL	D	602	6/6	0.92	0.08	29,29,30,30	0
6	OB0	C	601	27/27	0.92	0.11	32,35,36,38	19
3	OXL	G	603	6/6	0.92	0.08	28,29,29,29	0
6	OB0	B	605	27/27	0.93	0.11	30,34,35,36	19
3	OXL	H	602	6/6	0.93	0.07	24,25,26,27	0
6	OB0	F	605	27/27	0.93	0.10	30,33,35,36	19
3	OXL	C	603	6/6	0.93	0.08	34,35,35,36	0
3	OXL	F	602	6/6	0.94	0.07	32,33,34,35	0
5	K	A	604	1/1	0.95	0.20	55,55,55,55	0
5	K	F	604	1/1	0.95	0.15	57,57,57,57	0
5	K	C	605	1/1	0.96	0.14	46,46,46,46	0
2	FBP	B	601	20/20	0.96	0.07	29,29,33,33	0
5	K	B	604	1/1	0.96	0.13	59,59,59,59	0
5	K	H	604	1/1	0.96	0.10	41,41,41,41	0
2	FBP	F	601	20/20	0.97	0.06	27,29,32,32	0
2	FBP	A	601	20/20	0.97	0.06	28,29,31,31	0
5	K	G	605	1/1	0.97	0.12	43,43,43,43	0
5	K	D	604	1/1	0.97	0.10	41,41,41,41	0
2	FBP	E	601	20/20	0.98	0.05	28,29,33,33	0
2	FBP	G	602	20/20	0.99	0.03	18,18,19,19	0
2	FBP	H	601	20/20	0.99	0.04	16,18,19,20	0
4	MG	A	603	1/1	0.99	0.14	22,22,22,22	0
4	MG	B	603	1/1	0.99	0.17	20,20,20,20	0
4	MG	D	603	1/1	0.99	0.15	12,12,12,12	0
4	MG	E	603	1/1	0.99	0.13	21,21,21,21	0
4	MG	F	603	1/1	0.99	0.14	15,15,15,15	0
4	MG	H	603	1/1	0.99	0.15	10,10,10,10	0
2	FBP	C	602	20/20	0.99	0.04	19,21,23,24	0
2	FBP	D	601	20/20	0.99	0.04	19,19,22,23	0
4	MG	G	604	1/1	1.00	0.15	11,11,11,11	0
4	MG	C	604	1/1	1.00	0.14	13,13,13,13	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OB0 G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OB0 C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OB0 B 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OB0 F 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP F 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP G 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FBP H 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP C 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.