



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 07:07 AM UTC

PDB ID : 7FSC / pdb_00007fsc
Title : Structure of liver pyruvate kinase in complex with allosteric modulator 42
Authors : Lulla, A.; Nilsson, O.; Brear, P.; Nain-Perez, A.; Grotli, M.; Hyvonen, M.
Deposited on : 2022-12-18
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	9% 89% 5% 6%
1	B	447	11% 92% 5%
1	C	447	5% 89% 6% 5%
1	D	447	4% 90% 5% 5%
1	E	447	11% 89% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	602	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	F	602	-	X	-	-
3	OXL	G	603	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 29340 atoms, of which 76 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	422	Total	C	N	O	S	0	6	0
			3236	2034	585	597	20			
1	B	436	Total	C	N	O	S	0	4	0
			3329	2090	604	615	20			
1	C	425	Total	C	N	O	S	0	4	0
			3247	2040	585	603	19			
1	D	425	Total	C	N	O	S	0	6	0
			3252	2042	590	601	19			
1	E	419	Total	C	N	O	S	0	5	0
			3210	2018	579	593	20			
1	F	432	Total	C	N	O	S	0	7	0
			3321	2090	597	614	20			
1	G	421	Total	C	N	O	S	0	6	0
			3231	2031	581	600	19			
1	H	425	Total	C	N	O	S	0	4	0
			3251	2040	594	598	19			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	1	MET	-	expression tag	UNP P30613
A	2	GLU	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	1	MET	-	expression tag	UNP P30613
B	2	GLU	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613
C	0	SER	-	expression tag	UNP P30613
C	1	MET	-	expression tag	UNP P30613
C	2	GLU	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	1	MET	-	expression tag	UNP P30613
D	2	GLU	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	1	MET	-	expression tag	UNP P30613
E	2	GLU	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	228	GLY	-	linker	UNP P30613
E	229	SER	-	linker	UNP P30613
E	230	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	1	MET	-	expression tag	UNP P30613
F	2	GLU	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	228	GLY	-	linker	UNP P30613
F	229	SER	-	linker	UNP P30613
F	230	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	1	MET	-	expression tag	UNP P30613
G	2	GLU	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	1	MET	-	expression tag	UNP P30613
H	2	GLU	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: C₆H₁₄O₁₂P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		


- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is N-({4-[(3,4-dihydroxyphenyl)methyl]phenyl}methyl)benzenesulfonamide (CCD ID: ODL) (formula: C₂₀H₁₉NO₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	A	1	Total 45	C 20	H 19	N 1	O 4	S 1	19	0
6	D	1	Total 45	C 20	H 19	N 1	O 4	S 1	19	0
6	F	1	Total 45	C 20	H 19	N 1	O 4	S 1	19	0
6	G	1	Total 45	C 20	H 19	N 1	O 4	S 1	19	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	286	Total	O	0	0
			286	286		
7	B	301	Total	O	0	0
			301	301		
7	C	354	Total	O	0	0
			354	354		
7	D	390	Total	O	0	0
			390	390		
7	E	279	Total	O	0	0
			279	279		
7	F	364	Total	O	0	0
			364	364		
7	G	424	Total	O	0	0
			424	424		
7	H	461	Total	O	0	0
			461	461		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase PKLR



• Molecule 1: Pyruvate kinase PKLR




• Molecule 1: Pyruvate kinase PKLR





• Molecule 1: Pyruvate kinase PKLR









• Molecule 1: Pyruvate kinase PKLR




• Molecule 1: Pyruvate kinase PKLR




• Molecule 1: Pyruvate kinase PKLR



• Molecule 1: Pyruvate kinase PKLR





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	209.16Å 113.00Å 189.44Å 90.00° 91.14° 90.00°	Depositor
Resolution (Å)	104.56 – 1.85 104.56 – 1.85	Depositor EDS
% Data completeness (in resolution range)	75.9 (104.56-1.85) 75.9 (104.56-1.85)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 1.86Å)	Xtriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.198 , 0.222 (Not available) , 0.203	Depositor DCC
R_{free} test set	14054 reflections (3.78%)	wwPDB-VP
Wilson B-factor (Å ²)	30.3	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	29340	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.83 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2492e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OXL, MG, ODL, FBP, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/3307	0.97	0/4469
1	B	0.68	1/3396 (0.0%)	0.97	1/4592 (0.0%)
1	C	0.70	0/3313	0.96	1/4479 (0.0%)
1	D	0.72	0/3326	0.95	1/4497 (0.0%)
1	E	0.64	0/3278	0.95	2/4430 (0.0%)
1	F	0.71	1/3396 (0.0%)	0.97	2/4591 (0.0%)
1	G	0.72	0/3303	0.96	1/4465 (0.0%)
1	H	0.73	1/3316 (0.0%)	0.95	1/4483 (0.0%)
All	All	0.69	3/26635 (0.0%)	0.96	9/36006 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	116	SER	CA-C	8.30	1.60	1.52
1	B	374	SER	CA-C	5.48	1.55	1.52
1	H	489	PRO	CA-C	5.33	1.55	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	539	VAL	N-CA-CB	5.56	117.71	111.21
1	C	514	PHE	CA-CB-CG	5.34	119.14	113.80
1	B	46	ASP	CA-CB-CG	5.22	117.82	112.60
1	H	514	PHE	CA-CB-CG	5.21	119.01	113.80
1	F	339	ALA	CA-C-N	5.11	131.30	121.54
1	F	339	ALA	C-N-CA	5.11	131.30	121.54
1	G	273	GLU	CB-CG-CD	5.10	121.28	112.60
1	E	46	ASP	CA-CB-CG	5.06	117.66	112.60
1	D	514	PHE	CA-CB-CG	5.00	118.80	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3236	0	3299	16	0
1	B	3329	0	3394	13	0
1	C	3247	0	3299	15	0
1	D	3252	0	3310	12	0
1	E	3210	0	3270	11	0
1	F	3321	0	3393	10	0
1	G	3231	0	3284	17	0
1	H	3251	0	3306	15	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	26	19	0	0	0
6	D	26	19	0	0	0
6	F	26	19	0	1	0
6	G	26	19	0	1	0
7	A	286	0	0	0	0
7	B	301	0	0	0	0
7	C	354	0	0	2	0
7	D	390	0	0	1	0
7	E	279	0	0	1	0
7	F	364	0	0	0	0
7	G	424	0	0	1	0
7	H	461	0	0	1	0
All	All	29264	76	26635	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.60	0.82
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.62	0.81
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.65	0.79
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.70	0.73
1:B:411:ARG:HG2	1:B:426:ILE:HD11	1.70	0.72
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.72	0.72
1:D:68:ARG:NH2	1:D:95:TYR:O	2.24	0.69
1:A:538:ARG:HG3	1:B:536:ILE:HG12	1.76	0.68
7:G:840:HOH:O	1:H:411:ARG:HD2	1.95	0.65
1:D:68:ARG:HH22	1:D:98:GLU:HB2	1.61	0.65
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.65	0.65
1:G:411:ARG:HG3	1:G:426:ILE:HD11	1.77	0.64
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.80	0.64
1:A:418[A]:ARG:HG3	1:B:16:LEU:HD11	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:411:ARG:HG3	1:C:426:ILE:HD11	1.83	0.60
1:D:445:THR:HB	1:D:531[B]:SER:HB3	1.85	0.58
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.85	0.58
1:H:75:GLU:HG3	7:H:1084:HOH:O	2.06	0.55
1:G:407:PHE:HD2	1:H:411:ARG:HH22	1.54	0.55
1:C:529:PRO:HG2	1:G:235:GLU:HG2	1.89	0.55
1:E:235:GLU:O	1:E:239:ARG:HD3	2.07	0.54
1:A:272:PRO:HA	1:A:275:HIS:NE2	2.22	0.54
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.23	0.53
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.90	0.53
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.90	0.53
1:E:411:ARG:HG3	1:E:426:ILE:HD11	1.90	0.52
1:A:272:PRO:HA	1:A:275:HIS:CE1	2.44	0.52
1:A:408:GLU:OE2	1:B:411:ARG:NH1	2.43	0.52
1:G:537:MET:HE3	1:H:537:MET:HG2	1.92	0.52
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.92	0.51
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.93	0.51
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.93	0.50
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.94	0.49
1:G:430[B]:GLU:OE2	1:H:430:GLU:OE1	2.31	0.49
1:F:28:GLN:HG3	1:F:30:LEU:HG	1.95	0.49
1:C:272:PRO:HD3	1:G:446:THR:HG22	1.95	0.48
1:E:56:SER:HB2	1:E:480:GLY:HA2	1.95	0.48
1:D:267:ARG:HD2	7:D:993:HOH:O	2.13	0.47
1:A:28:GLN:HG3	1:A:30:LEU:HG	1.97	0.47
1:D:28:GLN:HG3	1:D:30:LEU:HG	1.97	0.47
1:H:28:GLN:HG3	1:H:30:LEU:HG	1.96	0.47
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.97	0.47
1:A:28:GLN:HB3	1:A:52:VAL:HG22	1.97	0.47
1:C:538:ARG:HD3	7:C:798:HOH:O	2.13	0.47
1:G:28:GLN:HG3	1:G:30:LEU:HG	1.97	0.47
1:A:67:SER:HA	1:A:72:ARG:HG2	1.96	0.46
1:B:28:GLN:HG3	1:B:30:LEU:HG	1.97	0.46
1:C:271:GLY:O	1:C:275:HIS:CE1	2.69	0.46
1:E:28:GLN:HG3	1:E:30:LEU:HG	1.97	0.46
1:F:405:GLN:HB3	6:F:605:ODL:O2	2.15	0.46
1:B:407:PHE:CE2	1:B:411:ARG:HD2	2.51	0.46
1:C:28:GLN:HG3	1:C:30:LEU:HG	1.98	0.45
1:A:517:VAL:HG13	1:A:543:SER:HB3	1.98	0.45
1:D:238:VAL:O	1:D:242[A]:ARG:HG2	2.16	0.45
1:B:382:PHE:HB3	1:B:385:GLU:HB2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:68:ARG:NH2	1:C:98:GLU:HB3	2.31	0.45
1:E:539:VAL:HG22	1:F:420:PRO:HB3	1.99	0.44
1:E:75:GLU:HG2	7:E:826:HOH:O	2.17	0.44
1:C:67:SER:HA	1:C:72:ARG:HG2	2.00	0.44
1:E:405:GLN:HB3	6:G:601:ODL:O3	2.18	0.44
1:F:421:THR:HG22	1:F:452:LEU:HD12	2.00	0.44
1:E:28:GLN:HB3	1:E:52:VAL:HG22	2.00	0.43
1:C:28:GLN:HB3	1:C:52:VAL:HG22	1.99	0.43
1:G:245:VAL:CG1	1:G:273:GLU:HG2	2.49	0.43
1:G:430[A]:GLU:OE1	1:H:430:GLU:OE1	2.36	0.43
1:F:382:PHE:HB3	1:F:385:GLU:HB2	2.00	0.43
1:G:28:GLN:HB3	1:G:52:VAL:HG22	2.01	0.43
1:A:517:VAL:HG22	1:A:543:SER:CB	2.49	0.42
1:H:56:SER:HB2	1:H:480:GLY:CA	2.49	0.42
1:E:34:MET:HE2	1:E:34:MET:HB3	1.95	0.42
1:G:411:ARG:HH21	1:H:411:ARG:HH21	1.67	0.42
1:D:535:ASN:OD1	1:D:536:ILE:HG13	2.20	0.42
1:C:430[B]:GLU:OE2	1:D:430[B]:GLU:OE1	2.38	0.42
1:G:56:SER:HB2	1:G:480:GLY:CA	2.49	0.42
1:A:486:TYR:CZ	1:A:488[B]:GLU:HB2	2.54	0.42
1:A:538:ARG:CG	1:B:536:ILE:HG12	2.47	0.42
1:B:421:THR:HG22	1:B:452:LEU:HD12	2.02	0.42
1:C:529:PRO:CG	1:G:235:GLU:HG2	2.49	0.42
1:A:416:LEU:HB3	1:B:16:LEU:HD22	2.02	0.41
1:D:339:ALA:HB1	1:D:372:MET:HE2	2.02	0.41
1:B:56:SER:HB2	1:B:480:GLY:CA	2.49	0.41
1:F:56:SER:HB2	1:F:480:GLY:CA	2.50	0.41
1:H:55:ARG:HB2	1:H:395:ARG:HG3	2.02	0.41
1:A:382:PHE:HB3	1:A:385:GLU:HB2	2.03	0.41
1:C:317:LYS:NZ	7:C:712:HOH:O	2.52	0.41
1:A:421:THR:HG22	1:A:452:LEU:HD12	2.03	0.41
1:H:290:LYS:HA	1:H:290:LYS:HD2	1.90	0.41
1:H:421:THR:HG22	1:H:452:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/447 (95%)	419 (99%)	4 (1%)	1 (0%)	43	31
1	B	438/447 (98%)	433 (99%)	3 (1%)	2 (0%)	24	13
1	C	425/447 (95%)	419 (99%)	5 (1%)	1 (0%)	43	31
1	D	429/447 (96%)	424 (99%)	4 (1%)	1 (0%)	43	31
1	E	420/447 (94%)	415 (99%)	4 (1%)	1 (0%)	43	31
1	F	435/447 (97%)	430 (99%)	3 (1%)	2 (0%)	24	13
1	G	423/447 (95%)	414 (98%)	7 (2%)	2 (0%)	24	13
1	H	427/447 (96%)	423 (99%)	3 (1%)	1 (0%)	43	31
All	All	3421/3576 (96%)	3377 (99%)	33 (1%)	11 (0%)	36	25

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	117	TYR
1	B	117	TYR
1	A	340	THR
1	B	340	THR
1	C	340	THR
1	D	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	H	340	THR
1	G	231	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/352 (85%)	293 (98%)	7 (2%)	44	30
1	B	349/352 (99%)	340 (97%)	9 (3%)	40	25
1	C	341/352 (97%)	336 (98%)	5 (2%)	57	47
1	D	342/352 (97%)	338 (99%)	4 (1%)	63	55
1	E	338/352 (96%)	332 (98%)	6 (2%)	51	40
1	F	350/352 (99%)	343 (98%)	7 (2%)	48	36
1	G	340/352 (97%)	336 (99%)	4 (1%)	63	55
1	H	340/352 (97%)	335 (98%)	5 (2%)	57	47
All	All	2700/2816 (96%)	2653 (98%)	47 (2%)	55	42

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	LEU
1	A	408	GLU
1	A	537[A]	MET
1	A	537[B]	MET
1	A	538	ARG
1	A	540	LEU
1	A	541	SER
1	B	16	LEU
1	B	71	GLU
1	B	263	VAL
1	B	379	LYS
1	B	412	ARG
1	B	516	ARG
1	B	537[A]	MET
1	B	537[B]	MET
1	B	541	SER
1	C	258	ARG
1	C	358	SER
1	C	443	LEU
1	C	541[A]	SER
1	C	541[B]	SER
1	D	68	ARG
1	D	118	ARG
1	D	537	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	541	SER
1	E	115	LEU
1	E	408	GLU
1	E	511	LEU
1	E	537[A]	MET
1	E	537[B]	MET
1	E	539	VAL
1	F	16	LEU
1	F	116	SER
1	F	408	GLU
1	F	412	ARG
1	F	537[A]	MET
1	F	537[B]	MET
1	F	541	SER
1	G	273	GLU
1	G	331	LEU
1	G	412	ARG
1	G	541	SER
1	H	273	GLU
1	H	412	ARG
1	H	443	LEU
1	H	537	MET
1	H	541	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	236	GLN
1	A	405	GLN
1	B	405	GLN
1	C	275	HIS
1	C	405	GLN
1	D	26	GLN
1	D	405	GLN
1	F	405	GLN
1	G	26	GLN
1	G	470	GLN
1	G	474	GLN
1	H	90	HIS
1	H	405	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 36 ligands modelled in this entry, 16 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	FBP	G	602	-	18,20,20	0.52	0	21,32,32	0.75	0
6	ODL	D	605	-	28,28,28	0.12	0	39,39,39	0.51	1 (2%)
2	FBP	H	601	-	18,20,20	0.88	1 (5%)	21,32,32	0.72	1 (4%)
2	FBP	B	601	-	18,20,20	0.71	0	21,32,32	0.76	1 (4%)
2	FBP	F	601	-	18,20,20	0.41	0	21,32,32	0.58	0
6	ODL	A	605	-	28,28,28	0.17	0	39,39,39	0.41	0
3	OXL	A	602	4	5,5,5	1.85	2 (40%)	6,6,6	2.47	3 (50%)
3	OXL	F	602	4	5,5,5	2.83	4 (80%)	6,6,6	2.90	3 (50%)
2	FBP	E	601	-	18,20,20	0.53	0	21,32,32	0.72	1 (4%)
6	ODL	G	601	-	28,28,28	0.16	0	39,39,39	0.59	1 (2%)
3	OXL	E	602	4	5,5,5	2.31	2 (40%)	6,6,6	1.67	2 (33%)
2	FBP	A	601	-	18,20,20	0.51	0	21,32,32	0.65	0
2	FBP	C	601	-	18,20,20	0.58	0	21,32,32	0.82	0
3	OXL	G	603	4	5,5,5	2.10	2 (40%)	6,6,6	2.28	3 (50%)
2	FBP	D	601	-	18,20,20	0.63	0	21,32,32	0.73	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OXL	H	602	4	5,5,5	1.90	2 (40%)	6,6,6	1.71	2 (33%)
3	OXL	D	602	4	5,5,5	2.18	2 (40%)	6,6,6	1.95	2 (33%)
6	ODL	F	605	-	28,28,28	0.16	0	39,39,39	0.46	0
3	OXL	B	602	4	5,5,5	2.29	2 (40%)	6,6,6	1.53	2 (33%)
3	OXL	C	602	4	5,5,5	1.81	2 (40%)	6,6,6	1.86	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	G	602	-	-	2/13/32/32	0/1/1/1
6	ODL	D	605	-	-	3/16/16/16	0/3/3/3
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
6	ODL	A	605	-	-	4/16/16/16	0/3/3/3
3	OXL	A	602	4	-	4/4/4/4	-
3	OXL	F	602	4	-	4/4/4/4	-
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
6	ODL	G	601	-	-	1/16/16/16	0/3/3/3
3	OXL	E	602	4	-	4/4/4/4	-
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
2	FBP	C	601	-	-	2/13/32/32	0/1/1/1
3	OXL	G	603	4	-	4/4/4/4	-
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
3	OXL	H	602	4	-	4/4/4/4	-
3	OXL	D	602	4	-	4/4/4/4	-
6	ODL	F	605	-	-	3/16/16/16	0/3/3/3
3	OXL	B	602	4	-	4/4/4/4	-
3	OXL	C	602	4	-	4/4/4/4	-

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	602	OXL	O1-C1	4.45	1.33	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	OXL	O2-C2	3.97	1.32	1.22
3	D	602	OXL	O2-C2	3.48	1.31	1.22
3	F	602	OXL	O1-C1	3.44	1.31	1.22
3	G	603	OXL	O1-C1	3.42	1.31	1.22
3	F	602	OXL	O3-C1	-3.42	1.21	1.30
3	A	602	OXL	O2-C2	3.37	1.30	1.22
3	F	602	OXL	O2-C2	3.27	1.30	1.22
3	D	602	OXL	O4-C2	-3.23	1.21	1.30
3	B	602	OXL	O4-C2	-3.15	1.22	1.30
3	H	602	OXL	O2-C2	3.13	1.30	1.22
3	C	602	OXL	O1-C1	3.05	1.30	1.22
3	G	603	OXL	O3-C1	-3.01	1.22	1.30
3	H	602	OXL	O4-C2	-2.67	1.23	1.30
3	E	602	OXL	O3-C1	-2.60	1.23	1.30
3	C	602	OXL	O3-C1	-2.49	1.23	1.30
3	A	602	OXL	O4-C2	-2.40	1.24	1.30
3	F	602	OXL	O4-C2	-2.34	1.24	1.30
2	H	601	FBP	P1-O1P	2.03	1.56	1.50

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	602	OXL	O4-C2-C1	4.89	122.32	112.83
3	A	602	OXL	O4-C2-C1	4.48	121.52	112.83
3	G	603	OXL	O3-C1-C2	3.85	120.30	112.83
3	C	602	OXL	O3-C1-C2	3.77	120.15	112.83
3	F	602	OXL	O3-C1-C2	3.63	119.87	112.83
3	H	602	OXL	O4-C2-C1	3.45	119.53	112.83
3	D	602	OXL	O4-C2-C1	3.29	119.20	112.83
3	F	602	OXL	O2-C2-C1	-3.25	113.86	120.63
3	A	602	OXL	O2-C2-C1	-3.09	114.19	120.63
3	G	603	OXL	O4-C2-C1	3.08	118.81	112.83
3	E	602	OXL	O3-C1-C2	2.77	118.20	112.83
3	B	602	OXL	O3-C1-C2	2.69	118.05	112.83
2	H	601	FBP	O5P-P2-O6	2.62	113.50	106.67
3	D	602	OXL	O3-C1-C2	2.61	117.88	112.83
6	G	601	ODL	C8-C9-N	2.57	117.69	112.08
2	E	601	FBP	O3P-P1-O2P	2.52	117.27	107.80
3	E	602	OXL	O4-C2-C1	2.51	117.69	112.83
2	D	601	FBP	O5P-P2-O6	2.50	113.19	106.67
3	A	602	OXL	O3-C1-C2	2.48	117.64	112.83
3	B	602	OXL	O4-C2-C1	2.32	117.33	112.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	FBP	O3P-P1-O2P	2.27	116.31	107.80
3	C	602	OXL	O1-C1-C2	-2.26	115.91	120.63
3	H	602	OXL	O2-C2-C1	-2.21	116.03	120.63
3	G	603	OXL	O1-C1-C2	-2.06	116.34	120.63
6	D	605	ODL	C8-C9-N	2.05	116.55	112.08

There are no chirality outliers.

All (59) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FBP	C4-C5-C6-O6
2	C	601	FBP	C4-C5-C6-O6
2	G	602	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
6	D	605	ODL	C9-N-S-O2
6	A	605	ODL	C9-N-S-O2
6	D	605	ODL	C9-N-S-O3
2	A	601	FBP	O5-C5-C6-O6
2	C	601	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	G	602	FBP	O5-C5-C6-O6
6	A	605	ODL	C9-N-S-O3
6	F	605	ODL	C9-N-S-O2
2	B	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
6	F	605	ODL	C9-N-S-O3
6	D	605	ODL	C9-N-S-C10
6	A	605	ODL	C9-N-S-C10
3	C	602	OXL	O3-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O4
3	G	603	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	C	602	OXL	O1-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	F	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O3-C1-C2-O4
6	F	605	ODL	C9-N-S-C10
3	A	602	OXL	O1-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O2
3	A	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O1-C1-C2-O2
3	G	603	OXL	O1-C1-C2-O2
3	B	602	OXL	O3-C1-C2-O2
3	C	602	OXL	O1-C1-C2-O4
3	C	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O2
3	G	603	OXL	O1-C1-C2-O4
3	H	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O1-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O2
3	G	603	OXL	O3-C1-C2-O2
3	A	602	OXL	O1-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O2
6	A	605	ODL	C16-C8-C9-N
6	G	601	ODL	C16-C8-C9-N


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	G	601	ODL	1	0
6	F	605	ODL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















Ligand FBP E 601














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	422/447 (94%)	0.73	38 (9%)	15	15	20, 40, 63, 81	6 (1%)
1	B	436/447 (97%)	0.59	49 (11%)	10	9	19, 36, 61, 74	4 (0%)
1	C	425/447 (95%)	0.20	23 (5%)	31	34	19, 30, 53, 100	4 (0%)
1	D	425/447 (95%)	-0.03	20 (4%)	36	39	13, 27, 48, 91	6 (1%)
1	E	419/447 (93%)	0.81	51 (12%)	8	8	20, 40, 66, 81	5 (1%)
1	F	432/447 (96%)	0.46	36 (8%)	17	18	20, 33, 57, 72	7 (1%)
1	G	421/447 (94%)	0.03	15 (3%)	46	50	17, 28, 45, 65	7 (1%)
1	H	425/447 (95%)	-0.14	17 (4%)	42	46	13, 25, 49, 77	4 (0%)
All	All	3405/3576 (95%)	0.33	249 (7%)	21	23	13, 33, 59, 100	43 (1%)

All (249) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	115	LEU	10.5
1	F	116	SER	9.4
1	F	115	LEU	8.6
1	B	114	PRO	8.5
1	A	25	PHE	8.3
1	B	116	SER	8.2
1	D	25	PHE	7.6
1	F	114	PRO	7.4
1	G	271	GLY	7.0
1	C	271	GLY	6.9
1	G	25	PHE	6.7
1	H	21	GLY	5.8
1	E	23	ALA	5.7
1	D	24	PHE	5.5
1	E	25	PHE	5.4
1	D	21	GLY	5.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	20	LEU	5.4
1	A	114	PRO	5.0
1	H	25	PHE	4.9
1	F	231	PRO	4.7
1	D	22	THR	4.7
1	D	23	ALA	4.6
1	A	232	GLY	4.5
1	A	24	PHE	4.4
1	B	112	GLY	4.3
1	A	23	ALA	4.3
1	E	232	GLY	4.2
1	A	132	GLY	4.2
1	C	232	GLY	4.2
1	C	25	PHE	4.2
1	C	21	GLY	4.1
1	C	132	GLY	4.1
1	B	489	PRO	4.1
1	B	416	LEU	4.0
1	H	411	ARG	3.9
1	B	490	PRO	3.9
1	E	115	LEU	3.9
1	B	113	SER	3.9
1	A	115	LEU	3.9
1	F	489	PRO	3.7
1	C	231	PRO	3.7
1	E	114	PRO	3.7
1	H	22	THR	3.7
1	E	490	PRO	3.6
1	G	23	ALA	3.6
1	H	231	PRO	3.6
1	G	132	GLY	3.5
1	C	23	ALA	3.5
1	F	411	ARG	3.5
1	F	416	LEU	3.5
1	F	516	ARG	3.5
1	A	118	ARG	3.4
1	E	489	PRO	3.4
1	A	34	MET	3.4
1	B	130	GLY	3.3
1	A	543	SER	3.3
1	B	118	ARG	3.3
1	B	270	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	514	PHE	3.3
1	C	22	THR	3.3
1	B	411	ARG	3.3
1	E	111	ALA	3.3
1	E	269	ALA	3.3
1	E	275	HIS	3.3
1	A	30	LEU	3.3
1	G	24	PHE	3.3
1	F	512	ARG	3.2
1	H	24	PHE	3.2
1	B	267[A]	ARG	3.2
1	E	129	PRO	3.2
1	E	270	LEU	3.2
1	E	24	PHE	3.2
1	A	70	VAL	3.1
1	F	232	GLY	3.1
1	B	512	ARG	3.1
1	D	275[A]	HIS	3.1
1	G	231	PRO	3.1
1	B	511	LEU	3.0
1	F	484	LEU	3.0
1	H	34	MET	3.0
1	F	488	GLU	3.0
1	H	516	ARG	3.0
1	A	111	ALA	3.0
1	B	14	ALA	3.0
1	B	484	LEU	2.9
1	F	233	LEU	2.9
1	E	89	SER	2.9
1	B	272	PRO	2.9
1	C	34	MET	2.9
1	G	33	ALA	2.9
1	D	232	GLY	2.9
1	F	414	ALA	2.9
1	F	267[A]	ARG	2.9
1	F	487	ARG	2.9
1	A	514	PHE	2.9
1	F	490	PRO	2.8
1	D	242[A]	ARG	2.8
1	G	52	VAL	2.8
1	B	117	TYR	2.8
1	B	543	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	34	MET	2.8
1	E	30	LEU	2.8
1	C	111	ALA	2.8
1	C	26	GLN	2.8
1	H	412	ARG	2.8
1	F	90	HIS	2.8
1	H	90	HIS	2.8
1	A	311	ILE	2.8
1	F	11	ALA	2.7
1	G	412	ARG	2.7
1	E	110	PHE	2.7
1	A	273	GLU	2.7
1	A	488[A]	GLU	2.7
1	F	112	GLY	2.7
1	F	412	ARG	2.7
1	H	232	GLY	2.7
1	C	24	PHE	2.7
1	E	499	ASP	2.7
1	G	272	PRO	2.7
1	F	517	VAL	2.7
1	A	275	HIS	2.7
1	B	413	ALA	2.7
1	A	351	ARG	2.7
1	A	90	HIS	2.7
1	E	117	TYR	2.6
1	F	379	LYS	2.6
1	E	233	LEU	2.6
1	E	238	VAL	2.6
1	C	412	ARG	2.6
1	B	415	PRO	2.6
1	F	415	PRO	2.6
1	B	131	SER	2.6
1	A	117	TYR	2.6
1	B	231	PRO	2.6
1	E	243	PHE	2.6
1	E	504	PHE	2.6
1	A	233	LEU	2.6
1	B	487	ARG	2.6
1	D	26	GLN	2.6
1	E	493	ILE	2.6
1	F	492	ALA	2.6
1	B	132	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	271	GLY	2.5
1	B	414	ALA	2.5
1	A	116	SER	2.5
1	H	275[A]	HIS	2.5
1	F	351	ARG	2.5
1	E	34	MET	2.5
1	C	117	TYR	2.5
1	D	130	GLY	2.5
1	C	411	ARG	2.5
1	G	411	ARG	2.5
1	B	488	GLU	2.5
1	F	117	TYR	2.5
1	A	270	LEU	2.5
1	B	232	GLY	2.5
1	E	256	PHE	2.5
1	F	242	ARG	2.5
1	A	412	ARG	2.4
1	E	112	GLY	2.4
1	E	351	ARG	2.4
1	E	542	ILE	2.4
1	C	272	PRO	2.4
1	D	404	ARG	2.4
1	H	233	LEU	2.4
1	B	492	ALA	2.4
1	E	118	ARG	2.4
1	F	118	ARG	2.4
1	E	90	HIS	2.4
1	G	34	MET	2.4
1	E	109	SER	2.4
1	E	506	ILE	2.4
1	H	23	ALA	2.4
1	D	231	PRO	2.4
1	E	52	VAL	2.4
1	C	113	SER	2.4
1	B	233	LEU	2.3
1	D	30	LEU	2.3
1	D	459	ARG	2.3
1	E	495	ALA	2.3
1	B	275	HIS	2.3
1	C	114	PRO	2.3
1	A	540	LEU	2.3
1	E	95	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	269	ALA	2.3
1	D	412	ARG	2.3
1	E	412	ARG	2.3
1	E	26	GLN	2.3
1	B	90	HIS	2.3
1	E	492	ALA	2.3
1	B	10	ARG	2.3
1	A	75	GLU	2.3
1	B	236	GLN	2.3
1	B	268	ALA	2.2
1	E	459	ARG	2.2
1	E	511	LEU	2.2
1	F	408	GLU	2.2
1	E	242	ARG	2.2
1	G	487	ARG	2.2
1	E	515	LEU	2.2
1	H	131	SER	2.2
1	B	493	ILE	2.2
1	F	275	HIS	2.2
1	B	242	ARG	2.2
1	E	487	ARG	2.2
1	A	27	GLN	2.2
1	A	541	SER	2.2
1	F	241	LEU	2.2
1	B	256	PHE	2.1
1	C	416	LEU	2.1
1	B	507	GLU	2.1
1	D	273	GLU	2.1
1	B	11	ALA	2.1
1	A	113	SER	2.1
1	B	412	ARG	2.1
1	C	112	GLY	2.1
1	G	232	GLY	2.1
1	A	408	GLU	2.1
1	F	507	GLU	2.1
1	F	34	MET	2.1
1	C	115	LEU	2.1
1	A	33	ALA	2.1
1	G	26	GLN	2.1
1	E	88	PHE	2.1
1	A	99	SER	2.1
1	E	541[A]	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	267[A]	ARG	2.1
1	D	132	GLY	2.1
1	E	245	VAL	2.1
1	A	378	ALA	2.1
1	B	71	GLU	2.0
1	B	379	LYS	2.0
1	D	131	SER	2.0
1	A	95	TYR	2.0
1	E	128	GLY	2.0
1	A	272	PRO	2.0
1	B	238	VAL	2.0
1	E	272	PRO	2.0
1	A	73	LEU	2.0
1	B	410	LEU	2.0
1	D	351	ARG	2.0
1	F	413	ALA	2.0
1	H	36	ASP	2.0
1	B	311	ILE	2.0
1	C	490	PRO	2.0
1	A	249	VAL	2.0
1	B	516	ARG	2.0
1	E	263	VAL	2.0
1	F	245	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	ODL	F	605	26/26	0.69	0.28	64,66,66,66	19
6	ODL	A	605	26/26	0.70	0.27	61,64,65,66	19
6	ODL	D	605	26/26	0.75	0.25	57,60,62,62	19
6	ODL	G	601	26/26	0.77	0.24	63,66,67,68	19
5	K	E	604	1/1	0.89	0.24	78,78,78,78	0
3	OXL	E	602	6/6	0.90	0.11	45,45,46,46	0
5	K	F	604	1/1	0.90	0.19	66,66,66,66	0
3	OXL	B	602	6/6	0.91	0.10	37,38,40,41	0
3	OXL	A	602	6/6	0.91	0.10	46,46,47,47	0
3	OXL	C	602	6/6	0.92	0.09	37,38,38,38	0
3	OXL	G	603	6/6	0.92	0.09	30,31,32,32	0
3	OXL	D	602	6/6	0.93	0.09	31,32,33,33	0
3	OXL	H	602	6/6	0.94	0.08	28,28,29,30	0
5	K	B	604	1/1	0.94	0.16	60,60,60,60	0
3	OXL	F	602	6/6	0.95	0.08	38,39,40,40	0
5	K	G	605	1/1	0.96	0.16	45,45,45,45	0
5	K	H	604	1/1	0.96	0.11	45,45,45,45	0
2	FBP	A	601	20/20	0.96	0.06	31,33,34,34	0
5	K	C	604	1/1	0.96	0.21	52,52,52,52	0
2	FBP	B	601	20/20	0.96	0.07	32,33,37,37	0
5	K	A	604	1/1	0.96	0.18	62,62,62,62	0
2	FBP	F	601	20/20	0.97	0.06	31,33,36,36	0
2	FBP	E	601	20/20	0.97	0.06	32,33,35,35	0
5	K	D	604	1/1	0.98	0.10	47,47,47,47	0
4	MG	E	603	1/1	0.98	0.12	22,22,22,22	0
4	MG	B	603	1/1	0.98	0.13	20,20,20,20	0
2	FBP	C	601	20/20	0.99	0.04	19,22,26,27	0
2	FBP	D	601	20/20	0.99	0.04	21,22,23,23	0
4	MG	F	603	1/1	0.99	0.09	15,15,15,15	0
2	FBP	G	602	20/20	0.99	0.03	19,21,23,24	0
2	FBP	H	601	20/20	0.99	0.04	18,19,21,22	0
4	MG	C	603	1/1	1.00	0.11	15,15,15,15	0
4	MG	G	604	1/1	1.00	0.11	10,10,10,10	0
4	MG	H	603	1/1	1.00	0.12	11,11,11,11	0
4	MG	D	603	1/1	1.00	0.11	12,12,12,12	0
4	MG	A	603	1/1	1.00	0.10	24,24,24,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ODL F 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ODL A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ODL D 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ODL G 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP F 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FBP D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP G 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.