



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 04:40 PM UTC

PDB ID : 1FT6 / pdb_00001ft6
Title : REDUCED STATE OF CYTOCHROME C554 FROM NITROSOMONAS
EUROPAEA
Authors : Iverson, T.M.; Arciero, D.M.; Hooper, A.B.; Rees, D.C.
Deposited on : 2000-09-11
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	211	

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 1958 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME C554.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	0	0
			1624	1020	290	302	12			

- Molecule 2 is SULFITE ION (CCD ID: SO3) (formula: O₃S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			4	3	1		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is HEME C (CCD ID: HEC) (formula: C₃₄H₃₄FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	
			48	37	1	4	6	
							0	1

- Molecule 5 is DITHIONITE (CCD ID: DTN) (formula: O_4S_2).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O S		
			6	4 2	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	142	Total	O		
			142	142	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CYTOCHROME C554

Chain A:  75% 20% ..



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	147.24Å 147.24Å 33.88Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-1.80)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR, REFMAC, SHELX	Depositor
R, R_{free}	0.197 , 0.236	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1958	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO3, PO4, HEC, DTN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.78	2/1669 (0.1%)	1.10	10/2234 (0.4%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	92	HIS	CD2-NE2	5.42	1.43	1.37
1	A	31	MET	SD-CE	-5.35	1.66	1.79

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	85	GLY	N-CA-C	-7.16	103.66	112.68
1	A	61	VAL	N-CA-C	6.00	118.55	111.05
1	A	16	LYS	N-CA-C	5.90	117.71	111.28
1	A	9	LYS	N-CA-C	5.75	118.03	111.02
1	A	88	CYS	N-CA-C	5.52	117.74	111.11
1	A	204	ALA	N-CA-C	5.47	118.22	110.50
1	A	138	HIS	N-CA-C	5.46	118.15	111.82
1	A	179	HIS	CE1-NE2-CD2	-5.29	103.71	109.00
1	A	87	GLY	N-CA-C	5.16	118.98	112.79
1	A	37	ASN	N-CA-C	5.10	119.08	112.86

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1624	0	1553	29	0
2	A	4	0	0	0	0
3	A	5	0	0	0	0
4	A	177	0	98	3	0
5	A	6	0	0	0	0
6	A	142	0	0	1	0
All	All	1958	0	1651	30	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:LYS:HE2	6:A:311:HOH:O	1.91	0.69
1:A:104:LYS:HG3	1:A:105:SER:N	2.10	0.66
1:A:119:LYS:HG2	1:A:123:LYS:HE3	1.77	0.66
1:A:177:ALA:HB1	4:A:216[B]:HEC:HBA1	1.77	0.66
1:A:177:ALA:CB	4:A:216[B]:HEC:HBA1	2.31	0.61
1:A:206:PRO:C	1:A:208:LYS:H	2.13	0.57
1:A:2:ASP:HB3	1:A:71:LYS:NZ	2.20	0.56
1:A:206:PRO:C	1:A:208:LYS:N	2.62	0.56
1:A:207:ALA:O	1:A:208:LYS:HB2	2.05	0.56
1:A:40:LYS:O	1:A:44:GLN:HG3	2.06	0.55
1:A:9:LYS:HB2	1:A:82:MET:HE2	1.90	0.53
1:A:40:LYS:NZ	1:A:40:LYS:HB3	2.24	0.53
1:A:171:MET:HA	1:A:171:MET:HE2	1.91	0.52
1:A:1:ALA:O	1:A:2:ASP:HB2	2.09	0.52
1:A:195:LYS:HE3	1:A:196:PHE:CZ	2.45	0.51
1:A:115:LYS:HD3	1:A:189:GLU:HG2	1.93	0.49
1:A:191:GLU:OE1	1:A:192:PRO:HA	2.13	0.49
4:A:214:HEC:HBB3	4:A:214:HEC:HMB3	1.95	0.48
1:A:207:ALA:O	1:A:208:LYS:HD3	2.12	0.48
1:A:9:LYS:N	1:A:82:MET:CE	2.77	0.48
1:A:166:PHE:CD1	1:A:171:MET:HG3	2.50	0.46
1:A:9:LYS:CA	1:A:82:MET:HE2	2.46	0.46
1:A:22:TRP:CZ2	1:A:28:ALA:HA	2.51	0.45
1:A:174:GLU:OE1	1:A:176:LYS:HG3	2.16	0.45
1:A:38:VAL:HG12	1:A:39:LYS:HG3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LYS:HD3	1:A:83:LEU:HD12	2.02	0.42
1:A:207:ALA:O	1:A:208:LYS:CB	2.67	0.41
1:A:67:GLY:O	1:A:73:GLY:HA3	2.21	0.41
1:A:9:LYS:N	1:A:82:MET:HE3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/211 (98%)	198 (96%)	7 (3%)	1 (0%)	24	14

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/172 (97%)	159 (95%)	8 (5%)	23	11

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LYS
1	A	47	LYS
1	A	104	LYS
1	A	119	LYS
1	A	144	SER
1	A	150	LYS
1	A	189	GLU
1	A	208	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	HEC	A	216[B]	-	46,50,50	1.75	6 (13%)	58,82,82	1.63	6 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HEC	A	215	1	46,50,50	1.90	8 (17%)	58,82,82	1.71	5 (8%)
5	DTN	A	220	-	0,5,5	-	-	0,6,6	-	-
4	HEC	A	213	1	46,50,50	1.89	8 (17%)	58,82,82	1.45	4 (6%)
2	SO3	A	218	-	1,3,3	1.65	0	0,3,3	-	-
4	HEC	A	214	1	46,50,50	1.84	9 (19%)	58,82,82	1.55	4 (6%)
3	PO4	A	217	-	4,4,4	1.04	1 (25%)	6,6,6	0.60	0
4	HEC	A	216[A]	-	46,50,50	1.72	6 (13%)	58,82,82	1.57	4 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEC	A	215	1	-	7/14/54/54	-
4	HEC	A	214	1	-	6/14/54/54	-
5	DTN	A	220	-	-	0/0/4/4	-
4	HEC	A	213	1	-	6/14/54/54	-
4	HEC	A	216[B]	-	-	6/14/54/54	-
4	HEC	A	216[A]	-	-	8/14/54/54	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	215	HEC	CAC-C3C	6.69	1.56	1.35
4	A	213	HEC	CAB-C3B	6.68	1.56	1.35
4	A	214	HEC	CAB-C3B	6.59	1.56	1.35
4	A	216[A]	HEC	CAB-C3B	6.41	1.55	1.35
4	A	216[B]	HEC	CAB-C3B	6.41	1.55	1.35
4	A	213	HEC	CAC-C3C	6.32	1.55	1.35
4	A	216[A]	HEC	CAC-C3C	6.23	1.55	1.35
4	A	216[B]	HEC	CAC-C3C	6.23	1.55	1.35
4	A	215	HEC	CAB-C3B	6.05	1.54	1.35
4	A	214	HEC	CAC-C3C	5.77	1.53	1.35
4	A	213	HEC	CMA-C3A	3.62	1.58	1.50
4	A	214	HEC	O2D-CGD	-3.53	1.19	1.30
4	A	215	HEC	CMC-C2C	3.22	1.57	1.50
4	A	216[A]	HEC	CMD-C2D	3.15	1.57	1.50
4	A	216[B]	HEC	CMD-C2D	3.15	1.57	1.50
4	A	213	HEC	CMD-C2D	3.08	1.57	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	215	HEC	C1A-NA	-2.88	1.34	1.39
4	A	215	HEC	CMB-C2B	2.84	1.56	1.50
4	A	215	HEC	CAA-C2A	2.80	1.58	1.51
4	A	214	HEC	CHC-C4B	2.65	1.43	1.38
4	A	214	HEC	CBA-CGA	2.55	1.56	1.50
4	A	214	HEC	CHD-C4C	2.48	1.43	1.38
4	A	216[A]	HEC	CMC-C2C	2.44	1.55	1.50
4	A	216[B]	HEC	CMC-C2C	2.44	1.55	1.50
4	A	216[A]	HEC	CMB-C2B	2.40	1.55	1.50
4	A	216[B]	HEC	CMB-C2B	2.40	1.55	1.50
4	A	214	HEC	CMD-C2D	2.37	1.55	1.50
4	A	214	HEC	CMB-C2B	2.22	1.55	1.50
4	A	215	HEC	C4C-NC	-2.15	1.35	1.39
4	A	214	HEC	O2A-CGA	-2.14	1.23	1.30
4	A	215	HEC	CBD-CGD	2.13	1.55	1.50
4	A	213	HEC	C3B-C4B	2.13	1.49	1.46
4	A	213	HEC	CMC-C2C	2.07	1.55	1.50
4	A	213	HEC	CMB-C2B	2.07	1.55	1.50
4	A	213	HEC	CHD-C4C	2.05	1.42	1.38
4	A	216[A]	HEC	O2D-CGD	-2.02	1.24	1.30
4	A	216[B]	HEC	O2D-CGD	-2.02	1.24	1.30
3	A	217	PO4	P-O1	2.00	1.55	1.50

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	214	HEC	CBB-CAB-C3B	-7.57	112.30	127.43
4	A	216[A]	HEC	CBB-CAB-C3B	-7.46	112.52	127.43
4	A	216[B]	HEC	CBB-CAB-C3B	-7.46	112.52	127.43
4	A	215	HEC	CBC-CAC-C3C	-7.26	112.91	127.43
4	A	213	HEC	CBB-CAB-C3B	-7.15	113.14	127.43
4	A	215	HEC	CBB-CAB-C3B	-6.12	115.19	127.43
4	A	216[A]	HEC	CBC-CAC-C3C	-5.70	116.04	127.43
4	A	216[B]	HEC	CBC-CAC-C3C	-5.70	116.04	127.43
4	A	214	HEC	CBC-CAC-C3C	-4.41	118.61	127.43
4	A	213	HEC	CBC-CAC-C3C	-3.75	119.94	127.43
4	A	215	HEC	C3D-C4D-ND	3.18	113.68	110.15
4	A	215	HEC	C4B-NB-C1B	-2.81	101.24	105.82
4	A	216[B]	HEC	O1A-CGA-CBA	-2.60	114.86	123.09
4	A	215	HEC	C4D-ND-C1D	-2.53	101.70	105.82
4	A	216[A]	HEC	CBD-CAD-C3D	2.32	118.94	112.53
4	A	216[B]	HEC	CBD-CAD-C3D	2.32	118.94	112.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	216[A]	HEC	CAD-C3D-C4D	2.29	129.42	124.94
4	A	216[B]	HEC	CAD-C3D-C4D	2.29	129.42	124.94
4	A	214	HEC	C4C-NC-C1C	-2.25	102.15	105.82
4	A	213	HEC	O1D-CGD-CBD	-2.22	116.04	123.09
4	A	214	HEC	CMD-C2D-C3D	2.21	130.32	125.62
4	A	216[B]	HEC	O2A-CGA-CBA	2.14	120.77	114.00
4	A	213	HEC	C1D-C2D-C3D	-2.03	104.50	106.82

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	213	HEC	C2B-C3B-CAB-CBB
4	A	213	HEC	C4B-C3B-CAB-CBB
4	A	213	HEC	C2C-C3C-CAC-CBC
4	A	213	HEC	C4C-C3C-CAC-CBC
4	A	214	HEC	C2B-C3B-CAB-CBB
4	A	214	HEC	C4B-C3B-CAB-CBB
4	A	214	HEC	C2C-C3C-CAC-CBC
4	A	214	HEC	C4C-C3C-CAC-CBC
4	A	215	HEC	C2B-C3B-CAB-CBB
4	A	215	HEC	C4B-C3B-CAB-CBB
4	A	215	HEC	C2C-C3C-CAC-CBC
4	A	215	HEC	C4C-C3C-CAC-CBC
4	A	216[A]	HEC	C2B-C3B-CAB-CBB
4	A	216[A]	HEC	C4B-C3B-CAB-CBB
4	A	216[A]	HEC	C2C-C3C-CAC-CBC
4	A	216[A]	HEC	C4C-C3C-CAC-CBC
4	A	216[B]	HEC	C2B-C3B-CAB-CBB
4	A	216[B]	HEC	C4B-C3B-CAB-CBB
4	A	216[B]	HEC	C2C-C3C-CAC-CBC
4	A	216[B]	HEC	C4C-C3C-CAC-CBC
4	A	214	HEC	CAD-CBD-CGD-O2D
4	A	216[A]	HEC	CAD-CBD-CGD-O1D
4	A	216[B]	HEC	CAD-CBD-CGD-O1D
4	A	214	HEC	CAD-CBD-CGD-O1D
4	A	216[A]	HEC	CAD-CBD-CGD-O2D
4	A	216[B]	HEC	CAD-CBD-CGD-O2D
4	A	216[A]	HEC	CAA-CBA-CGA-O2A
4	A	215	HEC	C3D-CAD-CBD-CGD
4	A	213	HEC	CAA-CBA-CGA-O1A
4	A	213	HEC	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	215	HEC	CAA-CBA-CGA-O2A
4	A	215	HEC	CAA-CBA-CGA-O1A
4	A	216[A]	HEC	CAA-CBA-CGA-O1A


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	216[B]	HEC	2	0
4	A	214	HEC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand HEC A 216 (B)







Ligand HEC A 213



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC A 214



Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.