



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:54 AM UTC

PDB ID : 1FTE / pdb_00001fte
Title : CRYSTAL STRUCTURE OF STREPTOCOCCUS PNEUMONIAE ACYL
CARRIER PROTEIN SYNTHASE (NATIVE 1)
Authors : Chirgadze, N.; Briggs, S.; McAllister, K.; Fischl, A.; Zhao, G.
Deposited on : 2000-09-12
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	122	
1	B	122	
1	C	122	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2793 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACYL CARRIER PROTEIN SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	116	Total	C	N	O	S	0	0	0
			909	578	157	171	3			
1	B	116	Total	C	N	O	S	0	0	0
			909	578	157	171	3			
1	C	111	Total	C	N	O	S	0	0	0
			874	555	151	165	3			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1001	MET	-	cloning artifact	UNP P0A2W6
A	1002	ARG	-	cloning artifact	UNP P0A2W6
A	1035	LEU	GLN	conflict	UNP P0A2W6
B	2001	MET	-	cloning artifact	UNP P0A2W6
B	2002	ARG	-	cloning artifact	UNP P0A2W6
B	2035	LEU	GLN	conflict	UNP P0A2W6
C	3001	MET	-	cloning artifact	UNP P0A2W6
C	3002	ARG	-	cloning artifact	UNP P0A2W6
C	3035	LEU	GLN	conflict	UNP P0A2W6

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	29	Total	O	0	0
			29	29		
3	B	38	Total	O	0	0
			38	38		
3	C	24	Total	O	0	0
			24	24		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: ACYL CARRIER PROTEIN SYNTHASE

Chain A: 




• Molecule 1: ACYL CARRIER PROTEIN SYNTHASE

Chain B: 



• Molecule 1: ACYL CARRIER PROTEIN SYNTHASE

Chain C: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.82Å 59.56Å 113.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.40	Depositor
% Data completeness (in resolution range)	91.2 (20.00-2.40)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNX	Depositor
R, R_{free}	0.229 , 0.291	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2793	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/926	1.00	4/1245 (0.3%)
1	B	0.50	0/926	0.91	1/1245 (0.1%)
1	C	0.45	0/890	0.85	0/1196
All	All	0.48	0/2742	0.92	5/3686 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1074	GLY	O-C-N	-15.32	102.79	122.70
1	A	1071	SER	CA-C-N	-5.51	112.83	121.87
1	A	1071	SER	C-N-CA	-5.51	112.83	121.87
1	A	1091	SER	N-CA-C	-5.17	106.82	113.23
1	B	2068	THR	N-CA-C	-5.00	106.33	114.09

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	909	0	904	31	0
1	B	909	0	904	25	0
1	C	874	0	860	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	5	0	0	0	0
2	C	5	0	0	0	0
3	A	29	0	0	0	0
3	B	38	0	0	0	0
3	C	24	0	0	0	0
All	All	2793	0	2668	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1083:ASN:ND2	1:A:1087:ALA:H	1.80	0.79
1:B:2083:ASN:HD21	1:B:2087:ALA:H	1.33	0.76
1:A:1083:ASN:HD21	1:A:1087:ALA:H	1.36	0.74
1:C:3046:ARG:O	1:C:3050:GLU:HG3	1.87	0.74
1:B:2070:ILE:HG13	1:B:2071:SER:N	2.05	0.72
1:A:1074:GLY:HA3	1:A:1077:ASP:OD2	1.90	0.71
1:B:2046:ARG:O	1:B:2050:GLU:HG3	1.90	0.71
1:B:2040:PHE:CE1	1:B:2048:GLN:HG2	2.28	0.69
1:B:2083:ASN:ND2	1:B:2087:ALA:H	1.91	0.68
1:B:2070:ILE:HG13	1:B:2071:SER:H	1.61	0.66
1:A:1040:PHE:CE1	1:A:1048:GLN:HG2	2.33	0.64
1:C:3013:GLU:OE2	1:C:3015:ALA:HB3	1.97	0.64
1:B:2070:ILE:HG23	1:C:3086:GLY:HA3	1.81	0.63
1:C:3083:ASN:C	1:C:3083:ASN:HD22	2.07	0.63
1:B:2083:ASN:C	1:B:2083:ASN:HD22	2.06	0.63
1:A:1083:ASN:C	1:A:1083:ASN:HD22	2.08	0.60
1:A:1105:HIS:HB3	1:A:1110:VAL:HG23	1.84	0.60
1:A:1063:SER:HB3	1:A:1068:THR:HG21	1.85	0.58
1:A:1019:SER:O	1:A:1023:ARG:HG3	2.05	0.57
1:B:2035:LEU:HB2	1:B:2079:GLU:OE2	2.05	0.57
1:C:3046:ARG:O	1:C:3049:ILE:HG22	2.06	0.56
1:A:1064:LYS:NZ	1:B:2103:ILE:O	2.39	0.56
1:C:3040:PHE:CE1	1:C:3048:GLN:HG2	2.42	0.55
1:A:1010:ASP:OD1	1:A:1012:GLU:HG2	2.07	0.54
1:A:1009:ILE:HD12	1:B:2111:THR:HG23	1.89	0.54
1:C:3083:ASN:HD21	1:C:3087:ALA:H	1.57	0.52
1:A:1029:LYS:O	1:A:1029:LYS:HD3	2.10	0.52
1:C:3083:ASN:ND2	1:C:3087:ALA:H	2.08	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2015:ALA:O	1:B:2018:GLU:HB2	2.11	0.50
1:B:2012:GLU:HB2	1:B:2110:VAL:HG12	1.94	0.50
1:A:1035:LEU:HD12	1:A:1079:GLU:OE2	2.12	0.50
1:A:1081:LEU:O	1:A:1088:PRO:HA	2.12	0.49
1:B:2014:LEU:HD23	1:B:2108:GLN:C	2.38	0.49
1:A:1056:TRP:C	1:A:1056:TRP:CD1	2.91	0.48
1:C:3081:LEU:O	1:C:3088:PRO:HA	2.13	0.48
1:B:2070:ILE:CG1	1:B:2071:SER:N	2.75	0.48
1:B:2011:ILE:HG23	1:C:3106:THR:HG23	1.95	0.47
1:A:1074:GLY:O	1:A:1075:PHE:C	2.51	0.47
1:B:2070:ILE:CG1	1:B:2071:SER:H	2.27	0.47
1:A:1083:ASN:ND2	1:A:1083:ASN:C	2.73	0.47
1:A:1009:ILE:CD1	1:B:2111:THR:HG23	2.45	0.46
1:B:2012:GLU:HB2	1:B:2110:VAL:CG1	2.45	0.46
1:A:1009:ILE:O	1:A:1064:LYS:NZ	2.44	0.46
1:C:3083:ASN:C	1:C:3083:ASN:ND2	2.70	0.46
1:C:3018:GLU:O	1:C:3021:VAL:N	2.49	0.46
1:C:3031:VAL:HG13	1:C:3075:PHE:HD2	1.81	0.46
1:B:2070:ILE:HG12	1:C:3085:ARG:O	2.17	0.44
1:A:1068:THR:HG23	1:A:1071:SER:O	2.16	0.44
1:B:2070:ILE:HG23	1:C:3085:ARG:O	2.16	0.44
1:A:1039:ARG:HH21	1:A:1039:ARG:HG3	1.83	0.44
1:A:1055:ARG:O	1:A:1059:LYS:HG3	2.18	0.44
1:B:2070:ILE:N	1:C:3085:ARG:O	2.46	0.44
1:A:1079:GLU:O	1:A:1090:PHE:HA	2.18	0.43
1:C:3018:GLU:O	1:C:3019:SER:C	2.60	0.43
1:B:2083:ASN:ND2	1:B:2087:ALA:N	2.63	0.43
1:A:1064:LYS:O	1:A:1067:GLY:N	2.44	0.43
1:A:1039:ARG:HG3	1:A:1039:ARG:NH2	2.34	0.43
1:A:1100:TRP:O	1:A:1114:VAL:HA	2.19	0.43
1:C:3093:ALA:O	1:C:3095:PHE:N	2.45	0.43
1:C:3010:ASP:OD2	1:C:3012:GLU:HG2	2.18	0.43
1:A:1070:ILE:HG13	1:A:1071:SER:N	2.34	0.42
1:A:1071:SER:O	1:A:1072:LYS:HG3	2.19	0.42
1:B:2083:ASN:ND2	1:B:2083:ASN:C	2.73	0.42
1:C:3022:THR:O	1:C:3023:ARG:O	2.37	0.42
1:C:3017:ILE:O	1:C:3021:VAL:HG23	2.20	0.42
1:B:2025:GLU:O	1:B:2025:GLU:HG3	2.19	0.41
1:A:1037:MET:HE3	1:A:1040:PHE:HD2	1.86	0.41
1:C:3033:THR:HA	1:C:3076:GLN:HE22	1.85	0.41
1:A:1093:ALA:C	1:A:1095:PHE:H	2.29	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:3085:ARG:HH11	1:C:3085:ARG:HG3	1.86	0.41
1:A:1012:GLU:HB2	1:A:1110:VAL:HG12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	114/122 (93%)	109 (96%)	3 (3%)	2 (2%)	6	9
1	B	114/122 (93%)	106 (93%)	6 (5%)	2 (2%)	6	9
1	C	107/122 (88%)	101 (94%)	5 (5%)	1 (1%)	14	22
All	All	335/366 (92%)	316 (94%)	14 (4%)	5 (2%)	8	12

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	3023	ARG
1	B	2069	GLY
1	A	1068	THR
1	A	1045	GLY
1	B	2045	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	95/101 (94%)	91 (96%)	4 (4%)	26	45
1	B	95/101 (94%)	92 (97%)	3 (3%)	34	56
1	C	91/101 (90%)	89 (98%)	2 (2%)	45	67
All	All	281/303 (93%)	272 (97%)	9 (3%)	34	56

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1029	LYS
1	A	1044	LYS
1	A	1072	LYS
1	A	1083	ASN
1	B	2029	LYS
1	B	2044	LYS
1	B	2083	ASN
1	C	3047	ARG
1	C	3083	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1024	HIS
1	A	1048	GLN
1	A	1082	ASN
1	A	1083	ASN
1	B	2024	HIS
1	B	2076	GLN
1	B	2083	ASN
1	C	3076	GLN
1	C	3082	ASN
1	C	3083	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	C	1200	-	4,4,4	0.72	0	6,6,6	0.18	0
2	SO4	B	2200	-	4,4,4	0.50	0	6,6,6	0.15	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.