



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:47 AM UTC

PDB ID : 1FU1 / pdb_00001fu1
Title : CRYSTAL STRUCTURE OF HUMAN XRCC4
Authors : Junop, M.; Modesti, M.; Guarne, A.; Gellert, M.; Yang, W.
Deposited on : 2000-09-13
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	203	6% 51% 33% • 12%
1	B	203	10% 62% 32% 6%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DNA REPAIR PROTEIN XRCC4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	178	Total	As	C	N	O	S	0	0	0
			1446	4	912	240	283	7			
1	B	203	Total	As	C	N	O	S	0	0	0
			1654	4	1045	281	317	7			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	93	CAS	CYS	modified residue	UNP Q13426
A	128	CAS	CYS	modified residue	UNP Q13426
A	130	CAS	CYS	modified residue	UNP Q13426
A	134	THR	ILE	engineered mutation	UNP Q13426
A	165	CAS	CYS	modified residue	UNP Q13426
B	493	CAS	CYS	modified residue	UNP Q13426
B	528	CAS	CYS	modified residue	UNP Q13426
B	530	CAS	CYS	modified residue	UNP Q13426
B	534	THR	ILE	engineered mutation	UNP Q13426
B	565	CAS	CYS	modified residue	UNP Q13426

- Molecule 2 is ACETIC ACID (CCD ID: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	40	Total	O	0	0
			40	40		
3	B	21	Total	O	0	0
			21	21		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA REPAIR PROTEIN XRCC4



• Molecule 1: DNA REPAIR PROTEIN XRCC4



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	164.89Å 74.79Å 87.31Å 90.00° 103.97° 90.00°	Depositor
Resolution (Å)	29.93 – 2.70 29.93 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.3 (29.93-2.70) 98.3 (29.93-2.70)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.68Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.231 , 0.263 0.225 , 0.249	Depositor DCC
R_{free} test set	2791 reflections (9.93%)	wwPDB-VP
Wilson B-factor (Å ²)	69.3	Xtriage
Anisotropy	0.190	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 47.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3177	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACY, CAS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/1433	0.86	1/1923 (0.1%)
1	B	0.44	0/1643	0.89	4/2202 (0.2%)
All	All	0.44	0/3076	0.87	5/4125 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	599	LEU	N-CA-C	-8.14	103.33	113.18
1	B	438	ASP	N-CA-C	-5.79	105.41	112.88
1	A	177	TYR	N-CA-C	5.62	117.63	109.71
1	B	431	GLY	N-CA-C	-5.24	106.78	112.08
1	B	474	LEU	N-CA-C	5.01	119.66	113.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1446	0	1390	59	0
1	B	1654	0	1621	58	0
2	A	16	0	12	1	0
3	A	40	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	21	0	0	0	0
All	All	3177	0	3023	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:THR:HG22	1:A:39:GLY:H	1.39	0.88
1:A:130:CAS:O	1:A:134:THR:HG22	1.73	0.88
1:B:427:THR:HG22	1:B:429:GLU:H	1.39	0.86
1:A:89:SER:HB3	1:A:92:SER:HB3	1.56	0.84
1:A:141:ASN:HD21	1:B:541:ASN:HB2	1.44	0.82
1:B:471:ARG:HG3	1:B:475:LEU:HD12	1.62	0.81
1:B:559:GLN:O	1:B:563:GLU:HG3	1.87	0.74
1:B:498:GLU:HB3	1:B:507:ARG:HA	1.72	0.72
1:B:530:CAS:O	1:B:534:THR:HG22	1.91	0.70
1:A:138:GLN:O	1:A:142:GLU:HG3	1.92	0.69
1:B:594:LEU:C	1:B:598:LEU:HB2	2.17	0.69
1:B:437:THR:HG22	1:B:439:GLY:H	1.57	0.69
1:B:545:GLN:O	1:B:549:GLU:HG2	1.93	0.69
1:A:118:ASN:ND2	1:A:121:GLU:HB2	2.09	0.68
1:B:448:SER:OG	1:B:451:GLU:HG3	1.94	0.67
1:A:19:PHE:HE2	1:B:524:ARG:HG2	1.60	0.67
1:B:594:LEU:O	1:B:598:LEU:N	2.28	0.67
1:A:172:LEU:HD22	1:A:176:LEU:HD12	1.76	0.66
1:A:175:ASP:O	1:A:177:TYR:N	2.28	0.66
1:A:34:ILE:HD13	1:A:111:PHE:CZ	2.30	0.65
1:A:89:SER:CB	1:A:92:SER:HB3	2.26	0.64
1:A:150:ARG:O	1:A:154:ASP:HB2	1.97	0.64
1:A:174:THR:O	1:A:178:LYS:HD2	1.97	0.64
1:A:145:GLN:HG3	1:B:544:LEU:HD11	1.79	0.63
1:A:99:LYS:HD3	2:A:501:ACY:H3	1.81	0.61
1:B:595:HIS:O	1:B:599:LEU:HG	2.00	0.61
1:B:405:ILE:CD1	1:B:526:LEU:HG	2.31	0.61
1:A:176:LEU:HD13	1:A:177:TYR:HE1	1.67	0.60
1:A:34:ILE:HD13	1:A:111:PHE:HZ	1.67	0.60
1:A:55:GLU:HG2	1:A:66:TYR:OH	2.03	0.58
1:B:594:LEU:O	1:B:596:ASN:N	2.36	0.58
1:B:545:GLN:O	1:B:548:ASN:HB3	2.04	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:LEU:HD13	1:A:177:TYR:CE1	2.37	0.58
1:B:459:MET:HE2	1:B:461:MET:HE3	1.86	0.57
1:B:531:LEU:O	1:B:534:THR:HG23	2.05	0.57
1:A:102:LYS:HG2	1:A:102:LYS:O	2.05	0.57
1:A:29:GLU:O	1:A:49:GLU:HB2	2.06	0.56
1:A:27:THR:HB	1:A:30:SER:OG	2.05	0.56
1:B:585:ASN:O	1:B:588:LYS:HG3	2.06	0.56
1:A:100:ASN:OD1	1:A:105:SER:HB3	2.07	0.55
1:A:53:SER:HB3	1:A:63:LYS:HE3	1.89	0.54
1:B:437:THR:HG23	1:B:441:SER:O	2.07	0.54
1:A:45:GLY:HA3	1:A:113:LEU:HD23	1.89	0.53
1:B:577:TYR:OH	1:B:581:ILE:HD11	2.09	0.53
1:B:587:LYS:O	1:B:591:ILE:HG12	2.07	0.53
1:A:173:GLU:HG3	1:A:174:THR:N	2.24	0.52
1:A:169:LYS:C	1:A:171:ALA:N	2.67	0.52
1:A:169:LYS:C	1:A:171:ALA:H	2.18	0.52
1:A:173:GLU:HG3	1:A:174:THR:H	1.75	0.52
1:B:406:SER:HB3	1:B:476:SER:OG	2.11	0.50
1:B:434:ILE:HD13	1:B:511:PHE:CZ	2.46	0.50
1:B:483:VAL:HB	1:B:500:ASN:HB3	1.95	0.49
1:A:44:THR:HG22	1:A:45:GLY:N	2.27	0.49
1:B:594:LEU:O	1:B:598:LEU:HB2	2.12	0.49
1:A:5:ILE:HD13	1:A:126:LEU:HG	1.95	0.48
1:B:557:ASP:O	1:B:561:ARG:HG3	2.14	0.48
1:A:29:GLU:HB3	1:A:67:VAL:HG21	1.96	0.48
1:B:594:LEU:O	1:B:595:HIS:C	2.56	0.48
1:B:538:GLN:O	1:B:541:ASN:HB3	2.13	0.48
1:B:405:ILE:HD13	1:B:526:LEU:HG	1.97	0.47
1:B:459:MET:HE2	1:B:461:MET:CE	2.44	0.47
1:B:489:SER:HB3	1:B:492:SER:HB3	1.97	0.47
1:A:88:PHE:HD1	1:A:95:PHE:HB2	1.80	0.46
1:A:118:ASN:HD21	1:A:121:GLU:HB2	1.80	0.46
1:A:131:LEU:O	1:A:134:THR:HG23	2.15	0.46
1:A:71:ARG:NH1	3:A:518:HOH:O	2.49	0.46
1:B:472:LYS:HG2	1:B:477:GLY:O	2.16	0.46
1:A:22:VAL:HG11	1:A:75:LEU:HD21	1.98	0.46
1:B:493:CAS:HB2	1:B:513:LEU:O	2.16	0.45
1:A:37:THR:HG23	1:A:41:SER:O	2.16	0.45
1:A:146:LYS:HD2	3:A:526:HOH:O	2.16	0.45
1:A:166:VAL:HG12	1:A:170:GLU:HG3	1.98	0.45
1:B:597:LYS:O	1:B:600:ASN:HB3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:594:LEU:HB3	1:B:598:LEU:HD12	1.98	0.45
1:A:5:ILE:CD1	1:A:126:LEU:HG	2.47	0.45
1:B:489:SER:O	1:B:493:CAS:N	2.50	0.44
1:A:118:ASN:ND2	1:A:121:GLU:CB	2.79	0.44
1:B:500:ASN:C	1:B:500:ASN:HD22	2.24	0.44
1:B:579:ARG:HG2	1:B:579:ARG:HH11	1.80	0.44
1:A:102:LYS:O	1:A:103:ASP:CB	2.66	0.43
1:B:462:GLU:HG3	1:B:462:GLU:O	2.18	0.43
1:B:489:SER:CB	1:B:492:SER:HB3	2.48	0.43
1:B:469:GLU:HB3	1:B:508:LEU:HD21	2.00	0.43
1:A:3:ARG:HD2	1:A:129:TYR:CD2	2.54	0.43
1:A:175:ASP:O	1:A:176:LEU:C	2.61	0.43
1:B:427:THR:HG22	1:B:428:LEU:N	2.32	0.43
1:B:594:LEU:O	1:B:597:LYS:N	2.52	0.43
1:A:88:PHE:CD1	1:A:95:PHE:HB2	2.54	0.42
1:A:132:ASP:OD1	1:B:407:ARG:NH2	2.50	0.42
1:B:565:CAS:CE1	1:B:566:VAL:HA	2.50	0.42
1:A:44:THR:CG2	1:A:45:GLY:N	2.82	0.42
1:A:92:SER:C	1:A:93:CAS:SG	3.02	0.42
1:A:128:CAS:SG	1:B:407:ARG:NH1	2.93	0.42
1:A:85:THR:HA	3:A:522:HOH:O	2.20	0.42
1:B:597:LYS:C	1:B:600:ASN:HB3	2.44	0.42
1:A:54:GLN:O	1:A:58:ASP:OD1	2.38	0.42
1:A:126:LEU:C	1:A:126:LEU:HD23	2.44	0.42
1:B:525:GLU:HA	1:B:528:CAS:CE1	2.49	0.42
1:A:97:PHE:CD1	1:A:97:PHE:N	2.88	0.42
1:B:405:ILE:HD13	1:B:526:LEU:CD1	2.50	0.42
1:B:541:ASN:C	1:B:541:ASN:ND2	2.75	0.42
1:A:169:LYS:O	1:A:171:ALA:N	2.52	0.42
1:A:123:ILE:O	1:A:127:ILE:HG13	2.20	0.41
1:B:598:LEU:C	1:B:600:ASN:H	2.27	0.41
1:A:172:LEU:CD2	1:A:176:LEU:HD12	2.46	0.41
1:A:27:THR:HG21	1:A:29:GLU:OE1	2.19	0.41
1:B:599:LEU:O	1:B:603:GLN:OXT	2.38	0.41
1:B:445:GLY:HA3	1:B:513:LEU:HD23	2.01	0.41
1:B:495:PHE:CD1	1:B:511:PHE:CE1	3.09	0.41
1:B:577:TYR:CZ	1:B:581:ILE:HD11	2.55	0.41
1:A:7:ARG:O	1:A:7:ARG:HG3	2.19	0.41
1:B:549:GLU:HG2	1:B:549:GLU:H	1.71	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	172/203 (85%)	158 (92%)	12 (7%)	2 (1%)	10	27
1	B	197/203 (97%)	186 (94%)	10 (5%)	1 (0%)	24	48
All	All	369/406 (91%)	344 (93%)	22 (6%)	3 (1%)	16	37

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	176	LEU
1	B	595	HIS
1	A	172	LEU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	154/177 (87%)	145 (94%)	9 (6%)	18	42
1	B	177/177 (100%)	163 (92%)	14 (8%)	11	28
All	All	331/354 (94%)	308 (93%)	23 (7%)	14	34

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	LEU
1	A	30	SER
1	A	91	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	101	LEU
1	A	133	THR
1	A	134	THR
1	A	144	LEU
1	A	153	ARG
1	A	176	LEU
1	B	437	THR
1	B	462	GLU
1	B	470	LEU
1	B	491	GLU
1	B	498	GLU
1	B	534	THR
1	B	547	GLU
1	B	556	ASN
1	B	558	VAL
1	B	576	LEU
1	B	579	ARG
1	B	582	LEU
1	B	588	LYS
1	B	598	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	40	HIS
1	A	118	ASN
1	A	137	ASN
1	A	141	ASN
1	A	156	ASN
1	B	500	ASN
1	B	518	ASN
1	B	537	ASN
1	B	538	GLN
1	B	543	HIS
1	B	585	ASN
1	B	600	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CAS	A	128	1	5,8,9	0.98	0	1,9,11	0.15	0
1	CAS	A	130	1	5,8,9	1.42	2 (40%)	1,9,11	0.48	0
1	CAS	A	165	1	5,8,9	1.31	1 (20%)	1,9,11	0.73	0
1	CAS	A	93	1	5,8,9	1.04	0	1,9,11	0.04	0
1	CAS	B	528	1	5,8,9	1.30	1 (20%)	1,9,11	0.44	0
1	CAS	B	530	1	5,8,9	1.65	1 (20%)	1,9,11	0.14	0
1	CAS	B	565	1	5,8,9	1.09	1 (20%)	1,9,11	1.17	0
1	CAS	B	493	1	5,8,9	0.96	0	1,9,11	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CAS	A	128	1	-	0/0/7/9	-
1	CAS	A	130	1	-	0/0/7/9	-
1	CAS	A	165	1	-	0/0/7/9	-
1	CAS	A	93	1	-	0/0/7/9	-
1	CAS	B	528	1	-	0/0/7/9	-
1	CAS	B	530	1	-	0/0/7/9	-
1	CAS	B	565	1	-	0/0/7/9	-
1	CAS	B	493	1	-	0/0/7/9	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	530	CAS	AS-CE1	-2.99	1.88	1.96
1	A	165	CAS	AS-CE1	-2.40	1.89	1.96
1	B	528	CAS	AS-CE1	-2.40	1.89	1.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	565	CAS	AS-CE1	-2.22	1.90	1.96
1	A	130	CAS	AS-CE1	-2.15	1.90	1.96
1	A	130	CAS	AS-CE2	-2.04	1.90	1.96

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	128	CAS	1	0
1	A	130	CAS	1	0
1	A	93	CAS	1	0
1	B	528	CAS	1	0
1	B	530	CAS	1	0
1	B	565	CAS	1	0
1	B	493	CAS	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACY	A	504	-	3,3,3	1.29	0	3,3,3	1.60	1 (33%)
2	ACY	A	501	-	3,3,3	1.27	1 (33%)	3,3,3	1.71	1 (33%)
2	ACY	A	502	-	3,3,3	1.20	0	3,3,3	1.65	1 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ACY	A	503	-	3,3,3	1.23	0	3,3,3	1.66	1 (33%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	ACY	O-C	2.04	1.31	1.22

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	ACY	O-C-CH3	-2.30	113.08	122.53
2	A	503	ACY	O-C-CH3	-2.27	113.21	122.53
2	A	502	ACY	O-C-CH3	-2.25	113.30	122.53
2	A	504	ACY	O-C-CH3	-2.17	113.62	122.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	ACY	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	174/203 (85%)	0.40	13 (7%) 20 17	36, 66, 101, 113	0
1	B	199/203 (98%)	0.67	20 (10%) 12 10	36, 71, 136, 151	0
All	All	373/406 (91%)	0.55	33 (8%) 15 13	36, 68, 113, 151	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	594	LEU	9.0
1	B	599	LEU	7.6
1	B	598	LEU	7.3
1	B	591	ILE	6.5
1	A	178	LYS	6.2
1	B	601	ALA	6.0
1	A	177	TYR	4.9
1	B	577	TYR	4.7
1	B	588	LYS	4.4
1	B	590	LYS	4.4
1	A	176	LEU	4.3
1	A	172	LEU	4.2
1	B	595	HIS	3.8
1	B	427	THR	3.6
1	B	501	LEU	3.5
1	B	592	ARG	3.5
1	A	103	ASP	3.3
1	B	596	ASN	3.2
1	A	174	THR	3.1
1	B	538	GLN	2.8
1	B	603	GLN	2.7
1	B	600	ASN	2.7
1	A	175	ASP	2.5
1	A	173	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	602	ALA	2.5
1	A	27	THR	2.2
1	A	25	GLU	2.2
1	A	163	GLU	2.2
1	B	426	LYS	2.1
1	A	141	ASN	2.1
1	B	597	LYS	2.1
1	B	481	ALA	2.0
1	A	153	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CAS	B	565	9/10	0.78	0.27	93,101,144,152	0
1	CAS	B	493	9/10	0.92	0.13	85,93,128,137	0
1	CAS	A	93	9/10	0.95	0.10	74,89,117,123	0
1	CAS	A	128	9/10	0.98	0.07	42,54,88,90	0
1	CAS	B	530	9/10	0.98	0.10	42,47,60,62	0
1	CAS	A	165	9/10	0.98	0.09	66,70,78,79	0
1	CAS	A	130	9/10	0.99	0.07	42,44,60,63	0
1	CAS	B	528	9/10	0.99	0.06	46,51,62,62	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ACY	A	504	4/4	0.81	0.22	86,86,86,86	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ACY	A	501	4/4	0.93	0.17	45,47,50,53	0
2	ACY	A	502	4/4	0.94	0.18	68,68,69,70	0
2	ACY	A	503	4/4	0.95	0.20	75,82,82,84	0

6.5 Other polymers [i](#)

There are no such residues in this entry.