



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 05:34 AM UTC

PDB ID : 8FU3 / pdb_00008fu3
EMDB ID : EMD-29452
Title : Structure Of Respiratory Syncytial Virus Polymerase with Novel Non-Nucleoside Inhibitor
Authors : Yu, X.; Abeywickrema, P.; Bonneux, B.; Behera, I.; Jacoby, E.; Fung, A.; Adhikary, S.; Bhaumik, A.; Carbajo, R.J.; Bruyn, S.D.; Miller, R.; Patrick, A.; Pham, Q.; Piassek, M.; Verheyen, N.; Shareef, A.; Sutto-Ortiz, P.; Ysebaert, N.; Vlijmen, H.V.; Jonckers, T.H.M.; Herschke, F.; McLellan, J.S.; Decroly, E.; Fearn, R.; Grosse, S.; Roymans, D.; Sharma, S.; Rigaux, P.; Jin, Z.
Deposited on : 2023-01-16
Resolution : 2.88 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12111 (2.38 - 3.38)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2201	
2	B	256	

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	C	256	5% 23% 76%
2	D	256	15% 22% 76%
2	E	256	18% 25% 73%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13563 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase L.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1367	Total	C	N	O	S	0	0
			11153	7186	1872	2038	57		

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-35	MET	-	initiating methionine	UNP P28887
A	-34	GLY	-	expression tag	UNP P28887
A	-33	SER	-	expression tag	UNP P28887
A	-32	TRP	-	expression tag	UNP P28887
A	-31	SER	-	expression tag	UNP P28887
A	-30	HIS	-	expression tag	UNP P28887
A	-29	PRO	-	expression tag	UNP P28887
A	-28	GLN	-	expression tag	UNP P28887
A	-27	PHE	-	expression tag	UNP P28887
A	-26	GLU	-	expression tag	UNP P28887
A	-25	LYS	-	expression tag	UNP P28887
A	-24	GLY	-	expression tag	UNP P28887
A	-23	SER	-	expression tag	UNP P28887
A	-22	GLY	-	expression tag	UNP P28887
A	-21	SER	-	expression tag	UNP P28887
A	-20	GLY	-	expression tag	UNP P28887
A	-19	SER	-	expression tag	UNP P28887
A	-18	SER	-	expression tag	UNP P28887
A	-17	TRP	-	expression tag	UNP P28887
A	-16	SER	-	expression tag	UNP P28887
A	-15	HIS	-	expression tag	UNP P28887
A	-14	PRO	-	expression tag	UNP P28887
A	-13	GLN	-	expression tag	UNP P28887
A	-12	PHE	-	expression tag	UNP P28887
A	-11	GLU	-	expression tag	UNP P28887
A	-10	LYS	-	expression tag	UNP P28887
A	-9	GLY	-	expression tag	UNP P28887
A	-8	SER	-	expression tag	UNP P28887

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLY	-	expression tag	UNP P28887
A	-6	SER	-	expression tag	UNP P28887
A	-5	LEU	-	expression tag	UNP P28887
A	-4	VAL	-	expression tag	UNP P28887
A	-3	PRO	-	expression tag	UNP P28887
A	-2	ARG	-	expression tag	UNP P28887
A	-1	GLY	-	expression tag	UNP P28887
A	0	SER	-	expression tag	UNP P28887

- Molecule 2 is a protein called Phosphoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	114	Total	C	N	O	S	0	0
			886	532	157	191	6		
2	C	62	Total	C	N	O	S	0	0
			479	292	89	94	4		
2	D	61	Total	C	N	O	S	0	0
			468	286	85	93	4		
2	E	69	Total	C	N	O	S	0	0
			536	328	101	102	5		

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	242	LYS	-	expression tag	UNP P03421
B	243	GLY	-	expression tag	UNP P03421
B	244	GLU	-	expression tag	UNP P03421
B	245	ASN	-	expression tag	UNP P03421
B	246	LYS	-	expression tag	UNP P03421
B	247	TYR	-	expression tag	UNP P03421
B	248	PHE	-	expression tag	UNP P03421
B	249	GLN	-	expression tag	UNP P03421
B	250	GLY	-	expression tag	UNP P03421
B	251	HIS	-	expression tag	UNP P03421
B	252	HIS	-	expression tag	UNP P03421
B	253	HIS	-	expression tag	UNP P03421
B	254	HIS	-	expression tag	UNP P03421
B	255	HIS	-	expression tag	UNP P03421
B	256	HIS	-	expression tag	UNP P03421
C	242	LYS	-	expression tag	UNP P03421
C	243	GLY	-	expression tag	UNP P03421
C	244	GLU	-	expression tag	UNP P03421

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	245	ASN	-	expression tag	UNP P03421
C	246	LYS	-	expression tag	UNP P03421
C	247	TYR	-	expression tag	UNP P03421
C	248	PHE	-	expression tag	UNP P03421
C	249	GLN	-	expression tag	UNP P03421
C	250	GLY	-	expression tag	UNP P03421
C	251	HIS	-	expression tag	UNP P03421
C	252	HIS	-	expression tag	UNP P03421
C	253	HIS	-	expression tag	UNP P03421
C	254	HIS	-	expression tag	UNP P03421
C	255	HIS	-	expression tag	UNP P03421
C	256	HIS	-	expression tag	UNP P03421
D	242	LYS	-	expression tag	UNP P03421
D	243	GLY	-	expression tag	UNP P03421
D	244	GLU	-	expression tag	UNP P03421
D	245	ASN	-	expression tag	UNP P03421
D	246	LYS	-	expression tag	UNP P03421
D	247	TYR	-	expression tag	UNP P03421
D	248	PHE	-	expression tag	UNP P03421
D	249	GLN	-	expression tag	UNP P03421
D	250	GLY	-	expression tag	UNP P03421
D	251	HIS	-	expression tag	UNP P03421
D	252	HIS	-	expression tag	UNP P03421
D	253	HIS	-	expression tag	UNP P03421
D	254	HIS	-	expression tag	UNP P03421
D	255	HIS	-	expression tag	UNP P03421
D	256	HIS	-	expression tag	UNP P03421
E	242	LYS	-	expression tag	UNP P03421
E	243	GLY	-	expression tag	UNP P03421
E	244	GLU	-	expression tag	UNP P03421
E	245	ASN	-	expression tag	UNP P03421
E	246	LYS	-	expression tag	UNP P03421
E	247	TYR	-	expression tag	UNP P03421
E	248	PHE	-	expression tag	UNP P03421
E	249	GLN	-	expression tag	UNP P03421
E	250	GLY	-	expression tag	UNP P03421
E	251	HIS	-	expression tag	UNP P03421
E	252	HIS	-	expression tag	UNP P03421
E	253	HIS	-	expression tag	UNP P03421
E	254	HIS	-	expression tag	UNP P03421
E	255	HIS	-	expression tag	UNP P03421
E	256	HIS	-	expression tag	UNP P03421


- Molecule 3 is 8-methoxy-3-methyl-N-{(2S)-3,3,3-trifluoro-2-[5-fluoro-6-(4-fluorophenyl)-4-(2-hydroxypropan-2-yl)pyridin-2-yl]-2-hydroxypropyl}cinnoline-6-carboxamide (CCD ID: YBK) (formula: $C_{28}H_{25}F_5N_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	F	N	O	
3	A	1	41	28	5	4	4	0

[illegible]

- Molecule 2: Phosphoprotein

[illegible]

- Molecule 2: Phosphoprotein

[illegible]

- Molecule 2: Phosphoprotein

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	519118	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	52	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.157	Depositor
Minimum map value	-0.092	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	229.59999, 229.59999, 229.59999	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82, 0.82, 0.82	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YBK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	0/11387	0.88	85/15414 (0.6%)
2	B	0.77	0/889	0.76	4/1194 (0.3%)
2	C	0.81	0/480	0.85	2/643 (0.3%)
2	D	0.73	0/469	0.71	2/629 (0.3%)
2	E	0.74	0/537	0.84	2/718 (0.3%)
All	All	0.80	0/13762	0.87	95/18598 (0.5%)

There are no bond length outliers.

All (95) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	749	ALA	CA-C-N	8.00	125.42	119.66
1	A	749	ALA	C-N-CA	8.00	125.42	119.66
1	A	880	TYR	CA-C-N	7.63	127.58	120.03
1	A	880	TYR	C-N-CA	7.63	127.58	120.03
1	A	527	LEU	CA-C-N	7.40	127.45	119.90
1	A	527	LEU	C-N-CA	7.40	127.45	119.90
1	A	1129	LEU	CA-C-N	7.26	126.97	119.56
1	A	1129	LEU	C-N-CA	7.26	126.97	119.56
1	A	1447	LEU	CA-C-N	7.07	127.00	120.21
1	A	1447	LEU	C-N-CA	7.07	127.00	120.21
1	A	1257	GLY	CA-C-N	6.93	127.53	120.04
1	A	1257	GLY	C-N-CA	6.93	127.53	120.04
1	A	1424	PRO	CA-C-N	6.84	127.01	120.31
1	A	1424	PRO	C-N-CA	6.84	127.01	120.31
1	A	609	ASN	CA-C-N	6.83	126.51	119.82
1	A	609	ASN	C-N-CA	6.83	126.51	119.82
1	A	1118	TYR	CA-C-N	6.73	126.99	119.32
1	A	1118	TYR	C-N-CA	6.73	126.99	119.32
2	C	158	GLY	CA-C-N	6.68	127.22	119.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	158	GLY	C-N-CA	6.68	127.22	119.47
2	B	158	GLY	CA-C-N	6.68	126.64	119.76
2	B	158	GLY	C-N-CA	6.68	126.64	119.76
1	A	558	MET	CA-C-N	6.57	126.54	119.78
1	A	558	MET	C-N-CA	6.57	126.54	119.78
1	A	200	PRO	CA-C-N	6.56	126.47	119.85
1	A	200	PRO	C-N-CA	6.56	126.47	119.85
1	A	1180	LEU	CA-C-N	6.54	126.51	119.78
1	A	1180	LEU	C-N-CA	6.54	126.51	119.78
1	A	426	PHE	CA-CB-CG	-6.51	107.29	113.80
1	A	53	ASN	CA-C-N	6.38	126.35	120.03
1	A	53	ASN	C-N-CA	6.38	126.35	120.03
1	A	655	PHE	CA-C-N	6.37	126.06	119.56
1	A	655	PHE	C-N-CA	6.37	126.06	119.56
1	A	1273	MET	CA-C-N	6.28	126.25	119.78
1	A	1273	MET	C-N-CA	6.28	126.25	119.78
1	A	431	HIS	CA-C-N	6.27	126.24	120.03
1	A	431	HIS	C-N-CA	6.27	126.24	120.03
1	A	750	PRO	CA-C-N	6.25	126.43	120.31
1	A	750	PRO	C-N-CA	6.25	126.43	120.31
1	A	1349	PHE	CA-C-N	6.24	126.15	119.85
1	A	1349	PHE	C-N-CA	6.24	126.15	119.85
1	A	981	LEU	CA-C-N	6.21	126.23	119.90
1	A	981	LEU	C-N-CA	6.21	126.23	119.90
1	A	553	PHE	CA-C-N	6.20	126.22	119.90
1	A	553	PHE	C-N-CA	6.20	126.22	119.90
1	A	1221	SER	CA-C-N	6.17	126.12	119.76
1	A	1221	SER	C-N-CA	6.17	126.12	119.76
1	A	1413	ILE	CA-C-N	6.02	125.93	119.85
1	A	1413	ILE	C-N-CA	6.02	125.93	119.85
1	A	83	GLU	CA-C-N	5.99	126.42	119.47
1	A	83	GLU	C-N-CA	5.99	126.42	119.47
1	A	891	GLY	CA-C-N	5.97	127.30	119.84
1	A	891	GLY	C-N-CA	5.97	127.30	119.84
1	A	1366	SER	CA-C-N	5.92	125.40	119.24
1	A	1366	SER	C-N-CA	5.92	125.40	119.24
2	D	158	GLY	CA-C-N	5.87	126.34	120.52
2	D	158	GLY	C-N-CA	5.87	126.34	120.52
1	A	502	TYR	CA-C-N	5.84	126.33	120.14
1	A	502	TYR	C-N-CA	5.84	126.33	120.14
1	A	1049	ASN	CA-C-N	5.84	125.75	119.85
1	A	1049	ASN	C-N-CA	5.84	125.75	119.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1060	ASP	CA-C-N	5.82	127.11	119.84
1	A	1060	ASP	C-N-CA	5.82	127.11	119.84
1	A	480	TRP	CA-C-N	5.80	125.76	119.78
1	A	480	TRP	C-N-CA	5.80	125.76	119.78
1	A	544	PRO	CA-C-N	5.80	125.81	119.89
1	A	544	PRO	C-N-CA	5.80	125.81	119.89
1	A	989	ASP	CA-C-N	5.79	126.88	120.45
1	A	989	ASP	C-N-CA	5.79	126.88	120.45
1	A	632	GLN	CA-C-N	5.69	125.70	119.89
1	A	632	GLN	C-N-CA	5.69	125.70	119.89
1	A	489	LEU	CA-C-N	5.62	126.86	119.84
1	A	489	LEU	C-N-CA	5.62	126.86	119.84
1	A	1088	ALA	CA-C-N	5.47	125.82	119.47
1	A	1088	ALA	C-N-CA	5.47	125.82	119.47
1	A	1260	LYS	CA-C-N	5.46	125.38	119.76
1	A	1260	LYS	C-N-CA	5.46	125.38	119.76
1	A	1328	PHE	CA-C-N	5.43	125.35	119.76
1	A	1328	PHE	C-N-CA	5.43	125.35	119.76
2	B	217	ASN	CA-C-N	5.37	125.45	119.32
2	B	217	ASN	C-N-CA	5.37	125.45	119.32
2	E	158	GLY	CA-C-N	5.31	125.23	119.76
2	E	158	GLY	C-N-CA	5.31	125.23	119.76
1	A	737	ILE	CA-C-N	5.28	124.95	119.56
1	A	737	ILE	C-N-CA	5.28	124.95	119.56
1	A	1001	THR	CA-C-N	5.28	126.31	120.45
1	A	1001	THR	C-N-CA	5.28	126.31	120.45
1	A	1406	CYS	CA-C-N	5.14	125.04	119.85
1	A	1406	CYS	C-N-CA	5.14	125.04	119.85
1	A	819	LYS	CA-C-N	5.13	125.93	119.98
1	A	819	LYS	C-N-CA	5.13	125.93	119.98
1	A	1353	ILE	CA-C-N	5.12	125.03	119.76
1	A	1353	ILE	C-N-CA	5.12	125.03	119.76
1	A	199	HIS	CA-C-N	5.01	125.54	120.38
1	A	199	HIS	C-N-CA	5.01	125.54	120.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11153	0	11354	37	0
2	B	886	0	874	3	0
2	C	479	0	498	1	0
2	D	468	0	485	3	0
2	E	536	0	565	1	0
3	A	41	0	0	0	0
All	All	13563	0	13776	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:HIS:O	1:A:327:GLU:N	2.33	0.62
1:A:1290:ASP:OD2	1:A:1294:LYS:NZ	2.37	0.58
1:A:1115:GLU:HB3	1:A:1116:PRO:HD3	1.88	0.54
1:A:1185:ASN:O	1:A:1186:ARG:HB2	2.08	0.54
1:A:1158:ASP:OD1	1:A:1159:LEU:N	2.41	0.54
1:A:385:ASP:OD2	1:A:386:LYS:NZ	2.40	0.53
1:A:737:ILE:N	1:A:738:PRO:CD	2.71	0.53
1:A:1179:ILE:C	1:A:1181:PRO:HD3	2.36	0.50
1:A:325:HIS:O	1:A:326:ASN:C	2.55	0.49
1:A:539:ASP:OD1	1:A:540:LYS:NZ	2.42	0.49
1:A:999:ARG:NH1	1:A:1351:ALA:O	2.46	0.48
1:A:133:LEU:O	1:A:134:LYS:C	2.58	0.47
1:A:1185:ASN:O	1:A:1186:ARG:CB	2.61	0.47
2:D:158:GLY:N	2:D:159:PRO:CD	2.78	0.46
1:A:1110:ILE:HG23	1:A:1111:MET:HG2	1.98	0.46
1:A:532:ASP:OD2	1:A:1284:LYS:NZ	2.42	0.46
1:A:1356:TYR:CD1	1:A:1356:TYR:C	2.94	0.45
1:A:1366:SER:N	1:A:1367:PRO:CD	2.79	0.45
2:D:180:LYS:NZ	2:D:184:GLU:OE2	2.49	0.45
2:E:176:GLU:OE2	2:E:180:LYS:NZ	2.50	0.45
2:B:162:ALA:O	2:B:163:ARG:C	2.59	0.45
1:A:1112:GLN:OE1	1:A:1112:GLN:N	2.49	0.44
1:A:710:TYR:CD2	1:A:710:TYR:C	2.96	0.44
1:A:994:TYR:CD1	1:A:994:TYR:C	2.96	0.44
1:A:573:PHE:O	1:A:578:LYS:NZ	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:952:TYR:O	1:A:955:ILE:HG22	2.19	0.43
1:A:472:GLY:HA3	1:A:654:PHE:CD1	2.54	0.43
1:A:514:ILE:O	1:A:517:SER:OG	2.36	0.43
1:A:87:PHE:O	1:A:88:GLN:C	2.59	0.42
1:A:1110:ILE:CG2	1:A:1111:MET:N	2.82	0.42
1:A:235:ASP:OD1	1:A:236:ASN:N	2.52	0.42
1:A:593:ASN:ND2	1:A:596:ASP:OD1	2.53	0.41
1:A:634:GLY:O	1:A:635:MET:C	2.63	0.41
2:D:129:ASP:OD1	2:D:129:ASP:N	2.48	0.41
2:B:217:ASN:O	2:B:220:SER:N	2.53	0.41
1:A:448:ASN:ND2	1:A:772:TYR:O	2.52	0.41
2:B:159:PRO:O	2:B:167:ARG:NH1	2.53	0.41
1:A:83:GLU:CG	1:A:84:PRO:HD2	2.50	0.41
1:A:1110:ILE:HG23	1:A:1111:MET:N	2.35	0.41
1:A:1345:ARG:HA	1:A:1346:PRO:HD3	1.94	0.41
2:C:168:ASP:OD1	2:C:169:ALA:N	2.54	0.41
1:A:709:ARG:O	1:A:710:TYR:C	2.63	0.41
1:A:1118:TYR:O	1:A:1121:GLY:N	2.54	0.41
1:A:732:TRP:CG	1:A:733:LEU:N	2.89	0.40
1:A:721:ASP:HB3	1:A:726:VAL:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1359/2201 (62%)	1332 (98%)	20 (2%)	7 (0%)	24	51
2	B	112/256 (44%)	111 (99%)	0	1 (1%)	14	38
2	C	60/256 (23%)	58 (97%)	2 (3%)	0	100	100
2	D	59/256 (23%)	58 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	E	67/256 (26%)	63 (94%)	3 (4%)	1 (2%)	8	26
All	All	1657/3225 (51%)	1622 (98%)	26 (2%)	9 (0%)	26	51

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	326	ASN
1	A	1186	ARG
2	B	163	ARG
1	A	490	PRO
1	A	491	LEU
1	A	1265	SER
1	A	892	PRO
2	E	167	ARG
1	A	94	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1270/2041 (62%)	1270 (100%)	0	100	100
2	B	100/233 (43%)	100 (100%)	0	100	100
2	C	52/233 (22%)	52 (100%)	0	100	100
2	D	51/233 (22%)	51 (100%)	0	100	100
2	E	57/233 (24%)	56 (98%)	1 (2%)	51	78
All	All	1530/2973 (52%)	1529 (100%)	1 (0%)	87	97

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	E	135	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	199	HIS
1	A	237	GLN
1	A	417	ASN
1	A	446	ASN
1	A	638	GLN
1	A	940	GLN
1	A	1362	HIS
1	A	1369	ASN
2	D	150	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	YBK	A	2201	-	41,44,44	2.50	10 (24%)	58,68,68	2.21	12 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YBK	A	2201	-	-	0/36/37/37	0/4/4/4

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2201	YBK	C27-C25	-8.32	1.39	1.49
3	A	2201	YBK	C14-N16	5.84	1.46	1.33
3	A	2201	YBK	N12-N11	5.70	1.40	1.31
3	A	2201	YBK	C08-C09	5.37	1.41	1.36
3	A	2201	YBK	C21-C22	3.45	1.44	1.39
3	A	2201	YBK	C34-C22	3.44	1.56	1.54
3	A	2201	YBK	O19-C18	-3.27	1.38	1.43
3	A	2201	YBK	O37-C34	-3.12	1.40	1.44
3	A	2201	YBK	O02-C03	2.88	1.41	1.36
3	A	2201	YBK	C07-C13	-2.53	1.38	1.42

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2201	YBK	C10-C09-N11	8.90	121.37	116.13
3	A	2201	YBK	C10-C09-C08	-5.74	118.75	122.62
3	A	2201	YBK	C09-C08-C07	-4.92	118.30	120.54
3	A	2201	YBK	O02-C03-C13	4.40	119.25	115.06
3	A	2201	YBK	F40-C38-C18	-3.80	108.99	112.12
3	A	2201	YBK	O19-C18-C38	3.35	110.86	105.56
3	A	2201	YBK	C17-N16-C14	-3.31	117.66	122.88
3	A	2201	YBK	C09-N11-N12	3.30	121.96	119.97
3	A	2201	YBK	C25-N26-C20	2.22	123.13	118.50
3	A	2201	YBK	F41-C38-C18	-2.20	110.31	112.12
3	A	2201	YBK	C36-C34-C35	2.09	113.07	110.53
3	A	2201	YBK	C04-C03-C13	-2.07	118.33	120.10

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29452. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 134




Y Index: 156




Z Index: 146


6.3.2 Raw map



X Index: 138



Y Index: 156




Z Index: 134


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 72 nm³; this corresponds to an approximate mass of 65 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.347 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.347 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.88	-	-
Author-provided FSC curve	2.87	3.17	2.90
Unmasked-calculated*	3.21	3.63	3.26

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.21 differs from the reported value 2.88 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-29452 and PDB model 8FU3. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion ⓘ



At the recommended contour level, 84% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7790	0.5230
A	0.8560	0.5560
B	0.4270	0.3620
C	0.6090	0.4430
D	0.3360	0.3540
E	0.2930	0.3180

