



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 09:08 AM UTC

PDB ID : 8FUL / pdb_00008ful
Title : Heterologous AibH1H2 purified from Lysogeny broth
Authors : Powell, M.M.; Rittle, J.
Deposited on : 2023-01-17
Resolution : 2.29 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	77% 12% 11%
1	C	392	77% 12% 11%
1	E	392	79% 10% 11%
1	G	392	75% 14% 10%
2	B	378	3% 80% 16% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	378	6% 75% 20%
3	F	378	4% 72% 22%
3	H	378	5% 75% 21%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 23276 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amidohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	350	Total	C	N	O	S	0	1	0
			2807	1791	491	520	5			
1	C	350	Total	C	N	O	S	0	1	0
			2807	1791	491	520	5			
1	E	350	Total	C	N	O	S	0	1	0
			2791	1782	490	514	5			
1	G	351	Total	C	N	O	S	0	3	0
			2823	1801	495	522	5			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	expression tag	UNP A0A402C2V4
A	-5	GLY	-	expression tag	UNP A0A402C2V4
A	-4	HIS	-	expression tag	UNP A0A402C2V4
A	-3	HIS	-	expression tag	UNP A0A402C2V4
A	-2	HIS	-	expression tag	UNP A0A402C2V4
A	-1	HIS	-	expression tag	UNP A0A402C2V4
A	0	HIS	-	expression tag	UNP A0A402C2V4
A	1	HIS	-	expression tag	UNP A0A402C2V4
A	2	SER	-	expression tag	UNP A0A402C2V4
A	3	GLY	-	expression tag	UNP A0A402C2V4
A	4	GLU	-	expression tag	UNP A0A402C2V4
A	5	ASN	-	expression tag	UNP A0A402C2V4
A	6	LEU	-	expression tag	UNP A0A402C2V4
A	7	TYR	-	expression tag	UNP A0A402C2V4
A	8	PHE	-	expression tag	UNP A0A402C2V4
A	9	GLN	-	expression tag	UNP A0A402C2V4
A	10	SER	-	expression tag	UNP A0A402C2V4
A	11	GLY	-	expression tag	UNP A0A402C2V4
A	12	GLY	-	expression tag	UNP A0A402C2V4
C	-6	MET	-	expression tag	UNP A0A402C2V4
C	-5	GLY	-	expression tag	UNP A0A402C2V4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	HIS	-	expression tag	UNP A0A402C2V4
C	-3	HIS	-	expression tag	UNP A0A402C2V4
C	-2	HIS	-	expression tag	UNP A0A402C2V4
C	-1	HIS	-	expression tag	UNP A0A402C2V4
C	0	HIS	-	expression tag	UNP A0A402C2V4
C	1	HIS	-	expression tag	UNP A0A402C2V4
C	2	SER	-	expression tag	UNP A0A402C2V4
C	3	GLY	-	expression tag	UNP A0A402C2V4
C	4	GLU	-	expression tag	UNP A0A402C2V4
C	5	ASN	-	expression tag	UNP A0A402C2V4
C	6	LEU	-	expression tag	UNP A0A402C2V4
C	7	TYR	-	expression tag	UNP A0A402C2V4
C	8	PHE	-	expression tag	UNP A0A402C2V4
C	9	GLN	-	expression tag	UNP A0A402C2V4
C	10	SER	-	expression tag	UNP A0A402C2V4
C	11	GLY	-	expression tag	UNP A0A402C2V4
C	12	GLY	-	expression tag	UNP A0A402C2V4
E	-6	MET	-	expression tag	UNP A0A402C2V4
E	-5	GLY	-	expression tag	UNP A0A402C2V4
E	-4	HIS	-	expression tag	UNP A0A402C2V4
E	-3	HIS	-	expression tag	UNP A0A402C2V4
E	-2	HIS	-	expression tag	UNP A0A402C2V4
E	-1	HIS	-	expression tag	UNP A0A402C2V4
E	0	HIS	-	expression tag	UNP A0A402C2V4
E	1	HIS	-	expression tag	UNP A0A402C2V4
E	2	SER	-	expression tag	UNP A0A402C2V4
E	3	GLY	-	expression tag	UNP A0A402C2V4
E	4	GLU	-	expression tag	UNP A0A402C2V4
E	5	ASN	-	expression tag	UNP A0A402C2V4
E	6	LEU	-	expression tag	UNP A0A402C2V4
E	7	TYR	-	expression tag	UNP A0A402C2V4
E	8	PHE	-	expression tag	UNP A0A402C2V4
E	9	GLN	-	expression tag	UNP A0A402C2V4
E	10	SER	-	expression tag	UNP A0A402C2V4
E	11	GLY	-	expression tag	UNP A0A402C2V4
E	12	GLY	-	expression tag	UNP A0A402C2V4
G	-6	MET	-	expression tag	UNP A0A402C2V4
G	-5	GLY	-	expression tag	UNP A0A402C2V4
G	-4	HIS	-	expression tag	UNP A0A402C2V4
G	-3	HIS	-	expression tag	UNP A0A402C2V4
G	-2	HIS	-	expression tag	UNP A0A402C2V4
G	-1	HIS	-	expression tag	UNP A0A402C2V4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP A0A402C2V4
G	1	HIS	-	expression tag	UNP A0A402C2V4
G	2	SER	-	expression tag	UNP A0A402C2V4
G	3	GLY	-	expression tag	UNP A0A402C2V4
G	4	GLU	-	expression tag	UNP A0A402C2V4
G	5	ASN	-	expression tag	UNP A0A402C2V4
G	6	LEU	-	expression tag	UNP A0A402C2V4
G	7	TYR	-	expression tag	UNP A0A402C2V4
G	8	PHE	-	expression tag	UNP A0A402C2V4
G	9	GLN	-	expression tag	UNP A0A402C2V4
G	10	SER	-	expression tag	UNP A0A402C2V4
G	11	GLY	-	expression tag	UNP A0A402C2V4
G	12	GLY	-	expression tag	UNP A0A402C2V4

- Molecule 2 is a protein called Amidohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	363	Total	C	N	O	S	0	1	0
			2866	1824	493	540	9			
2	D	362	Total	C	N	O	S	0	1	0
			2842	1812	486	535	9			

- Molecule 3 is a protein called Amidohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	363	Total	C	N	O	S	0	2	0
			2860	1826	484	541	9			
3	H	363	Total	C	N	O	S	0	2	0
			2862	1827	487	539	9			

- Molecule 4 is FE (III) ION (CCD ID: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Fe	0	0
			1	1		
4	B	2	Total	Fe	0	0
			2	2		
4	C	1	Total	Fe	0	0
			1	1		
4	D	2	Total	Fe	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	1	Total	Fe	0	0
			1	1		
4	F	2	Total	Fe	0	0
			2	2		
4	G	1	Total	Fe	0	0
			1	1		
4	H	2	Total	Fe	0	0
			2	2		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mg	0	0
			1	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	74	Total 74	O 74	0	0
7	B	87	Total 87	O 87	0	0
7	C	83	Total 83	O 83	0	0
7	D	76	Total 76	O 76	0	0
7	E	86	Total 86	O 86	0	0
7	F	57	Total 57	O 57	0	0
7	G	71	Total 71	O 71	0	0
7	H	59	Total 59	O 59	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Amidohydrolase



• Molecule 1: Amidohydrolase




• Molecule 1: Amidohydrolase



GLY
LYS
VAL
GLY


• Molecule 1: Amidohydrolase

Chain G:  %




• Molecule 2: Amidohydrolase

Chain B:  %




• Molecule 2: Amidohydrolase

Chain D:  %




• Molecule 3: Amidohydrolase

Chain F:  %



● Molecule 3: Amidohydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	82.77Å 231.40Å 145.00Å 90.00° 92.17° 90.00°	Depositor
Resolution (Å)	47.28 – 2.29 47.28 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.9 (47.28-2.29) 97.9 (47.28-2.29)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.18 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.190 , 0.258 0.194 , 0.259	Depositor DCC
R_{free} test set	2000 reflections (1.64%)	wwPDB-VP
Wilson B-factor (Å ²)	46.1	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 38.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.059 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	23276	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CSO, FE, GOL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	1/2894 (0.0%)	0.60	0/3955
1	C	0.35	0/2894	0.59	3/3955 (0.1%)
1	E	0.37	0/2878	0.58	0/3936
1	G	0.38	0/2914	0.60	1/3982 (0.0%)
2	B	0.43	0/2953	0.62	0/4032
2	D	0.58	2/2929 (0.1%)	0.73	6/4002 (0.1%)
3	F	0.40	1/2944 (0.0%)	0.64	2/4023 (0.0%)
3	H	0.39	0/2946	0.68	8/4025 (0.2%)
All	All	0.42	4/23352 (0.0%)	0.63	20/31910 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1
3	F	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	100	ILE	C-O	-5.83	1.18	1.24
1	A	327	ASP	C-O	-5.52	1.17	1.24
3	F	45	LYS	N-CA	-5.24	1.40	1.46
2	D	329	GLY	C-O	-5.22	1.17	1.23

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	77	TRP	CA-C-N	10.08	132.44	119.84
3	H	77	TRP	C-N-CA	10.08	132.44	119.84
3	F	169	ARG	CA-C-N	9.18	132.78	121.85
3	F	169	ARG	C-N-CA	9.18	132.78	121.85
2	D	67	MET	N-CA-C	8.45	124.62	113.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	F	170	VAL	Mainchain
1	G	97	GLU	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2807	0	2705	42	0
1	C	2807	0	2705	37	0
1	E	2791	0	2682	26	1
1	G	2823	0	2716	47	1
2	B	2866	0	2749	57	0
2	D	2842	0	2713	61	0
3	F	2860	0	2726	83	0
3	H	2862	0	2733	56	0
4	A	1	0	0	0	0
4	B	2	0	0	0	0
4	C	1	0	0	0	0
4	D	2	0	0	0	0
4	E	1	0	0	0	0
4	F	2	0	0	0	0
4	G	1	0	0	0	0
4	H	2	0	0	0	0
5	B	6	0	7	0	0
5	D	6	0	7	0	0
6	B	1	0	0	0	0
7	A	74	0	0	1	0
7	B	87	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	C	83	0	0	1	0
7	D	76	0	0	1	0
7	E	86	0	0	0	0
7	F	57	0	0	1	0
7	G	71	0	0	1	0
7	H	59	0	0	1	0
All	All	23276	0	21743	371	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 371 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:72:MET:HE1	3:H:340:HIS:CD2	1.58	1.39
2:B:110:PRO:HD2	2:B:116:ASN:ND2	1.69	1.06
3:H:72:MET:CE	3:H:340:HIS:CD2	2.43	1.02
1:C:194:GLU:OE2	1:G:163:ARG:HD2	1.65	0.97
3:F:105:LEU:HD21	3:F:149:MET:SD	2.04	0.96

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:171:PHE:O	1:G:288:ARG:NH1[4_545]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	349/392 (89%)	340 (97%)	8 (2%)	1 (0%)	36 46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	349/392 (89%)	338 (97%)	10 (3%)	1 (0%)	36	46
1	E	349/392 (89%)	338 (97%)	10 (3%)	1 (0%)	36	46
1	G	352/392 (90%)	341 (97%)	10 (3%)	1 (0%)	36	46
2	B	362/378 (96%)	340 (94%)	22 (6%)	0	100	100
2	D	361/378 (96%)	331 (92%)	29 (8%)	1 (0%)	36	46
3	F	362/378 (96%)	340 (94%)	21 (6%)	1 (0%)	36	46
3	H	362/378 (96%)	335 (92%)	25 (7%)	2 (1%)	21	27
All	All	2846/3080 (92%)	2703 (95%)	135 (5%)	8 (0%)	36	46

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	H	31	GLN
1	C	270	PHE
2	D	328	CYS
1	E	270	PHE
1	G	270	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/332 (90%)	300 (100%)	0	100	100
1	C	300/332 (90%)	300 (100%)	0	100	100
1	E	296/332 (89%)	296 (100%)	0	100	100
1	G	301/332 (91%)	301 (100%)	0	100	100
2	B	305/318 (96%)	305 (100%)	0	100	100
2	D	300/318 (94%)	300 (100%)	0	100	100
3	F	302/317 (95%)	302 (100%)	0	100	100
3	H	302/317 (95%)	300 (99%)	2 (1%)	76	87
All	All	2406/2598 (93%)	2404 (100%)	2 (0%)	88	95

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	H	42	ARG
3	H	212	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 26 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	375	ASN
1	G	81	HIS
3	H	99	ASN
3	F	241	GLN
1	G	115	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CSO	H	328	3	4,5,7	0.95	0	1,5,8	1.50	0
3	CSO	F	328	3	4,5,7	1.10	0	1,5,8	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CSO	H	328	3	-	1/1/4/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CSO	F	328	3	-	1/1/4/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	328	CSO	N-CA-CB-SG
3	H	328	CSO	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 13 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GOL	B	401	4	5,5,5	0.97	0	5,5,5	0.89	0
5	GOL	D	401	4	5,5,5	0.89	0	5,5,5	1.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	B	401	4	-	3/4/4/4	-
5	GOL	D	401	4	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	401	GOL	O1-C1-C2-C3
5	D	401	GOL	C1-C2-C3-O3
5	B	401	GOL	O1-C1-C2-C3
5	D	401	GOL	O2-C2-C3-O3
5	D	401	GOL	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	350/392 (89%)	0.01	4 (1%) 78 79	26, 42, 58, 82	1 (0%)
1	C	350/392 (89%)	0.08	3 (0%) 81 82	26, 46, 63, 88	1 (0%)
1	E	350/392 (89%)	0.05	2 (0%) 85 86	29, 45, 58, 70	1 (0%)
1	G	351/392 (89%)	0.29	5 (1%) 73 75	29, 49, 66, 87	3 (0%)
2	B	363/378 (96%)	0.21	12 (3%) 49 51	28, 44, 69, 92	1 (0%)
2	D	362/378 (95%)	0.29	24 (6%) 24 26	25, 45, 75, 94	1 (0%)
3	F	362/378 (95%)	0.33	16 (4%) 39 41	26, 48, 79, 99	2 (0%)
3	H	362/378 (95%)	0.38	20 (5%) 30 32	27, 48, 81, 96	2 (0%)
All	All	2850/3080 (92%)	0.21	86 (3%) 52 54	25, 46, 72, 99	12 (0%)

The worst 5 of 86 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	112	GLY	5.4
1	G	357[A]	HIS	5.2
2	D	115	LEU	5.0
3	H	108	LEU	4.7
2	B	11	THR	4.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CSO	F	328	6/8	0.97	0.08	44,46,47,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CSO	H	328	6/8	0.97	0.05	46,47,51,57	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	D	401	6/6	0.81	0.19	60,63,82,83	0
5	GOL	B	401	6/6	0.86	0.16	46,54,67,68	0
4	FE	H	402	1/1	0.93	0.07	80,80,80,80	0
6	MG	B	404	1/1	0.93	0.06	57,57,57,57	0
4	FE	D	402	1/1	0.96	0.05	74,74,74,74	0
4	FE	F	402	1/1	0.98	0.04	80,80,80,80	0
4	FE	H	401	1/1	0.98	0.04	58,58,58,58	0
4	FE	D	403	1/1	0.98	0.06	58,58,58,58	0
4	FE	G	401	1/1	0.99	0.03	52,52,52,52	0
4	FE	C	401	1/1	0.99	0.07	48,48,48,48	0
4	FE	A	401	1/1	0.99	0.02	42,42,42,42	0
4	FE	B	402	1/1	0.99	0.03	68,68,68,68	0
4	FE	F	401	1/1	0.99	0.02	60,60,60,60	0
4	FE	B	403	1/1	0.99	0.03	55,55,55,55	0
4	FE	E	401	1/1	1.00	0.02	49,49,49,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FE H 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around FE D 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around FE F 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE H 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE D 403:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE F 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FE B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.