



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 11:16 AM EDT

PDB ID : 5FVU / pdb_00005fvu
Title : Structure of human nNOS R354A G357D mutant heme domain in complex with 4-methyl-6-(2-(5-(4-methylpiperazin-1-yl)pyridin-3-yl)ethyl) pyridin-2-amine
Authors : Li, H.; Poulos, T.L.
Deposited on : 2016-02-10
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	421	3% 83% 14% ..
1	B	421	4% 81% 16% ..

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7102 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NITRIC OXIDE SYNTHASE, BRAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	413	Total	C	N	O	S	0	2	0
			3371	2159	574	616	22			
1	B	409	Total	C	N	O	S	0	3	1
			3340	2140	569	610	21			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	354	ALA	ARG	engineered mutation	UNP P29475
A	357	ASP	GLY	engineered mutation	UNP P29475
B	354	ALA	ARG	engineered mutation	UNP P29475
B	357	ASP	GLY	engineered mutation	UNP P29475

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (CCD ID: H4B) (formula: $C_9H_{15}N_5O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 4-methyl-6-(2-(5-(4-methylpiperazin-1-yl)pyridin-3-yl)ethyl)pyridin-2-amine (CCD ID: W64) (formula: $C_{18}H_{25}N_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			23	18	5		
4	B	1	Total	C	N	0	0
			23	18	5		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total 1	Zn 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	129	Total 129	O 129	0	0
7	B	91	Total 91	O 91	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NITRIC OXIDE SYNTHASE, BRAIN



• Molecule 1: NITRIC OXIDE SYNTHASE, BRAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.33Å 121.67Å 163.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.79 – 2.22 48.79 – 2.22	Depositor EDS
% Data completeness (in resolution range)	65.6 (48.79-2.22) 65.6 (48.79-2.22)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.22Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.177 , 0.248 0.178 , 0.249	Depositor DCC
R_{free} test set	1667 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	27.7	Xtriage
Anisotropy	0.076	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7102	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, H4B, HEM, W64, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/3473	0.83	0/4712
1	B	0.48	1/3444 (0.0%)	0.84	4/4674 (0.1%)
All	All	0.49	1/6917 (0.0%)	0.83	4/9386 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	721	TRP	C-N	-6.81	1.23	1.33

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	426	TRP	N-CA-C	5.28	117.72	111.33
1	B	628	SER	N-CA-C	-5.10	106.84	113.16
1	B	542	PRO	CA-C-N	5.07	124.85	119.28
1	B	542	PRO	C-N-CA	5.07	124.85	119.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3371	0	3282	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3340	0	3250	33	0
2	A	43	0	30	1	0
2	B	43	0	30	2	0
3	A	17	0	15	0	0
3	B	17	0	15	0	0
4	A	23	0	0	0	0
4	B	23	0	0	1	0
5	A	4	0	6	2	0
6	A	1	0	0	0	0
7	A	129	0	0	2	0
7	B	91	0	0	4	0
All	All	7102	0	6628	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:574:ASN:HD21	5:A:870:EDO:H11	1.27	1.00
1:A:528:LEU:HD22	1:A:536:PRO:HB2	1.61	0.82
2:B:750:HEM:HMC2	2:B:750:HEM:HBC2	1.66	0.77
1:A:667:MET:HE1	1:A:698:GLN:HG2	1.76	0.67
1:B:528:LEU:HD22	1:B:536:PRO:HB2	1.76	0.67
1:B:482:SER:HA	1:B:574:ASN:HB3	1.78	0.66
1:B:491:LYS:HG2	1:B:504:VAL:HG11	1.76	0.66
2:A:750:HEM:HMC2	2:A:750:HEM:HBC2	1.77	0.65
1:A:380:LYS:NZ	1:A:384:GLU:OE2	2.29	0.64
1:B:481:ASN:HD21	1:B:527:LEU:HA	1.68	0.59
2:B:750:HEM:HHC	2:B:750:HEM:HBB2	1.86	0.56
1:A:494:ASP:OD1	1:A:496:SER:OG	2.13	0.56
1:A:480:TRP:HB2	1:A:528:LEU:HB3	1.88	0.55
1:A:478:ARG:HD3	1:A:585:SER:HB2	1.89	0.53
1:A:704:ARG:NH1	1:A:710:GLU:OE1	2.38	0.53
1:B:327:LEU:HD12	1:B:704:ARG:HG2	1.91	0.52
1:A:530:GLN:HG3	1:A:534:ASN:O	2.09	0.52
1:A:556:PHE:HB3	1:A:558:TRP:CE2	2.45	0.52
1:A:636:VAL:O	1:A:640:ILE:HG13	2.10	0.51
1:A:691:SER:HB3	1:B:687:PRO:HB2	1.92	0.51
1:B:679:ALA:HB3	1:B:700:MET:HB3	1.93	0.50
1:A:454:ALA:O	1:A:460:LEU:HA	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:540:GLN:HG3	7:A:2078:HOH:O	2.11	0.50
1:B:550:PRO:HG2	1:B:552:ARG:NH1	2.27	0.50
1:A:497:THR:HG21	1:A:501:PRO:HA	1.93	0.49
1:A:574:ASN:ND2	5:A:870:EDO:H11	2.11	0.49
1:B:480:TRP:HB2	1:B:528:LEU:HB3	1.95	0.49
1:A:485:ILE:O	1:A:486:ARG:HG2	2.14	0.48
1:B:501:PRO:O	1:B:504:VAL:HG23	2.14	0.48
1:B:490:TYR:HB2	1:B:498:LEU:HB3	1.95	0.48
1:A:415:ARG:CZ	1:A:674:ARG:HD2	2.46	0.46
1:B:515:TRP:CE2	1:B:526:PRO:HD3	2.51	0.45
1:A:478:ARG:HA	1:A:478:ARG:HD2	1.77	0.45
1:A:664:ILE:HG13	1:A:694:PRO:HB2	1.99	0.45
1:B:719:HIS:HD2	7:B:2040:HOH:O	2.00	0.45
1:A:337:MET:HB3	1:A:340:ILE:HG13	1.99	0.45
1:B:414:TRP:CE3	1:B:426:TRP:HA	2.52	0.45
1:B:475:HIS:HA	1:B:533:GLY:HA3	1.98	0.45
1:B:485:ILE:O	1:B:486:ARG:HG2	2.17	0.45
1:B:686:PRO:HG2	1:B:693:THR:HG21	1.99	0.44
1:B:428:LYS:O	7:B:2023:HOH:O	2.21	0.44
1:A:569:LEU:HA	1:A:570:PRO:HD3	1.88	0.44
1:A:615:VAL:HG21	1:A:638:ILE:HD11	1.99	0.44
1:B:530:GLN:HG3	1:B:534:ASN:O	2.18	0.44
1:A:576:LEU:HD11	1:A:583:GLU:HB3	2.00	0.43
1:B:542:PRO:HA	1:B:543:PRO:HD3	1.80	0.43
1:A:480:TRP:CE2	1:A:715:PRO:HB2	2.54	0.43
1:B:483:GLN:HG2	4:B:800:W64:C12	2.49	0.43
1:B:486:ARG:NH2	1:B:500:ASP:OD2	2.51	0.43
1:A:485:ILE:HD13	1:A:546:VAL:HG13	2.01	0.42
1:A:667:MET:HE2	1:A:667:MET:HB3	1.74	0.42
1:A:530:GLN:HE21	1:A:533:GLY:HA2	1.84	0.42
1:A:706:THR:HA	1:A:707:PRO:C	2.44	0.42
1:B:454:ALA:HB1	7:B:2034:HOH:O	2.19	0.42
1:A:482:SER:HA	1:A:574:ASN:HB3	2.00	0.42
1:B:359:LEU:HD21	1:B:398:THR:HA	2.00	0.42
1:B:515:TRP:O	1:B:517:PRO:HD3	2.19	0.42
1:B:517:PRO:HA	1:B:518:PRO:HD3	1.87	0.42
1:A:647:GLN:HE22	1:B:627:SER:HB2	1.84	0.42
1:B:385:ARG:O	1:B:389:VAL:HG23	2.19	0.42
1:A:528:LEU:HD23	1:A:528:LEU:HA	1.90	0.41
1:A:369:GLN:NE2	7:A:2016:HOH:O	2.53	0.41
1:B:722:LYS:N	7:B:2053:HOH:O	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:441:HIS:CE1	1:A:539:PHE:HE2	2.39	0.41
1:A:353:VAL:HG11	1:A:471:THR:O	2.21	0.41
1:B:593:TYR:CD2	1:B:598:ILE:HD11	2.56	0.41
1:B:481:ASN:OD1	1:B:481:ASN:N	2.36	0.40
1:B:467:PHE:HB3	1:B:468:PRO:CD	2.52	0.40
1:B:689:SER:HB3	1:B:692:ILE:HG12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	411/421 (98%)	399 (97%)	12 (3%)	0	100	100
1	B	408/421 (97%)	388 (95%)	19 (5%)	1 (0%)	43	50
All	All	819/842 (97%)	787 (96%)	31 (4%)	1 (0%)	48	56

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	519	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	371/376 (99%)	357 (96%)	14 (4%)	29	38
1	B	367/376 (98%)	350 (95%)	17 (5%)	24	30
All	All	738/752 (98%)	707 (96%)	31 (4%)	26	34

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	302	CYS
1	A	327	LEU
1	A	341	MET
1	A	386	LEU
1	A	394	ASP
1	A	428	LYS
1	A	485	ILE
1	A	491	LYS
1	A	528	LEU
1	A	560	LYS
1	A	578	GLU
1	A	593	TYR
1	A	626	THR
1	A	691	SER
1	B	324	LYS
1	B	326	THR
1	B	365	GLU
1	B	383	MET
1	B	394	ASP
1	B	395	THR
1	B	396	THR
1	B	460	LEU
1	B	481	ASN
1	B	494	ASP
1	B	555	LYS
1	B	578	GLU
1	B	593	TYR
1	B	624	ARG
1	B	633	GLN
1	B	706	THR
1	B	720	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	369	GLN
1	A	606	ASN
1	A	647	GLN
1	B	412	HIS
1	B	456	ASN
1	B	512	GLN
1	B	513	GLN
1	B	647	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 1 is monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	H4B	A	760	-	17,18,18	0.82	0	14,26,26	1.96	5 (35%)
3	H4B	B	760	-	17,18,18	0.76	0	14,26,26	1.78	5 (35%)
4	W64	B	800	-	25,25,25	0.43	0	33,34,34	1.84	12 (36%)
4	W64	A	800	-	25,25,25	0.39	0	33,34,34	1.88	12 (36%)
5	EDO	A	870	-	3,3,3	0.49	0	2,2,2	0.33	0
2	HEM	B	750	1	50,50,50	1.95	10 (20%)	67,82,82	1.62	13 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	750	1	50,50,50	1.85	8 (16%)	67,82,82	1.34	8 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	H4B	A	760	-	-	0/8/17/17	0/2/2/2
3	H4B	B	760	-	-	1/8/17/17	0/2/2/2
4	W64	B	800	-	-	4/9/19/19	0/3/3/3
4	W64	A	800	-	-	4/9/19/19	0/3/3/3
5	EDO	A	870	-	-	1/1/1/1	-
2	HEM	B	750	1	-	1/14/54/54	-
2	HEM	A	750	1	-	1/14/54/54	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	750	HEM	C3D-C2D	7.13	1.52	1.36
2	A	750	HEM	C3D-C2D	7.10	1.52	1.36
2	A	750	HEM	FE-ND	6.58	2.15	1.94
2	B	750	HEM	FE-NA	5.53	2.13	1.95
2	B	750	HEM	FE-NB	4.72	2.09	1.94
2	B	750	HEM	FE-ND	4.33	2.08	1.94
2	A	750	HEM	CAC-C3C	3.10	1.55	1.47
2	A	750	HEM	FE-NA	3.06	2.05	1.95
2	B	750	HEM	CAB-C3B	2.98	1.55	1.47
2	A	750	HEM	CAB-C3B	2.92	1.55	1.47
2	B	750	HEM	CAC-C3C	2.85	1.55	1.47
2	B	750	HEM	CMC-C2C	2.48	1.55	1.50
2	B	750	HEM	C2A-C3A	-2.44	1.32	1.38
2	A	750	HEM	CMC-C2C	2.28	1.55	1.50
2	A	750	HEM	C2A-C3A	-2.23	1.33	1.38
2	B	750	HEM	FE-NC	2.09	2.02	1.95
2	A	750	HEM	FE-NC	2.07	2.02	1.95
2	B	750	HEM	C3B-C2B	-2.01	1.33	1.37

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	750	HEM	C4D-ND-C1D	5.50	111.72	105.21
3	B	760	H4B	C2-N1-C8A	4.01	120.43	113.36
2	B	750	HEM	CBA-CAA-C2A	-3.86	101.86	112.53
3	A	760	H4B	C2-N1-C8A	3.85	120.16	113.36
4	A	800	W64	C02-N01-C06	3.84	120.94	118.07
2	A	750	HEM	C4D-ND-C1D	3.75	109.64	105.21
2	B	750	HEM	CMD-C2D-C1D	3.57	130.61	125.03
4	A	800	W64	C09-C08-C06	-3.45	105.34	113.01
4	B	800	W64	C25-C26-N21	-3.44	103.55	110.78
4	A	800	W64	C22-N21-C15	-3.42	108.78	118.11
4	B	800	W64	C08-C06-N01	3.29	121.04	116.06
4	B	800	W64	C09-C08-C06	-3.25	105.78	113.01
3	A	760	H4B	O4-C4-C4A	-3.24	119.46	127.26
2	A	750	HEM	CBA-CAA-C2A	-3.24	103.59	112.53
4	B	800	W64	C02-N01-C06	3.08	120.37	118.07
2	A	750	HEM	C3B-C4B-NB	-3.04	107.28	109.47
2	B	750	HEM	CBD-CAD-C3D	-3.01	104.21	112.53
2	A	750	HEM	C3B-C2B-C1B	3.00	108.66	106.41
2	B	750	HEM	C3B-C2B-C1B	2.97	108.64	106.41
4	A	800	W64	C25-C26-N21	-2.76	104.99	110.78
4	B	800	W64	C05-C06-N01	-2.74	119.60	122.73
3	A	760	H4B	C4A-C4-N3	2.74	119.64	112.13
2	A	750	HEM	C1B-NB-C4B	2.73	108.44	105.21
4	B	800	W64	C26-N21-C15	-2.73	110.67	118.11
4	B	800	W64	C16-N11-C12	2.72	121.20	117.51
2	A	750	HEM	CBD-CAD-C3D	-2.72	105.02	112.53
2	B	750	HEM	C3B-C4B-NB	-2.71	107.52	109.47
3	A	760	H4B	C2-N3-C4	-2.66	120.29	125.11
2	B	750	HEM	CAD-C3D-C4D	2.65	129.31	124.70
4	B	800	W64	C23-C22-N21	-2.63	105.26	110.78
4	B	800	W64	C14-C13-C12	2.58	119.29	116.90
3	B	760	H4B	C2-N3-C4	-2.56	120.46	125.11
4	A	800	W64	C26-N21-C15	-2.53	111.23	118.11
2	B	750	HEM	CHA-C4D-ND	2.48	127.44	124.37
4	A	800	W64	C14-C13-C12	2.47	119.19	116.90
2	B	750	HEM	C2A-C1A-NA	-2.47	107.41	110.15
3	B	760	H4B	O4-C4-C4A	-2.45	121.35	127.26
3	B	760	H4B	C4A-C4-N3	2.45	118.86	112.13
4	A	800	W64	C16-C15-N21	-2.40	118.16	121.80
2	B	750	HEM	C1B-NB-C4B	2.40	108.05	105.21
4	A	800	W64	C09-C13-C12	-2.40	117.47	121.73
3	A	760	H4B	C11-C10-C9	-2.37	109.21	112.11
4	A	800	W64	C23-C22-N21	-2.37	105.80	110.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	800	W64	C08-C06-N01	2.36	119.63	116.06
4	A	800	W64	C16-N11-C12	2.34	120.69	117.51
4	B	800	W64	N02-C02-N01	2.28	120.26	116.59
2	A	750	HEM	CAD-C3D-C4D	2.16	128.46	124.70
2	B	750	HEM	O1D-CGD-CBD	-2.16	116.25	123.09
2	B	750	HEM	C3D-C4D-ND	-2.14	107.82	110.17
4	B	800	W64	C22-N21-C15	-2.12	112.32	118.11
4	A	800	W64	N02-C02-N01	2.08	119.94	116.59
2	A	750	HEM	C4A-CHB-C1B	-2.05	121.42	126.25
4	B	800	W64	C15-C16-N11	-2.02	120.49	122.81
2	B	750	HEM	CAD-C3D-C2D	-2.00	124.12	127.87
3	B	760	H4B	C4-C4A-N5	2.00	121.72	116.27

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	800	W64	C14-C15-N21-C22
4	B	800	W64	C14-C15-N21-C22
5	A	870	EDO	O1-C1-C2-O2
3	B	760	H4B	O10-C10-C9-O9
4	A	800	W64	C16-C15-N21-C22
4	B	800	W64	C16-C15-N21-C22
4	B	800	W64	C08-C09-C13-C12
4	B	800	W64	C08-C09-C13-C14
2	B	750	HEM	C4B-C3B-CAB-CBB
4	A	800	W64	C08-C09-C13-C12
4	A	800	W64	C08-C09-C13-C14
2	A	750	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	800	W64	1	0
5	A	870	EDO	2	0
2	B	750	HEM	2	0
2	A	750	HEM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	413/421 (98%)	-0.05	11 (2%) 56 53	18, 42, 78, 102	2 (0%)
1	B	409/421 (97%)	0.31	18 (4%) 39 36	19, 52, 97, 119	3 (0%)
All	All	822/842 (97%)	0.13	29 (3%) 47 44	18, 46, 91, 119	5 (0%)

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	722	LYS	4.4
1	B	343	PRO	4.3
1	B	720	VAL	3.9
1	B	326	THR	3.8
1	A	327	LEU	3.5
1	B	354	ALA	3.2
1	B	721	TRP	3.2
1	A	334	TYR	2.9
1	A	352	ASP	2.9
1	B	355	THR	2.9
1	B	474	LYS	2.8
1	B	716	TRP	2.7
1	B	493	PRO	2.7
1	B	380	LYS	2.5
1	B	383	MET	2.5
1	B	304	ARG	2.4
1	A	305	PHE	2.4
1	A	624	ARG	2.4
1	A	672	ARG	2.4
1	B	473	GLY	2.3
1	A	355	THR	2.3
1	B	394	ASP	2.2
1	A	625	LYS	2.1
1	A	302	CYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	626	THR	2.1
1	A	380	LYS	2.1
1	B	375	LYS	2.0
1	B	625	LYS	2.0
1	B	397	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	A	870	4/4	0.89	0.15	49,54,56,56	0
4	W64	A	800	23/23	0.96	0.09	24,47,56,60	0
4	W64	B	800	23/23	0.96	0.08	20,41,52,53	0
3	H4B	B	760	17/17	0.96	0.06	12,30,45,47	0
3	H4B	A	760	17/17	0.97	0.05	14,26,32,37	0
2	HEM	B	750	43/43	0.98	0.07	16,32,40,49	0
2	HEM	A	750	43/43	0.99	0.06	13,25,36,41	0
6	ZN	A	900	1/1	1.00	0.01	36,36,36,36	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around W64 A 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around W64 B 800:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 750:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 750:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.