



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 01:54 PM EDT

PDB ID : 8FV7 / pdb_00008fv7
Title : E coli. CTP synthase in complex with dF-dCTP + ATP
Authors : Holyoak, T.; McLeod, M.J.; Tran, N.
Deposited on : 2023-01-18
Resolution : 2.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8172 (2.10-2.06)
Clashscore	190562	8714 (2.10-2.06)
Ramachandran outliers	187476	8641 (2.10-2.06)
Sidechain outliers	187428	8642 (2.10-2.06)
RSRZ outliers	180081	8177 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	545	22% 92% 6%
1	BBB	545	15% 94% .

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9334 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CTP synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AAA	535	Total	C	N	O	S	0	16	0
			4285	2707	756	797	25			
1	BBB	535	Total	C	N	O	S	0	14	0
			4264	2695	742	803	24			

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	AAA	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	BBB	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	AAA	2	Total	Na	0	0
			2	2		
3	BBB	2	Total	Na	0	0
			2	2		

- Molecule 4 is 2'-deoxy-2',2'-difluorocytidine 5'-(tetrahydrogen triphosphate) (CCD ID: GTF) (formula: C₉H₁₄F₂N₃O₁₃P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	BBB	1	Total 30	C 9	F 2	N 3	O 13	P 3	0	0
4	BBB	1	Total 30	C 9	F 2	N 3	O 13	P 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	AAA	309	Total	O	0	0
			309	309		
5	BBB	350	Total	O	0	0
			350	350		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CTP synthase



• Molecule 1: CTP synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	158.98Å 108.46Å 128.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	83.13 – 2.08 83.13 – 2.08	Depositor EDS
% Data completeness (in resolution range)	99.8 (83.13-2.08) 99.8 (83.13-2.08)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.72 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.203 , 0.222 0.209 , 0.227	Depositor DCC
R_{free} test set	6615 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	35.3	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 35.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9334	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTF, NA, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AAA	0.99	0/4382	1.39	1/5929 (0.0%)
1	BBB	0.99	0/4352	1.39	1/5894 (0.0%)
All	All	0.99	0/8734	1.39	2/11823 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	165	GLY	CA-C-O	-5.80	118.45	122.22
1	BBB	165	GLY	CA-C-O	-5.14	118.69	122.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	4285	0	4331	22	0
1	BBB	4264	0	4286	19	0
2	AAA	31	0	12	0	0
2	BBB	31	0	12	0	0
3	AAA	2	0	0	0	0
3	BBB	2	0	0	0	0
4	BBB	60	0	20	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	AAA	309	0	0	0	0
5	BBB	350	0	0	0	0
All	All	9334	0	8661	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BBB:175[B]:THR:HG21	1:BBB:191:THR:HA	1.67	0.77
1:AAA:154:LEU:HD13	1:AAA:201[B]:ILE:CD1	2.27	0.65
1:BBB:175[B]:THR:HG21	1:BBB:191:THR:CA	2.30	0.61
1:AAA:154:LEU:HD13	1:AAA:201[B]:ILE:HD12	1.83	0.59
1:AAA:355:TYR:CD1	1:AAA:404:PHE:HB3	2.38	0.58
1:BBB:355:TYR:CD1	1:BBB:404:PHE:HB3	2.39	0.58
1:BBB:175[B]:THR:HG21	1:BBB:191:THR:OG1	2.03	0.58
1:AAA:263[B]:ARG:HH11	1:AAA:263[B]:ARG:HB3	1.71	0.56
1:AAA:382[B]:MET:HA	1:AAA:511:ALA:HB1	1.87	0.55
1:BBB:71:LEU:C	1:BBB:71:LEU:HD12	2.34	0.53
1:BBB:492:SER:OG	1:BBB:499:GLU:OE2	2.23	0.53
1:AAA:39[B]:MET:HE3	1:AAA:87[B]:ARG:O	2.10	0.51
1:AAA:166[A]:ARG:NE	1:AAA:166[A]:ARG:HA	2.26	0.51
1:AAA:177:VAL:HG12	1:AAA:186:VAL:HB	1.93	0.51
1:AAA:454:VAL:HG11	1:AAA:500:ILE:HG21	1.94	0.50
1:AAA:166[A]:ARG:HA	1:AAA:166[A]:ARG:HE	1.77	0.49
1:AAA:382[A]:MET:HA	1:AAA:511:ALA:HB1	1.94	0.49
1:AAA:263[B]:ARG:HB3	1:AAA:263[B]:ARG:NH1	2.28	0.48
1:BBB:167[B]:GLU:H	1:BBB:167[B]:GLU:CD	2.21	0.48
1:BBB:338:VAL:HG11	1:BBB:367:PHE:CD1	2.49	0.47
1:BBB:25[A]:LEU:HD11	1:BBB:260:ILE:HD11	1.97	0.46
1:AAA:52[B]:MET:HG2	1:AAA:57:HIS:CB	2.46	0.45
1:AAA:198:LEU:O	1:AAA:201[B]:ILE:HG12	2.16	0.45
1:BBB:12:VAL:CG2	1:BBB:175[B]:THR:HG23	2.47	0.45
1:BBB:338:VAL:CG1	1:BBB:367:PHE:CD1	3.00	0.45
1:AAA:492:SER:OG	1:AAA:499:GLU:OE2	2.26	0.45
1:BBB:25[A]:LEU:HD11	1:BBB:260:ILE:CD1	2.47	0.45
1:AAA:458:TYR:CD1	1:AAA:463:ILE:HG21	2.53	0.43
1:BBB:12:VAL:HG21	1:BBB:175[B]:THR:HG23	2.01	0.43
1:BBB:45:ILE:O	1:BBB:93:GLY:HA3	2.18	0.43
1:AAA:49:PRO:HA	1:AAA:52[A]:MET:SD	2.59	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:131:GLY:CA	1:AAA:137:VAL:HG21	2.49	0.43
1:AAA:189:LYS:HB3	1:AAA:190:PRO:HD3	2.01	0.42
1:AAA:401:SER:HA	1:AAA:413:VAL:O	2.19	0.42
1:AAA:294:MET:HE2	1:AAA:294:MET:HB2	1.93	0.42
1:BBB:382[B]:MET:HA	1:BBB:511:ALA:HB1	2.02	0.41
1:BBB:116:ILE:HA	1:BBB:117:PRO:HA	1.85	0.41
1:AAA:116:ILE:HA	1:AAA:117:PRO:HA	1.87	0.41
1:BBB:189:LYS:HB3	1:BBB:190:PRO:HD3	2.03	0.40
1:BBB:175[B]:THR:HG21	1:BBB:191:THR:CB	2.51	0.40
1:BBB:382[A]:MET:HA	1:BBB:511:ALA:HB1	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	547/545 (100%)	537 (98%)	10 (2%)	0	100	100
1	BBB	545/545 (100%)	531 (97%)	14 (3%)	0	100	100
All	All	1092/1090 (100%)	1068 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	469/461 (102%)	465 (99%)	4 (1%)	70	77
1	BBB	467/461 (101%)	459 (98%)	8 (2%)	53	60
All	All	936/922 (102%)	924 (99%)	12 (1%)	73	68

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	288	SER
1	AAA	294	MET
1	AAA	382[A]	MET
1	AAA	382[B]	MET
1	BBB	16[A]	LEU
1	BBB	16[B]	LEU
1	BBB	25[A]	LEU
1	BBB	25[B]	LEU
1	BBB	382[A]	MET
1	BBB	382[B]	MET
1	BBB	439[A]	MET
1	BBB	439[B]	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ATP	BBB	703	3	32,33,33	0.57	0	48,52,52	0.58	0
4	GTF	BBB	701	3	28,31,31	0.59	0	39,50,50	0.87	1 (2%)
4	GTF	BBB	704	3	28,31,31	0.56	0	39,50,50	0.69	0
2	ATP	AAA	601	3	32,33,33	0.54	0	48,52,52	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	BBB	703	3	-	1/22/38/38	0/3/3/3
4	GTF	BBB	701	3	-	4/22/42/42	0/2/2/2
4	GTF	BBB	704	3	-	4/22/42/42	0/2/2/2
2	ATP	AAA	601	3	-	0/22/38/38	0/3/3/3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	BBB	701	GTF	F2-C2'-F1	2.12	108.10	105.55

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	BBB	704	GTF	PB-O3B-PG-O1G
2	BBB	703	ATP	PA-O3A-PB-O2B
4	BBB	701	GTF	PA-O3A-PB-O2B
4	BBB	704	GTF	PA-O3A-PB-O1B
4	BBB	701	GTF	PB-O3B-PG-O3G
4	BBB	701	GTF	PB-O3A-PA-O1A
4	BBB	701	GTF	PB-O3A-PA-O2A

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	BBB	704	GTF	PB-O3A-PA-O1A
4	BBB	704	GTF	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	535/545 (98%)	1.15	119 (22%) 2 2	17, 41, 68, 84	16 (2%)
1	BBB	535/545 (98%)	0.97	84 (15%) 5 5	13, 39, 66, 87	14 (2%)
All	All	1070/1090 (98%)	1.06	203 (18%) 3 3	13, 40, 66, 87	30 (2%)

All (203) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	428	VAL	8.0
1	BBB	57	HIS	7.0
1	BBB	1	MET	6.1
1	BBB	132	GLU	5.7
1	AAA	438	THR	5.6
1	BBB	504	PRO	5.5
1	AAA	494	ASP	5.5
1	BBB	395	ASN	5.4
1	AAA	541	LYS	5.3
1	AAA	504	PRO	5.3
1	AAA	428	VAL	5.2
1	BBB	133	GLY	5.1
1	AAA	437	GLY	5.0
1	AAA	487	ARG	4.9
1	BBB	393	VAL	4.6
1	BBB	407	ASP	4.5
1	AAA	1	MET	4.5
1	BBB	494	ASP	4.4
1	BBB	51	THR	4.4
1	AAA	479	LYS	4.4
1	AAA	166[A]	ARG	4.3
1	AAA	55	ILE	4.3
1	AAA	57	HIS	4.2
1	BBB	55	ILE	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	101	ARG	3.8
1	AAA	395	ASN	3.8
1	BBB	505	ASN	3.7
1	AAA	51	THR	3.7
1	AAA	245	TYR	3.7
1	BBB	438	THR	3.7
1	BBB	451	ASP	3.7
1	BBB	101	ARG	3.6
1	AAA	324	ASN	3.6
1	BBB	56	GLN	3.6
1	BBB	129	GLU	3.5
1	BBB	397	GLU	3.5
1	BBB	487	ARG	3.5
1	AAA	372	ASN	3.5
1	AAA	456	GLN	3.5
1	AAA	339	GLU	3.5
1	AAA	393	VAL	3.5
1	AAA	267	ASN	3.5
1	AAA	396	MET	3.4
1	AAA	290	VAL	3.4
1	BBB	410	TYR	3.4
1	AAA	106	GLY	3.4
1	AAA	133	GLY	3.4
1	BBB	541	LYS	3.4
1	AAA	387	ILE	3.4
1	AAA	491[A]	ARG	3.3
1	AAA	107	ASP	3.3
1	AAA	292	ILE	3.3
1	AAA	476	MET	3.3
1	AAA	394	ALA	3.3
1	AAA	342	LYS	3.3
1	BBB	450	ASP	3.3
1	AAA	532	PHE	3.2
1	AAA	410	TYR	3.2
1	AAA	132	GLU	3.2
1	AAA	341	LEU	3.2
1	AAA	480	GLN	3.2
1	AAA	407	ASP	3.1
1	BBB	489	ALA	3.1
1	AAA	477	LEU	3.1
1	AAA	481	ILE	3.1
1	AAA	505	ASN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	484	ALA	3.1
1	BBB	342	LYS	3.1
1	AAA	104	ARG	3.0
1	BBB	495	ASP	3.0
1	AAA	340	ILE	3.0
1	AAA	423	ASN	3.0
1	AAA	370	GLU	2.9
1	BBB	426	VAL	2.9
1	AAA	439	MET	2.9
1	AAA	368	ALA	2.9
1	AAA	446[A]	CYS	2.9
1	AAA	333	VAL	2.9
1	AAA	503	VAL	2.9
1	BBB	396	MET	2.9
1	BBB	106	GLY	2.9
1	AAA	105	ARG	2.8
1	BBB	86	ARG	2.8
1	BBB	543	GLN	2.8
1	AAA	335	THR	2.8
1	AAA	502	GLU	2.8
1	AAA	355	TYR	2.8
1	BBB	386	LEU	2.8
1	AAA	408	CYS	2.8
1	BBB	131	GLY	2.8
1	BBB	437	GLY	2.8
1	AAA	478	LEU	2.8
1	BBB	335	THR	2.8
1	AAA	87[A]	ARG	2.8
1	AAA	382[A]	MET	2.8
1	BBB	479	LYS	2.8
1	AAA	475	ASN	2.7
1	AAA	451	ASP	2.7
1	AAA	86	ARG	2.7
1	AAA	338	VAL	2.7
1	AAA	367	PHE	2.7
1	AAA	288	SER	2.7
1	BBB	445	GLN	2.7
1	AAA	486[A]	LEU	2.7
1	AAA	470[A]	ARG	2.7
1	BBB	167[A]	GLU	2.6
1	AAA	44	TYR	2.6
1	BBB	105	ARG	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	426	VAL	2.6
1	AAA	488	VAL	2.6
1	AAA	397	GLU	2.6
1	AAA	54	PRO	2.6
1	BBB	166	ARG	2.6
1	AAA	389	TYR	2.6
1	AAA	493	GLY	2.6
1	BBB	337	GLY	2.6
1	BBB	107	ASP	2.6
1	BBB	491[A]	ARG	2.6
1	BBB	245	TYR	2.5
1	AAA	535	ALA	2.5
1	BBB	338	VAL	2.5
1	AAA	543	GLN	2.5
1	BBB	502	GLU	2.5
1	AAA	320[A]	ARG	2.5
1	AAA	330	SER	2.4
1	AAA	409	LYS	2.4
1	BBB	339	GLU	2.4
1	BBB	416	ILE	2.4
1	BBB	449	VAL	2.4
1	BBB	439[A]	MET	2.4
1	AAA	425	ASN	2.4
1	AAA	542	ARG	2.4
1	AAA	492	SER	2.4
1	BBB	452	SER	2.4
1	AAA	462	THR	2.4
1	BBB	399	ALA	2.3
1	AAA	531	GLY	2.3
1	AAA	495	ASP	2.3
1	AAA	325	ILE	2.3
1	BBB	480	GLN	2.3
1	BBB	375	TYR	2.3
1	AAA	537	SER	2.3
1	BBB	537	SER	2.3
1	AAA	2	THR	2.3
1	AAA	447	GLN	2.3
1	BBB	447	GLN	2.3
1	AAA	398	ASN	2.3
1	BBB	267[A]	ASN	2.3
1	BBB	336	ARG	2.3
1	BBB	477	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	BBB	409	LYS	2.3
1	BBB	367	PHE	2.3
1	BBB	398	ASN	2.3
1	BBB	87	ARG	2.3
1	BBB	542	ARG	2.3
1	AAA	386	LEU	2.3
1	BBB	389	TYR	2.3
1	AAA	373	ILE	2.2
1	BBB	83	LYS	2.2
1	BBB	456	GLN	2.2
1	AAA	391	ARG	2.2
1	AAA	424	GLY	2.2
1	AAA	185	GLU	2.2
1	AAA	232	GLU	2.2
1	BBB	250[A]	LEU	2.2
1	AAA	375	TYR	2.2
1	AAA	82	THR	2.2
1	AAA	413	VAL	2.2
1	BBB	493	GLY	2.2
1	AAA	460	ALA	2.2
1	AAA	453	LEU	2.2
1	AAA	528	LEU	2.2
1	BBB	476	MET	2.2
1	AAA	332	ASP	2.2
1	AAA	450	ASP	2.2
1	AAA	289	GLU	2.1
1	AAA	416	ILE	2.1
1	BBB	481	ILE	2.1
1	AAA	287	VAL	2.1
1	AAA	336	ARG	2.1
1	AAA	419	TRP	2.1
1	AAA	56	GLN	2.1
1	BBB	408	CYS	2.1
1	AAA	52[A]	MET	2.1
1	AAA	411	PRO	2.1
1	AAA	362	ILE	2.1
1	BBB	340	ILE	2.1
1	BBB	177	VAL	2.1
1	BBB	333	VAL	2.1
1	BBB	219	ASN	2.1
1	BBB	423	ASN	2.1
1	BBB	503	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	BBB	182	ALA	2.1
1	AAA	448	LEU	2.0
1	BBB	242	ASP	2.0
1	AAA	364	THR	2.0
1	AAA	406	PRO	2.0
1	BBB	292	ILE	2.0
1	BBB	387	ILE	2.0
1	AAA	422	GLU	2.0
1	BBB	125	GLU	2.0
1	BBB	390	ALA	2.0
1	AAA	445	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NA	AAA	602	1/1	0.74	0.21	57,57,57,57	0
3	NA	BBB	705	1/1	0.84	0.14	46,46,46,46	0
3	NA	BBB	702	1/1	0.93	0.15	44,44,44,44	0
2	ATP	AAA	601	31/31	0.94	0.09	36,42,47,48	0
3	NA	AAA	603	1/1	0.96	0.13	49,49,49,49	0
2	ATP	BBB	703	31/31	0.97	0.07	34,37,42,45	0
4	GTF	BBB	701	30/30	0.98	0.05	23,24,28,28	0
4	GTF	BBB	704	30/30	0.98	0.06	24,26,30,31	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP BBB 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around GTF BBB 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GTF BBB 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.