



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:32 AM UTC

PDB ID : 9FVQ / pdb_00009fvq
Title : Ferric-mycobactin receptor (FemA) in complex with pyochelin
Authors : Moynie, L.
Deposited on : 2024-06-27
Resolution : 2.03 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	670	4% 87% 11% .
1	B	670	3% 86% 12% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	A	812	-	-	X	-
4	EDO	B	820	-	-	X	-

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 21968 atoms, of which 10522 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferric-mycobactin receptor, FemA.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	670	Total	C	H	N	O	S	133	6	0
			10200	3218	5034	935	1004	9			
1	B	670	Total	C	H	N	O	S	133	16	0
			10285	3242	5080	941	1013	9			

- Molecule 2 is PYOCHELIN FE(III) (CCD ID: 188) (formula: $C_{14}H_{14}FeN_2O_3S_2$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Fe	H	N	O	0	1
			36	14	1	14	2	3		
2	B	1	Total	C	Fe	H	N	O	0	1
			36	14	1	14	2	3		

- Molecule 3 is Pyochelin Fe(III) isomer (CCD ID: A1IG8) (formula: $C_{14}H_{14}FeN_2O_3S_2$).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
3	A	1	Total	C	Fe	H	N	O	S	0	1
			35	14	1	13	2	3	2		
3	B	1	Total	C	Fe	H	N	O	S	0	1
			35	14	1	13	2	3	2		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	2	0
			10	2	6	2		
4	A	1	Total	C	H	O	2	0
			10	2	6	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	2	0
			10	2	6	2		
4	A	1	Total	C	H	O	2	0
			10	2	6	2		
4	A	1	Total	C	H	O	1	0
			9	2	5	2		
4	A	1	Total	C	H	O	2	0
			10	2	6	2		
4	A	1	Total	C	H	O	1	0
			9	2	5	2		
4	A	1	Total	C	H	O	2	0
			10	2	6	2		
4	A	1	Total	C	H	O	1	0
			9	2	5	2		
4	A	1	Total	C	H	O	2	0
			10	2	6	2		
4	A	1	Total	C	H	O	2	1
			10	2	6	2		
4	A	1	Total	C	H	O	2	1
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	0
			10	2	6	2		
4	B	1	Total	C	H	O	2	1
			10	2	6	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	H	O	2	0
			10	2	6	2		

- Molecule 5 is (HYDROXYETHYLOXY)TRI(ETHYLOXY)OCTANE (CCD ID: C8E) (formula: C₁₆H₃₄O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	2	0
			39	12	25	2		
5	A	1	Total	C	H	O	0	0
			40	12	25	3		
5	A	1	Total	C	H	O	0	0
			40	12	25	3		
5	A	1	Total	C	H	O	0	1
			40	12	25	3		
5	A	1	Total	C	H	O	0	1
			15	4	8	3		
5	B	1	Total	C	H	O	0	1
			15	4	8	3		
5	B	1	Total	C	H	O	2	0
			39	12	25	2		
5	B	1	Total	C	H	O	0	0
			40	12	25	3		
5	B	1	Total	C	H	O	0	1
			26	8	17	1		
5	B	1	Total	C	H	O	0	1
			15	4	8	3		

- Molecule 6 is pentane-2,4-dione (CCD ID: P2D) (formula: $C_5H_8O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			15	5	8	2		
6	B	1	Total	C	H	O	0	0
			15	5	8	2		

- Molecule 7 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	9	Total	K	0	0
			9	9		
7	B	6	Total	K	0	0
			6	6		

- Molecule 8 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	375	Total	O	0	0
			375	375		
9	B	365	Total	O	0	0
			365	365		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ferric-mycobactin receptor, FemA



• Molecule 1: Ferric-mycobactin receptor, FemA



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	83.84Å 84.66Å 86.97Å 89.96° 118.67° 113.58°	Depositor
Resolution (Å)	66.72 – 2.03 66.72 – 2.03	Depositor EDS
% Data completeness (in resolution range)	96.6 (66.72-2.03) 96.6 (66.72-2.03)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 2.03Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.182 , 0.223 (Not available) , 0.207	Depositor DCC
R_{free} test set	2007 reflections (1.72%)	wwPDB-VP
Wilson B-factor (Å ²)	19.9	Xtriage
Anisotropy	0.280	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 39.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.000 for -h-l,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21968	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: C8E, K, 188, DMS, EDO, A1IG8, P2D

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.89	2/5293 (0.0%)	1.38	32/7189 (0.4%)
1	B	0.88	1/5367 (0.0%)	1.35	30/7291 (0.4%)
All	All	0.89	3/10660 (0.0%)	1.36	62/14480 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	7
All	All	0	14

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	451	HIS	CE1-NE2	-5.42	1.27	1.32
1	A	720	HIS	CB-CG	-5.17	1.43	1.50
1	A	354	ARG	NE-CZ	5.06	1.38	1.33

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	183	THR	CA-CB-OG1	-12.27	91.20	109.60
1	A	556	ASP	CB-CA-C	-9.50	94.51	110.56
1	A	338	THR	CA-CB-OG1	-8.65	96.63	109.60
1	B	767	ARG	CD-NE-CZ	8.17	135.84	124.40
1	B	343	THR	CA-CB-OG1	-8.12	97.41	109.60
1	A	260	GLN	N-CA-CB	-7.70	97.45	109.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	767	ARG	NE-CZ-NH2	-7.29	112.64	119.20
1	A	314	GLU	CB-CG-CD	7.28	124.98	112.60
1	A	684	LEU	CA-C-N	7.07	126.46	121.65
1	A	684	LEU	C-N-CA	7.07	126.46	121.65
1	B	767	ARG	NE-CZ-NH1	7.05	128.55	121.50
1	A	613	ARG	NE-CZ-NH2	6.84	125.36	119.20
1	A	296	ASP	CA-CB-CG	6.79	119.39	112.60
1	B	576	THR	CA-CB-OG1	-6.79	99.42	109.60
1	B	196	PHE	CA-CB-CG	6.64	120.44	113.80
1	B	575	MET	CG-SD-CE	6.63	115.49	100.90
1	B	238	THR	CA-CB-OG1	-6.61	99.68	109.60
1	B	312	ARG	CG-CD-NE	6.61	126.53	112.00
1	A	751	LYS	CB-CA-C	6.50	120.26	109.53
1	A	767	ARG	NE-CZ-NH2	-6.48	113.37	119.20
1	B	492	GLU	N-CA-CB	6.37	122.52	111.13
1	A	616	ASN	CB-CA-C	-6.32	96.17	109.38
1	A	238	THR	CA-CB-OG1	-6.21	100.28	109.60
1	B	261	ARG	NE-CZ-NH1	-6.20	115.30	121.50
1	B	260	GLN	CB-CA-C	-6.17	98.72	109.64
1	A	634	ARG	CG-CD-NE	-6.15	98.47	112.00
1	B	690	THR	CA-CB-OG1	6.01	118.62	109.60
1	B	431	ARG	CG-CD-NE	-6.01	98.78	112.00
1	A	180	ASP	CA-CB-CG	5.87	118.47	112.60
1	A	177	ASP	CA-CB-CG	5.86	118.45	112.60
1	B	312	ARG	CB-CA-C	-5.84	100.60	110.19
1	A	380	ASN	CA-CB-CG	-5.79	106.81	112.60
1	B	506[A]	PHE	CA-CB-CG	5.75	119.55	113.80
1	B	506[B]	PHE	CA-CB-CG	5.75	119.55	113.80
1	B	314	GLU	CB-CG-CD	5.74	122.36	112.60
1	A	143	THR	CA-CB-OG1	-5.65	101.13	109.60
1	A	486	SER	CA-CB-OG	-5.62	99.87	111.10
1	A	502	ASP	CA-CB-CG	5.61	118.21	112.60
1	B	111	THR	CA-CB-OG1	-5.60	101.20	109.60
1	B	275	GLY	CA-C-O	-5.55	117.79	122.29
1	B	284	PHE	CA-CB-CG	-5.54	108.25	113.80
1	B	660	GLU	CB-CA-C	5.53	118.86	109.80
1	A	493	THR	CA-CB-OG1	-5.50	101.35	109.60
1	A	280	PHE	N-CA-CB	5.50	119.64	110.85
1	A	335	PRO	N-CA-C	5.50	119.86	111.34
1	A	767	ARG	CD-NE-CZ	5.50	132.09	124.40
1	A	439	LEU	N-CA-CB	-5.42	101.58	110.68
1	B	660	GLU	N-CA-CB	-5.38	101.29	110.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	510	ARG	CD-NE-CZ	-5.27	117.03	124.40
1	B	480	PHE	CA-CB-CG	5.23	119.03	113.80
1	B	183[A]	THR	CA-CB-OG1	-5.23	101.75	109.60
1	B	183[B]	THR	CA-CB-OG1	-5.23	101.75	109.60
1	A	420	ASP	CA-CB-CG	5.18	117.78	112.60
1	B	751	LYS	N-CA-CB	-5.14	102.29	110.06
1	A	454	LEU	CA-C-N	-5.12	117.97	122.73
1	A	454	LEU	C-N-CA	-5.12	117.97	122.73
1	A	767	ARG	NE-CZ-NH1	5.08	126.58	121.50
1	B	660	GLU	CB-CG-CD	-5.05	104.02	112.60
1	A	526	ASN	OD1-CG-ND2	-5.03	117.57	122.60
1	B	314	GLU	CB-CA-C	5.02	118.83	110.90
1	B	380	ASN	CA-CB-CG	-5.01	107.59	112.60
1	A	379	ASP	CB-CA-C	-5.00	99.77	110.32

There are no chirality outliers.

All (14) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	123[A]	ARG	Sidechain
1	A	156	ARG	Sidechain
1	A	453	ARG	Sidechain
1	A	534	ARG	Sidechain
1	A	613	ARG	Sidechain
1	A	680	ARG	Sidechain
1	A	767	ARG	Sidechain
1	B	123[A]	ARG	Sidechain
1	B	358	ARG	Sidechain
1	B	418	ARG	Sidechain
1	B	503	ARG	Sidechain
1	B	613	ARG	Sidechain
1	B	742	ARG	Sidechain
1	B	767	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5166	5034	5005	57	0
1	B	5205	5080	5013	54	0
2	A	22	14	14	0	0
2	B	22	14	14	0	0
3	A	22	13	0	1	0
3	B	22	13	0	0	0
4	A	48	69	58	7	0
4	B	48	72	65	9	0
5	A	66	108	73	4	0
5	B	52	83	48	3	0
6	A	7	8	8	0	0
6	B	7	8	8	0	0
7	A	9	0	0	0	0
7	B	6	0	0	0	0
8	B	4	6	6	0	0
9	A	375	0	0	11	0
9	B	365	0	0	12	0
All	All	11446	10522	10312	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:451:HIS:ND1	1:B:494:ASP:OD2	1.88	1.06
1:B:152[A]:GLN:OE1	9:B:901:HOH:O	1.71	1.05
1:A:163:GLN:HG2	4:A:812:EDO:H11	1.57	0.85
1:B:609:LEU:HD22	1:B:636[B]:VAL:HG12	1.59	0.83
1:A:220:LYS:HE3	9:A:1035:HOH:O	1.79	0.82
4:B:820:EDO:H21	9:B:944:HOH:O	1.84	0.78
1:A:620:ASP:OD2	1:A:626:ARG:NH2	2.18	0.75
1:B:231:PRO:O	9:B:902:HOH:O	2.05	0.75
1:A:163:GLN:CG	4:A:812:EDO:H11	2.16	0.74
1:A:314:GLU:CD	1:A:315:ARG:H	1.98	0.71
1:B:223:ASN:CG	4:B:820:EDO:H22	2.17	0.70
1:B:439:LEU:HD11	1:B:504:LEU:HB3	1.74	0.70
1:A:276:GLU:OE2	9:A:901:HOH:O	2.11	0.69
1:A:151:GLU:OE2	9:A:903:HOH:O	2.12	0.68
1:B:371:ASN:HB3	5:B:809:C8E:H82	1.75	0.67
1:B:431:ARG:NH1	9:B:903:HOH:O	2.09	0.66
1:A:431:ARG:NH1	9:A:905:HOH:O	2.25	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123[B]:ARG:NH2	9:A:906:HOH:O	2.29	0.65
1:A:439:LEU:HD13	1:A:506:PHE:CE1	2.32	0.64
1:B:583:VAL:HG12	9:B:1050:HOH:O	1.96	0.64
1:A:123[B]:ARG:CZ	9:A:906:HOH:O	2.47	0.62
1:A:718:VAL:HG11	1:A:761:LEU:HD21	1.80	0.62
1:A:313:GLY:O	9:A:904:HOH:O	2.16	0.61
1:A:163:GLN:CB	4:A:812:EDO:H11	2.31	0.61
1:A:510:ARG:NH2	1:A:553:PRO:O	2.33	0.60
1:B:179:VAL:HG13	4:B:804:EDO:H12	1.83	0.59
1:B:605:THR:HG23	9:B:1210:HOH:O	2.01	0.59
1:B:433:ASN:HA	1:B:441:HIS:O	2.03	0.58
1:A:439:LEU:HD11	1:A:504:LEU:HB3	1.86	0.58
1:A:371:ASN:HD22	5:A:810:C8E:H62	1.68	0.58
1:A:680:ARG:HG3	1:A:680:ARG:NH1	2.21	0.56
1:A:303:PRO:HD2	1:A:326:LYS:O	2.06	0.56
1:B:555:GLN:H	1:B:555:GLN:CD	2.15	0.55
1:B:570:GLY:HA3	1:B:584:LEU:O	2.08	0.54
1:A:183:THR:HG21	9:A:966:HOH:O	2.08	0.54
1:B:183[A]:THR:HG21	9:B:1061:HOH:O	2.08	0.53
1:B:538:ASP:HB2	1:B:583:VAL:HG11	1.91	0.53
1:A:666:ASP:OD1	1:A:666:ASP:C	2.48	0.52
1:B:609:LEU:CD2	1:B:636[B]:VAL:HG12	2.36	0.52
1:A:231:PRO:O	4:A:815:EDO:H11	2.09	0.52
1:A:433:ASN:HA	1:A:441:HIS:O	2.09	0.52
1:A:250:PRO:HB3	1:A:272:ARG:HD3	1.91	0.52
1:B:405:GLY:O	1:B:406:ASN:ND2	2.39	0.52
1:B:680:ARG:NE	9:B:915:HOH:O	2.42	0.51
1:B:475:THR:HB	1:B:476:PRO:HD2	1.93	0.50
1:A:371:ASN:HD22	5:A:810:C8E:C6	2.24	0.50
1:A:510:ARG:HH21	1:A:553:PRO:C	2.20	0.50
1:A:644:PRO:HD2	1:A:648:VAL:O	2.11	0.50
1:A:225:LEU:C	1:A:225:LEU:HD13	2.37	0.49
1:A:220:LYS:CE	9:A:1035:HOH:O	2.49	0.49
1:A:219:LEU:C	1:A:219:LEU:HD23	2.37	0.49
1:B:219:LEU:C	1:B:219:LEU:HD23	2.38	0.48
1:A:315:ARG:HH11	1:A:315:ARG:HG3	1.80	0.47
1:B:343:THR:OG1	1:B:406:ASN:OD1	2.32	0.47
1:A:591:GLN:HB2	1:A:612:ILE:HG12	1.96	0.47
1:A:123[B]:ARG:HH21	1:A:134:ASP:CG	2.23	0.47
1:B:225:LEU:C	1:B:225:LEU:HD13	2.40	0.47
1:B:173:GLY:HA3	4:B:804:EDO:H11	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:633:ASN:HB3	1:B:657:ILE:HD11	1.96	0.47
1:B:233:GLY:N	9:B:902:HOH:O	2.47	0.47
1:A:690:THR:HB	1:A:692:PHE:CD1	2.50	0.46
1:B:114:ALA:HB3	1:B:123[A]:ARG:HD2	1.98	0.46
1:A:565:GLN:OE1	1:A:588:LYS:HD3	2.16	0.46
1:B:510:ARG:NH2	1:B:553:PRO:O	2.48	0.46
1:A:570:GLY:HA3	1:A:584:LEU:O	2.16	0.46
1:A:555:GLN:CD	1:A:555:GLN:H	2.23	0.46
1:B:322:LEU:HD23	5:B:810:C8E:H52	1.98	0.46
1:A:342:THR:HA	9:A:919:HOH:O	2.16	0.45
1:B:222:PRO:HA	4:B:820:EDO:H12	1.99	0.45
1:B:565:GLN:CD	1:B:588:LYS:HD2	2.41	0.45
1:A:365:GLU:OE1	1:B:275:GLY:HA2	2.17	0.45
1:A:680:ARG:HG3	1:A:680:ARG:HH11	1.82	0.45
1:A:710:VAL:O	1:A:710:VAL:HG12	2.16	0.45
1:A:151:GLU:HG2	4:A:814:EDO:H21	1.98	0.44
1:A:315:ARG:HG3	1:A:315:ARG:NH1	2.32	0.44
1:A:718:VAL:HG11	1:A:761:LEU:CD2	2.45	0.44
1:B:352:LYS:HE2	4:B:811:EDO:H22	2.00	0.44
1:B:600:LEU:CD2	9:B:1210:HOH:O	2.66	0.44
9:A:1266:HOH:O	1:B:453:ARG:HB2	2.17	0.44
1:B:380:ASN:OD1	1:B:380:ASN:N	2.46	0.44
1:A:620:ASP:OD1	1:A:620:ASP:C	2.61	0.43
1:B:475:THR:HB	1:B:476:PRO:CD	2.47	0.43
1:B:556[A]:ASP:HB2	1:B:599:ASP:O	2.18	0.43
1:B:666:ASP:C	1:B:666:ASP:OD1	2.62	0.43
1:B:453:ARG:NH1	1:B:453:ARG:HG2	2.33	0.43
1:B:556[B]:ASP:HB3	1:B:599:ASP:O	2.19	0.43
1:A:163:GLN:HG2	4:A:812:EDO:C1	2.38	0.42
1:B:223:ASN:OD1	4:B:820:EDO:H22	2.19	0.42
1:A:368:SER:C	5:A:804:C8E:H62	2.44	0.42
1:B:177:ASP:HA	1:B:333:VAL:O	2.20	0.42
1:B:303:PRO:HD2	1:B:326:LYS:O	2.20	0.42
1:B:152[A]:GLN:CD	9:B:901:HOH:O	2.42	0.42
1:B:219:LEU:C	1:B:219:LEU:CD2	2.93	0.42
1:A:588:LYS:HB2	1:A:588:LYS:HE2	1.94	0.42
1:A:680:ARG:NH1	1:A:680:ARG:CG	2.81	0.42
3:A:802[B]:A1IG8:S2	4:A:813:EDO:H21	2.60	0.41
1:A:666:ASP:HA	1:A:667:PRO:HD3	1.92	0.41
1:A:280:PHE:CZ	1:B:424:TYR:CD2	3.09	0.41
1:A:305:LEU:HB3	5:A:804:C8E:H132	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:152[B]:GLN:NE2	9:B:932:HOH:O	2.52	0.41
1:B:223:ASN:ND2	4:B:820:EDO:H22	2.35	0.41
1:A:322:LEU:HD12	1:A:322:LEU:N	2.35	0.41
1:B:173:GLY:CA	4:B:804:EDO:H11	2.51	0.41
1:A:123[B]:ARG:NH2	1:A:134:ASP:OD1	2.51	0.41
1:B:279:ALA:O	1:B:311:PHE:HA	2.21	0.41
1:B:519:ARG:NH2	1:B:541:HIS:CG	2.89	0.41
1:A:372:ARG:HH21	1:A:372:ARG:HD3	1.73	0.41
1:B:450:LEU:C	1:B:450:LEU:HD23	2.46	0.41
1:A:525:ARG:HH11	1:A:525:ARG:HD3	1.62	0.40
1:A:723:ARG:HD2	1:A:747:ASN:HB2	2.04	0.40
1:B:266:THR:O	1:B:287:VAL:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	674/670 (101%)	656 (97%)	17 (2%)	1 (0%)	48	43
1	B	684/670 (102%)	666 (97%)	16 (2%)	2 (0%)	36	30
All	All	1358/1340 (101%)	1322 (97%)	33 (2%)	3 (0%)	43	37

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	622	SER
1	B	659	PRO
1	A	659	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	539/535 (101%)	528 (98%)	11 (2%)	48	48
1	B	548/535 (102%)	532 (97%)	16 (3%)	37	33
All	All	1087/1070 (102%)	1060 (98%)	27 (2%)	44	39

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	219	LEU
1	A	314	GLU
1	A	344	HIS
1	A	379	ASP
1	A	424	TYR
1	A	427	GLU
1	A	505	SER
1	A	555	GLN
1	A	575	MET
1	A	588	LYS
1	A	718	VAL
1	B	219	LEU
1	B	344	HIS
1	B	387	ILE
1	B	424	TYR
1	B	438	PRO
1	B	494	ASP
1	B	498[A]	VAL
1	B	498[B]	VAL
1	B	506[A]	PHE
1	B	506[B]	PHE
1	B	508	GLU
1	B	509	ASP
1	B	545	PRO
1	B	600	LEU
1	B	718	VAL
1	B	770	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	344	HIS
1	A	491	ASN
1	A	526	ASN
1	A	541	HIS
1	B	120	GLN
1	B	223	ASN
1	B	263	GLN
1	B	297	HIS
1	B	541	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 56 ligands modelled in this entry, 15 are monoatomic - leaving 41 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	814	-	3,3,3	0.69	0	2,2,2	0.81	0
4	EDO	B	802	-	3,3,3	0.42	0	2,2,2	0.42	0
4	EDO	A	808	7	3,3,3	0.51	0	2,2,2	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	B	807	-	3,3,3	0.81	0	2,2,2	0.68	0
4	EDO	B	811	-	3,3,3	0.98	0	2,2,2	0.78	0
4	EDO	A	813	7	3,3,3	0.56	0	2,2,2	0.48	0
5	C8E	B	809	-	13,13,20	0.47	0	12,12,19	0.60	0
4	EDO	B	814	-	3,3,3	0.54	0	2,2,2	0.34	0
4	EDO	B	803	-	3,3,3	0.49	0	2,2,2	0.45	0
4	EDO	A	807	-	3,3,3	0.87	0	2,2,2	0.08	0
4	EDO	A	816	-	3,3,3	0.33	0	2,2,2	0.43	0
5	C8E	B	810	-	14,14,20	0.44	0	13,13,19	0.39	0
4	EDO	A	806	-	3,3,3	0.36	0	2,2,2	0.18	0
4	EDO	B	815	-	3,3,3	0.23	0	2,2,2	0.13	0
4	EDO	B	816	-	3,3,3	0.22	0	2,2,2	0.67	0
4	EDO	A	803	-	3,3,3	0.42	0	2,2,2	0.28	0
4	EDO	B	805	-	3,3,3	0.34	0	2,2,2	0.45	0
4	EDO	A	812	-	3,3,3	0.35	0	2,2,2	0.82	0
6	P2D	B	806	2,3	6,6,6	0.81	0	6,7,7	1.64	2 (33%)
4	EDO	B	808	-	3,3,3	0.57	0	2,2,2	0.32	0
5	C8E	A	809	-	14,14,20	0.28	0	13,13,19	0.28	0
5	C8E	A	804	-	13,13,20	0.43	0	12,12,19	0.42	0
4	EDO	B	804	-	3,3,3	1.19	0	2,2,2	0.35	0
4	EDO	B	820	-	3,3,3	0.61	0	2,2,2	0.47	0
8	DMS	B	821	-	3,3,3	0.51	0	3,3,3	0.27	0
4	EDO	A	815	7	3,3,3	0.11	0	2,2,2	0.53	0
6	P2D	A	811	2,3	6,6,6	0.86	0	6,7,7	1.06	0
5	C8E	A	810	-	14,14,20	0.65	0	13,13,19	0.44	0
4	EDO	A	805	-	3,3,3	0.05	0	2,2,2	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	814	-	-	1/1/1/1	-
4	EDO	B	802	-	-	0/1/1/1	-
4	EDO	A	808	7	-	0/1/1/1	-
4	EDO	B	807	-	-	0/1/1/1	-
4	EDO	B	811	-	-	0/1/1/1	-
4	EDO	A	813	7	-	0/1/1/1	-
5	C8E	B	809	-	-	6/11/11/18	-
4	EDO	B	814	-	-	0/1/1/1	-
4	EDO	B	803	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	807	-	-	0/1/1/1	-
4	EDO	A	816	-	-	1/1/1/1	-
5	C8E	B	810	-	-	10/12/12/18	-
4	EDO	A	806	-	-	0/1/1/1	-
4	EDO	B	815	-	-	0/1/1/1	-
4	EDO	B	816	-	-	1/1/1/1	-
4	EDO	A	803	-	-	1/1/1/1	-
4	EDO	B	805	-	-	1/1/1/1	-
4	EDO	A	812	-	-	0/1/1/1	-
6	P2D	B	806	2,3	-	0/4/4/4	-
4	EDO	B	808	-	-	1/1/1/1	-
5	C8E	A	809	-	-	5/12/12/18	-
5	C8E	A	804	-	-	5/11/11/18	-
4	EDO	B	804	-	-	0/1/1/1	-
4	EDO	B	820	-	-	1/1/1/1	-
4	EDO	A	815	7	-	0/1/1/1	-
6	P2D	A	811	2,3	-	2/4/4/4	-
5	C8E	A	810	-	-	3/12/12/18	-
4	EDO	A	805	-	-	0/1/1/1	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	806	P2D	O2-C2-C1	2.56	127.89	121.48
6	B	806	P2D	C1-C2-C3	-2.27	109.94	117.78

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	809	C8E	C6-C7-C8-O9
5	B	809	C8E	C14-C13-O12-C11
5	A	810	C8E	O9-C10-C11-O12
5	B	810	C8E	C6-C7-C8-O9
4	A	816	EDO	O1-C1-C2-O2
5	A	810	C8E	C1-C2-C3-C4
5	A	809	C8E	O9-C10-C11-O12
5	A	804	C8E	O9-C10-C11-O12
5	A	809	C8E	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	804	C8E	C2-C3-C4-C5
5	B	810	C8E	C2-C3-C4-C5
4	B	808	EDO	O1-C1-C2-O2
5	A	809	C8E	C2-C3-C4-C5
5	A	809	C8E	C1-C2-C3-C4
5	A	804	C8E	C1-C2-C3-C4
5	B	809	C8E	C2-C3-C4-C5
4	B	820	EDO	O1-C1-C2-O2
5	B	810	C8E	C5-C6-C7-C8
5	B	810	C8E	C14-C13-O12-C11
5	B	810	C8E	O12-C13-C14-O15
5	B	810	C8E	C7-C8-O9-C10
5	B	809	C8E	C7-C8-O9-C10
5	A	804	C8E	C14-C13-O12-C11
5	A	809	C8E	C7-C8-O9-C10
5	A	810	C8E	C11-C10-O9-C8
5	B	810	C8E	C11-C10-O9-C8
4	B	805	EDO	O1-C1-C2-O2
4	B	816	EDO	O1-C1-C2-O2
5	B	810	C8E	O9-C10-C11-O12
4	A	803	EDO	O1-C1-C2-O2
4	A	814	EDO	O1-C1-C2-O2
5	B	810	C8E	C3-C4-C5-C6
6	A	811	P2D	C2-C3-C4-C5
6	A	811	P2D	C2-C3-C4-O4
5	B	809	C8E	O9-C10-C11-O12
5	A	804	C8E	C4-C5-C6-C7
5	B	809	C8E	C3-C4-C5-C6
5	B	810	C8E	C1-C2-C3-C4

There are no ring outliers.

11 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	814	EDO	1	0
4	B	811	EDO	1	0
4	A	813	EDO	1	0
5	B	809	C8E	2	0
5	B	810	C8E	1	0
4	A	812	EDO	4	0
5	A	804	C8E	2	0
4	B	804	EDO	3	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	820	EDO	5	0
4	A	815	EDO	1	0
5	A	810	C8E	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	670/670 (100%)	-0.35	24 (3%)	46	46	9, 19, 46, 65	3 (0%)
1	B	670/670 (100%)	-0.39	17 (2%)	58	60	7, 19, 43, 67	9 (1%)
All	All	1340/1340 (100%)	-0.37	41 (3%)	51	52	7, 19, 43, 67	12 (0%)

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	578	ALA	4.5
1	B	340	PRO	4.4
1	B	437	GLY	4.1
1	A	340	PRO	4.0
1	B	692	PHE	3.8
1	A	583	VAL	3.3
1	A	576	THR	3.2
1	B	575	MET	3.2
1	A	435	ASP	3.2
1	A	406	ASN	3.0
1	B	339	GLY	3.0
1	A	665	GLY	3.0
1	A	692	PHE	2.9
1	A	344	HIS	2.8
1	A	407	GLN	2.8
1	B	578	ALA	2.8
1	B	621	ALA	2.7
1	A	339	GLY	2.7
1	A	437	GLY	2.6
1	A	575	MET	2.6
1	B	435	ASP	2.6
1	A	341	GLY	2.6
1	A	621	ALA	2.6
1	B	623	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	624	VAL	2.5
1	A	622	SER	2.4
1	B	622	SER	2.4
1	B	735	ALA	2.4
1	A	405	GLY	2.3
1	B	407	GLN	2.3
1	A	314	GLU	2.2
1	B	583	VAL	2.2
1	B	691	PRO	2.1
1	B	405	GLY	2.1
1	A	663	LYS	2.1
1	A	618	TYR	2.1
1	A	662	ASN	2.1
1	A	702	TRP	2.1
1	B	665	GLY	2.1
1	A	274	PHE	2.0
1	B	506[A]	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	DMS	B	821	4/4	0.82	0.20	47,52,59,73	0
4	EDO	A	819[B]	4/4	0.83	0.17	48,50,51,52	6
4	EDO	A	813	4/4	0.84	0.18	40,41,48,48	1
5	C8E	B	809	14/21	0.85	0.16	27,36,45,50	2
4	EDO	B	817[B]	4/4	0.85	0.17	36,45,48,49	2
5	C8E	A	810	15/21	0.86	0.16	37,44,53,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	C8E	A	817[B]	15/21	0.86	0.20	38,52,63,67	8
7	K	B	827	1/1	0.88	0.36	55,55,55,55	0
5	C8E	B	818[B]	9/21	0.89	0.15	28,35,39,46	17
5	C8E	B	801[B]	7/21	0.89	0.14	35,39,48,50	8
4	EDO	A	815	4/4	0.89	0.18	41,42,48,49	1
7	K	A	829	1/1	0.90	0.36	65,65,65,65	0
5	C8E	B	810	15/21	0.90	0.14	37,43,45,49	0
4	EDO	B	816	4/4	0.90	0.21	56,63,65,66	2
5	C8E	A	809	15/21	0.91	0.13	34,39,46,52	0
5	C8E	A	820[B]	7/21	0.91	0.14	36,40,49,50	4
7	K	A	825	1/1	0.91	0.21	58,58,58,58	0
7	K	A	823	1/1	0.92	0.40	65,65,65,65	0
4	EDO	A	808	4/4	0.93	0.14	27,29,31,32	1
4	EDO	B	820	4/4	0.93	0.16	32,33,33,34	2
4	EDO	B	804	4/4	0.93	0.13	23,30,40,40	2
7	K	B	826	1/1	0.93	0.20	64,64,64,64	0
4	EDO	B	807	4/4	0.93	0.09	27,29,31,32	2
4	EDO	A	818[B]	4/4	0.93	0.16	39,40,54,55	6
4	EDO	A	816	4/4	0.94	0.11	29,33,39,40	2
5	C8E	B	819[B]	7/21	0.94	0.12	31,37,50,57	8
4	EDO	B	808	4/4	0.94	0.10	26,32,41,42	2
4	EDO	A	807	4/4	0.94	0.10	21,27,35,35	2
6	P2D	A	811	7/7	0.95	0.10	23,28,31,32	0
4	EDO	B	805	4/4	0.95	0.09	29,31,43,43	2
4	EDO	A	814	4/4	0.95	0.13	21,35,42,43	2
5	C8E	A	804	14/21	0.95	0.09	19,26,39,41	2
7	K	B	823	1/1	0.95	0.27	49,49,49,49	0
4	EDO	B	802	4/4	0.95	0.12	25,26,29,29	2
4	EDO	B	814	4/4	0.95	0.11	19,23,33,34	2
4	EDO	A	812	4/4	0.95	0.14	22,26,30,31	2
4	EDO	B	811	4/4	0.96	0.08	29,34,35,37	2
7	K	A	824	1/1	0.96	0.15	44,44,44,44	0
7	K	B	824	1/1	0.96	0.23	42,42,42,42	0
4	EDO	A	805	4/4	0.96	0.07	17,24,27,27	2
7	K	A	827	1/1	0.96	0.14	48,48,48,48	0
7	K	A	828	1/1	0.96	0.31	45,45,45,45	0
4	EDO	B	815	4/4	0.97	0.07	17,26,35,35	2
3	A1IG8	B	813[B]	22/22	0.97	0.08	17,21,28,32	35
7	K	B	825	1/1	0.97	0.17	54,54,54,54	0
2	188	B	812[A]	22/22	0.97	0.07	20,22,26,29	36
6	P2D	B	806	7/7	0.97	0.07	21,26,29,32	0
3	A1IG8	A	802[B]	22/22	0.97	0.08	20,24,29,35	35

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	B	803	4/4	0.98	0.07	24,27,28,28	2
2	188	A	801[A]	22/22	0.98	0.07	18,22,24,26	36
7	K	A	826	1/1	0.98	0.21	50,50,50,50	0
4	EDO	A	806	4/4	0.98	0.06	21,22,23,24	2
7	K	A	822	1/1	0.98	0.20	33,33,33,33	0
4	EDO	A	803	4/4	0.98	0.04	13,15,19,19	2
7	K	A	821	1/1	0.99	0.13	39,39,39,39	0
7	K	B	822	1/1	0.99	0.15	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around C8E B 809:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 810:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E B 810:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 809:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around C8E A 804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.