



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 11:35 PM UTC

PDB ID : 1FWM / pdb_00001fwm
Title : Crystal structure of the thymidylate synthase R166Q mutant
Authors : Sotelo-Mundo, R.R.; Changchien, L.; Maley, F.; Montfort, W.R.
Deposited on : 2000-09-23
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	264	 72% 23% 5%
1	B	264	 64% 31% 5%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4552 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THYMIDYLATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2151	1374	369	396	12			
1	B	264	Total	C	N	O	S	0	0	0
			2151	1374	369	396	12			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	CXM	MET	modified residue	UNP P0A884
A	166	GLN	ARG	engineered mutation	UNP P0A884
B	301	CXM	MET	modified residue	UNP P0A884
B	466	GLN	ARG	engineered mutation	UNP P0A884

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

- Molecule 3 is 10-PROPARGYL-5,8-DIDEAZAFOLIC ACID (CCD ID: CB3) (formula: $C_{24}H_{23}N_5O_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 35 24 5 6	0	0
3	B	1	Total C N O 35 24 5 6	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	104	Total O 104 104	0	0
4	B	66	Total O 66 66	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: THYMIDYLATE SYNTHASE



• Molecule 1: THYMIDYLATE SYNTHASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	127.06 Å 127.06 Å 67.67 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	17.95 – 2.20	Depositor
% Data completeness (in resolution range)	79.6 (17.95-2.20)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.180 , 0.225	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4552	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CB3, SO4, CXM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/2200	0.96	8/2988 (0.3%)
1	B	0.42	0/2200	0.96	15/2988 (0.5%)
All	All	0.43	0/4400	0.96	23/5976 (0.4%)

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	GLN	OE1-CD-NE2	-9.24	113.36	122.60
1	B	451	GLN	OE1-CD-NE2	-9.24	113.36	122.60
1	B	470	VAL	N-CA-C	6.86	117.00	110.42
1	B	451	GLN	CG-CD-NE2	6.79	126.58	116.40
1	B	468	CYS	N-CA-C	6.58	119.19	108.26
1	A	28	SER	N-CA-C	6.33	118.92	108.99
1	A	9	GLN	CG-CD-NE2	6.25	125.78	116.40
1	A	81	ASP	N-CA-C	6.24	118.60	111.11
1	B	471	PHE	N-CA-C	5.79	117.39	111.14
1	A	207	HIS	N-CA-C	5.71	118.09	109.41
1	B	381	ASP	N-CA-C	5.65	117.89	111.11
1	B	450	PHE	CA-CB-CG	5.60	119.40	113.80
1	B	328	SER	N-CA-C	5.52	117.79	109.23
1	A	213	MET	N-CA-C	5.38	116.83	111.07
1	B	429	ILE	N-CA-C	5.38	117.63	108.86
1	A	170	VAL	N-CA-C	5.36	116.13	110.72
1	B	507	HIS	N-CA-C	5.36	117.55	109.41
1	B	502	THR	CA-C-N	-5.32	117.44	122.66
1	B	502	THR	C-N-CA	-5.32	117.44	122.66
1	B	482	ALA	N-CA-C	-5.26	105.66	111.71
1	A	129	ILE	N-CA-C	5.23	117.39	108.86
1	B	533	LYS	N-CA-C	5.16	116.91	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	376	ASN	N-CA-C	5.03	118.67	112.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2151	0	2075	51	0
1	B	2151	0	2075	67	0
2	A	10	0	0	0	0
3	A	35	0	21	0	0
3	B	35	0	21	4	0
4	A	104	0	0	0	0
4	B	66	0	0	1	0
All	All	4552	0	4192	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:GLN:H	1:A:215:GLN:NE2	1.65	0.94
1:B:515:GLN:HE21	1:B:515:GLN:H	0.99	0.90
1:A:215:GLN:HE21	1:A:215:GLN:N	1.69	0.88
1:A:110:ASP:O	1:A:114:THR:HG23	1.73	0.88
1:B:301:CXM:CN	1:B:346:THR:H	1.90	0.85
1:A:215:GLN:H	1:A:215:GLN:HE21	0.88	0.84
1:B:515:GLN:H	1:B:515:GLN:NE2	1.76	0.82
1:B:410:ASP:O	1:B:414:THR:HG23	1.80	0.81
1:B:377:VAL:CG2	1:B:379:ILE:HD12	2.16	0.76
1:B:562:VAL:HG13	1:B:564:ILE:HD13	1.68	0.75
1:B:304:TYR:CE2	1:B:308:MET:HE2	2.22	0.73
1:B:379:ILE:HD13	1:B:380:TRP:N	2.04	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:LEU:O	1:A:56:ILE:HD13	1.89	0.73
1:B:515:GLN:HE21	1:B:515:GLN:N	1.81	0.73
1:A:44:LEU:CD2	1:A:52:LEU:HD21	2.23	0.69
1:B:379:ILE:HD13	1:B:380:TRP:H	1.56	0.69
1:B:377:VAL:HG22	1:B:379:ILE:HD12	1.77	0.66
1:A:37:ASN:HD22	1:A:37:ASN:C	2.04	0.65
1:B:484:LEU:HA	1:B:487:MET:CE	2.26	0.65
1:A:45:VAL:HG22	1:A:50:CYS:SG	2.37	0.64
1:B:320:ASP:OD2	1:B:322:THR:HG22	1.98	0.62
1:A:52:LEU:HD12	1:A:56:ILE:HD11	1.82	0.61
1:B:322:THR:HG23	1:B:324:THR:H	1.66	0.60
1:B:434:ASN:C	1:B:434:ASN:HD22	2.08	0.60
1:B:436:GLY:HA3	4:B:683:HOH:O	2.00	0.60
1:A:28:SER:HB2	1:A:207:HIS:HB3	1.83	0.60
1:B:320:ASP:CG	1:B:322:THR:HG22	2.26	0.60
1:A:8:MET:HE3	1:A:220:LEU:HD22	1.85	0.59
1:A:225:ARG:HB3	1:A:226:PRO:HD2	1.83	0.59
1:B:345:VAL:HG22	1:B:350:CYS:SG	2.44	0.58
1:B:484:LEU:HA	1:B:487:MET:HE3	1.86	0.58
1:B:552:TYR:CE2	1:B:554:PRO:HG3	2.38	0.57
1:A:44:LEU:HD22	1:A:52:LEU:HD21	1.86	0.57
1:A:233:LYS:HE3	1:A:248:GLU:HB2	1.88	0.56
1:B:445:PRO:HB2	1:B:448:ALA:HB2	1.88	0.56
1:B:555:HIS:HB3	1:B:556:PRO:HD2	1.87	0.56
1:B:345:VAL:CG2	1:B:350:CYS:SG	2.94	0.56
1:B:443:LEU:HD21	3:B:566:CB3:C8A	2.37	0.55
1:B:443:LEU:HD21	3:B:566:CB3:N1	2.22	0.55
1:A:134:ASN:C	1:A:134:ASN:HD22	2.16	0.54
1:B:318:LYS:HB2	1:B:326:THR:HG22	1.89	0.54
1:B:320:ASP:OD1	1:B:322:THR:HG22	2.07	0.54
1:B:356:ILE:HG12	1:B:483:LEU:HD11	1.90	0.54
1:B:481:TYR:O	1:B:485:VAL:HG23	2.09	0.53
1:B:525:ARG:HB3	1:B:526:PRO:HD2	1.92	0.52
1:A:205:ASP:OD2	1:B:426:ARG:HG2	2.10	0.52
1:A:37:ASN:ND2	1:A:39:GLN:H	2.08	0.52
1:A:187:MET:HE3	1:A:247:PHE:HZ	1.75	0.52
1:B:487:MET:HB3	1:B:539:ILE:HD11	1.92	0.51
1:A:86:GLU:H	1:A:86:GLU:CD	2.18	0.51
1:A:170:VAL:HB	1:A:208:LEU:HD13	1.93	0.51
1:B:398:TRP:HB3	1:B:412:ILE:HD11	1.92	0.51
1:B:412:ILE:CD1	1:B:412:ILE:N	2.73	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:ILE:N	1:A:56:ILE:CD1	2.74	0.51
1:A:56:ILE:N	1:A:56:ILE:HD12	2.25	0.51
1:A:37:ASN:C	1:A:37:ASN:ND2	2.68	0.51
1:B:379:ILE:CD1	1:B:379:ILE:N	2.74	0.51
1:B:398:TRP:O	1:B:412:ILE:HD13	2.11	0.50
1:B:529:LYS:HB2	1:B:529:LYS:NZ	2.27	0.50
1:A:133:TRP:CZ2	1:A:138:LEU:HD21	2.46	0.50
1:A:69:ILE:HD13	1:A:73:HIS:CD2	2.47	0.49
1:A:151:GLN:NE2	1:B:464:TYR:OH	2.44	0.49
1:A:73:HIS:HE1	1:A:81:ASP:OD1	1.96	0.48
1:B:369:ILE:HD13	1:B:373:HIS:CE1	2.47	0.48
1:A:245:GLU:H	1:A:245:GLU:CD	2.21	0.48
1:A:44:LEU:HD21	1:A:52:LEU:HD21	1.95	0.48
1:B:377:VAL:HG23	1:B:379:ILE:HD12	1.95	0.48
1:B:372:LEU:O	1:B:377:VAL:HG13	2.14	0.48
1:B:379:ILE:HD11	1:B:380:TRP:HD1	1.78	0.48
1:B:446:CYS:HB3	3:B:566:CB3:NA2	2.29	0.47
1:A:33:GLN:HA	1:A:201:TRP:O	2.15	0.47
1:B:486:HIS:CE1	1:B:496:VAL:HG11	2.50	0.47
1:A:243:ARG:NH1	1:A:245:GLU:HG2	2.30	0.47
1:B:301:CXM:CN	1:B:347:THR:H	2.27	0.47
1:A:69:ILE:C	1:A:69:ILE:HD12	2.40	0.46
1:A:115:VAL:HA	1:A:118:GLN:HE21	1.80	0.46
1:B:552:TYR:CZ	1:B:554:PRO:HG3	2.50	0.46
1:A:44:LEU:HD21	1:A:52:LEU:CD2	2.45	0.46
1:A:27:LEU:HD23	1:A:27:LEU:HA	1.75	0.46
1:B:357:HIS:HD2	1:B:371:TYR:OH	1.99	0.46
1:A:58:GLU:O	1:A:61:TRP:HB3	2.16	0.46
1:B:301:CXM:CN	1:B:346:THR:N	2.71	0.45
1:B:398:TRP:HB3	1:B:412:ILE:CD1	2.46	0.45
1:B:528:PRO:HG3	1:B:549:ILE:HD11	1.99	0.45
1:A:116:LEU:HD11	1:A:239:ILE:HB	1.99	0.45
1:A:110:ASP:OD2	1:A:113:THR:HG23	2.17	0.44
1:A:178:ILE:HD13	1:A:199:PHE:HE2	1.83	0.44
1:B:474:LEU:HB3	1:B:475:PRO:HD3	1.99	0.44
1:B:301:CXM:H	1:B:304:TYR:HB3	1.82	0.44
1:B:369:ILE:HD12	1:B:369:ILE:C	2.43	0.43
1:A:5:LEU:HD11	1:A:47:THR:HG21	2.00	0.43
1:A:243:ARG:HH11	1:A:245:GLU:HG2	1.83	0.43
1:B:536:PRO:HB2	1:B:541:ASP:HB2	2.01	0.43
1:A:61:TRP:CD1	1:A:66:ASP:HB3	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:ARG:NH1	1:A:243:ARG:HB2	2.34	0.42
1:A:215:GLN:NE2	1:A:215:GLN:N	2.45	0.42
1:B:443:LEU:HD21	3:B:566:CB3:C2	2.49	0.42
1:B:358:GLU:O	1:B:361:TRP:HB3	2.19	0.42
1:B:487:MET:HB3	1:B:539:ILE:CD1	2.50	0.42
1:A:59:LEU:HD23	1:A:183:LEU:HD23	2.00	0.41
1:A:97:GLN:NE2	1:A:97:GLN:HA	2.34	0.41
1:B:416:LEU:HD22	1:B:488:MET:SD	2.60	0.41
1:A:70:ALA:O	1:A:74:GLU:HG3	2.20	0.41
1:A:222:ARG:NH1	1:A:258:ILE:HD11	2.36	0.41
1:B:525:ARG:HD2	1:B:553:ASP:O	2.20	0.41
1:A:230:LEU:C	1:A:231:ILE:HD12	2.45	0.41
1:B:501:TRP:CH2	1:B:503:GLY:HA3	2.56	0.41
1:B:465:GLN:NE2	1:B:477:ASN:OD1	2.50	0.41
1:B:515:GLN:NE2	1:B:515:GLN:N	2.55	0.41
1:A:65:GLY:HA2	1:A:95:GLY:O	2.21	0.41
1:B:463:LEU:HD22	1:B:464:TYR:N	2.35	0.41
1:B:360:LEU:O	1:B:364:GLN:NE2	2.53	0.40
1:B:484:LEU:HA	1:B:487:MET:HE2	2.01	0.40
1:B:417:ASN:HD22	1:B:417:ASN:HA	1.74	0.40
1:A:174:LEU:HB3	1:A:175:PRO:HD3	2.04	0.40
1:B:393:VAL:O	1:B:394:TYR:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/264 (99%)	248 (95%)	13 (5%)	1 (0%)	30	34
1	B	262/264 (99%)	251 (96%)	9 (3%)	2 (1%)	16	16
All	All	524/528 (99%)	499 (95%)	22 (4%)	3 (1%)	21	23

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	394	TYR
1	A	93	VAL
1	B	393	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	213 (92%)	19 (8%)	10	12
1	B	232/232 (100%)	211 (91%)	21 (9%)	9	9
All	All	464/464 (100%)	424 (91%)	40 (9%)	10	10

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	11	VAL
1	A	27	LEU
1	A	28	SER
1	A	37	ASN
1	A	45	VAL
1	A	56	ILE
1	A	60	LEU
1	A	105	ASP
1	A	138	LEU
1	A	172	LEU
1	A	176	PHE
1	A	215	GLN
1	A	220	LEU
1	A	223	GLU
1	A	227	LEU
1	A	230	LEU
1	A	245	GLU
1	A	249	ILE
1	B	302	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	326	THR
1	B	338	LEU
1	B	354	SER
1	B	364	GLN
1	B	377	VAL
1	B	379	ILE
1	B	382	GLU
1	B	396	LYS
1	B	412	ILE
1	B	414	THR
1	B	416	LEU
1	B	463	LEU
1	B	472	LEU
1	B	476	PHE
1	B	483	LEU
1	B	495	GLU
1	B	515	GLN
1	B	520	LEU
1	B	529	LYS
1	B	543	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	37	ASN
1	A	64	GLN
1	A	73	HIS
1	A	97	GLN
1	A	117	ASN
1	A	118	GLN
1	A	134	ASN
1	A	151	GLN
1	A	186	HIS
1	A	215	GLN
1	A	217	HIS
1	B	357	HIS
1	B	375	ASN
1	B	417	ASN
1	B	418	GLN
1	B	434	ASN
1	B	451	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	466	GLN
1	B	515	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CXM	A	1	1	9,10,11	0.85	0	9,11,13	1.40	1 (11%)
1	CXM	B	301	1	9,10,11	32.10	1 (11%)	9,11,13	12.76	4 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CXM	A	1	1	-	2/9/10/12	-
1	CXM	B	301	1	-	3/9/10/12	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	301	CXM	CN-N	96.28	3.07	1.35

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	301	CXM	ON1-CN-N	-36.46	65.06	124.86
1	B	301	CXM	CA-N-CN	-11.03	101.88	122.11
1	A	1	CXM	ON1-CN-N	-3.62	118.91	124.86
1	B	301	CXM	C-CA-N	-2.64	104.40	109.50
1	B	301	CXM	O-C-CA	-2.37	118.68	124.77

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	CXM	O-C-CA-CB
1	B	301	CXM	ON2-CN-N-CA
1	B	301	CXM	CB-CG-SD-CE
1	A	1	CXM	ON1-CN-N-CA
1	B	301	CXM	ON1-CN-N-CA

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	301	CXM	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CB3	B	566	-	37,37,37	2.86	15 (40%)	50,51,51	2.36	14 (28%)
2	SO4	A	265	-	4,4,4	0.37	0	6,6,6	0.08	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	565	-	4,4,4	0.36	0	6,6,6	0.08	0
3	CB3	A	266	-	37,37,37	2.73	16 (43%)	50,51,51	2.21	20 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CB3	B	566	-	-	4/27/28/28	0/3/3/3
3	CB3	A	266	-	-	3/27/28/28	0/3/3/3

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	566	CB3	CP1-N10	8.69	1.54	1.46
3	B	566	CB3	C4A-C4	-6.98	1.36	1.48
3	A	266	CB3	CP1-N10	6.77	1.52	1.46
3	A	266	CB3	C4A-C4	-6.62	1.36	1.48
3	B	566	CB3	C9-N10	5.28	1.54	1.46
3	A	266	CB3	C16-C15	5.05	1.47	1.38
3	A	266	CB3	C9-N10	4.72	1.53	1.46
3	B	566	CB3	CP1-CP2	4.69	1.53	1.46
3	A	266	CB3	C2-NA2	4.58	1.44	1.34
3	B	566	CB3	C7-C6	4.29	1.47	1.38
3	B	566	CB3	C2-N1	-4.25	1.27	1.37
3	A	266	CB3	CP1-CP2	4.07	1.52	1.46
3	B	566	CB3	C2-NA2	3.99	1.43	1.34
3	B	566	CB3	CB-CA	3.54	1.61	1.53
3	A	266	CB3	C2-N1	-3.43	1.29	1.37
3	B	566	CB3	CG-CD	3.42	1.58	1.50
3	A	266	CB3	C14-N10	3.31	1.47	1.38
3	A	266	CB3	C13-C12	3.20	1.44	1.38
3	A	266	CB3	CB-CA	2.73	1.59	1.53
3	B	566	CB3	C15-C14	2.65	1.44	1.39
3	A	266	CB3	C7-C6	2.60	1.44	1.38
3	A	266	CB3	CG-CD	2.53	1.56	1.50
3	A	266	CB3	OE1-CD	2.45	1.30	1.22
3	A	266	CB3	C9-C6	-2.41	1.47	1.51
3	B	566	CB3	C2-N3	2.36	1.38	1.33
3	A	266	CB3	C2-N3	2.32	1.38	1.33
3	B	566	CB3	OE1-CD	2.23	1.29	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	566	CB3	O2-CT	-2.19	1.23	1.30
3	A	266	CB3	C15-C14	2.12	1.43	1.39
3	B	566	CB3	C13-C12	2.09	1.42	1.38
3	B	566	CB3	C16-C15	2.06	1.42	1.38

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	566	CB3	CP1-N10-C9	8.00	125.24	117.19
3	B	566	CB3	C13-C12-C11	-5.68	114.73	120.80
3	B	566	CB3	C16-C11-C12	5.54	125.62	118.57
3	A	266	CB3	CP1-N10-C9	5.36	122.59	117.19
3	A	266	CB3	C16-C11-C12	4.49	124.28	118.57
3	A	266	CB3	CG-CB-CA	-4.30	105.23	113.16
3	B	566	CB3	OE2-CD-CG	4.23	127.36	114.00
3	B	566	CB3	CP2-CP1-N10	4.16	117.29	113.45
3	B	566	CB3	C5-C4A-C8A	3.90	122.59	119.09
3	A	266	CB3	OE2-CD-CG	3.67	125.60	114.00
3	A	266	CB3	C9-C6-C7	-3.66	114.01	120.75
3	A	266	CB3	C13-C12-C11	-3.62	116.94	120.80
3	B	566	CB3	CP1-N10-C14	-3.50	112.45	119.03
3	A	266	CB3	C7-C6-C5	3.29	123.08	118.55
3	B	566	CB3	CG-CB-CA	-3.19	107.28	113.16
3	A	266	CB3	C5-C4A-C8A	3.12	121.89	119.09
3	A	266	CB3	CP1-N10-C14	-3.09	113.23	119.03
3	A	266	CB3	C4A-C5-C6	-3.07	116.62	121.38
3	B	566	CB3	C12-C11-C	-2.97	110.97	120.60
3	A	266	CB3	C12-C11-C	-2.96	110.99	120.60
3	B	566	CB3	C12-C13-C14	2.90	123.97	120.30
3	A	266	CB3	CB-CG-CD	-2.90	104.76	112.49
3	A	266	CB3	C11-C-N	-2.87	111.72	117.04
3	B	566	CB3	C15-C16-C11	-2.64	117.98	120.80
3	A	266	CB3	O-C-C11	2.53	125.91	120.90
3	B	566	CB3	OE1-CD-CG	-2.50	115.18	123.09
3	A	266	CB3	C16-C15-C14	-2.36	117.32	120.30
3	A	266	CB3	CP2-CP1-N10	2.33	115.60	113.45
3	B	566	CB3	CB-CG-CD	-2.31	106.32	112.49
3	B	566	CB3	OE2-CD-OE1	-2.28	117.46	123.33
3	A	266	CB3	C8-C7-C6	-2.18	118.13	121.00
3	A	266	CB3	C15-C16-C11	-2.17	118.48	120.80
3	A	266	CB3	OE1-CD-CG	-2.17	116.21	123.09
3	A	266	CB3	C13-C14-N10	-2.04	118.56	121.39

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	566	CB3	N-CA-CB-CG
3	B	566	CB3	CT-CA-CB-CG
3	A	266	CB3	OE1-CD-CG-CB
3	A	266	CB3	OE2-CD-CG-CB
3	B	566	CB3	OE2-CD-CG-CB
3	B	566	CB3	OE1-CD-CG-CB
3	A	266	CB3	CT-CA-N-C


There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	566	CB3	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.