



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 05:51 PM UTC

PDB ID : 2FW4 / pdb_00002fw4
Title : Carbonic anhydrase activators. The first X-ray crystallographic study of an activator of isoform I, structure with L-histidine.
Authors : Temperini, C.; Scozzafava, A.; Supuran, C.T.
Deposited on : 2006-02-01
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	 72% 23% 5% . .
1	B	260	 70% 23% 5% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4418 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Carbonic anhydrase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	0	0
			2016	1274	350	389	3			
1	B	256	Total	C	N	O	S	0	0	0
			2008	1270	349	386	3			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is HISTIDINE (CCD ID: HIS) (formula: C₆H₁₀N₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			11	6	3	2		
3	B	1	Total	C	N	O	0	0
			11	6	3	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	187	Total	O	0	0
			187	187		
4	B	183	Total	O	0	0
			183	183		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Carbonic anhydrase 1



- Molecule 1: Carbonic anhydrase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.14Å 70.18Å 120.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.00 15.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.4 (15.00-2.00) 97.8 (15.00-2.00)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.213 , 0.303 0.217 , 0.216	Depositor DCC
R_{free} test set	3401 reflections (9.54%)	wwPDB-VP
Wilson B-factor (Å ²)	15.7	Xtriage
Anisotropy	0.100	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4418	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 19.90 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.7832e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.27	3/2073 (0.1%)	1.27	13/2819 (0.5%)
1	B	1.28	4/2065 (0.2%)	1.25	9/2808 (0.3%)
All	All	1.28	7/4138 (0.2%)	1.26	22/5627 (0.4%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	98	GLY	N-CA	6.74	1.51	1.44
1	A	207	VAL	CA-CB	6.45	1.61	1.54
1	A	210	ILE	CA-CB	5.85	1.61	1.53
1	A	49	VAL	CA-CB	5.69	1.61	1.54
1	B	255	THR	CA-C	5.37	1.59	1.52
1	B	215	SER	C-O	5.17	1.30	1.23
1	B	57	LYS	CA-C	5.16	1.57	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	82	GLY	CA-C-N	7.73	129.03	120.45
1	A	82	GLY	C-N-CA	7.73	129.03	120.45
1	B	140	GLY	N-CA-C	6.66	120.55	112.49
1	A	193	THR	CB-CA-C	-6.40	96.72	109.33
1	A	164	LEU	N-CA-C	6.27	118.92	111.33
1	B	52	ASN	CA-C-N	-6.22	113.22	120.12
1	B	52	ASN	C-N-CA	-6.22	113.22	120.12
1	B	45	LYS	CA-C-N	-6.18	113.31	119.92
1	B	45	LYS	C-N-CA	-6.18	113.31	119.92
1	B	108	THR	N-CA-C	-6.01	100.20	109.52
1	A	9	ASP	N-CA-C	-5.86	106.29	113.50
1	B	158	GLN	N-CA-C	5.83	123.22	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	4	ASP	CA-C-N	5.68	132.38	121.54
1	A	4	ASP	C-N-CA	5.68	132.38	121.54
1	A	55	THR	N-CA-C	-5.63	106.37	113.18
1	A	12	GLY	CA-C-N	5.50	125.59	119.32
1	A	12	GLY	C-N-CA	5.50	125.59	119.32
1	A	75	ASN	N-CA-C	5.30	118.58	112.97
1	B	130	SER	N-CA-C	5.19	116.87	109.14
1	B	207	VAL	N-CA-C	5.03	115.21	108.17
1	A	237	ASN	N-CA-CB	5.03	117.55	110.36
1	A	28	GLN	N-CA-C	5.02	117.91	110.48

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2016	0	1939	55	0
1	B	2008	0	1935	61	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	11	0	6	4	0
3	B	11	0	6	3	0
4	A	187	0	0	10	0
4	B	183	0	0	18	0
All	All	4418	0	3886	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:ILE:HD11	4:B:702:HOH:O	1.22	1.29
1:A:198:LEU:HD22	3:A:500:HIS:OXT	1.25	1.29

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LYS:HD3	1:A:81:GLY:N	1.65	1.11
1:A:237:ASN:HB2	4:A:599:HOH:O	1.47	1.11
1:A:48:SER:HB3	1:A:80:LYS:HD2	1.33	1.04
1:A:198:LEU:CD2	3:A:500:HIS:OXT	2.05	1.03
1:A:4:ASP:HB3	4:A:735:HOH:O	1.58	1.01
1:A:189:LEU:HD22	4:A:744:HOH:O	1.61	0.98
1:B:160:VAL:HG23	4:B:648:HOH:O	1.69	0.92
1:A:8:ASP:HB2	1:A:11:ASN:OD1	1.75	0.87
3:A:500:HIS:HB3	4:A:697:HOH:O	1.75	0.86
1:B:100:THR:H	1:B:103:HIS:CE1	1.93	0.86
1:B:34:LYS:HD2	4:B:630:HOH:O	1.77	0.83
1:B:152:GLU:HG3	4:B:612:HOH:O	1.77	0.83
1:A:80:LYS:HD3	1:A:80:LYS:C	2.06	0.81
1:B:92:GLN:HE21	1:B:94:HIS:HD1	1.24	0.81
1:A:80:LYS:C	1:A:80:LYS:CD	2.56	0.77
1:B:100:THR:H	1:B:103:HIS:HE1	1.30	0.76
1:B:60:ILE:CD1	4:B:702:HOH:O	1.99	0.75
1:B:34:LYS:CD	4:B:630:HOH:O	2.32	0.75
1:B:200:HIS:CE1	4:B:689:HOH:O	2.38	0.75
1:A:92:GLN:HE21	1:A:94:HIS:HD1	1.33	0.74
1:A:12:GLY:O	1:A:15:GLN:HB2	1.88	0.73
1:B:80:LYS:HB3	4:B:716:HOH:O	1.86	0.73
1:B:250:PRO:HB2	1:B:252:LYS:HE3	1.71	0.73
1:B:250:PRO:CB	1:B:252:LYS:HE3	2.18	0.73
1:B:198:LEU:HD21	3:B:501:HIS:HB3	1.71	0.71
1:B:102:GLU:HA	4:B:588:HOH:O	1.91	0.69
1:A:6:GLY:O	1:A:12:GLY:HA2	1.91	0.69
1:A:10:LYS:HB3	4:A:628:HOH:O	1.94	0.67
1:A:237:ASN:HD22	1:A:238:ALA:N	1.96	0.64
1:A:80:LYS:HD3	1:A:81:GLY:CA	2.29	0.62
1:B:80:LYS:CB	4:B:716:HOH:O	2.45	0.62
1:B:198:LEU:CD2	3:B:501:HIS:HB3	2.29	0.62
1:B:245:ASN:HD22	1:B:245:ASN:H	1.49	0.61
3:B:501:HIS:OXT	3:B:501:HIS:ND1	2.30	0.61
1:A:115:SER:HB3	1:A:223:LEU:HD11	1.84	0.60
1:B:192:TRP:CZ3	1:B:213:LYS:HA	2.37	0.60
1:B:92:GLN:NE2	1:B:94:HIS:HD1	1.99	0.60
1:A:39:LYS:HA	1:A:39:LYS:HE3	1.84	0.59
1:A:234:GLU:HG3	4:A:569:HOH:O	2.04	0.58
1:B:64:HIS:HD2	4:B:570:HOH:O	1.88	0.56
1:B:74:ASP:O	1:B:89:ARG:CD	2.53	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:SER:HA	1:A:185:LEU:HD23	1.87	0.56
1:B:234:GLU:HG3	4:B:583:HOH:O	2.07	0.55
1:A:13:PRO:HA	1:A:16:TRP:CD2	2.43	0.54
1:A:103:HIS:CD2	1:A:113:LYS:HD3	2.42	0.54
1:A:237:ASN:ND2	1:A:238:ALA:H	2.06	0.54
1:A:237:ASN:ND2	1:A:238:ALA:N	2.55	0.54
1:B:74:ASP:HB3	1:B:76:ARG:H	1.72	0.54
1:B:11:ASN:HA	1:B:15:GLN:NE2	2.23	0.54
1:A:190:ASP:HB2	1:A:213:LYS:HE2	1.88	0.54
1:B:47:ILE:HG23	1:B:79:LEU:HD11	1.89	0.53
1:A:135:ALA:HA	1:A:141:LEU:HD21	1.90	0.53
1:B:13:PRO:HA	1:B:16:TRP:CD2	2.44	0.53
1:A:10:LYS:CB	4:A:628:HOH:O	2.56	0.52
1:B:34:LYS:CE	4:B:630:HOH:O	2.57	0.52
1:A:92:GLN:NE2	1:A:94:HIS:HD1	2.06	0.51
1:B:11:ASN:C	1:B:15:GLN:HE21	2.17	0.51
1:B:74:ASP:O	1:B:89:ARG:HD3	2.11	0.50
1:B:11:ASN:C	1:B:15:GLN:NE2	2.69	0.50
1:A:189:LEU:HD13	4:A:744:HOH:O	2.11	0.50
1:B:245:ASN:H	1:B:245:ASN:ND2	2.09	0.50
1:A:198:LEU:HD22	3:A:500:HIS:C	2.22	0.49
1:B:180:ASP:O	1:B:183:THR:HG23	2.12	0.49
1:B:129:SER:OG	1:B:133:GLU:OE1	2.28	0.49
1:A:35:THR:HG23	1:A:110:ASP:OD2	2.12	0.49
1:A:245:ASN:H	1:A:245:ASN:HD22	1.60	0.49
1:A:139:ASP:HA	4:A:567:HOH:O	2.13	0.48
1:B:137:LYS:O	1:B:140:GLY:N	2.32	0.48
1:A:41:ASP:HA	4:A:698:HOH:O	2.13	0.48
1:B:257:ARG:NH2	4:B:590:HOH:O	2.38	0.48
1:B:159:LYS:NZ	1:B:177:THR:O	2.47	0.47
1:A:115:SER:HB3	1:A:223:LEU:CD1	2.46	0.46
1:B:8:ASP:OD1	1:B:10:LYS:N	2.49	0.46
1:B:51:TYR:HH	1:B:122:HIS:CE1	2.32	0.46
1:B:70:PHE:N	1:B:70:PHE:CD1	2.84	0.46
1:B:80:LYS:CG	4:B:716:HOH:O	2.62	0.46
1:A:185:LEU:N	1:A:185:LEU:HD22	2.30	0.46
1:B:34:LYS:HE3	4:B:630:HOH:O	2.14	0.46
1:A:15:GLN:OE1	1:A:18:LYS:NZ	2.34	0.46
1:B:245:ASN:HD22	1:B:245:ASN:N	2.12	0.46
1:A:219:SER:OG	1:A:222:GLN:HG3	2.16	0.46
1:B:53:PRO:O	1:B:178:ASN:HA	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:SER:HB3	1:B:80:LYS:CG	2.47	0.45
1:B:115:SER:OG	1:B:150:VAL:HB	2.15	0.45
1:A:147:LEU:HD23	1:A:147:LEU:HA	1.72	0.45
1:A:60:ILE:HD12	1:A:69:ASN:ND2	2.32	0.44
1:B:45:LYS:O	1:B:82:GLY:HA2	2.18	0.44
1:A:59:ILE:C	1:A:60:ILE:HG13	2.42	0.44
1:A:123:TRP:CZ3	1:A:125:SER:HA	2.53	0.44
1:A:146:VAL:HG21	1:A:185:LEU:HD13	2.00	0.43
1:B:143:VAL:HG23	1:B:207:VAL:HG13	1.99	0.43
1:B:157:LEU:HD12	1:B:218:VAL:HG23	2.01	0.43
1:B:72:ASP:O	1:B:89:ARG:NH1	2.30	0.43
1:A:103:HIS:CG	1:A:113:LYS:HD3	2.53	0.42
1:A:7:TYR:C	1:A:8:ASP:O	2.61	0.42
1:B:93:PHE:HA	1:B:119:HIS:O	2.19	0.42
1:B:48:SER:HB3	1:B:80:LYS:HG3	2.01	0.42
1:A:92:GLN:HG2	1:A:93:PHE:N	2.33	0.42
1:A:143:VAL:HG23	1:A:207:VAL:HG13	2.02	0.42
1:B:100:THR:N	1:B:103:HIS:HE1	2.06	0.42
1:B:104:GLY:HA3	1:B:115:SER:O	2.20	0.42
1:A:60:ILE:CD1	1:A:69:ASN:ND2	2.83	0.42
1:A:48:SER:HB3	1:A:80:LYS:CD	2.24	0.41
1:A:154:ASN:HA	1:A:155:PRO:HD2	1.87	0.41
1:B:157:LEU:CD1	1:B:218:VAL:HG23	2.50	0.41
1:B:52:ASN:HB3	1:B:55:THR:HG23	2.02	0.41
1:B:250:PRO:HB2	1:B:252:LYS:HG2	2.02	0.41
1:A:107:HIS:NE2	1:A:194:TYR:OH	2.39	0.41
1:A:189:LEU:HD13	1:A:189:LEU:HA	1.72	0.41
1:A:80:LYS:HD2	1:A:80:LYS:C	2.42	0.41
1:B:103:HIS:ND1	1:B:103:HIS:O	2.54	0.41
1:A:96:HIS:O	1:A:116:ALA:HB1	2.21	0.40
1:B:137:LYS:O	1:B:138:ALA:C	2.63	0.40
1:B:80:LYS:HE3	4:B:626:HOH:O	2.21	0.40
1:B:233:VAL:HG22	4:B:602:HOH:O	2.22	0.40
1:A:16:TRP:CE3	1:A:201:PRO:HD3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/260 (98%)	242 (95%)	11 (4%)	2 (1%)	16	11
1	B	254/260 (98%)	240 (94%)	13 (5%)	1 (0%)	30	27
All	All	509/520 (98%)	482 (95%)	24 (5%)	3 (1%)	21	17

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	5	TRP
1	A	8	ASP
1	B	138	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/225 (99%)	212 (95%)	11 (5%)	22	20
1	B	222/225 (99%)	208 (94%)	14 (6%)	16	13
All	All	445/450 (99%)	420 (94%)	25 (6%)	19	16

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	GLU
1	A	39	LYS
1	A	80	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	165	GLN
1	A	189	LEU
1	A	193	THR
1	A	201	PRO
1	A	206	SER
1	A	217	SER
1	A	237	ASN
1	A	245	ASN
1	B	14	GLU
1	B	34	LYS
1	B	48	SER
1	B	50	SER
1	B	80	LYS
1	B	87	SER
1	B	101	ASN
1	B	102	GLU
1	B	103	HIS
1	B	158	GLN
1	B	160	VAL
1	B	165	GLN
1	B	220	SER
1	B	245	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	64	HIS
1	A	92	GLN
1	A	103	HIS
1	A	165	GLN
1	A	178	ASN
1	A	237	ASN
1	A	245	ASN
1	B	15	GLN
1	B	64	HIS
1	B	92	GLN
1	B	101	ASN
1	B	103	HIS
1	B	158	GLN
1	B	165	GLN
1	B	200	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	245	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	HIS	A	500	-	10,11,11	1.08	1 (10%)	10,14,14	3.95	1 (10%)
3	HIS	B	501	-	10,11,11	0.73	0	10,14,14	2.95	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HIS	A	500	-	-	8/8/8/8	0/1/1/1
3	HIS	B	501	-	-	4/8/8/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	HIS	OXT-C	-3.06	1.20	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	HIS	OXT-C-O	-12.11	96.60	124.08
3	B	501	HIS	OXT-C-O	-8.79	104.14	124.08

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	500	HIS	OXT-C-CA-N
3	B	501	HIS	O-C-CA-CB
3	A	500	HIS	CA-CB-CG-ND1
3	B	501	HIS	CA-CB-CG-ND1
3	A	500	HIS	N-CA-CB-CG
3	A	500	HIS	OXT-C-CA-CB
3	A	500	HIS	CA-CB-CG-CD2
3	B	501	HIS	CA-CB-CG-CD2
3	A	500	HIS	O-C-CA-CB
3	A	500	HIS	O-C-CA-N
3	B	501	HIS	O-C-CA-N
3	A	500	HIS	C-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	500	HIS	4	0
3	B	501	HIS	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	257/260 (98%)	-0.30	0	100 100	4, 14, 26, 37	1 (0%)
1	B	256/260 (98%)	-0.30	1 (0%)	88 88	5, 14, 25, 37	3 (1%)
All	All	513/520 (98%)	-0.30	1 (0%)	91 90	4, 14, 26, 37	4 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	103	HIS	3.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HIS	A	500	11/11	0.57	0.19	48,49,51,51	0
3	HIS	B	501	11/11	0.58	0.15	45,45,46,46	0
2	ZN	A	561	1/1	1.00	0.04	13,13,13,13	0
2	ZN	B	562	1/1	1.00	0.04	13,13,13,13	0

6.5 Other polymers [i](#)

There are no such residues in this entry.