



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:54 PM UTC

PDB ID : 4FW9 / pdb_00004fw9
Title : Crystal structure of the Lon-like protease MtaLonC
Authors : Chang, C.I.; Ihara, K.; Kuo, C.I.; Huang, K.F.; Wakatsuki, S.
Deposited on : 2012-06-30
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	732	9% 58% 20% • • 18%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5043 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TTC1975 peptidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	603	4633	2939	822	862	2	8	0	1	0

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	91	MSE	LEU	engineered mutation	UNP C9DRU9
A	359	MSE	ILE	engineered mutation	UNP C9DRU9
A	720	LYS	-	expression tag	UNP C9DRU9
A	721	LEU	-	expression tag	UNP C9DRU9
A	722	ALA	-	expression tag	UNP C9DRU9
A	723	ALA	-	expression tag	UNP C9DRU9
A	724	ALA	-	expression tag	UNP C9DRU9
A	725	LEU	-	expression tag	UNP C9DRU9
A	726	GLU	-	expression tag	UNP C9DRU9
A	727	HIS	-	expression tag	UNP C9DRU9
A	728	HIS	-	expression tag	UNP C9DRU9
A	729	HIS	-	expression tag	UNP C9DRU9
A	730	HIS	-	expression tag	UNP C9DRU9
A	731	HIS	-	expression tag	UNP C9DRU9
A	732	HIS	-	expression tag	UNP C9DRU9

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	405	Total	O	0	0
			405	405		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: TTC1975 peptidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 6	Depositor
Cell constants a, b, c, α , β , γ	115.68Å 115.68Å 136.78Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.00 50.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (50.00-2.00) 99.9 (50.00-2.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.66 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.183 , 0.218 0.183 , 0.218	Depositor DCC
R_{free} test set	3535 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	29.0	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.087 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5043	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.77	69/4726 (1.5%)	1.55	61/6413 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (69) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	27	PRO	CA-C	17.83	1.61	1.51
1	A	432	ARG	CD-NE	-10.97	1.30	1.46
1	A	473	LEU	N-CA	10.22	1.58	1.46
1	A	359	MSE	CB-CG	9.52	1.80	1.52
1	A	431	ASP	CG-OD1	8.95	1.42	1.25
1	A	670	HIS	ND1-CE1	8.14	1.40	1.32
1	A	60	HIS	CG-CD2	7.92	1.44	1.35
1	A	651	LEU	C-O	-7.66	1.14	1.24
1	A	573	GLN	CA-C	-7.41	1.42	1.53
1	A	29	PHE	N-CA	7.21	1.55	1.46
1	A	431	ASP	N-CA	6.87	1.54	1.46
1	A	402	GLY	N-CA	6.72	1.54	1.45
1	A	60	HIS	ND1-CE1	6.64	1.39	1.32
1	A	75	PRO	CA-C	6.54	1.58	1.52
1	A	385	GLU	CA-C	6.53	1.60	1.52
1	A	651	LEU	N-CA	6.49	1.54	1.46
1	A	469	HIS	ND1-CE1	6.31	1.38	1.32
1	A	704	GLU	N-CA	6.24	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	572	GLU	C-N	-6.21	1.25	1.33
1	A	652	ALA	N-CA	6.17	1.54	1.46
1	A	359	MSE	CA-CB	6.13	1.64	1.53
1	A	403	TRP	N-CA	6.13	1.53	1.46
1	A	10	TRP	CD2-CE2	6.12	1.51	1.41
1	A	469	HIS	CG-CD2	6.09	1.42	1.35
1	A	334	GLN	CD-OE1	6.01	1.34	1.23
1	A	421	ASP	CA-C	5.96	1.60	1.52
1	A	423	ALA	CA-CB	5.95	1.62	1.53
1	A	546	VAL	CA-CB	5.90	1.61	1.54
1	A	671	ILE	C-O	5.88	1.30	1.24
1	A	663	ALA	CA-C	-5.79	1.45	1.52
1	A	33	GLU	N-CA	5.71	1.53	1.46
1	A	449	VAL	CA-CB	5.70	1.61	1.54
1	A	375	ALA	CA-C	5.65	1.60	1.52
1	A	703	LEU	CA-C	5.62	1.60	1.52
1	A	664	VAL	CA-C	5.62	1.60	1.52
1	A	7	ALA	CA-C	5.61	1.60	1.52
1	A	709	LEU	N-CA	5.60	1.53	1.46
1	A	573	GLN	CA-CB	5.58	1.63	1.53
1	A	27	PRO	N-CA	5.56	1.53	1.46
1	A	392	ALA	CA-C	5.54	1.59	1.53
1	A	14	ILE	CA-C	5.46	1.59	1.52
1	A	480	ARG	CA-C	5.46	1.59	1.52
1	A	38	ALA	N-CA	5.46	1.52	1.46
1	A	391	PRO	CA-CB	5.45	1.60	1.53
1	A	442	ALA	CA-CB	5.45	1.61	1.53
1	A	542	PHE	N-CA	5.44	1.52	1.46
1	A	57	LEU	N-CA	-5.43	1.38	1.46
1	A	61	GLU	CA-CB	5.43	1.61	1.53
1	A	17	SER	N-CA	5.40	1.52	1.46
1	A	386	PHE	N-CA	5.40	1.53	1.46
1	A	665	ARG	N-CA	5.36	1.53	1.46
1	A	470	ARG	CD-NE	5.34	1.53	1.46
1	A	400	LEU	N-CA	5.31	1.52	1.46
1	A	385	GLU	C-O	5.28	1.30	1.24
1	A	465	ALA	CA-CB	5.26	1.61	1.53
1	A	405	LEU	N-CA	5.26	1.52	1.46
1	A	541	ILE	CA-CB	-5.23	1.47	1.54
1	A	317	LEU	CA-CB	5.20	1.61	1.53
1	A	311	ILE	CA-CB	5.17	1.60	1.54
1	A	300	GLY	N-CA	5.15	1.49	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	668	GLN	N-CA	5.15	1.52	1.46
1	A	611	ASP	N-CA	5.11	1.51	1.45
1	A	391	PRO	CA-C	5.11	1.58	1.52
1	A	40	GLU	N-CA	5.11	1.52	1.46
1	A	429	GLN	CA-C	5.07	1.58	1.52
1	A	676	THR	C-O	5.07	1.30	1.23
1	A	559	GLU	N-CA	5.05	1.52	1.46
1	A	34	ARG	N-CA	5.04	1.52	1.46
1	A	455	LEU	CA-CB	5.00	1.59	1.52

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	572	GLU	CA-C-N	-16.15	99.61	122.87
1	A	572	GLU	C-N-CA	-16.15	99.61	122.87
1	A	432	ARG	NE-CZ-NH2	-14.38	106.25	119.20
1	A	359	MSE	CB-CG-SE	-10.09	82.43	112.70
1	A	432	ARG	NE-CZ-NH1	9.26	130.76	121.50
1	A	693	ARG	N-CA-C	8.74	124.25	110.70
1	A	431	ASP	N-CA-CB	-8.69	97.26	110.73
1	A	243	GLU	CA-C-N	8.05	129.91	119.84
1	A	243	GLU	C-N-CA	8.05	129.91	119.84
1	A	221	PHE	CA-C-N	7.67	129.43	119.84
1	A	221	PHE	C-N-CA	7.67	129.43	119.84
1	A	665	ARG	CG-CD-NE	-7.58	95.31	112.00
1	A	572	GLU	O-C-N	-7.13	114.56	122.12
1	A	554	ARG	NE-CZ-NH1	7.09	128.59	121.50
1	A	538	GLY	CA-C-N	-6.86	115.48	122.27
1	A	538	GLY	C-N-CA	-6.86	115.48	122.27
1	A	642	GLN	CA-CB-CG	-6.84	100.43	114.10
1	A	95	SER	N-CA-C	6.82	119.86	110.24
1	A	554	ARG	NE-CZ-NH2	-6.52	113.33	119.20
1	A	432	ARG	CG-CD-NE	-6.21	98.34	112.00
1	A	432	ARG	CB-CG-CD	-6.06	97.35	111.30
1	A	91	MSE	N-CA-CB	-6.01	101.23	111.69
1	A	554	ARG	CB-CG-CD	-5.93	97.66	111.30
1	A	431	ASP	CB-CG-OD2	-5.88	104.89	118.40
1	A	359	MSE	CB-CA-C	5.87	120.45	109.71
1	A	340	GLU	CA-C-N	5.85	127.15	119.84
1	A	340	GLU	C-N-CA	5.85	127.15	119.84
1	A	336	GLU	CB-CA-C	-5.77	103.27	109.85
1	A	79	LEU	N-CA-C	5.73	117.99	108.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	573	GLN	CA-C-N	-5.73	114.62	122.93
1	A	573	GLN	C-N-CA	-5.73	114.62	122.93
1	A	432	ARG	CD-NE-CZ	5.71	132.40	124.40
1	A	573	GLN	N-CA-C	-5.68	101.76	109.54
1	A	56	SER	N-CA-C	5.54	119.33	112.24
1	A	29	PHE	CA-C-N	-5.54	112.85	120.71
1	A	29	PHE	C-N-CA	-5.54	112.85	120.71
1	A	598	LEU	CA-C-N	-5.50	114.26	119.76
1	A	598	LEU	C-N-CA	-5.50	114.26	119.76
1	A	383	ARG	NE-CZ-NH2	5.47	124.12	119.20
1	A	411	LEU	N-CA-CB	-5.42	101.96	110.69
1	A	501	SER	N-CA-C	-5.42	101.97	110.36
1	A	609	ALA	N-CA-C	-5.37	102.09	110.42
1	A	336	GLU	CA-C-N	-5.36	114.26	119.78
1	A	336	GLU	C-N-CA	-5.36	114.26	119.78
1	A	91	MSE	CG-SE-CE	5.35	110.69	98.92
1	A	673	ALA	CA-C-N	-5.27	115.20	122.69
1	A	673	ALA	C-N-CA	-5.27	115.20	122.69
1	A	579	GLU	CB-CG-CD	5.24	121.51	112.60
1	A	355	GLN	CB-CA-C	-5.22	102.85	111.51
1	A	664	VAL	CB-CA-C	-5.21	105.04	112.22
1	A	404	LEU	N-CA-C	5.20	116.95	111.28
1	A	12	THR	CA-C-N	-5.18	114.45	119.78
1	A	12	THR	C-N-CA	-5.18	114.45	119.78
1	A	516	ARG	CG-CD-NE	-5.14	100.69	112.00
1	A	455	LEU	N-CA-CB	-5.12	102.72	110.35
1	A	528	LEU	CA-C-N	5.11	129.52	123.19
1	A	528	LEU	C-N-CA	5.11	129.52	123.19
1	A	622	ILE	N-CA-C	-5.09	105.57	110.72
1	A	435	ALA	N-CA-C	-5.08	106.77	113.17
1	A	569	LEU	N-CA-C	-5.06	101.15	109.40
1	A	54	PRO	N-CA-C	5.02	116.82	110.70

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	246	ASP	Peptide
1	A	691	GLY	Peptide
1	A	692	PHE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4633	0	4647	107	0
2	A	5	0	0	0	0
3	A	405	0	0	13	0
All	All	5043	0	4647	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:MSE:CB	1:A:359:MSE:CG	1.81	1.56
1:A:359:MSE:CB	1:A:359:MSE:SE	2.51	1.09
1:A:413:GLN:HG3	3:A:1291:HOH:O	1.66	0.96
1:A:692:PHE:HD2	1:A:692:PHE:O	1.51	0.93
1:A:225:ARG:HG3	1:A:226:ALA:N	1.87	0.90
1:A:359:MSE:SE	1:A:359:MSE:HB3	2.26	0.84
1:A:245:LEU:CB	1:A:246:ASP:HA	2.07	0.84
1:A:246:ASP:C	1:A:248:ALA:HA	2.04	0.83
1:A:254:LEU:HD23	3:A:1085:HOH:O	1.82	0.79
1:A:525:ARG:HD2	1:A:525:ARG:H	1.47	0.79
1:A:284:LEU:H	1:A:291:SER:HB2	1.49	0.77
1:A:249:GLN:HB2	1:A:293:ASN:CB	2.17	0.74
1:A:247:PRO:N	1:A:248:ALA:HA	2.04	0.73
1:A:711:GLU:HG3	1:A:711:GLU:O	1.88	0.72
1:A:82:PRO:HD3	1:A:294:VAL:HG21	1.71	0.71
1:A:692:PHE:O	1:A:692:PHE:CD2	2.40	0.71
1:A:74:THR:OG1	1:A:260:SER:HA	1.92	0.70
1:A:505:VAL:CG2	3:A:1094:HOH:O	2.39	0.69
1:A:284:LEU:O	1:A:291:SER:HB3	1.93	0.69
1:A:549:LEU:CD2	1:A:610:VAL:HG21	2.25	0.67
1:A:249:GLN:CG	1:A:249:GLN:O	2.42	0.67
1:A:54:PRO:HD2	1:A:57:LEU:HD11	1.76	0.66
1:A:88:VAL:CG1	1:A:294:VAL:HG13	2.25	0.66
1:A:79:LEU:HD11	1:A:91:MSE:HE3	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:GLN:HB2	1:A:293:ASN:HB2	1.77	0.66
1:A:315:LEU:HD13	1:A:366:ALA:CB	2.27	0.64
1:A:225:ARG:HG3	1:A:226:ALA:H	1.62	0.64
1:A:79:LEU:HD21	1:A:93:LEU:HD22	1.79	0.64
1:A:48:HIS:HD2	1:A:358:VAL:H	1.45	0.64
1:A:245:LEU:CB	1:A:246:ASP:CA	2.76	0.64
1:A:246:ASP:O	1:A:248:ALA:HA	1.96	0.64
1:A:72:VAL:O	1:A:261:GLY:HA3	1.98	0.63
1:A:97:GLN:O	1:A:97:GLN:HG3	1.99	0.63
1:A:284:LEU:N	1:A:291:SER:HB2	2.12	0.63
1:A:692:PHE:HA	1:A:694:GLY:H	1.63	0.63
1:A:332:ASN:HB2	1:A:334:GLN:HG3	1.79	0.63
1:A:48:HIS:CD2	1:A:358:VAL:H	2.16	0.63
1:A:516:ARG:CZ	3:A:1133:HOH:O	2.46	0.62
1:A:494:ARG:NE	3:A:1288:HOH:O	2.33	0.62
1:A:238:TYR:HD1	1:A:243:GLU:O	1.82	0.61
1:A:85:GLU:HG3	1:A:249:GLN:NE2	2.15	0.61
1:A:288:GLY:O	1:A:289:VAL:HG23	2.01	0.60
1:A:693:ARG:HA	1:A:697:GLU:OE1	2.01	0.60
1:A:240:GLU:HG2	1:A:240:GLU:O	2.02	0.59
1:A:94:PRO:HD3	1:A:223:GLN:NE2	2.16	0.59
1:A:255:LEU:HD22	1:A:299:PRO:HB3	1.85	0.58
1:A:692:PHE:HA	1:A:694:GLY:N	2.18	0.58
1:A:525:ARG:HD2	1:A:525:ARG:N	2.18	0.58
1:A:105:VAL:HG21	1:A:252:PRO:HD3	1.86	0.57
1:A:572:GLU:HA	1:A:572:GLU:OE1	2.05	0.57
1:A:389:THR:OG1	1:A:432:ARG:CD	2.53	0.56
1:A:249:GLN:O	1:A:249:GLN:HG3	2.05	0.56
1:A:549:LEU:HD21	1:A:610:VAL:CG2	2.36	0.56
1:A:80:TYR:CE1	1:A:297:ILE:HG21	2.41	0.56
1:A:549:LEU:CD2	1:A:610:VAL:CG2	2.84	0.55
1:A:249:GLN:HB2	1:A:293:ASN:HB3	1.88	0.55
1:A:241:THR:HB	1:A:243:GLU:HB2	1.89	0.54
1:A:315:LEU:HD13	1:A:366:ALA:HB2	1.89	0.54
1:A:82:PRO:CD	1:A:294:VAL:HG21	2.36	0.54
1:A:234:ARG:HH22	1:A:243:GLU:HB3	1.73	0.54
1:A:554:ARG:NH2	3:A:1218:HOH:O	2.40	0.54
1:A:560:HIS:HE1	3:A:1031:HOH:O	1.91	0.52
1:A:389:THR:OG1	1:A:432:ARG:HD3	2.10	0.52
1:A:517:LEU:C	1:A:517:LEU:HD23	2.35	0.51
1:A:88:VAL:HG11	1:A:294:VAL:HG13	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:549:LEU:HD21	1:A:610:VAL:HG21	1.93	0.50
1:A:98:GLU:HG2	1:A:254:LEU:HD12	1.92	0.50
1:A:79:LEU:HD11	1:A:91:MSE:CE	2.42	0.50
1:A:88:VAL:HG12	1:A:294:VAL:HG13	1.94	0.50
1:A:704:GLU:HG3	1:A:708:ARG:HH11	1.76	0.50
1:A:389:THR:OG1	1:A:432:ARG:HD2	2.11	0.50
1:A:447:ALA:O	1:A:459:SER:HB2	2.14	0.48
1:A:560:HIS:CE1	3:A:1031:HOH:O	2.66	0.48
1:A:289:VAL:CG1	1:A:289:VAL:O	2.62	0.48
1:A:82:PRO:HD3	1:A:294:VAL:HG11	1.96	0.47
1:A:247:PRO:N	1:A:248:ALA:CA	2.75	0.47
1:A:225:ARG:CZ	1:A:225:ARG:HB2	2.44	0.47
1:A:572:GLU:HG3	3:A:1133:HOH:O	2.14	0.47
1:A:240:GLU:O	1:A:240:GLU:CG	2.63	0.46
1:A:247:PRO:HD2	1:A:249:GLN:HB3	1.96	0.46
1:A:289:VAL:O	1:A:289:VAL:HG12	2.15	0.46
1:A:98:GLU:HG2	1:A:254:LEU:CD1	2.46	0.46
1:A:284:LEU:N	1:A:291:SER:CB	2.79	0.45
1:A:692:PHE:HB3	3:A:1022:HOH:O	2.16	0.45
1:A:94:PRO:O	1:A:97:GLN:HB3	2.17	0.45
1:A:238:TYR:CD2	1:A:238:TYR:C	2.92	0.45
1:A:520:ARG:HD3	3:A:1135:HOH:O	2.17	0.44
1:A:42:ALA:O	1:A:357:GLN:NE2	2.50	0.44
1:A:284:LEU:HG	1:A:296:LEU:HD11	1.99	0.44
1:A:370:LEU:HD23	1:A:370:LEU:HA	1.82	0.44
1:A:254:LEU:CD2	3:A:1085:HOH:O	2.50	0.44
1:A:283:TYR:CE1	1:A:343:ALA:HB2	2.53	0.44
1:A:237:ARG:HA	1:A:240:GLU:HB3	1.99	0.43
1:A:80:TYR:CE1	1:A:297:ILE:CG2	3.01	0.43
1:A:648:GLU:O	1:A:651:LEU:HG	2.19	0.42
1:A:352:PHE:HB2	1:A:353:PRO:CD	2.50	0.42
1:A:218:PHE:O	1:A:219:GLN:C	2.62	0.42
1:A:223:GLN:C	1:A:225:ARG:H	2.27	0.42
1:A:711:GLU:O	1:A:711:GLU:CG	2.58	0.42
1:A:283:TYR:HA	1:A:291:SER:HB2	2.01	0.41
1:A:368:GLU:OE1	1:A:368:GLU:HA	2.03	0.41
1:A:82:PRO:CG	1:A:294:VAL:HG21	2.50	0.41
1:A:283:TYR:HD1	1:A:291:SER:OG	2.03	0.41
1:A:698:LYS:HE3	3:A:1231:HOH:O	2.19	0.41
1:A:85:GLU:CG	1:A:249:GLN:NE2	2.83	0.41
1:A:219:GLN:OE1	1:A:219:GLN:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:THR:OG1	1:A:293:ASN:N	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	600/732 (82%)	568 (95%)	20 (3%)	12 (2%)	6 2

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	244	PRO
1	A	245	LEU
1	A	291	SER
1	A	293	ASN
1	A	219	GLN
1	A	289	VAL
1	A	224	ALA
1	A	241	THR
1	A	292	THR
1	A	84	SER
1	A	222	PRO
1	A	294	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	471/571 (82%)	440 (93%)	31 (7%)	15	12

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MSE
1	A	85	GLU
1	A	91	MSE
1	A	93	LEU
1	A	97	GLN
1	A	98	GLU
1	A	99	ILE
1	A	225	ARG
1	A	229	GLU
1	A	251	ARG
1	A	254	LEU
1	A	259	SER
1	A	262	THR
1	A	281	LEU
1	A	294	VAL
1	A	298	ARG
1	A	315	LEU
1	A	340	GLU
1	A	355	GLN
1	A	365	GLU
1	A	368	GLU
1	A	377	SER
1	A	432	ARG
1	A	506	GLU
1	A	525	ARG
1	A	572	GLU
1	A	578	ILE
1	A	597	ASN
1	A	617	LEU
1	A	690	GLU
1	A	692	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	HIS
1	A	223	GLN
1	A	249	GLN
1	A	332	ASN
1	A	334	GLN
1	A	597	ASN
1	A	612	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	801	-	4,4,4	1.13	0	6,6,6	1.93	3 (50%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
-----	-------	-----	------	-------	---	------------------------	---------------------

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	A	801	PO4	O3-P-O2	2.81	116.65	107.91
2	A	801	PO4	O4-P-O1	-2.35	102.63	110.95
2	A	801	PO4	O4-P-O3	-2.09	101.40	107.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	596/732 (81%)	0.21	67 (11%) 10 9	18, 31, 95, 144	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	692	PHE	7.7
1	A	285	VAL	6.6
1	A	290	TRP	6.4
1	A	292	THR	6.0
1	A	284	LEU	5.8
1	A	289	VAL	5.4
1	A	288	GLY	5.3
1	A	108	LEU	5.0
1	A	245	LEU	5.0
1	A	218	PHE	4.9
1	A	247	PRO	4.8
1	A	712	GLY	4.5
1	A	286	ASP	4.4
1	A	248	ALA	4.4
1	A	235	LEU	4.2
1	A	105	VAL	4.1
1	A	344	PRO	4.0
1	A	345	ALA	3.9
1	A	228	LEU	3.9
1	A	96	GLY	3.8
1	A	101	LEU	3.6
1	A	294	VAL	3.4
1	A	104	ALA	3.4
1	A	219	GLN	3.3
1	A	222	PRO	3.2
1	A	230	ALA	3.1
1	A	237	ARG	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	99	ILE	3.1
1	A	107	GLY	3.0
1	A	221	PHE	3.0
1	A	231	LEU	2.9
1	A	244	PRO	2.9
1	A	234	ARG	2.8
1	A	239	ALA	2.8
1	A	346	GLY	2.7
1	A	283	TYR	2.7
1	A	250	TRP	2.7
1	A	343	ALA	2.6
1	A	369	GLY	2.6
1	A	341	PRO	2.6
1	A	93	LEU	2.6
1	A	258	SER	2.6
1	A	575	TYR	2.6
1	A	224	ALA	2.6
1	A	246	ASP	2.6
1	A	693	ARG	2.5
1	A	102	ALA	2.5
1	A	100	HIS	2.5
1	A	365	GLU	2.5
1	A	578	ILE	2.5
1	A	98	GLU	2.5
1	A	233	ALA	2.5
1	A	80	TYR	2.4
1	A	238	TYR	2.4
1	A	242	GLY	2.4
1	A	691	GLY	2.4
1	A	226	ALA	2.3
1	A	574	ASN	2.3
1	A	94	PRO	2.3
1	A	236	ALA	2.3
1	A	220	ARG	2.2
1	A	225	ARG	2.1
1	A	298	ARG	2.1
1	A	106	GLU	2.1
1	A	249	GLN	2.1
1	A	223	GLN	2.0
1	A	251	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PO4	A	801	5/5	0.99	0.05	24,30,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.