



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 01:38 PM UTC

PDB ID : 8FW2 / pdb_00008fw2
EMDB ID : EMD-29496
Title : Cryo-EM structure of full-length human NLRC4 inflammasome with C11 symmetry
Authors : Matico, R.E.; Yu, X.; Miller, R.; Somani, S.; Ricketts, M.D.; Kumar, N.; Steele, R.A.; Medley, Q.; Berger, S.; Faustin, B.; Sharma, S.
Deposited on : 2023-01-20
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10198 (3.30 - 4.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1030	
1	B	1030	
1	C	1030	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 21612 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NLR family CARD domain-containing protein 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	904	Total	C	N	O	S	0	0
			7204	4608	1220	1339	37		
1	B	904	Total	C	N	O	S	0	0
			7204	4608	1220	1339	37		
1	C	904	Total	C	N	O	S	0	0
			7204	4608	1220	1339	37		


There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	ALA	-	expression tag	UNP Q9NPP4
A	-4	GLU	-	expression tag	UNP Q9NPP4
A	-3	TYR	-	expression tag	UNP Q9NPP4
A	-2	CYS	-	expression tag	UNP Q9NPP4
A	-1	PHE	-	expression tag	UNP Q9NPP4
A	0	ASN	-	expression tag	UNP Q9NPP4
B	-5	ALA	-	expression tag	UNP Q9NPP4
B	-4	GLU	-	expression tag	UNP Q9NPP4
B	-3	TYR	-	expression tag	UNP Q9NPP4
B	-2	CYS	-	expression tag	UNP Q9NPP4
B	-1	PHE	-	expression tag	UNP Q9NPP4
B	0	ASN	-	expression tag	UNP Q9NPP4
C	-5	ALA	-	expression tag	UNP Q9NPP4
C	-4	GLU	-	expression tag	UNP Q9NPP4
C	-3	TYR	-	expression tag	UNP Q9NPP4
C	-2	CYS	-	expression tag	UNP Q9NPP4
C	-1	PHE	-	expression tag	UNP Q9NPP4
C	0	ASN	-	expression tag	UNP Q9NPP4


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NLR family CARD domain-containing protein 4





- Molecule 1: NLR family CARD domain-containing protein 4





• Molecule 1: NLR family CARD domain-containing protein 4



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	72822	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.101	Depositor
Minimum map value	-0.739	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.1	Depositor
Map size ($\text{\AA}$)	455.04, 455.04, 455.04	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.948, 0.948, 0.948	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	0/7337	0.86	38/9897 (0.4%)
1	B	0.61	0/7337	0.86	40/9897 (0.4%)
1	C	0.62	0/7337	0.87	44/9897 (0.4%)
All	All	0.62	0/22011	0.86	122/29691 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
1	C	0	1
All	All	0	4

There are no bond length outliers.

All (122) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	818	GLU	CA-C-N	9.56	129.65	119.89
1	B	818	GLU	C-N-CA	9.56	129.65	119.89
1	A	906	VAL	CA-C-N	7.80	127.51	119.56
1	A	906	VAL	C-N-CA	7.80	127.51	119.56
1	C	886	LEU	CA-C-N	7.76	127.77	119.78
1	C	886	LEU	C-N-CA	7.76	127.77	119.78
1	B	602	LEU	CA-C-N	7.53	127.49	120.03
1	B	602	LEU	C-N-CA	7.53	127.49	120.03
1	C	111	THR	CA-C-N	7.46	127.17	119.56
1	C	111	THR	C-N-CA	7.46	127.17	119.56
1	B	886	LEU	CA-C-N	7.42	127.43	119.78
1	B	886	LEU	C-N-CA	7.42	127.43	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	886	LEU	CA-C-N	7.38	127.39	119.78
1	A	886	LEU	C-N-CA	7.38	127.39	119.78
1	C	254	LYS	CA-C-N	7.34	127.04	119.56
1	C	254	LYS	C-N-CA	7.34	127.04	119.56
1	B	254	LYS	CA-C-N	7.33	127.04	119.56
1	B	254	LYS	C-N-CA	7.33	127.04	119.56
1	C	818	GLU	CA-C-N	7.20	127.24	119.90
1	C	818	GLU	C-N-CA	7.20	127.24	119.90
1	A	254	LYS	CA-C-N	7.15	126.85	119.56
1	A	254	LYS	C-N-CA	7.15	126.85	119.56
1	A	934	ASN	CA-C-N	7.12	127.04	119.85
1	A	934	ASN	C-N-CA	7.12	127.04	119.85
1	C	602	LEU	CA-C-N	7.03	126.99	120.03
1	C	602	LEU	C-N-CA	7.03	126.99	120.03
1	B	436	LYS	CA-C-N	7.01	126.94	119.85
1	B	436	LYS	C-N-CA	7.01	126.94	119.85
1	C	436	LYS	CA-C-N	6.90	126.82	119.85
1	C	436	LYS	C-N-CA	6.90	126.82	119.85
1	C	258	CYS	CA-C-N	6.82	126.52	119.56
1	C	258	CYS	C-N-CA	6.82	126.52	119.56
1	B	591	ILE	CA-C-N	6.76	126.75	119.78
1	B	591	ILE	C-N-CA	6.76	126.75	119.78
1	C	934	ASN	CA-C-N	6.76	126.68	119.85
1	C	934	ASN	C-N-CA	6.76	126.68	119.85
1	A	602	LEU	CA-C-N	6.70	126.62	119.85
1	A	602	LEU	C-N-CA	6.70	126.62	119.85
1	B	258	CYS	CA-C-N	6.68	126.38	119.56
1	B	258	CYS	C-N-CA	6.68	126.38	119.56
1	A	136	GLU	CA-C-N	6.68	126.60	119.85
1	A	136	GLU	C-N-CA	6.68	126.60	119.85
1	A	436	LYS	CA-C-N	6.67	126.69	119.89
1	A	436	LYS	C-N-CA	6.67	126.69	119.89
1	A	591	ILE	CA-C-N	6.62	126.60	119.78
1	A	591	ILE	C-N-CA	6.62	126.60	119.78
1	B	722	SER	CA-C-N	6.62	126.58	120.03
1	B	722	SER	C-N-CA	6.62	126.58	120.03
1	B	934	ASN	CA-C-N	6.60	126.52	119.85
1	B	934	ASN	C-N-CA	6.60	126.52	119.85
1	C	644	ILE	CA-C-N	6.55	126.53	119.78
1	C	644	ILE	C-N-CA	6.55	126.53	119.78
1	C	136	GLU	CA-C-N	6.49	126.41	119.85
1	C	136	GLU	C-N-CA	6.49	126.41	119.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	223	ILE	CA-C-N	6.49	126.52	119.90
1	C	223	ILE	C-N-CA	6.49	126.52	119.90
1	B	111	THR	CA-C-N	6.44	126.94	119.47
1	B	111	THR	C-N-CA	6.44	126.94	119.47
1	C	906	VAL	CA-C-N	6.43	126.56	119.87
1	C	906	VAL	C-N-CA	6.43	126.56	119.87
1	A	722	SER	CA-C-N	6.41	126.38	120.03
1	A	722	SER	C-N-CA	6.41	126.38	120.03
1	C	591	ILE	CA-C-N	6.38	126.35	119.78
1	C	591	ILE	C-N-CA	6.38	126.35	119.78
1	C	722	SER	CA-C-N	6.35	126.27	119.85
1	C	722	SER	C-N-CA	6.35	126.27	119.85
1	C	751	LEU	CA-C-N	6.35	126.11	119.76
1	C	751	LEU	C-N-CA	6.35	126.11	119.76
1	A	644	ILE	CA-C-N	6.33	126.30	119.78
1	A	644	ILE	C-N-CA	6.33	126.30	119.78
1	A	463	GLU	CA-C-N	6.24	125.92	119.56
1	A	463	GLU	C-N-CA	6.24	125.92	119.56
1	A	118	TYR	CA-C-N	6.19	125.81	119.56
1	A	118	TYR	C-N-CA	6.19	125.81	119.56
1	B	136	GLU	CA-C-N	6.19	126.38	120.31
1	B	136	GLU	C-N-CA	6.19	126.38	120.31
1	B	337	THR	CA-C-N	6.17	126.36	119.32
1	B	337	THR	C-N-CA	6.17	126.36	119.32
1	A	111	THR	CA-C-N	6.17	126.35	119.32
1	A	111	THR	C-N-CA	6.17	126.35	119.32
1	B	463	GLU	CA-C-N	6.12	125.80	119.56
1	B	463	GLU	C-N-CA	6.12	125.80	119.56
1	C	463	GLU	CA-C-N	6.07	125.76	119.56
1	C	463	GLU	C-N-CA	6.07	125.76	119.56
1	C	337	THR	CA-C-N	6.04	126.20	119.32
1	C	337	THR	C-N-CA	6.04	126.20	119.32
1	C	118	TYR	CA-C-N	5.97	125.59	119.56
1	C	118	TYR	C-N-CA	5.97	125.59	119.56
1	B	751	LEU	CA-C-N	5.96	126.26	119.83
1	B	751	LEU	C-N-CA	5.96	126.26	119.83
1	A	223	ILE	CA-C-N	5.95	125.96	119.89
1	A	223	ILE	C-N-CA	5.95	125.96	119.89
1	A	818	GLU	CA-C-N	5.87	125.89	119.90
1	A	818	GLU	C-N-CA	5.87	125.89	119.90
1	B	118	TYR	CA-C-N	5.87	125.49	119.56
1	B	118	TYR	C-N-CA	5.87	125.49	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	906	VAL	CA-C-N	5.86	126.95	120.45
1	B	906	VAL	C-N-CA	5.86	126.95	120.45
1	A	258	CYS	CA-C-N	5.83	126.23	119.47
1	A	258	CYS	C-N-CA	5.83	126.23	119.47
1	C	978	LEU	CA-C-N	5.63	125.53	119.85
1	C	978	LEU	C-N-CA	5.63	125.53	119.85
1	B	980	ASP	CA-C-N	5.62	125.73	119.32
1	B	980	ASP	C-N-CA	5.62	125.73	119.32
1	C	980	ASP	CA-C-N	5.62	125.72	119.32
1	C	980	ASP	C-N-CA	5.62	125.72	119.32
1	A	953	GLY	CA-C-N	5.61	131.80	121.70
1	A	953	GLY	C-N-CA	5.61	131.80	121.70
1	C	220	LEU	CA-C-O	5.58	121.18	117.94
1	A	978	LEU	CA-C-N	5.53	125.43	119.85
1	A	978	LEU	C-N-CA	5.53	125.43	119.85
1	A	751	LEU	CA-C-N	5.49	125.80	119.93
1	A	751	LEU	C-N-CA	5.49	125.80	119.93
1	B	644	ILE	CA-C-N	5.46	125.93	120.14
1	B	644	ILE	C-N-CA	5.46	125.93	120.14
1	B	223	ILE	CA-C-N	5.45	125.46	119.90
1	B	223	ILE	C-N-CA	5.45	125.46	119.90
1	C	220	LEU	CB-CA-C	-5.27	109.48	117.07
1	B	978	LEU	CA-C-N	5.03	125.47	120.14
1	B	978	LEU	C-N-CA	5.03	125.47	120.14
1	C	953	GLY	CA-C-N	5.02	130.74	121.70
1	C	953	GLY	C-N-CA	5.02	130.74	121.70

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	163	SER	Peptide
1	B	163	SER	Peptide
1	B	818	GLU	Peptide
1	C	163	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7204	0	7307	20	0
1	B	7204	0	7307	22	0
1	C	7204	0	7307	20	0
All	All	21612	0	21921	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:817:SER:O	1:C:818:GLU:C	2.47	0.58
1:A:742:SER:OG	1:A:744:HIS:NE2	2.38	0.56
1:B:817:SER:O	1:B:818:GLU:C	2.49	0.56
1:C:954:TRP:O	1:C:956:ALA:N	2.40	0.55
1:A:817:SER:O	1:A:818:GLU:C	2.50	0.53
1:A:953:GLY:HA2	1:A:955:LEU:H	1.73	0.53
1:B:525:LYS:NZ	1:B:556:GLU:OE2	2.42	0.52
1:B:848:VAL:O	1:B:849:LYS:HB2	2.10	0.52
1:A:162:GLN:C	1:A:163:SER:O	2.52	0.51
1:C:848:VAL:O	1:C:849:LYS:HB2	2.10	0.51
1:B:954:TRP:O	1:B:956:ALA:N	2.45	0.50
1:B:162:GLN:C	1:B:163:SER:O	2.54	0.49
1:C:162:GLN:C	1:C:163:SER:O	2.53	0.49
1:A:815:LEU:O	1:A:816:SER:CB	2.60	0.49
1:A:848:VAL:O	1:A:849:LYS:HB2	2.13	0.49
1:A:525:LYS:NZ	1:A:556:GLU:OE2	2.46	0.48
1:B:536:SER:OG	1:B:537:VAL:N	2.47	0.47
1:A:953:GLY:HA2	1:A:954:TRP:HB3	1.96	0.47
1:C:536:SER:OG	1:C:537:VAL:N	2.47	0.47
1:C:525:LYS:NZ	1:C:556:GLU:OE2	2.46	0.47
1:A:536:SER:OG	1:A:537:VAL:N	2.48	0.47
1:B:326:GLN:O	1:B:332:ARG:NH2	2.49	0.46
1:B:481:SER:O	1:B:485:SER:OG	2.24	0.46
1:B:485:SER:OG	1:B:486:THR:N	2.49	0.45
1:B:133:THR:O	1:B:134:PHE:C	2.58	0.45
1:C:526:ARG:N	1:C:527:PRO:CD	2.79	0.45
1:A:133:THR:HG23	1:A:134:PHE:H	1.81	0.45
1:A:654:ASN:O	1:B:985:ARG:NH1	2.49	0.45
1:C:133:THR:HG23	1:C:134:PHE:H	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:526:ARG:N	1:B:527:PRO:CD	2.80	0.44
1:A:312:VAL:HG12	1:A:312:VAL:O	2.17	0.43
1:B:890:CYS:HA	1:B:891:ASP:HA	1.82	0.43
1:C:133:THR:OG1	1:C:134:PHE:N	2.51	0.43
1:C:821:ASP:OD1	1:C:849:LYS:NZ	2.43	0.43
1:B:968:VAL:O	1:B:998:GLN:N	2.50	0.43
1:C:931:PHE:O	1:C:932:GLY:C	2.62	0.43
1:C:691:ARG:NE	1:C:715:TYR:OH	2.45	0.43
1:C:968:VAL:O	1:C:998:GLN:N	2.51	0.43
1:B:407:ASP:OD1	1:B:440:LYS:NZ	2.43	0.42
1:A:526:ARG:N	1:A:527:PRO:CD	2.82	0.42
1:C:654:ASN:OD1	1:C:655:TRP:N	2.52	0.42
1:A:931:PHE:O	1:A:932:GLY:C	2.63	0.42
1:A:921:ASP:OD1	1:A:921:ASP:N	2.52	0.42
1:A:936:LEU:C	1:A:938:ASN:H	2.28	0.42
1:B:334:LEU:C	1:B:336:LYS:H	2.28	0.42
1:C:953:GLY:HA2	1:C:955:LEU:N	2.35	0.42
1:B:133:THR:O	1:B:135:THR:N	2.53	0.41
1:B:848:VAL:O	1:B:849:LYS:CB	2.68	0.41
1:C:302:GLU:OE2	1:C:336:LYS:NZ	2.53	0.41
1:C:432:ALA:O	1:C:434:ARG:N	2.53	0.41
1:C:848:VAL:O	1:C:849:LYS:CB	2.69	0.41
1:A:263:ALA:O	1:A:267:GLU:N	2.54	0.41
1:A:945:ALA:O	1:A:973:SER:OG	2.38	0.41
1:B:820:CYS:SG	1:B:821:ASP:N	2.94	0.41
1:C:248:ASP:OD1	1:C:249:GLY:N	2.54	0.40
1:C:334:LEU:C	1:C:336:LYS:H	2.29	0.40
1:A:334:LEU:C	1:A:336:LYS:H	2.30	0.40
1:B:821:ASP:OD1	1:B:849:LYS:NZ	2.38	0.40
1:B:953:GLY:HA2	1:B:954:TRP:HB3	2.03	0.40
1:A:326:GLN:O	1:A:332:ARG:NH2	2.55	0.40
1:B:879:GLU:O	1:B:908:GLN:NE2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	900/1030 (87%)	842 (94%)	51 (6%)	7 (1%)	16	48
1	B	900/1030 (87%)	848 (94%)	44 (5%)	8 (1%)	14	45
1	C	900/1030 (87%)	847 (94%)	48 (5%)	5 (1%)	21	54
All	All	2700/3090 (87%)	2537 (94%)	143 (5%)	20 (1%)	20	51

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	171	SER
1	B	134	PHE
1	C	955	LEU
1	A	660	ARG
1	B	171	SER
1	B	955	LEU
1	C	171	SER
1	A	150	GLU
1	B	150	GLU
1	C	150	GLU
1	A	954	TRP
1	A	287	ILE
1	B	287	ILE
1	B	954	TRP
1	C	287	ILE
1	A	163	SER
1	A	173	LYS
1	B	536	SER
1	C	163	SER
1	B	163	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	808/917 (88%)	807 (100%)	1 (0%)	88	89
1	B	808/917 (88%)	807 (100%)	1 (0%)	88	89
1	C	808/917 (88%)	806 (100%)	2 (0%)	87	87
All	All	2424/2751 (88%)	2420 (100%)	4 (0%)	85	87

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	361	THR
1	B	361	THR
1	C	221	LEU
1	C	361	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	180	GLN
1	A	268	ASN
1	A	657	GLN
1	A	749	GLN
1	B	145	HIS
1	B	180	GLN
1	B	268	ASN
1	B	378	HIS
1	B	657	GLN
1	B	693	GLN
1	B	800	HIS
1	C	180	GLN
1	C	268	ASN
1	C	372	GLN
1	C	693	GLN
1	C	989	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29496. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 270




Y Index: 179




Z Index: 206


6.3.2 Raw map



X Index: 0



Y Index: 180




Z Index: 206


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 192 nm³; this corresponds to an approximate mass of 174 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.39	7.33	4.47

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.39 differs from the reported value 3.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-29496 and PDB model 8FW2. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 65% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6480	0.3310
A	0.6610	0.3320
B	0.6440	0.3380
C	0.6390	0.3230

