



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:19 PM UTC

PDB ID : 2FY5 / pdb_00002fy5
Title : Structures of ligand bound human choline acetyltransferase provide insight into regulation of acetylcholine synthesis
Authors : Kim, A.R.; Rylett, R.J.; Shilton, B.H.
Deposited on : 2006-02-07
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4670 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Choline O-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	577	4514	2863	791	825	35	0	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	cloning artifact	UNP P28329
A	225	ALA	GLU	engineered mutation	UNP P28329
A	226	ALA	ASP	engineered mutation	UNP P28329
A	227	ALA	GLU	engineered mutation	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	348	PRO	ARG	SEE REMARK 999	UNP P28329
A	349	GLU	LYS	SEE REMARK 999	UNP P28329
A	351	VAL	ILE	SEE REMARK 999	UNP P28329
A	353	SER	ALA	SEE REMARK 999	UNP P28329
A	354	PRO	ASP	SEE REMARK 999	UNP P28329
A	355	MET	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	357	PRO	GLU	SEE REMARK 999	UNP P28329
A	518	ALA	LYS	engineered mutation	UNP P28329
A	519	ALA	GLU	engineered mutation	UNP P28329
A	582	ALA	LYS	engineered mutation	UNP P28329
A	583	ALA	GLU	engineered mutation	UNP P28329

- Molecule 2 is [(2R,3S,4R,5R)-5-(6-AMINO-9H-PURIN-9-YL)-4-HYDROXY-3-(PHOSPHONOXY)TETRAHYDROFURAN-2-YL]METHYL (3R)-3-HYDROXY-2,2-DIMETHYL-4-OXO-4-{[3-OXO-3-({2-[(2-OXOPROPYL)THIO]ETHYL}AMINO)PROPYL]AMINO}BUTYL DIHYDROGEN DIPHOSPHATE (CCD ID: SOP) (formula: C₂₄H₄₀N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
2	A	1	52	24	7	17	3	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	104	Total	O	0	0
			104	104		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Choline O-acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.27Å 74.03Å 165.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	17.99 – 2.60 17.99 – 2.60	Depositor EDS
% Data completeness (in resolution range)	96.1 (17.99-2.60) 95.7 (17.99-2.60)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 2.59Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.237 , 0.285 0.234 , 0.281	Depositor DCC
R_{free} test set	2077 reflections (9.62%)	wwPDB-VP
Wilson B-factor (Å ²)	45.0	Xtriage
Anisotropy	0.418	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 36.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4670	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SOP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/4610	0.95	9/6245 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	324	HIS	N-CA-C	9.20	121.31	111.28
1	A	525	MET	N-CA-C	-6.76	105.07	113.38
1	A	276	GLY	N-CA-C	-5.39	105.19	112.14
1	A	161	SER	N-CA-C	5.37	117.98	109.50
1	A	502	ILE	CB-CA-C	-5.31	105.44	110.65
1	A	211	LEU	N-CA-C	-5.21	105.60	111.28
1	A	575	ILE	N-CA-C	5.21	115.40	108.11
1	A	146	SER	N-CA-C	5.09	117.75	109.24
1	A	449	VAL	CB-CA-C	-5.05	104.78	111.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4514	0	4535	151	0
2	A	52	0	36	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	104	0	0	6	0
All	All	4670	0	4571	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ILE:HB	1:A:269:LEU:HD22	1.34	1.05
1:A:187:ILE:HB	1:A:269:LEU:CD2	1.97	0.95
1:A:303:TRP:H	1:A:309:GLN:NE2	1.69	0.91
1:A:205:ARG:HH11	1:A:205:ARG:HG3	1.37	0.90
1:A:336:THR:HG22	1:A:548:MET:HE1	1.52	0.89
1:A:546:THR:HG22	1:A:547:GLU:H	1.36	0.89
1:A:23:GLN:HE22	1:A:500:MET:HE3	1.41	0.84
1:A:19:PRO:HG2	1:A:505:HIS:ND1	1.91	0.84
1:A:145:LEU:HB2	1:A:443:ARG:NH2	1.93	0.84
1:A:520:LEU:HD12	1:A:525:MET:HE3	1.60	0.82
1:A:161:SER:HA	1:A:173:VAL:HG21	1.61	0.81
1:A:443:ARG:HG3	3:A:710:HOH:O	1.83	0.79
1:A:303:TRP:H	1:A:309:GLN:HE22	1.32	0.78
1:A:606:LEU:O	1:A:607:LEU:HB2	1.84	0.77
1:A:161:SER:HA	1:A:173:VAL:CG2	2.20	0.72
1:A:205:ARG:HG3	1:A:205:ARG:NH1	2.02	0.71
1:A:439:ALA:HB2	1:A:452:ILE:HG13	1.72	0.70
1:A:390:ASN:HD21	1:A:580:SER:H	1.40	0.69
1:A:162:TYR:H	1:A:173:VAL:CG2	2.04	0.69
1:A:333:VAL:HG11	1:A:544:THR:HG22	1.76	0.68
1:A:443:ARG:NH2	1:A:497:ILE:HD12	2.09	0.67
1:A:111:ASP:O	1:A:115:ARG:HG3	1.95	0.66
1:A:201:ILE:HG22	1:A:202:ASN:N	2.10	0.66
1:A:301:ASN:C	1:A:302:ARG:HG2	2.23	0.64
1:A:162:TYR:H	1:A:173:VAL:HG23	1.62	0.64
1:A:291:HIS:ND1	1:A:388:VAL:HG22	2.13	0.63
1:A:323:GLU:O	1:A:326:PRO:HD2	1.97	0.63
1:A:125:LEU:HD11	1:A:199:VAL:HB	1.81	0.63
1:A:230:PRO:HG2	1:A:369:CYS:SG	2.39	0.63
1:A:63:GLN:O	1:A:67:GLU:HG3	2.00	0.62
1:A:16:LEU:HD12	1:A:17:PRO:HD2	1.82	0.61
1:A:85:TYR:CE2	1:A:324:HIS:HB3	2.36	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:ARG:HH11	1:A:205:ARG:CG	2.12	0.61
1:A:302:ARG:HB3	1:A:309:GLN:HE22	1.65	0.61
1:A:487:ARG:HH11	1:A:487:ARG:HB3	1.66	0.60
1:A:180:MET:CG	1:A:181:PRO:HD2	2.32	0.60
1:A:337:GLU:HG2	1:A:546:THR:OG1	2.03	0.59
1:A:400:ASN:HD22	1:A:401:TYR:HD2	1.51	0.59
1:A:337:GLU:OE1	1:A:544:THR:HB	2.02	0.58
1:A:390:ASN:HD21	1:A:580:SER:N	2.00	0.58
1:A:145:LEU:HB2	1:A:443:ARG:HH22	1.67	0.58
1:A:29:LEU:HD21	1:A:48:VAL:HG21	1.85	0.58
1:A:259:SER:HA	1:A:365:LEU:HD22	1.85	0.57
1:A:330:ILE:O	1:A:334:GLN:HG2	2.05	0.57
1:A:23:GLN:NE2	1:A:500:MET:HE3	2.16	0.57
1:A:125:LEU:HD21	1:A:199:VAL:HG21	1.85	0.57
1:A:24:THR:HG23	1:A:502:ILE:HB	1.86	0.56
1:A:433:VAL:HG21	1:A:536:VAL:HB	1.87	0.56
1:A:487:ARG:HB3	1:A:487:ARG:NH1	2.21	0.56
1:A:253:ASP:OD1	1:A:255:THR:N	2.39	0.55
1:A:19:PRO:HG2	1:A:505:HIS:CG	2.42	0.55
1:A:187:ILE:CB	1:A:269:LEU:HD22	2.23	0.55
1:A:525:MET:HA	1:A:525:MET:HE2	1.88	0.55
1:A:101:ILE:N	1:A:101:ILE:HD12	2.23	0.54
1:A:32:MET:HE2	1:A:532:SER:HB3	1.90	0.53
1:A:281:SER:O	1:A:285:ARG:HG3	2.08	0.53
1:A:301:ASN:O	1:A:302:ARG:HG2	2.08	0.53
1:A:98:PRO:HG3	2:A:2000:SOP:HA31	1.90	0.53
1:A:520:LEU:HD12	1:A:525:MET:CE	2.33	0.53
1:A:154:GLN:O	1:A:155:TYR:C	2.51	0.53
1:A:19:PRO:HG2	1:A:505:HIS:CE1	2.44	0.53
1:A:357:PRO:O	1:A:360:PRO:HD3	2.09	0.53
1:A:322:CYS:SG	1:A:332:LEU:HD21	2.49	0.52
1:A:322:CYS:SG	1:A:332:LEU:CD2	2.98	0.52
1:A:496:ALA:HA	1:A:501:ALA:HB2	1.92	0.52
1:A:141:ALA:HB3	1:A:146:SER:HA	1.90	0.52
1:A:87:ASN:O	1:A:89:ARG:HD2	2.10	0.52
1:A:294:GLY:HA2	1:A:384:LEU:CD1	2.40	0.51
1:A:242:GLU:OE1	1:A:242:GLU:N	2.44	0.51
1:A:210:ASP:O	1:A:214:GLN:HG2	2.09	0.51
1:A:76:VAL:O	1:A:76:VAL:HG22	2.11	0.51
1:A:324:HIS:C	1:A:326:PRO:HD2	2.35	0.51
1:A:291:HIS:CG	1:A:388:VAL:HG22	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:443:ARG:HH21	1:A:497:ILE:HD12	1.74	0.51
1:A:120:LEU:HD23	1:A:120:LEU:O	2.11	0.50
1:A:180:MET:HG3	1:A:181:PRO:HD2	1.92	0.50
1:A:172:LEU:O	1:A:173:VAL:C	2.54	0.50
1:A:459:ALA:O	1:A:463:VAL:HG22	2.11	0.50
1:A:98:PRO:HD2	1:A:322:CYS:O	2.12	0.50
1:A:47:ILE:HD13	1:A:522:GLU:HG2	1.94	0.49
1:A:406:ILE:HG21	1:A:413:PRO:HA	1.94	0.49
1:A:180:MET:HG2	1:A:181:PRO:HD2	1.95	0.49
1:A:131:LEU:HG	1:A:156:TYR:CE2	2.47	0.49
1:A:238:ASP:OD1	1:A:239:GLY:N	2.46	0.49
1:A:88:ASN:HB3	3:A:735:HOH:O	2.13	0.48
1:A:184:GLU:HB2	1:A:200:VAL:HB	1.94	0.48
1:A:44:SER:O	1:A:48:VAL:HG23	2.14	0.48
1:A:144:GLN:O	1:A:145:LEU:HB2	2.14	0.48
1:A:43:LYS:O	1:A:47:ILE:HG13	2.13	0.48
1:A:165:PRO:HG3	1:A:243:TRP:CD1	2.49	0.47
1:A:253:ASP:OD2	1:A:368:LYS:HD2	2.14	0.47
1:A:303:TRP:N	1:A:309:GLN:HE22	2.08	0.47
1:A:330:ILE:HB	3:A:725:HOH:O	2.14	0.47
1:A:601:ARG:HD2	3:A:811:HOH:O	2.14	0.47
1:A:201:ILE:HG22	1:A:202:ASN:H	1.77	0.47
1:A:409:GLN:O	1:A:410:LYS:HB2	2.15	0.47
1:A:126:SER:HB3	1:A:205:ARG:HH21	1.79	0.47
1:A:340:LEU:HD12	1:A:548:MET:CE	2.45	0.47
1:A:379:SER:O	1:A:383:LYS:HG2	2.15	0.46
1:A:155:TYR:C	1:A:157:GLY:H	2.21	0.46
1:A:152:MET:CE	1:A:155:TYR:CE1	2.98	0.46
1:A:398:PHE:CD2	1:A:597:LEU:HD13	2.51	0.46
1:A:490:THR:O	1:A:494:VAL:HG23	2.16	0.45
1:A:99:ALA:HB1	1:A:289:LEU:HB3	1.99	0.45
1:A:162:TYR:N	1:A:173:VAL:CG2	2.77	0.45
1:A:89:ARG:NH2	1:A:166:GLY:O	2.49	0.45
1:A:121:ILE:HD11	1:A:270:VAL:HG21	1.98	0.45
1:A:117:ALA:O	1:A:121:ILE:HG13	2.17	0.45
1:A:185:HIS:CD2	1:A:196:VAL:HG13	2.52	0.45
1:A:162:TYR:H	1:A:173:VAL:HG22	1.81	0.44
1:A:384:LEU:HD22	1:A:384:LEU:O	2.17	0.44
1:A:162:TYR:CD1	1:A:264:GLU:HA	2.53	0.44
1:A:437:GLU:HB3	1:A:452:ILE:HB	1.99	0.44
1:A:423:LEU:HA	1:A:463:VAL:HG12	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:VAL:O	1:A:320:VAL:HG13	2.18	0.44
1:A:76:VAL:HG22	1:A:80:TRP:HB2	2.00	0.43
1:A:91:ALA:O	1:A:95:ASN:HB2	2.19	0.43
1:A:145:LEU:HD12	1:A:443:ARG:HH22	1.83	0.43
1:A:182:GLU:HA	1:A:182:GLU:OE1	2.18	0.43
1:A:238:ASP:O	1:A:239:GLY:C	2.61	0.43
1:A:482:LEU:C	1:A:482:LEU:HD23	2.43	0.43
1:A:19:PRO:HA	1:A:20:PRO:HD3	1.96	0.43
1:A:38:GLU:O	1:A:42:ARG:HG3	2.19	0.43
1:A:153:LYS:HD2	3:A:804:HOH:O	2.19	0.43
1:A:82:ASN:HA	1:A:86:LEU:HB2	2.01	0.43
1:A:482:LEU:HD23	1:A:482:LEU:O	2.19	0.43
1:A:32:MET:O	1:A:33:ARG:C	2.62	0.42
1:A:323:GLU:OE1	1:A:326:PRO:HD3	2.19	0.42
1:A:568:PRO:HD2	3:A:807:HOH:O	2.18	0.42
1:A:483:LYS:HA	1:A:483:LYS:HD3	1.89	0.42
1:A:514:ARG:NH2	1:A:520:LEU:HD11	2.33	0.42
1:A:85:TYR:CE2	1:A:324:HIS:CG	3.07	0.42
1:A:269:LEU:HD11	1:A:303:TRP:HB3	2.01	0.42
1:A:247:ARG:HH11	1:A:247:ARG:HG2	1.84	0.42
1:A:418:GLN:HG3	1:A:437:GLU:OE1	2.20	0.42
1:A:541:GLN:HG2	1:A:543:PRO:HD3	2.02	0.42
1:A:144:GLN:HG2	2:A:2000:SOP:O21	2.20	0.41
1:A:443:ARG:NH1	1:A:498:THR:HG22	2.36	0.41
1:A:520:LEU:CD1	1:A:525:MET:HE3	2.41	0.41
1:A:136:ILE:HA	1:A:137:PRO:HD3	1.89	0.41
1:A:116:PHE:CE1	1:A:343:MET:HE1	2.56	0.41
1:A:201:ILE:CG2	1:A:202:ASN:H	2.30	0.41
1:A:206:LEU:HD22	1:A:210:ASP:CB	2.50	0.41
1:A:546:THR:HG22	1:A:547:GLU:N	2.18	0.41
1:A:253:ASP:O	1:A:257:ARG:HG3	2.21	0.41
1:A:537:LEU:HD12	1:A:560:TYR:HB2	2.02	0.41
1:A:390:ASN:HD21	1:A:580:SER:HB2	1.85	0.41
1:A:17:PRO:HD3	1:A:444:PHE:CE2	2.56	0.40
1:A:136:ILE:O	1:A:136:ILE:HG23	2.20	0.40
1:A:182:GLU:OE2	1:A:201:ILE:O	2.40	0.40
1:A:443:ARG:HH12	1:A:498:THR:HG22	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	571/612 (93%)	539 (94%)	26 (5%)	6 (1%)	11	25

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	201	ILE
1	A	206	LEU
1	A	278	VAL
1	A	546	THR
1	A	156	TYR
1	A	606	LEU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	496/527 (94%)	492 (99%)	4 (1%)	73	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	ARG
1	A	205	ARG
1	A	324	HIS
1	A	428	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	40	GLN
1	A	185	HIS
1	A	309	GLN
1	A	390	ASN
1	A	400	ASN
1	A	409	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SOP	A	2000	-	52,54,54	1.08	3 (5%)	75,80,80	1.72	13 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SOP	A	2000	-	-	9/52/68/68	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2000	SOP	C5-N7	-3.87	1.32	1.39
2	A	2000	SOP	C8-N9	-2.21	1.33	1.37
2	A	2000	SOP	P3-O32	2.13	1.62	1.54

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2000	SOP	N3-C2-N1	-5.78	119.83	128.58
2	A	2000	SOP	C5-C4-N3	-5.34	119.36	126.72
2	A	2000	SOP	CP1-S-CA1	4.89	109.79	101.72
2	A	2000	SOP	C2-N3-C4	3.93	121.44	111.83
2	A	2000	SOP	N3-C4-N9	3.93	133.85	127.17
2	A	2000	SOP	C5-N7-C8	2.63	107.58	103.45
2	A	2000	SOP	CP7-CP6-NP2	-2.54	111.67	116.48
2	A	2000	SOP	O4'-C1'-N9	2.54	112.96	108.09
2	A	2000	SOP	OA1-CA2-CA3	2.51	127.78	121.48
2	A	2000	SOP	CA3-CA2-CA1	-2.29	112.35	116.17
2	A	2000	SOP	C4-C5-N7	-2.25	108.01	110.58
2	A	2000	SOP	N9-C8-N7	-2.25	110.75	113.94
2	A	2000	SOP	O6-P2-O22	-2.21	104.05	110.70

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	2000	SOP	CA2-CA1-S-CP1
2	A	2000	SOP	C3'-C4'-C5'-O5'
2	A	2000	SOP	O4'-C4'-C5'-O5'
2	A	2000	SOP	CP9-O7-P2-O6
2	A	2000	SOP	C3'-O3'-P3-O32
2	A	2000	SOP	P1-O6-P2-O21
2	A	2000	SOP	P1-O6-P2-O22
2	A	2000	SOP	NP2-CP6-CP7-OP3
2	A	2000	SOP	P2-O6-P1-O11

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2000	SOP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	577/612 (94%)	0.08	18 (3%)	51 45	19, 40, 69, 89	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	201	ILE	4.6
1	A	145	LEU	4.3
1	A	143	GLY	4.3
1	A	204	ARG	3.5
1	A	144	GLN	3.1
1	A	131	LEU	3.0
1	A	205	ARG	2.9
1	A	443	ARG	2.7
1	A	357	PRO	2.5
1	A	216	ARG	2.4
1	A	183	PRO	2.4
1	A	156	TYR	2.2
1	A	342	HIS	2.2
1	A	180	MET	2.1
1	A	607	LEU	2.1
1	A	136	ILE	2.1
1	A	200	VAL	2.0
1	A	155	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SOP	A	2000	52/52	0.91	0.09	40,47,67,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.