



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:04 PM UTC

PDB ID : 2FYV / pdb_00002fyv
Title : Golgi alpha-mannosidase II complex with an amino-salacinol carboxylate analog
Authors : Kuntz, D.A.; Hamlet, T.; Rose, D.R.
Deposited on : 2006-02-08
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1045	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	W72	A	2000	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MPD	A	2001	X	-	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9313 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called putative golgi alpha-mannosidase II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1014	8216	5222	1438	1516	40	0	10	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ARG	-	cloning artifact	GB 517481
A	2	SER	-	cloning artifact	GB 517481
A	3	SER	-	cloning artifact	GB 517481
A	4	HIS	-	expression tag	GB 517481
A	5	HIS	-	expression tag	GB 517481
A	6	HIS	-	expression tag	GB 517481
A	7	HIS	-	expression tag	GB 517481
A	8	HIS	-	expression tag	GB 517481
A	9	HIS	-	expression tag	GB 517481
A	10	GLY	-	cloning artifact	GB 517481
A	11	GLU	-	cloning artifact	GB 517481
A	12	PHE	-	cloning artifact	GB 517481

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		

- Molecule 5 is 6-DEOXY-6-[(2R,3R,4R)-3,4-DIHYDROXY-2-(HYDROXYMETHYL)PYRR-OLIDIN-1-YL]-L-GULONIC ACID (CCD ID: W72) (formula: $C_{11}H_{21}NO_9$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			21	11	1	9		

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1048	Total	O	0	0
			1048	1048		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: putative golgi alpha-mannosidase II



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.81Å 108.64Å 137.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.60 – 1.90 29.60 – 1.90	Depositor EDS
% Data completeness (in resolution range)	94.0 (29.60-1.90) 93.7 (29.60-1.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 1.91Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.162 , 0.212 0.163 , 0.212	Depositor DCC
R_{free} test set	1967 reflections (2.40%)	wwPDB-VP
Wilson B-factor (Å ²)	12.4	Xtriage
Anisotropy	0.225	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9313	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, MPD, NAG, W72, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.11	9/8493 (0.1%)	1.17	41/11534 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	549	ILE	CA-CB	6.51	1.63	1.54
1	A	798	ILE	CA-CB	6.08	1.61	1.54
1	A	831	ILE	CA-CB	6.01	1.61	1.54
1	A	96	ILE	CA-CB	5.48	1.61	1.54
1	A	86	VAL	CA-CB	5.43	1.61	1.54
1	A	467	LEU	CA-C	5.28	1.59	1.52
1	A	729	PHE	CA-C	5.27	1.59	1.52
1	A	959	VAL	CA-C	5.21	1.58	1.53
1	A	491	GLN	CA-C	5.06	1.59	1.52

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	584	ALA	N-CA-C	-8.26	103.31	112.72
1	A	607	ILE	N-CA-C	-7.99	95.54	107.37
1	A	265	PRO	N-CA-C	7.75	124.95	114.18
1	A	297	CYS	CA-C-N	-7.63	111.94	119.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	297	CYS	C-N-CA	-7.63	111.94	119.87
1	A	122	PRO	N-CA-C	7.47	124.65	113.81
1	A	167	MET	N-CA-C	-7.44	93.62	109.01
1	A	36	GLN	N-CA-C	7.36	122.43	113.38
1	A	518	ASP	N-CA-C	-7.29	95.27	108.02
1	A	277	PRO	N-CA-C	7.09	122.72	113.86
1	A	169	ASP	N-CA-C	-6.88	100.99	110.35
1	A	955	GLU	N-CA-C	6.79	119.51	111.71
1	A	763	VAL	N-CA-C	6.63	117.36	108.27
1	A	330	ARG	N-CA-C	6.51	121.30	113.23
1	A	665	PRO	N-CA-C	6.25	121.72	114.03
1	A	303	PRO	N-CA-C	-6.19	102.13	111.41
1	A	45	MET	N-CA-C	6.11	118.73	111.71
1	A	517	PRO	N-CA-C	5.74	120.20	111.19
1	A	604	THR	N-CA-C	-5.71	105.62	112.59
1	A	192	PHE	N-CA-C	5.62	120.27	113.41
1	A	996	LYS	N-CA-C	-5.60	101.36	110.20
1	A	738	VAL	N-CA-C	-5.58	101.53	108.89
1	A	198	THR	N-CA-C	-5.56	105.27	113.61
1	A	642	GLU	N-CA-C	5.50	117.27	111.28
1	A	881	GLY	N-CA-C	-5.50	104.74	112.60
1	A	893	ARG	N-CA-C	-5.45	100.13	109.24
1	A	534	SER	N-CA-C	-5.41	101.85	109.96
1	A	764	VAL	N-CA-C	-5.39	100.12	107.99
1	A	1011	ARG	N-CA-C	-5.37	100.55	109.46
1	A	266	PHE	N-CA-C	5.33	118.22	110.17
1	A	1013	THR	N-CA-C	-5.33	103.49	110.53
1	A	107	THR	N-CA-C	5.33	117.09	111.28
1	A	699	LEU	N-CA-C	5.32	116.77	111.07
1	A	708	VAL	N-CA-C	-5.25	98.41	109.34
1	A	287	PHE	N-CA-C	5.25	119.44	113.19
1	A	168	PRO	N-CA-C	5.23	119.44	111.34
1	A	763	VAL	CB-CA-C	-5.19	101.52	110.65
1	A	915	THR	N-CA-C	-5.14	103.13	110.59
1	A	875	GLU	N-CA-C	5.13	118.67	111.74
1	A	35	VAL	CB-CA-C	-5.09	106.60	111.44
1	A	178	VAL	N-CA-C	-5.09	105.43	110.62

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	646	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8216	0	7995	162	0
2	A	14	0	13	0	0
3	A	5	0	0	0	0
4	A	1	0	0	0	0
5	A	21	0	20	1	0
6	A	8	0	14	1	0
7	A	1048	0	0	35	0
All	All	9313	0	8042	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:ASP:HB2	7:A:2871:HOH:O	1.46	1.15
1:A:954:ARG:HD3	1:A:981:ARG:HH21	1.06	1.08
1:A:954:ARG:HD3	1:A:981:ARG:NH2	1.70	1.06
1:A:40:ASN:HB2	7:A:2015:HOH:O	1.67	0.92
1:A:116:ARG:HD3	7:A:3035:HOH:O	1.72	0.90
1:A:954:ARG:CD	1:A:981:ARG:HH21	1.86	0.88
1:A:996:LYS:HE2	7:A:2896:HOH:O	1.75	0.85
1:A:434:HIS:HE1	1:A:930:ASP:OD1	1.60	0.84
1:A:332:ASN:H	1:A:394:GLN:HE22	1.25	0.83
1:A:678:LEU:HD12	1:A:769:MET:HE1	1.58	0.83
1:A:701:GLN:HE21	1:A:701:GLN:HA	1.42	0.83
1:A:53[A]:SER:OG	1:A:55:LYS:HG2	1.81	0.80
1:A:742:GLN:HG3	7:A:2756:HOH:O	1.82	0.80
1:A:964:ARG:HH11	1:A:973:GLN:HE21	1.32	0.77
1:A:601:ASP:HB2	1:A:608:HIS:CE1	2.19	0.76
1:A:989:THR:HG22	1:A:991:GLU:HG3	1.67	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:488:GLN:HB3	7:A:2270:HOH:O	1.86	0.75
1:A:698:GLN:HB2	1:A:705:HIS:ND1	2.03	0.74
1:A:666:GLU:HB2	7:A:2964:HOH:O	1.87	0.73
1:A:40:ASN:CB	7:A:2015:HOH:O	2.32	0.73
1:A:332:ASN:H	1:A:394:GLN:NE2	1.89	0.69
1:A:651:LEU:CD1	1:A:653:ARG:HG2	2.23	0.68
1:A:304:ARG:HH21	1:A:314:ARG:CZ	2.06	0.68
1:A:331:THR:HA	1:A:394:GLN:HE21	1.59	0.68
1:A:608:HIS:HD2	7:A:2977:HOH:O	1.78	0.67
1:A:57:ILE:HD12	1:A:57:ILE:C	2.21	0.66
1:A:954:ARG:CD	1:A:981:ARG:NH2	2.51	0.66
1:A:723:ARG:HH11	1:A:723:ARG:HG3	1.60	0.65
1:A:975:VAL:HG21	1:A:1003:LEU:CD1	2.26	0.65
1:A:434:HIS:HD2	1:A:927:ASP:OD1	1.79	0.65
1:A:651:LEU:HD11	1:A:653:ARG:HG2	1.80	0.64
1:A:155:ASN:HD21	1:A:157:GLN:HE21	1.45	0.64
1:A:498:GLN:HE21	1:A:526:LEU:H	1.45	0.63
1:A:739:GLU:HA	1:A:739:GLU:OE1	1.97	0.63
1:A:549:ILE:HG23	1:A:550:LEU:H	1.64	0.62
1:A:75:TYR:HE2	7:A:3027:HOH:O	1.81	0.62
1:A:139:HIS:HB2	7:A:2254:HOH:O	1.99	0.62
1:A:280:LYS:HE3	7:A:2669:HOH:O	2.01	0.61
1:A:950:HIS:HE1	7:A:2107:HOH:O	1.82	0.60
1:A:304:ARG:NH2	1:A:314:ARG:CZ	2.64	0.60
1:A:765:HIS:HE1	7:A:2980:HOH:O	1.84	0.59
1:A:525:THR:HG23	7:A:2302:HOH:O	2.02	0.59
1:A:53[A]:SER:HG	1:A:55:LYS:HG2	1.68	0.58
1:A:141:LEU:O	1:A:146:LYS:NZ	2.31	0.58
1:A:678:LEU:CD1	1:A:769:MET:HE1	2.32	0.58
1:A:895:VAL:HG12	1:A:897:GLU:HG3	1.86	0.57
1:A:602:THR:C	1:A:603:LEU:HD22	2.30	0.57
1:A:273:HIS:HE1	6:A:2001:MPD:O4	1.88	0.57
1:A:290:MET:HG2	1:A:303:PRO:HG2	1.86	0.57
1:A:549:ILE:HG23	1:A:550:LEU:N	2.19	0.57
1:A:125:LYS:HE2	7:A:2201:HOH:O	2.03	0.56
1:A:290:MET:CG	1:A:303:PRO:HG2	2.36	0.56
1:A:57:ILE:HD12	1:A:58:ASP:C	2.29	0.56
1:A:695:LYS:HA	1:A:709[B]:HIS:HD2	1.70	0.56
1:A:981:ARG:NH1	1:A:1031:VAL:O	2.39	0.55
1:A:761:PRO:O	1:A:762:SER:HB2	2.07	0.55
1:A:250:ILE:HB	1:A:910:PRO:HG2	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:435[A]:TYR:HE2	1:A:526:LEU:HD13	1.72	0.55
1:A:980:HIS:HE1	7:A:2917:HOH:O	1.91	0.54
1:A:723:ARG:NH1	7:A:2583:HOH:O	2.40	0.53
1:A:869:ARG:HH11	1:A:885:ASN:HD22	1.55	0.53
1:A:904:ARG:HG2	1:A:985:MET:SD	2.48	0.53
1:A:641:PRO:HG2	1:A:644:THR:HB	1.91	0.52
1:A:723:ARG:HG3	1:A:723:ARG:NH1	2.25	0.52
1:A:1009:CYS:HB3	1:A:1026:MET:HA	1.92	0.51
1:A:288:LYS:HD2	1:A:349:GLU:CD	2.35	0.51
1:A:714:LYS:HD2	7:A:2751:HOH:O	2.10	0.51
1:A:695:LYS:HA	1:A:709[B]:HIS:CD2	2.44	0.51
1:A:980:HIS:HD2	1:A:1036:THR:OG1	1.94	0.51
1:A:989:THR:CG2	1:A:991:GLU:HG3	2.38	0.51
1:A:435[A]:TYR:CE2	1:A:526:LEU:HD13	2.45	0.51
1:A:251:TRP:CD1	1:A:251:TRP:C	2.89	0.50
1:A:886:LYS:NZ	7:A:2429:HOH:O	2.44	0.50
1:A:155:ASN:ND2	1:A:157:GLN:HE21	2.10	0.50
1:A:79:HIS:HE1	7:A:2046:HOH:O	1.95	0.49
1:A:990:PRO:O	1:A:991:GLU:C	2.55	0.49
1:A:314:ARG:HH21	1:A:317:LEU:HD12	1.78	0.49
1:A:651:LEU:C	1:A:651:LEU:HD13	2.38	0.49
1:A:1018:GLN:NE2	7:A:2080:HOH:O	2.37	0.48
1:A:57:ILE:HD12	1:A:58:ASP:N	2.27	0.48
1:A:626:PRO:O	1:A:950:HIS:HD2	1.96	0.48
1:A:663:GLN:NE2	7:A:2813:HOH:O	2.36	0.48
1:A:995:GLN:HB3	7:A:2845:HOH:O	2.14	0.48
1:A:595:VAL:HG22	1:A:617:ARG:HG3	1.96	0.48
1:A:957:LEU:HD13	1:A:981:ARG:NH1	2.29	0.48
1:A:57:ILE:HD12	1:A:58:ASP:O	2.14	0.47
1:A:340:ASP:OD1	5:A:2000:W72:O13	2.32	0.47
1:A:98:THR:OG1	1:A:101:GLU:HG3	2.15	0.47
1:A:62:TRP:CD2	1:A:65:GLY:HA3	2.49	0.47
1:A:270:ASP:OD1	1:A:273:HIS:HD2	1.98	0.47
1:A:456:GLU:HB2	7:A:2280:HOH:O	2.15	0.47
1:A:993:HIS:CD2	1:A:993:HIS:O	2.67	0.47
1:A:332:ASN:N	1:A:394:GLN:NE2	2.59	0.47
1:A:655:ASN:CG	1:A:655:ASN:O	2.57	0.47
1:A:676:ILE:HD13	1:A:747:VAL:HG21	1.97	0.47
1:A:40:ASN:CG	7:A:2015:HOH:O	2.56	0.46
1:A:363:HIS:O	1:A:367:GLN:HG2	2.15	0.46
1:A:470:HIS:CD2	1:A:471:HIS:N	2.83	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:601:ASP:C	1:A:603:LEU:H	2.23	0.46
1:A:869:ARG:NH1	1:A:885:ASN:HD22	2.13	0.46
1:A:608:HIS:HB2	1:A:609:PRO:HD2	1.97	0.46
1:A:145:LYS:HE3	7:A:3042:HOH:O	2.15	0.46
1:A:75:TYR:CE2	7:A:3027:HOH:O	2.56	0.46
1:A:304:ARG:NH2	1:A:314:ARG:NH2	2.64	0.46
1:A:69:LYS:HA	7:A:2677:HOH:O	2.17	0.45
1:A:331:THR:CA	1:A:394:GLN:HE21	2.28	0.45
1:A:698:GLN:HG2	1:A:700:THR:O	2.17	0.45
1:A:885:ASN:ND2	1:A:885:ASN:H	2.15	0.45
1:A:964:ARG:HH11	1:A:973:GLN:NE2	2.09	0.44
1:A:304:ARG:HH21	1:A:314:ARG:NH1	2.15	0.44
1:A:703:SER:HB2	1:A:704:PRO:HD2	1.99	0.44
1:A:601:ASP:HB2	1:A:608:HIS:ND1	2.33	0.44
1:A:309:GLN:N	1:A:309:GLN:CD	2.75	0.44
1:A:1008:ARG:CZ	1:A:1022:HIS:CD2	3.01	0.44
1:A:602:THR:O	1:A:603:LEU:HD22	2.18	0.43
1:A:66:TRP:CZ3	1:A:239:GLN:HG3	2.53	0.43
1:A:989:THR:O	1:A:990:PRO:C	2.61	0.43
1:A:174:HIS:CE1	1:A:176:ARG:HD3	2.53	0.43
1:A:314:ARG:NH2	1:A:317:LEU:HD12	2.33	0.43
1:A:549:ILE:HG12	1:A:550:LEU:H	1.82	0.43
1:A:570:ASP:HA	1:A:618:ILE:O	2.18	0.43
1:A:158:LEU:CD2	1:A:158:LEU:C	2.91	0.43
1:A:901:ASN:HB2	7:A:2908:HOH:O	2.19	0.43
1:A:686:LEU:HD22	1:A:697:ILE:HG12	2.00	0.43
1:A:701:GLN:HE21	1:A:701:GLN:CA	2.17	0.43
1:A:568:LEU:HD12	1:A:770:ARG:HD2	2.00	0.43
1:A:785:LEU:O	1:A:788:THR:HB	2.19	0.42
1:A:765:HIS:HD2	1:A:778:ASN:OD1	2.02	0.42
1:A:425:HIS:HE1	1:A:487:GLU:OE1	2.03	0.42
1:A:601:ASP:OD1	1:A:603:LEU:HB2	2.19	0.42
1:A:206:PHE:CD1	1:A:206:PHE:N	2.87	0.42
1:A:206:PHE:HB2	1:A:418:TYR:CE1	2.54	0.42
1:A:93:PRO:HD2	1:A:470:HIS:CD2	2.54	0.42
1:A:824:LEU:C	1:A:824:LEU:HD23	2.44	0.42
1:A:1008:ARG:CZ	1:A:1022:HIS:NE2	2.83	0.42
1:A:468:PHE:CZ	1:A:474:ILE:HA	2.55	0.42
1:A:546:GLY:HA3	1:A:549:ILE:HG22	2.00	0.42
1:A:601:ASP:N	1:A:606:THR:O	2.51	0.42
1:A:654:LYS:O	1:A:655:ASN:HB3	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:608:HIS:CD2	7:A:2977:HOH:O	2.62	0.42
1:A:236:GLU:OE2	7:A:2029:HOH:O	2.22	0.41
1:A:981:ARG:NE	7:A:2867:HOH:O	2.53	0.41
1:A:589[A]:GLU:OE2	1:A:751:LYS:HD3	2.20	0.41
1:A:919:HIS:HE1	7:A:2355:HOH:O	2.04	0.41
1:A:981:ARG:HB2	1:A:981:ARG:HH11	1.84	0.41
1:A:435[A]:TYR:HE2	1:A:526:LEU:CD1	2.33	0.41
1:A:580:VAL:HG22	1:A:634:LEU:HD22	2.02	0.41
1:A:1026:MET:HE3	7:A:2101:HOH:O	2.20	0.41
1:A:55:LYS:HA	1:A:55:LYS:HD3	1.76	0.41
1:A:434:HIS:CE1	1:A:930:ASP:OD1	2.53	0.41
1:A:468:PHE:CE2	1:A:474:ILE:HA	2.56	0.41
1:A:706:VAL:HA	1:A:707:PRO:HD3	1.93	0.41
1:A:1009:CYS:SG	1:A:1023:LEU:HD12	2.61	0.41
1:A:203:ILE:HD12	1:A:269:TYR:CG	2.56	0.41
1:A:596:TRP:CZ3	1:A:659:LEU:HD13	2.55	0.41
1:A:510:THR:O	1:A:511:LYS:C	2.64	0.41
1:A:663:GLN:O	1:A:664:TYR:C	2.64	0.41
1:A:596:TRP:CG	1:A:746:LEU:HD21	2.56	0.40
1:A:152:ILE:O	1:A:155:ASN:OD1	2.40	0.40
1:A:723:ARG:NH1	1:A:723:ARG:CG	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1022/1045 (98%)	987 (97%)	31 (3%)	4 (0%)	30	22

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	95	TRP
1	A	549	ILE
1	A	991	GLU
1	A	204	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	911/929 (98%)	890 (98%)	21 (2%)	44	40

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	ILE
1	A	69	LYS
1	A	82	LYS
1	A	96	ILE
1	A	154	LYS
1	A	158	LEU
1	A	265	PRO
1	A	275	CYS
1	A	302	PRO
1	A	447	SER
1	A	585	ASN
1	A	651	LEU
1	A	653	ARG
1	A	701	GLN
1	A	723	ARG
1	A	828	TYR
1	A	906	SER
1	A	954	ARG
1	A	981	ARG
1	A	1004	PRO
1	A	1044	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	79	HIS
1	A	157	GLN
1	A	223	ASN
1	A	240	GLN
1	A	249	GLN
1	A	253	ASN
1	A	273	HIS
1	A	369	HIS
1	A	371	ASN
1	A	373	GLN
1	A	388	GLN
1	A	394	GLN
1	A	425	HIS
1	A	434	HIS
1	A	460	GLN
1	A	470	HIS
1	A	488	GLN
1	A	498	GLN
1	A	554	HIS
1	A	585	ASN
1	A	600	HIS
1	A	698	GLN
1	A	701	GLN
1	A	742	GLN
1	A	765	HIS
1	A	809	ASN
1	A	885	ASN
1	A	901	ASN
1	A	919	HIS
1	A	923	GLN
1	A	950	HIS
1	A	973	GLN
1	A	980	HIS
1	A	986	GLN
1	A	1005	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	W72	A	2000	4	21,21,21	1.16	3 (14%)	25,30,30	3.01	11 (44%)
2	NAG	A	1047	1	14,14,15	0.91	0	17,19,21	0.96	1 (5%)
6	MPD	A	2001	-	7,7,7	0.55	0	9,10,10	0.60	0
3	PO4	A	2002	-	4,4,4	2.68	2 (50%)	6,6,6	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1047	1	-	2/6/23/26	0/1/1/1
6	MPD	A	2001	-	1/1/2/2	3/5/5/5	-
5	W72	A	2000	4	1/1/9/9	4/22/38/38	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2002	PO4	P-O1	4.74	1.61	1.50
5	A	2000	W72	O12-C12	3.40	1.41	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	2000	W72	C3-N4	2.50	1.51	1.47
3	A	2002	PO4	P-O3	2.43	1.61	1.54
5	A	2000	W72	C7-N4	2.05	1.51	1.47

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	2000	W72	C9-C10-C11	7.28	126.48	113.62
5	A	2000	W72	O2-C2-C1	5.34	121.93	111.43
5	A	2000	W72	O1-C1-C5	5.22	125.28	111.71
5	A	2000	W72	C3-N4-C5	-4.87	96.26	105.42
5	A	2000	W72	O12-C12-C11	4.10	124.70	113.31
5	A	2000	W72	O1-C1-C2	3.80	120.98	111.97
5	A	2000	W72	O13-C12-C11	-3.68	111.81	121.62
5	A	2000	W72	C1-C5-N4	3.55	110.39	103.83
5	A	2000	W72	C7-C8-C9	3.14	118.17	109.66
2	A	1047	NAG	C2-N2-C7	-3.02	118.85	122.90
5	A	2000	W72	O10-C10-C9	-2.97	102.52	109.46
5	A	2000	W72	O10-C10-C11	-2.34	105.10	109.29

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	2000	W72	C11
6	A	2001	MPD	C4

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	2000	W72	C7-C8-C9-C10
5	A	2000	W72	C9-C10-C11-C12
6	A	2001	MPD	C2-C3-C4-O4
6	A	2001	MPD	C2-C3-C4-C5
2	A	1047	NAG	C4-C5-C6-O6
2	A	1047	NAG	O5-C5-C6-O6
5	A	2000	W72	O10-C10-C11-C12
5	A	2000	W72	C9-C10-C11-O11
6	A	2001	MPD	O2-C2-C3-C4

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	2000	W72	1	0
6	A	2001	MPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1014/1045 (97%)	-0.49	11 (1%) 78 80	4, 13, 31, 66	10 (0%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	604	THR	3.8
1	A	602	THR	3.7
1	A	991	GLU	3.5
1	A	993	HIS	3.5
1	A	990	PRO	3.4
1	A	603	LEU	3.1
1	A	720	HIS	2.6
1	A	600	HIS	2.4
1	A	534	SER	2.3
1	A	601	ASP	2.2
1	A	989	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	A	1047	14/15	0.70	0.12	38,44,46,46	0
3	PO4	A	2002	5/5	0.87	0.12	41,41,43,43	0
5	W72	A	2000	21/21	0.92	0.11	9,19,42,44	0
6	MPD	A	2001	8/8	0.93	0.08	19,20,23,23	0
4	ZN	A	2003	1/1	1.00	0.04	10,10,10,10	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.