



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:48 AM UTC

PDB ID : 6FZC / pdb_00006fzc
Title : Crystal Structure of lipase from *Geobacillus stearothermophilus* T6 variant L184F/L360F
Authors : Gihaz, S.; Kanteev, M.; Pazy, Y.; Fishman, A.
Deposited on : 2018-03-14
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	0	0
			3113	1978	555	572	8			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	184	PHE	LEU	engineered mutation	UNP Q93A71
A	323	ALA	THR	conflict	UNP Q93A71
A	360	PHE	LEU	engineered mutation	UNP Q93A71
A	390	HIS	-	expression tag	UNP Q93A71
A	391	HIS	-	expression tag	UNP Q93A71
A	392	HIS	-	expression tag	UNP Q93A71
A	393	HIS	-	expression tag	UNP Q93A71
A	394	HIS	-	expression tag	UNP Q93A71
A	395	HIS	-	expression tag	UNP Q93A71

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	104	Total 104	O 104	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lipase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.14Å 71.19Å 113.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.48 – 2.70 44.48 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.8 (44.48-2.70) 98.8 (44.48-2.70)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	23.13 (at 2.45Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.222 , 0.237 0.224 , 0.242	Depositor DCC
R_{free} test set	775 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtriage
Anisotropy	0.554	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	3219	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.77	87/3205 (2.7%)	1.14	20/4357 (0.5%)

All (87) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	111	ILE	C-O	-7.45	1.15	1.24
1	A	159	VAL	C-O	-7.35	1.16	1.24
1	A	303	TYR	C-O	-7.28	1.15	1.24
1	A	275	ARG	C-O	-7.26	1.15	1.24
1	A	250	ALA	C-O	-7.21	1.15	1.24
1	A	265	TYR	C-O	-7.10	1.16	1.23
1	A	42	LEU	C-O	-6.87	1.16	1.24
1	A	255	GLN	C-O	-6.83	1.15	1.24
1	A	125	SER	C-O	-6.73	1.15	1.24
1	A	236	THR	C-O	-6.44	1.15	1.23
1	A	277	ALA	C-O	-6.42	1.16	1.24
1	A	360	PHE	C-O	-6.31	1.15	1.24
1	A	108	ILE	C-O	-6.27	1.17	1.23
1	A	18	THR	C-O	-6.25	1.16	1.23
1	A	52	LEU	C-O	-6.24	1.16	1.23
1	A	72	VAL	C-O	-6.21	1.18	1.24
1	A	370	LEU	C-O	-6.21	1.15	1.24
1	A	122	MET	C-O	-6.19	1.16	1.24
1	A	116	GLY	C-O	-6.18	1.16	1.23
1	A	298	PRO	C-O	-6.16	1.17	1.24
1	A	123	LEU	C-O	-6.15	1.17	1.24
1	A	247	VAL	C-O	-6.13	1.19	1.24
1	A	257	VAL	C-O	-6.11	1.15	1.23
1	A	64	ALA	C-O	-6.10	1.17	1.24
1	A	359	HIS	C-O	-6.02	1.16	1.24
1	A	80	ALA	C-O	-6.00	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	142	ASN	C-O	-6.00	1.16	1.23
1	A	51	THR	C-O	-6.00	1.17	1.24
1	A	38	ILE	C-O	-5.98	1.17	1.24
1	A	247	VAL	CA-CB	5.96	1.57	1.54
1	A	327	ASN	C-O	-5.94	1.16	1.24
1	A	145	LEU	C-O	-5.91	1.17	1.24
1	A	302	SER	C-O	-5.90	1.16	1.23
1	A	91	PHE	C-O	-5.87	1.17	1.24
1	A	13	LEU	C-O	-5.85	1.17	1.23
1	A	94	THR	C-O	-5.79	1.16	1.24
1	A	175	VAL	C-O	-5.75	1.17	1.24
1	A	372	ASP	C-O	-5.70	1.17	1.23
1	A	222	PHE	C-O	-5.67	1.17	1.24
1	A	314	TRP	C-O	-5.67	1.16	1.23
1	A	56	PRO	C-O	-5.66	1.17	1.24
1	A	315	LEU	C-O	-5.62	1.17	1.24
1	A	43	ASN	C-O	-5.58	1.17	1.24
1	A	124	VAL	C-O	-5.58	1.17	1.24
1	A	310	ILE	C-O	-5.58	1.17	1.24
1	A	183	ASP	C-O	-5.57	1.16	1.24
1	A	168	GLY	C-O	-5.56	1.16	1.23
1	A	107	ARG	C-O	-5.55	1.16	1.23
1	A	264	TYR	C-O	-5.55	1.16	1.23
1	A	364	GLY	C-O	-5.54	1.16	1.24
1	A	75	THR	C-O	-5.49	1.17	1.23
1	A	86	HIS	C-O	-5.49	1.16	1.24
1	A	301	GLY	C-O	-5.46	1.18	1.24
1	A	238	THR	C-O	-5.46	1.17	1.24
1	A	220	GLU	N-CA	-5.46	1.39	1.46
1	A	140	ALA	C-O	-5.45	1.17	1.24
1	A	156	VAL	C-O	-5.45	1.18	1.24
1	A	163	ALA	C-O	-5.45	1.16	1.23
1	A	284	PRO	C-O	-5.44	1.17	1.23
1	A	95	TYR	C-O	-5.42	1.18	1.24
1	A	258	LYS	C-O	-5.41	1.17	1.23
1	A	53	ALA	C-O	-5.41	1.17	1.24
1	A	306	ALA	C-O	-5.40	1.17	1.24
1	A	324	PHE	C-O	-5.40	1.17	1.24
1	A	259	ALA	C-O	-5.39	1.17	1.23
1	A	46	GLY	C-O	-5.38	1.17	1.24
1	A	196	SER	C-O	-5.35	1.17	1.24
1	A	253	LEU	C-O	-5.34	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	127	LEU	C-O	-5.33	1.17	1.24
1	A	308	LEU	C-O	-5.32	1.17	1.24
1	A	369	PRO	C-O	-5.32	1.17	1.24
1	A	226	PHE	C-O	-5.27	1.17	1.24
1	A	323	ALA	C-O	-5.26	1.17	1.24
1	A	209	LEU	C-O	-5.25	1.17	1.24
1	A	371	PHE	C-O	-5.23	1.17	1.24
1	A	81	ALA	C-O	-5.22	1.18	1.24
1	A	376	PHE	C-O	-5.20	1.18	1.24
1	A	195	ALA	C-O	-5.20	1.17	1.23
1	A	71	LEU	C-O	-5.18	1.17	1.24
1	A	19	GLY	C-O	-5.16	1.16	1.23
1	A	173	ASN	C-O	-5.13	1.17	1.24
1	A	355	TYR	C-O	-5.12	1.17	1.24
1	A	337	ILE	C-O	-5.10	1.18	1.24
1	A	268	PHE	C-O	-5.09	1.18	1.24
1	A	82	HIS	C-O	-5.08	1.18	1.24
1	A	251	GLU	C-O	-5.01	1.18	1.24
1	A	332	GLY	C-O	-5.01	1.16	1.23

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	294	VAL	N-CA-C	8.94	118.94	110.53
1	A	394	HIS	N-CA-C	7.90	119.64	108.74
1	A	296	CYS	N-CA-C	7.06	118.77	111.14
1	A	156	VAL	N-CA-C	6.97	117.90	107.51
1	A	370	LEU	N-CA-C	-6.97	104.52	113.16
1	A	198	VAL	N-CA-C	6.57	115.43	107.61
1	A	294	VAL	CB-CA-C	-6.41	103.62	112.02
1	A	317	ASN	N-CA-C	6.35	118.42	108.96
1	A	197	ASN	CA-C-N	-5.53	118.52	123.33
1	A	197	ASN	C-N-CA	-5.53	118.52	123.33
1	A	273	THR	N-CA-C	5.43	117.23	109.14
1	A	115	GLN	CA-C-N	5.34	126.01	120.03
1	A	115	GLN	C-N-CA	5.34	126.01	120.03
1	A	241	ALA	CA-C-N	5.34	128.42	120.31
1	A	241	ALA	C-N-CA	5.34	128.42	120.31
1	A	312	ASP	N-CA-C	5.33	119.63	113.18
1	A	29	LYS	N-CA-C	5.32	118.29	109.46
1	A	290	ALA	N-CA-C	5.11	117.59	111.71
1	A	145	LEU	N-CA-C	5.09	116.69	108.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	291	PHE	N-CA-C	-5.08	105.82	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3113	0	2961	66	0
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	104	0	0	0	0
All	All	3219	0	2961	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:LEU:CD1	1:A:174:MET:HE2	1.99	0.92
1:A:196:SER:HB2	1:A:223:ASP:OD1	1.72	0.89
1:A:171:LEU:HD12	1:A:174:MET:HE2	1.52	0.88
1:A:93:ARG:NH2	1:A:206:ASP:OD2	2.08	0.85
1:A:358:ASP:OD1	1:A:361:GLU:N	2.14	0.80
1:A:22:ARG:NH2	1:A:29:LYS:HE3	1.96	0.80
1:A:180:ARG:HD2	1:A:295:VAL:HG11	1.63	0.80
1:A:161:THR:HG23	1:A:164:THR:OG1	1.85	0.76
1:A:358:ASP:OD1	1:A:361:GLU:HB2	1.85	0.75
1:A:18:THR:HG23	1:A:30:TYR:HE2	1.52	0.74
1:A:107:ARG:HD3	1:A:157:LEU:HB2	1.70	0.74
1:A:171:LEU:HD12	1:A:171:LEU:O	1.86	0.74
1:A:217:GLN:HB3	1:A:218:PRO:HD2	1.69	0.74
1:A:358:ASP:OD1	1:A:361:GLU:CB	2.35	0.73
1:A:297:ALA:HB3	1:A:298:PRO:HD3	1.70	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:VAL:HB	1:A:248:PRO:HD3	1.73	0.69
1:A:5:ARG:HH21	1:A:8:ASP:HA	1.58	0.68
1:A:217:GLN:HB3	1:A:218:PRO:CD	2.25	0.65
1:A:189:LEU:HD22	1:A:194:VAL:CG1	2.28	0.64
1:A:172:VAL:HG12	1:A:177:PHE:CZ	2.35	0.62
1:A:5:ARG:HG3	1:A:385:ALA:HB1	1.83	0.61
1:A:76:VAL:HG11	1:A:78:TYR:CZ	2.35	0.61
1:A:162:ILE:HG21	1:A:362:VAL:HG21	1.82	0.61
1:A:114:SER:O	1:A:164:THR:HG23	2.02	0.59
1:A:217:GLN:CB	1:A:218:PRO:CD	2.80	0.58
1:A:274:TYR:CE2	1:A:283:TYR:HB2	2.38	0.58
1:A:388:GLN:OE1	1:A:389:PRO:HD2	2.03	0.58
1:A:376:PHE:HA	1:A:379:ARG:NH2	2.19	0.58
1:A:189:LEU:HD22	1:A:194:VAL:HG11	1.84	0.58
1:A:172:VAL:HA	1:A:177:PHE:CD1	2.39	0.57
1:A:186:LYS:HE2	1:A:223:ASP:OD1	2.04	0.57
1:A:267:SER:OG	1:A:351:ASP:HA	2.05	0.57
1:A:171:LEU:CD1	1:A:174:MET:CE	2.81	0.56
1:A:172:VAL:HA	1:A:177:PHE:CG	2.40	0.56
1:A:50:TYR:CE1	1:A:99:LEU:HD21	2.41	0.55
1:A:162:ILE:CG2	1:A:362:VAL:HG21	2.37	0.55
1:A:243:TYR:OH	1:A:252:LYS:CD	2.55	0.54
1:A:192:ALA:O	1:A:193:ALA:HB3	2.07	0.54
1:A:22:ARG:CZ	1:A:29:LYS:HE3	2.38	0.53
1:A:19:GLY:O	1:A:205:TYR:HE1	1.92	0.53
1:A:166:HIS:CD2	1:A:328:GLY:HA2	2.43	0.52
1:A:39:GLU:OE1	1:A:51:THR:OG1	2.18	0.51
1:A:243:TYR:OH	1:A:252:LYS:HD2	2.12	0.50
1:A:358:ASP:OD1	1:A:361:GLU:CG	2.60	0.49
1:A:54:VAL:CG2	1:A:63:ARG:HG2	2.42	0.49
1:A:171:LEU:HD13	1:A:296:CYS:SG	2.53	0.48
1:A:161:THR:HG23	1:A:164:THR:CB	2.43	0.48
1:A:184:PHE:CE1	1:A:320:ILE:HD11	2.50	0.47
1:A:22:ARG:NH1	1:A:39:GLU:HB3	2.29	0.47
1:A:171:LEU:HD11	1:A:174:MET:HE2	1.89	0.46
1:A:171:LEU:HD12	1:A:171:LEU:C	2.41	0.45
1:A:321:VAL:HG12	1:A:326:MET:HE2	1.99	0.45
1:A:221:SER:O	1:A:222:PHE:C	2.59	0.45
1:A:358:ASP:OD1	1:A:361:GLU:HG3	2.18	0.43
1:A:171:LEU:HG	1:A:177:PHE:CE1	2.54	0.43
1:A:241:ALA:O	1:A:245:LEU:HB2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:ALA:HA	1:A:326:MET:HE3	1.99	0.43
1:A:128:GLU:OE1	1:A:260:SER:OG	2.35	0.42
1:A:107:ARG:HA	1:A:155:PHE:O	2.19	0.42
1:A:166:HIS:HB2	1:A:325:SER:O	2.20	0.42
1:A:25:MET:HE1	1:A:189:LEU:HD23	2.01	0.42
1:A:5:ARG:NH2	1:A:8:ASP:HA	2.30	0.41
1:A:22:ARG:HH12	1:A:39:GLU:HB3	1.85	0.41
1:A:61:TRP:CD1	1:A:61:TRP:C	2.99	0.41
1:A:161:THR:HG21	1:A:166:HIS:NE2	2.36	0.40
1:A:93:ARG:HG3	1:A:210:ASP:OD1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/392 (100%)	370 (95%)	20 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/320 (100%)	309 (97%)	11 (3%)	32	62

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	102	LEU
1	A	103	LYS
1	A	136	GLU
1	A	139	LYS
1	A	161	THR
1	A	171	LEU
1	A	180	ARG
1	A	242	ARG
1	A	252	LYS
1	A	295	VAL
1	A	362	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	HIS
1	A	173	ASN
1	A	305	ASN
1	A	356	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	392/392 (100%)	0.34	16 (4%) 41 37	9, 19, 35, 67	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	390	HIS	4.7
1	A	295	VAL	3.3
1	A	391	HIS	3.1
1	A	392	HIS	3.0
1	A	218	PRO	3.0
1	A	8	ASP	2.7
1	A	296	CYS	2.5
1	A	344	ILE	2.4
1	A	286	LEU	2.3
1	A	311	ASP	2.3
1	A	172	VAL	2.2
1	A	219	GLY	2.2
1	A	139	LYS	2.2
1	A	203	GLN	2.2
1	A	393	HIS	2.1
1	A	154	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	A	402	1/1	0.66	0.16	63,63,63,63	0
2	ZN	A	401	1/1	0.94	0.05	17,17,17,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.