



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:56 PM UTC

PDB ID : 8G0U / pdb_00008g0u
Title : Crystal Structure of Acetyl-CoA synthetase in complex with an isopropyl ester
AMP inhibitor from *Cryptococcus neoformans* H99
Authors : Seattle Structural Genomics Center for Infectious Disease; Seattle Structural
Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2023-02-01
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	694	5% 92%
1	B	694	3% 91%
1	C	694	11% 60% 5% 34%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15010 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-coenzyme A synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	666	Total	C	N	O	S	0	10	0
			5189	3313	883	965	28			
1	B	663	Total	C	N	O	S	0	15	0
			5239	3341	891	978	29			
1	C	455	Total	C	N	O	S	0	3	0
			3501	2236	586	659	20			

There are 45 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	initiating methionine	UNP A0A854QMN0
A	-12	HIS	-	expression tag	UNP A0A854QMN0
A	-11	HIS	-	expression tag	UNP A0A854QMN0
A	-10	HIS	-	expression tag	UNP A0A854QMN0
A	-9	HIS	-	expression tag	UNP A0A854QMN0
A	-8	HIS	-	expression tag	UNP A0A854QMN0
A	-7	HIS	-	expression tag	UNP A0A854QMN0
A	-6	HIS	-	expression tag	UNP A0A854QMN0
A	-5	HIS	-	expression tag	UNP A0A854QMN0
A	-4	GLU	-	expression tag	UNP A0A854QMN0
A	-3	ASN	-	expression tag	UNP A0A854QMN0
A	-2	LEU	-	expression tag	UNP A0A854QMN0
A	-1	TYR	-	expression tag	UNP A0A854QMN0
A	0	PHE	-	expression tag	UNP A0A854QMN0
A	1	GLN	-	expression tag	UNP A0A854QMN0
B	-13	MET	-	initiating methionine	UNP A0A854QMN0
B	-12	HIS	-	expression tag	UNP A0A854QMN0
B	-11	HIS	-	expression tag	UNP A0A854QMN0
B	-10	HIS	-	expression tag	UNP A0A854QMN0
B	-9	HIS	-	expression tag	UNP A0A854QMN0
B	-8	HIS	-	expression tag	UNP A0A854QMN0
B	-7	HIS	-	expression tag	UNP A0A854QMN0
B	-6	HIS	-	expression tag	UNP A0A854QMN0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	HIS	-	expression tag	UNP A0A854QMN0
B	-4	GLU	-	expression tag	UNP A0A854QMN0
B	-3	ASN	-	expression tag	UNP A0A854QMN0
B	-2	LEU	-	expression tag	UNP A0A854QMN0
B	-1	TYR	-	expression tag	UNP A0A854QMN0
B	0	PHE	-	expression tag	UNP A0A854QMN0
B	1	GLN	-	expression tag	UNP A0A854QMN0
C	-13	MET	-	initiating methionine	UNP A0A854QMN0
C	-12	HIS	-	expression tag	UNP A0A854QMN0
C	-11	HIS	-	expression tag	UNP A0A854QMN0
C	-10	HIS	-	expression tag	UNP A0A854QMN0
C	-9	HIS	-	expression tag	UNP A0A854QMN0
C	-8	HIS	-	expression tag	UNP A0A854QMN0
C	-7	HIS	-	expression tag	UNP A0A854QMN0
C	-6	HIS	-	expression tag	UNP A0A854QMN0
C	-5	HIS	-	expression tag	UNP A0A854QMN0
C	-4	GLU	-	expression tag	UNP A0A854QMN0
C	-3	ASN	-	expression tag	UNP A0A854QMN0
C	-2	LEU	-	expression tag	UNP A0A854QMN0
C	-1	TYR	-	expression tag	UNP A0A854QMN0
C	0	PHE	-	expression tag	UNP A0A854QMN0
C	1	GLN	-	expression tag	UNP A0A854QMN0

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 3 is 5'-O-{(R)-hydroxy[(propan-2-yl)oxy]phosphoryl}adenosine (CCD ID: YHQ) (formula: C₁₃H₂₀N₅O₇P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			26	13	5	7	1		
3	B	1	Total	C	N	O	P	0	0
			26	13	5	7	1		
3	C	1	Total	C	N	O	P	0	0
			26	13	5	7	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	426	Total 426	O 426	0	0
4	B	400	Total 400	O 400	0	0
4	C	153	Total 153	O 153	0	0



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.88Å 183.78Å 84.08Å 90.00° 92.98° 90.00°	Depositor
Resolution (Å)	35.89 – 1.90 35.89 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (35.89-1.90) 99.9 (35.89-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 1.90Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.173 , 0.204 0.178 , 0.206	Depositor DCC
R_{free} test set	8517 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	32.5	Xtriage
Anisotropy	0.212	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 60.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.020 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15010	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: YHQ, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.21	0/5355	0.39	0/7297
1	B	0.19	0/5414	0.38	0/7371
1	C	0.17	0/3603	0.34	0/4916
All	All	0.19	0/14372	0.38	0/19584

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5189	0	5003	13	0
1	B	5239	0	5085	16	0
1	C	3501	0	3253	20	0
2	A	8	0	12	0	0
2	B	8	0	12	0	0
2	C	8	0	12	0	0
3	A	26	0	0	0	0
3	B	26	0	0	0	0
3	C	26	0	0	0	0
4	A	426	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	400	0	0	2	0
4	C	153	0	0	0	0
All	All	15010	0	13377	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:472:ASP:OD2	1:B:494:ARG:NE	2.28	0.66
1:A:17:PRO:HB3	1:A:617:VAL:HG11	1.79	0.64
1:C:405:LEU:HD13	1:C:408:LEU:HD21	1.82	0.62
1:C:408:LEU:HB2	1:C:434:ILE:HD13	1.85	0.57
1:C:475:ASP:HB2	1:C:482:LEU:HD21	1.87	0.57
1:A:384:THR:HG21	1:A:639:GLY:HA3	1.88	0.56
1:C:359:PRO:CB	1:C:389:LEU:HD21	2.35	0.56
1:B:17:PRO:HB3	1:B:617:VAL:HG11	1.89	0.54
1:B:157:LYS:NZ	4:B:808:HOH:O	2.43	0.51
1:A:579:ASP:OD2	1:A:625:LYS:NZ	2.39	0.50
1:B:384[B]:THR:HG21	1:B:639:GLY:HA3	1.94	0.50
1:C:440:MET:HE2	1:C:442:GLU:OE1	2.11	0.49
1:C:47:ASN:O	1:C:50:SER:OG	2.29	0.48
1:B:315:LYS:NZ	4:B:816:HOH:O	2.46	0.48
1:B:474:ILE:HD12	1:B:492:VAL:HG11	1.95	0.47
1:A:58:THR:HG22	1:A:66:TRP:CD2	2.48	0.47
1:C:289:THR:HG21	1:C:441:THR:HG21	1.97	0.47
1:C:324:ASP:OD2	1:C:406:ARG:NH2	2.48	0.47
1:C:435:VAL:O	1:C:435:VAL:HG23	2.15	0.46
1:C:517:LYS:N	1:C:518:PRO:CD	2.79	0.46
1:B:435:VAL:HG23	1:B:435:VAL:O	2.16	0.45
1:C:58:THR:HG22	1:C:66:TRP:CD2	2.52	0.45
1:C:359:PRO:HB3	1:C:389:LEU:HD21	1.98	0.45
1:A:243:LEU:HD11	1:A:262:TRP:HA	1.99	0.44
1:B:368:TRP:HB3	1:B:402:LEU:HD21	1.98	0.44
1:C:321:HIS:HB3	1:C:322:PRO:HD2	1.99	0.44
1:A:435:VAL:HG23	1:A:435:VAL:O	2.17	0.44
1:B:462:ALA:O	1:B:463:THR:OG1	2.33	0.44
1:A:271:ALA:HB3	1:B:93:ASP:HB3	2.00	0.43
1:C:214:ASP:OD1	1:C:215:GLU:N	2.51	0.43
1:A:93:ASP:HB3	1:C:271:ALA:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:ASP:OD1	1:B:215:GLU:N	2.48	0.43
1:A:442:GLU:HG2	1:A:515:TYR:CZ	2.54	0.42
1:A:213:THR:HG22	1:A:245:LEU:HB3	2.00	0.42
1:B:83:THR:O	1:B:98:PRO:HD2	2.20	0.42
1:C:83:THR:O	1:C:98:PRO:HD2	2.20	0.42
1:A:193:PHE:CD1	1:A:662:SER:HB3	2.55	0.42
1:A:517:LYS:N	1:A:518:PRO:CD	2.83	0.42
1:B:517:LYS:N	1:B:518:PRO:CD	2.83	0.42
1:B:394:GLU:HG2	1:B:426:PHE:CZ	2.55	0.42
1:C:185:ILE:HD11	1:C:283:PRO:HG2	2.01	0.41
1:C:428:GLY:O	1:C:429:LYS:C	2.63	0.41
1:B:271:ALA:HB3	1:C:93:ASP:HB3	2.02	0.41
1:A:101:THR:HA	1:A:278:MET:O	2.21	0.41
1:B:317:VAL:O	1:B:452:PRO:HD3	2.21	0.41
1:C:63:SER:OG	1:C:85:ARG:NH2	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	671/694 (97%)	653 (97%)	17 (2%)	1 (0%)	48	40
1	B	674/694 (97%)	655 (97%)	18 (3%)	1 (0%)	48	40
1	C	446/694 (64%)	426 (96%)	19 (4%)	1 (0%)	43	36
All	All	1791/2082 (86%)	1734 (97%)	54 (3%)	3 (0%)	43	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	431	GLN
1	A	463	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	463	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	536/576 (93%)	534 (100%)	2 (0%)	84	87
1	B	549/576 (95%)	544 (99%)	5 (1%)	70	73
1	C	348/576 (60%)	347 (100%)	1 (0%)	86	88
All	All	1433/1728 (83%)	1425 (99%)	8 (1%)	81	81

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	391	ARG
1	A	595	GLU
1	B	116	ASN
1	B	240	GLU
1	B	325[A]	ARG
1	B	325[B]	ARG
1	B	595	GLU
1	C	116	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	HIS
1	A	95	GLN
1	A	396	HIS
1	A	424	ASN
1	A	430	ASN
1	A	477	GLN
1	A	485	ASN
1	B	91	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	95	GLN
1	B	396	HIS
1	B	430	ASN
1	B	485	ASN
1	C	91	HIS
1	C	95	GLN
1	C	241	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	C	701	-	3,3,3	0.41	0	2,2,2	0.26	0
3	YHQ	B	703	-	28,28,28	0.37	0	41,42,42	0.47	0
3	YHQ	A	803	-	28,28,28	0.36	0	41,42,42	0.49	0
2	EDO	B	701	-	3,3,3	0.43	0	2,2,2	0.38	0
2	EDO	C	702	-	3,3,3	0.48	0	2,2,2	0.27	0
2	EDO	B	702	-	3,3,3	0.47	0	2,2,2	0.34	0
2	EDO	A	801	-	3,3,3	0.41	0	2,2,2	0.33	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	YHQ	C	703	-	28,28,28	0.38	0	41,42,42	0.53	0
2	EDO	A	802	-	3,3,3	0.48	0	2,2,2	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	C	701	-	-	1/1/1/1	-
3	YHQ	B	703	-	-	2/15/31/31	0/3/3/3
3	YHQ	A	803	-	-	2/15/31/31	0/3/3/3
2	EDO	B	701	-	-	0/1/1/1	-
2	EDO	C	702	-	-	0/1/1/1	-
2	EDO	B	702	-	-	0/1/1/1	-
2	EDO	A	801	-	-	0/1/1/1	-
3	YHQ	C	703	-	-	2/15/31/31	0/3/3/3
2	EDO	A	802	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	703	YHQ	C12-C11-O6-P1
3	A	803	YHQ	C12-C11-O6-P1
3	A	803	YHQ	C13-C11-O6-P1
3	B	703	YHQ	C13-C11-O6-P1
3	C	703	YHQ	C13-C11-O6-P1
2	C	701	EDO	O1-C1-C2-O2
3	C	703	YHQ	C12-C11-O6-P1


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	666/694 (95%)	0.28	35 (5%)	32	34	18, 47, 90, 137	9 (1%)
1	B	663/694 (95%)	0.24	23 (3%)	47	50	19, 46, 80, 123	15 (2%)
1	C	455/694 (65%)	0.94	77 (16%)	4	4	18, 64, 114, 159	3 (0%)
All	All	1784/2082 (85%)	0.43	135 (7%)	20	21	18, 50, 98, 159	27 (1%)

All (135) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	389	LEU	5.6
1	C	415	ILE	4.7
1	C	432	CYS	4.4
1	C	396	HIS	4.4
1	C	473	ILE	4.1
1	A	290	SER	4.0
1	A	10	VAL	4.0
1	A	663	ILE	4.0
1	B	598	LEU	4.0
1	C	397	VAL	4.0
1	C	438	TYR	3.9
1	C	408	LEU	3.9
1	B	659	ASP	3.9
1	C	531	ARG	3.8
1	C	530	ALA	3.8
1	C	435	VAL	3.7
1	B	533	TYR	3.7
1	C	428	GLY	3.6
1	C	487	VAL	3.6
1	C	452	PRO	3.6
1	B	661	SER	3.5
1	B	664	ALA	3.5
1	C	47	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	434	ILE	3.4
1	C	368	TRP	3.3
1	C	414	PRO	3.3
1	C	431	GLN	3.3
1	C	386	ILE	3.3
1	C	52	VAL	3.3
1	C	430	ASN	3.3
1	C	51	TYR	3.3
1	B	662	SER	3.2
1	C	463	THR	3.1
1	A	664	ALA	3.1
1	A	668	ILE	3.1
1	B	660	LEU	3.1
1	C	451	LEU	3.1
1	A	621	PHE	3.1
1	B	657	LEU	3.1
1	C	48	TYR	3.1
1	A	293	THR	3.1
1	B	601	THR	3.1
1	A	622	ALA	3.0
1	C	529	ALA	3.0
1	A	395	ASP	3.0
1	C	537	MET	3.0
1	B	663	ILE	3.0
1	B	655	ASP	2.9
1	B	290	SER	2.9
1	C	477	GLN	2.9
1	A	600	ALA	2.9
1	A	656	GLN	2.9
1	A	659	ASP	2.8
1	C	317	VAL	2.8
1	C	481	VAL	2.8
1	C	385	ALA	2.8
1	C	539	ILE	2.8
1	A	553	ARG	2.8
1	C	433	ALA	2.7
1	A	581	LEU	2.7
1	B	600	ALA	2.7
1	C	491	LEU	2.7
1	A	617	VAL	2.7
1	A	601	THR	2.7
1	C	296	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	538	TRP	2.6
1	C	383	PRO	2.6
1	A	661	SER	2.6
1	A	426	PHE	2.6
1	C	360	VAL	2.6
1	C	411	VAL	2.6
1	A	677	THR	2.6
1	A	597	ASP	2.5
1	C	388	LEU	2.5
1	B	599	LYS	2.5
1	A	399	ASN	2.5
1	B	642	MET	2.5
1	C	55	TRP	2.5
1	B	595	GLU	2.4
1	C	527	ASP	2.4
1	B	654	GLY	2.4
1	C	370	PHE	2.4
1	C	289	THR	2.4
1	C	495	ARG	2.3
1	C	364	PRO	2.3
1	C	407	VAL	2.3
1	C	402	LEU	2.3
1	C	482	LEU	2.3
1	A	533	TYR	2.3
1	C	381	THR	2.3
1	C	485	ASN	2.3
1	A	612	ILE	2.3
1	A	295	LYS	2.3
1	C	439	TRP	2.3
1	C	367	TYR	2.3
1	C	465	PRO	2.3
1	C	483	GLU	2.3
1	A	602	LYS	2.3
1	C	405	LEU	2.3
1	B	658	GLY	2.2
1	A	662	SER	2.2
1	A	598	LEU	2.2
1	A	655	ASP	2.2
1	B	594	PRO	2.2
1	C	450	PRO	2.2
1	C	355	PHE	2.2
1	C	380	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	650	VAL	2.2
1	C	489	GLY	2.2
1	B	604	ALA	2.2
1	C	382	ALA	2.2
1	B	596	PHE	2.2
1	C	448	ILE	2.2
1	C	429	LYS	2.2
1	C	540	LYS	2.2
1	A	676	VAL	2.2
1	C	441	THR	2.2
1	A	296	PRO	2.2
1	C	56	ALA	2.2
1	B	677	THR	2.1
1	A	674	GLN	2.1
1	C	361	TYR	2.1
1	C	436	ASP	2.1
1	A	654	GLY	2.1
1	C	479	GLY	2.1
1	C	376	ALA	2.1
1	C	223	ILE	2.1
1	C	196	GLU	2.1
1	C	484	GLY	2.1
1	C	359	PRO	2.0
1	A	660	LEU	2.0
1	A	649	ILE	2.0
1	B	649	ILE	2.0
1	C	399	ASN	2.0
1	C	387	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	A	802	4/4	0.74	0.19	47,56,60,66	0
2	EDO	B	701	4/4	0.80	0.15	47,49,53,68	0
3	YHQ	C	703	26/26	0.80	0.15	54,83,89,92	0
2	EDO	C	702	4/4	0.82	0.15	48,50,66,68	0
2	EDO	C	701	4/4	0.84	0.16	46,51,54,55	0
2	EDO	B	702	4/4	0.88	0.14	52,52,59,69	0
2	EDO	A	801	4/4	0.88	0.14	39,50,54,54	0
3	YHQ	A	803	26/26	0.96	0.07	27,34,40,46	0
3	YHQ	B	703	26/26	0.97	0.07	29,34,38,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around YHQ C 703:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around YHQ A 803:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around YHQ B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.