



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:02 PM UTC

PDB ID : 5G1Z / pdb_00005g1z
Title : Plasmodium vivax N-myristoyltransferase in complex with a quinoline inhibitor (compound 1)
Authors : Goncalves, V.; Brannigan, J.A.; Laporte, A.; Bell, A.S.; Roberts, S.M.; Wilkinson, A.J.; Leatherbarrow, R.J.; Tate, E.W.
Deposited on : 2016-04-06
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	385	2% 89% 11% .
1	B	385	2% 88% 10% .
1	C	385	2% 83% 12% . .

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 11889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	385	Total	C	N	O	S	0	34	0
			3398	2225	547	614	12			
1	B	385	Total	C	N	O	S	0	24	0
			3325	2177	538	598	12			
1	C	370	Total	C	N	O	S	0	29	0
			3240	2124	513	592	11			

- Molecule 2 is 2-oxopentadecyl-CoA (CCD ID: NHW) (formula: $C_{36}H_{64}N_7O_{17}P_3S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P S	0	0
			64	36	7	17	3 1		
2	B	1	Total	C	N	O	P S	0	0
			64	36	7	17	3 1		
2	C	1	Total	C	N	O	P S	0	0
			64	36	7	17	3 1		

- Molecule 3 is ethyl 4-(2-cyanoethylsulfanyl)-6-methoxy-quinoline-3-carboxylate (CCD ID: U53) (formula: $C_{16}H_{16}N_2O_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			22	16	2	3	1		
3	B	1	Total	C	N	O	S	0	0
			22	16	2	3	1		
3	C	1	Total	C	N	O	S	0	0
			22	16	2	3	1		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O S 4 2 1 1	0	0
4	B	1	Total C O S 4 2 1 1	0	0
4	C	1	Total C O S 8 4 2 2	0	1
4	C	1	Total C O S 4 2 1 1	0	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	B	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total 1	Cl 1	0	0
7	B	1	Total 1	Cl 1	0	0
7	C	1	Total 1	Cl 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	615	Total 616	O 616	0	1
8	B	505	Total 505	O 505	0	0
8	C	511	Total 511	O 511	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.40Å 118.90Å 175.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	59.45 – 1.50 59.45 – 1.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (59.45-1.50) 92.7 (59.45-1.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.149 , 0.187 (Not available) , 0.191	Depositor DCC
R_{free} test set	9591 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	14.6	Xtriage
Anisotropy	0.628	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11889	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CL, DMS, NHW, U53, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.45	9/3567 (0.3%)	1.31	10/4824 (0.2%)
1	B	1.47	16/3471 (0.5%)	1.32	8/4695 (0.2%)
1	C	1.51	14/3399 (0.4%)	1.28	13/4600 (0.3%)
All	All	1.48	39/10437 (0.4%)	1.31	31/14119 (0.2%)

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	200	VAL	N-CA	6.97	1.54	1.46
1	C	202	LEU	C-O	6.70	1.29	1.24
1	B	50	PRO	C-O	6.50	1.31	1.23
1	A	122	LEU	N-CA	6.29	1.53	1.46
1	C	219	LYS	C-O	6.23	1.31	1.24
1	A	357	LYS	C-O	6.15	1.31	1.24
1	C	221	LEU	C-O	6.10	1.31	1.24
1	B	202	LEU	N-CA	6.10	1.50	1.46
1	B	300	TYR	CG-CD1	6.09	1.52	1.39
1	A	212	TYR	N-CA	6.07	1.53	1.45
1	B	307	LYS	CA-C	5.86	1.59	1.52
1	C	387	SER	N-CA	5.54	1.52	1.46
1	C	79	LYS	N-CA	5.54	1.53	1.46
1	A	353	ILE	N-CA	5.52	1.53	1.46
1	B	368	GLU	N-CA	5.47	1.53	1.46
1	C	105	PHE	N-CA	5.40	1.52	1.46
1	B	46	SER	CA-C	5.39	1.60	1.52
1	C	328	SER	CA-C	5.36	1.59	1.53
1	B	297	ILE	CA-CB	5.35	1.62	1.54
1	B	145	PRO	C-O	5.33	1.29	1.23
1	B	244	VAL	CA-CB	-5.26	1.47	1.55
1	C	45	GLU	C-O	5.25	1.30	1.24
1	B	367	LEU	C-O	5.24	1.30	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	266	LYS	C-O	-5.21	1.18	1.24
1	A	249	ASN	CG-OD1	5.20	1.33	1.23
1	A	367	LEU	N-CA	5.17	1.51	1.45
1	C	328	SER	C-O	5.17	1.30	1.23
1	B	34	GLN	CD-OE1	5.15	1.33	1.23
1	C	28	TYR	N-CA	5.13	1.55	1.46
1	B	222	ILE	N-CA	5.13	1.52	1.46
1	B	192	TRP	CE2-CZ2	5.12	1.50	1.39
1	B	338	ASN	N-CA	5.11	1.52	1.46
1	C	409	LEU	C-O	5.11	1.30	1.23
1	B	165	VAL	N-CA	5.11	1.52	1.46
1	C	363	VAL	C-O	5.10	1.29	1.23
1	C	262[A]	GLU	C-O	5.04	1.29	1.24
1	C	262[B]	GLU	C-O	5.04	1.29	1.24
1	A	48	ASN	N-CA	5.03	1.52	1.46
1	A	278	TYR	N-CA	5.01	1.52	1.46

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	385[A]	ASP	CA-C-N	-7.04	113.53	121.83
1	A	385[A]	ASP	C-N-CA	-7.04	113.53	121.83
1	A	385[B]	ASP	CA-C-N	-7.04	113.53	121.83
1	A	385[B]	ASP	C-N-CA	-7.04	113.53	121.83
1	C	222	ILE	N-CA-C	-6.94	103.75	110.42
1	A	104	ARG	NE-CZ-NH2	-6.63	113.23	119.20
1	B	385	ASP	CA-C-N	-6.41	108.86	121.41
1	B	385	ASP	C-N-CA	-6.41	108.86	121.41
1	C	137	LEU	CB-CG-CD1	6.25	129.47	110.70
1	A	199	GLY	N-CA-C	-6.18	106.99	114.66
1	A	47	VAL	CB-CA-C	-6.08	102.13	110.77
1	C	326	LYS	N-CA-C	5.91	117.80	111.36
1	C	317	LEU	O-C-N	5.72	125.85	121.27
1	C	104	ARG	NE-CZ-NH1	5.62	127.12	121.50
1	B	284	GLU	CB-CG-CD	-5.58	103.11	112.60
1	B	284	GLU	CA-CB-CG	5.49	125.08	114.10
1	A	123	LYS	CG-CD-CE	5.39	123.69	111.30
1	C	104	ARG	NE-CZ-NH2	-5.38	114.35	119.20
1	C	101	ASN	N-CA-C	5.38	119.01	111.74
1	A	284	GLU	CG-CD-OE1	5.38	130.77	118.40
1	B	184	ARG	NE-CZ-NH2	-5.36	114.38	119.20
1	C	324	ASN	N-CA-C	-5.33	100.21	108.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	239	ILE	N-CA-C	-5.30	105.21	110.62
1	C	111	PHE	N-CA-C	-5.28	105.44	111.14
1	C	364	PHE	CA-C-O	5.24	125.91	120.30
1	A	104	ARG	NE-CZ-NH1	5.17	126.67	121.50
1	B	101	ASN	N-CA-C	5.14	118.68	111.90
1	C	253[A]	MET	CB-CA-C	-5.10	102.81	110.16
1	C	253[B]	MET	CB-CA-C	-5.10	102.81	110.16
1	C	222	ILE	CB-CA-C	-5.04	105.52	111.97
1	B	251	LYS	CG-CD-CE	-5.04	99.72	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3398	0	3462	23	1
1	B	3325	0	3385	18	0
1	C	3240	0	3279	39	0
2	A	64	0	60	0	0
2	B	64	0	60	0	0
2	C	64	0	60	0	0
3	A	22	0	0	2	0
3	B	22	0	0	2	0
3	C	22	0	0	5	0
4	A	4	0	6	1	0
4	B	4	0	6	0	0
4	C	12	0	18	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
6	A	10	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	616	0	0	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	B	505	0	0	2	0
8	C	511	0	0	6	0
All	All	11889	0	10336	81	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147[B]:ASP:OD1	1:A:156[B]:LYS:HD3	1.60	1.01
1:C:88:TYR:O	1:C:92[B]:THR:HG23	1.62	0.98
1:A:222[A]:ILE:HD13	1:A:227:SER:HB2	1.46	0.97
1:C:294[B]:GLU:H	1:C:294[B]:GLU:CD	1.63	0.96
1:C:32[B]:TYR:HE2	8:C:2012:HOH:O	1.60	0.84
1:C:243:ARG:HH11	1:C:243:ARG:HG3	1.46	0.79
1:C:33[C]:THR:CA	1:C:34:GLN:N	2.47	0.77
1:C:294[B]:GLU:CD	1:C:294[B]:GLU:N	2.43	0.76
1:C:32[B]:TYR:CE2	8:C:2012:HOH:O	2.39	0.73
1:B:39:ILE:HD11	1:B:201:TYR:HE2	1.53	0.73
1:C:33[A]:THR:HG22	1:C:33[A]:THR:O	1.88	0.73
1:B:32[A]:TYR:CD1	8:B:2006:HOH:O	2.42	0.73
1:B:103:PHE:CZ	1:B:226[B]:PHE:HD2	2.07	0.72
1:C:102:ILE:HD13	1:C:103:PHE:CE1	2.26	0.70
1:A:304:GLU:OE2	1:A:309:LYS:NZ	2.23	0.69
1:C:102:ILE:CD1	1:C:103:PHE:CE1	2.76	0.68
1:C:206[B]:VAL:HG12	1:C:400:PHE:CE1	2.28	0.68
1:C:102:ILE:CD1	1:C:103:PHE:CZ	2.77	0.67
1:C:105:PHE:CE2	3:C:1001:U53:C2	2.76	0.67
1:C:102:ILE:HD13	1:C:103:PHE:CD1	2.29	0.67
1:C:88:TYR:CZ	1:C:92[B]:THR:HG21	2.31	0.66
1:A:32[B]:TYR:CD1	8:A:2008:HOH:O	2.48	0.65
1:B:230:ASN:OD1	1:B:232:ARG:HG2	1.99	0.63
1:B:346[B]:LYS:HE3	1:B:378:ASP:HB3	1.81	0.63
1:A:96:VAL:HG12	3:A:1001:U53:O	2.00	0.62
1:C:105:PHE:CE2	3:C:1001:U53:C1	2.84	0.61
1:A:147[B]:ASP:OD1	1:A:156[B]:LYS:CD	2.43	0.61
1:C:243:ARG:HG3	1:C:243:ARG:NH1	2.16	0.59
1:A:222[A]:ILE:HD13	1:A:227:SER:CB	2.29	0.58
1:C:146:THR:HG22	1:C:159[B]:GLU:HG3	1.84	0.58
1:A:218[A]:VAL:HG13	8:A:2400:HOH:O	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:218:VAL:HG13	8:B:2318:HOH:O	2.04	0.57
1:C:32[B]:TYR:CD1	8:C:2008:HOH:O	2.53	0.56
1:C:33[A]:THR:O	1:C:33[A]:THR:CG2	2.54	0.55
1:C:146:THR:CG2	1:C:159[B]:GLU:HG3	2.36	0.55
1:C:332:ALA:HB2	3:C:1001:U53:C14	2.36	0.55
1:C:354[B]:LEU:HD21	1:C:358:ARG:NE	2.22	0.55
1:C:92[B]:THR:HG22	8:C:2165:HOH:O	2.06	0.54
1:B:96:VAL:HG12	3:B:1001:U53:O	2.09	0.53
1:B:218:VAL:HG11	1:B:242:TYR:HB2	1.92	0.52
1:C:226:PHE:HE1	3:C:1001:U53:C12	2.23	0.51
1:C:332:ALA:CB	3:C:1001:U53:C14	2.88	0.51
1:A:156[A]:LYS:HD2	8:A:2303:HOH:O	2.09	0.51
1:C:159[B]:GLU:OE2	4:C:1412:DMS:O	2.28	0.51
1:B:39:ILE:HD11	1:B:201:TYR:CE2	2.40	0.50
1:B:103:PHE:HZ	1:B:226[B]:PHE:HD2	1.55	0.50
1:B:340:THR:HB	1:B:348:LEU:HD22	1.93	0.50
1:C:266[B]:LYS:HG3	8:C:2364:HOH:O	2.10	0.50
1:A:32[A]:TYR:CE1	1:A:38:LYS:HE3	2.46	0.50
1:A:257:LYS:HE2	8:A:2462:HOH:O	2.13	0.49
1:C:88:TYR:CE2	1:C:92[B]:THR:HG21	2.47	0.49
1:A:45:GLU:HG3	8:A:2042:HOH:O	2.12	0.49
1:A:304:GLU:CD	1:A:309:LYS:HZ2	2.21	0.48
1:C:346:LYS:HE2	1:C:378:ASP:HB3	1.97	0.46
1:B:230:ASN:OD1	1:B:232:ARG:CG	2.64	0.46
1:C:138:ILE:HD12	1:C:138:ILE:C	2.42	0.45
1:A:32[B]:TYR:CE1	8:A:2008:HOH:O	2.69	0.45
1:A:240:LYS:HD3	8:A:2424:HOH:O	2.17	0.44
1:B:96:VAL:CG1	3:B:1001:U53:O	2.66	0.44
1:C:324:ASN:OD1	1:C:326:LYS:HG2	2.17	0.44
1:B:206[B]:VAL:HG12	1:B:400:PHE:CE1	2.53	0.43
4:A:1411:DMS:H13	8:A:2547:HOH:O	2.18	0.43
1:A:340:THR:HB	1:A:348:LEU:HD22	2.00	0.42
1:A:39:ILE:HD12	1:A:201:TYR:HE2	1.84	0.42
1:A:96:VAL:CG1	3:A:1001:U53:O	2.65	0.42
1:A:127:ILE:HD11	1:A:185:ARG:HD2	2.01	0.42
1:B:39:ILE:HD12	1:B:39:ILE:HA	1.79	0.42
1:C:39:ILE:HD12	1:C:39:ILE:HA	1.96	0.41
1:B:253[B]:MET:HE2	1:B:312:ILE:HD12	2.02	0.41
1:C:206[B]:VAL:CG1	1:C:400:PHE:CE1	3.03	0.41
1:B:243[B]:ARG:HE	1:B:243[B]:ARG:HB3	1.77	0.41
1:A:49:GLU:OE2	1:A:396:LYS:HE3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147[A]:ASP:OD1	1:A:156[A]:LYS:NZ	2.51	0.41
1:C:49:GLU:OE2	1:C:396[B]:LYS:CE	2.69	0.41
1:C:49:GLU:OE2	1:C:396[B]:LYS:HE2	2.21	0.41
1:C:360:ASN:ND2	8:C:2316:HOH:O	2.52	0.41
1:B:156:LYS:HZ3	1:B:156:LYS:HG3	1.55	0.40
1:A:156[A]:LYS:HE3	8:A:2143:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:GLU:OE2	1:A:258:LYS:NZ[4_556]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/351 (110%)	376 (97%)	10 (3%)	40	13
1	B	374/351 (107%)	363 (97%)	11 (3%)	37	10
1	C	367/351 (105%)	355 (97%)	12 (3%)	33	8
All	All	1127/1053 (107%)	1094 (97%)	33 (3%)	43	10

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	39	ILE
1	A	136	LYS
1	A	218[A]	VAL
1	A	218[B]	VAL
1	A	232[A]	ARG
1	A	232[B]	ARG
1	A	253[A]	MET
1	A	253[B]	MET
1	A	325	ASP
1	B	39	ILE
1	B	144[A]	ILE
1	B	144[B]	ILE
1	B	156	LYS
1	B	218	VAL
1	B	231	SER
1	B	232	ARG
1	B	253[A]	MET
1	B	253[B]	MET
1	B	396[A]	LYS
1	B	396[B]	LYS
1	C	58	GLU
1	C	102	ILE
1	C	137	LEU
1	C	224	ILE
1	C	243	ARG
1	C	244	VAL
1	C	257	LYS
1	C	294[A]	GLU
1	C	294[B]	GLU
1	C	326	LYS
1	C	377[A]	GLU
1	C	377[B]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	40	ASN
1	A	187	ASN
1	A	249	ASN
1	A	302	ASN
1	A	350	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	359	ASN
1	A	372	ASN
1	B	34	GLN
1	B	249	ASN
1	B	320	GLN
1	B	359	ASN
1	B	372	ASN
1	C	55	ASN
1	C	320	GLN
1	C	331	ASN
1	C	359	ASN
1	C	360	ASN
1	C	372	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 6 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	DMS	A	1411	-	3,3,3	0.45	0	3,3,3	1.56	1 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	U53	C	1001	-	23,23,23	2.24	7 (30%)	27,30,30	2.55	10 (37%)
3	U53	B	1001	-	23,23,23	2.26	7 (30%)	27,30,30	2.81	12 (44%)
6	SO4	A	1413	-	4,4,4	0.61	0	6,6,6	1.52	0
2	NHW	B	1000	5	64,66,66	1.50	9 (14%)	87,92,92	1.63	17 (19%)
4	DMS	C	1411[A]	-	3,3,3	0.47	0	3,3,3	0.93	0
4	DMS	C	1411[B]	-	3,3,3	0.50	0	3,3,3	0.77	0
2	NHW	A	1000	5	64,66,66	1.55	10 (15%)	87,92,92	1.70	21 (24%)
4	DMS	C	1412	-	3,3,3	0.67	0	3,3,3	1.20	0
3	U53	A	1001	-	23,23,23	1.86	6 (26%)	27,30,30	2.79	13 (48%)
6	SO4	A	1414	-	4,4,4	1.41	1 (25%)	6,6,6	1.22	1 (16%)
2	NHW	C	1000	5	64,66,66	1.56	12 (18%)	87,92,92	1.62	15 (17%)
4	DMS	B	1411	-	3,3,3	0.50	0	3,3,3	1.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	U53	C	1001	-	-	2/14/14/14	0/2/2/2
3	U53	B	1001	-	-	4/14/14/14	0/2/2/2
2	NHW	B	1000	5	-	0/65/81/81	0/3/3/3
2	NHW	A	1000	5	-	1/65/81/81	0/3/3/3
3	U53	A	1001	-	-	3/14/14/14	0/2/2/2
2	NHW	C	1000	5	-	3/65/81/81	0/3/3/3

All (52) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1001	U53	C6-S	-5.99	1.69	1.77
2	A	1000	NHW	CP-S1	5.58	1.95	1.81
2	B	1000	NHW	CP-S1	5.31	1.94	1.81
3	B	1001	U53	C10-C6	5.06	1.49	1.40
3	B	1001	U53	C6-C5	4.93	1.50	1.43
3	A	1001	U53	C6-S	-4.81	1.71	1.77
2	C	1000	NHW	CP-C1M	4.19	1.58	1.51
3	A	1001	U53	O1-C12	4.18	1.43	1.33
3	B	1001	U53	O1-C12	4.15	1.43	1.33
3	B	1001	U53	C11-N1	4.09	1.38	1.31
2	C	1000	NHW	O10-C10	4.03	1.49	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1001	U53	O1-C12	3.84	1.43	1.33
2	C	1000	NHW	P3X-O7A	-3.82	1.40	1.54
3	C	1001	U53	C5-C4	3.76	1.48	1.42
3	B	1001	U53	C5-C4	3.57	1.48	1.42
2	C	1000	NHW	P1A-O3A	3.57	1.63	1.59
2	A	1000	NHW	C8A-N7A	3.44	1.38	1.31
3	C	1001	U53	C10-C6	3.34	1.46	1.40
2	A	1000	NHW	P1A-O1A	-3.31	1.39	1.50
2	B	1000	NHW	P1A-O3A	3.28	1.63	1.59
2	B	1000	NHW	O10-C10	3.26	1.48	1.42
2	A	1000	NHW	C12-C11	3.25	1.57	1.52
2	A	1000	NHW	O4X-C4X	3.18	1.52	1.45
2	C	1000	NHW	CP-S1	3.07	1.89	1.81
2	C	1000	NHW	O5-C5	3.02	1.29	1.23
2	A	1000	NHW	P1A-O3A	2.95	1.62	1.59
3	C	1001	U53	C2-C1	2.86	1.44	1.38
2	B	1000	NHW	C13-C11	2.78	1.59	1.53
2	B	1000	NHW	O2X-C2X	2.77	1.49	1.43
3	A	1001	U53	C5-C4	2.74	1.46	1.42
2	C	1000	NHW	P2A-O3A	-2.64	1.56	1.59
3	B	1001	U53	C6-S	-2.62	1.74	1.77
6	A	1414	SO4	O2-S	2.58	1.60	1.44
2	A	1000	NHW	C13-C11	2.55	1.59	1.53
2	C	1000	NHW	C2-S1	2.54	1.91	1.81
3	A	1001	U53	C10-C6	2.53	1.45	1.40
2	A	1000	NHW	C3-N4	2.51	1.51	1.46
2	C	1000	NHW	P3X-O3X	2.47	1.63	1.59
3	A	1001	U53	C15-C5	-2.42	1.37	1.42
2	A	1000	NHW	P2A-O4A	-2.40	1.44	1.55
2	C	1000	NHW	C8A-N7A	2.39	1.36	1.31
3	A	1001	U53	C6-C5	2.28	1.46	1.43
3	C	1001	U53	C3-C2	2.21	1.41	1.36
2	B	1000	NHW	C9-N8	2.21	1.38	1.33
2	A	1000	NHW	O4X-C1X	2.21	1.47	1.42
2	B	1000	NHW	P1A-O1A	-2.15	1.43	1.50
2	C	1000	NHW	P1A-O2A	-2.12	1.45	1.55
2	B	1000	NHW	C12-C11	2.12	1.56	1.52
2	C	1000	NHW	C9-N8	2.08	1.38	1.33
3	C	1001	U53	C6-C5	2.07	1.46	1.43
3	B	1001	U53	C4-N1	-2.03	1.34	1.37
2	B	1000	NHW	P3X-O8A	-2.00	1.47	1.54

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1001	U53	O1-C12-C10	9.46	130.82	112.24
3	A	1001	U53	O1-C12-C10	7.63	127.22	112.24
2	A	1000	NHW	C5A-C4A-N3A	-6.11	118.30	126.72
3	C	1001	U53	C11-N1-C4	6.09	124.01	116.96
3	A	1001	U53	C15-C5-C6	-5.42	118.19	122.86
3	C	1001	U53	C-O-C1	5.28	128.82	117.50
2	C	1000	NHW	O4X-C1X-C2X	-4.92	96.09	106.62
2	C	1000	NHW	C13-C11-C10	4.82	116.99	108.77
3	A	1001	U53	C2-C3-C4	-4.57	115.33	120.80
3	B	1001	U53	O1-C12-O2	-4.52	114.62	123.67
3	B	1001	U53	C15-C5-C6	-4.49	119.00	122.86
2	B	1000	NHW	N3A-C2A-N1A	-4.36	121.98	128.58
2	B	1000	NHW	C4A-C5A-N7A	-4.23	105.74	110.58
3	A	1001	U53	C11-N1-C4	4.04	121.64	116.96
2	A	1000	NHW	O6A-C12-C11	-3.90	104.28	110.55
2	A	1000	NHW	P3X-O3X-C3X	-3.88	113.08	123.43
3	C	1001	U53	C15-C5-C6	-3.80	119.59	122.86
2	C	1000	NHW	N3A-C2A-N1A	-3.74	122.93	128.58
3	C	1001	U53	C13-O1-C12	-3.69	108.20	116.45
3	C	1001	U53	C1-C15-C5	-3.68	115.41	120.09
2	C	1000	NHW	C2-C3-N4	-3.65	104.80	112.41
3	A	1001	U53	O1-C12-O2	-3.62	116.42	123.67
2	B	1000	NHW	C5A-N7A-C8A	3.59	109.09	103.45
3	C	1001	U53	C15-C5-C4	3.50	123.12	118.99
2	B	1000	NHW	O4X-C1X-C2X	-3.46	99.22	106.62
2	B	1000	NHW	C2-C3-N4	-3.40	105.31	112.41
2	C	1000	NHW	C3X-C2X-C1X	3.37	107.31	99.89
2	B	1000	NHW	C5A-C4A-N9A	3.35	109.47	105.81
2	C	1000	NHW	N9A-C8A-N7A	-3.35	109.19	113.94
2	A	1000	NHW	C5A-C4A-N9A	3.31	109.42	105.81
3	C	1001	U53	C10-C11-N1	-3.30	120.91	125.20
3	C	1001	U53	C2-C3-C4	-3.29	116.86	120.80
3	A	1001	U53	C3-C2-C1	3.27	124.38	120.13
3	B	1001	U53	C11-N1-C4	3.20	120.66	116.96
3	A	1001	U53	C7-S-C6	3.15	111.39	101.87
2	B	1000	NHW	C2A-N1A-C6A	3.14	123.89	118.73
3	A	1001	U53	C5-C4-N1	-3.14	119.49	122.82
2	C	1000	NHW	P3X-O3X-C3X	-3.13	115.06	123.43
3	B	1001	U53	C2-C3-C4	-3.12	117.07	120.80
2	A	1000	NHW	C2-C3-N4	-3.04	106.06	112.41
2	A	1000	NHW	C6A-C5A-C4A	3.02	121.30	117.18
2	B	1000	NHW	C13-C11-C10	3.01	113.90	108.77
2	A	1000	NHW	N3A-C4A-N9A	2.96	132.21	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1001	U53	C5-C4-N1	-2.96	119.68	122.82
3	B	1001	U53	C8-C7-S	-2.88	105.37	113.25
3	A	1001	U53	O-C1-C15	-2.88	116.32	124.40
2	A	1000	NHW	O3A-P2A-O5A	-2.87	102.06	110.70
2	C	1000	NHW	O6A-C12-C11	-2.86	105.94	110.55
2	B	1000	NHW	C7-N8-C9	-2.85	117.42	122.55
2	A	1000	NHW	N9A-C8A-N7A	-2.81	109.95	113.94
2	A	1000	NHW	C4A-C5A-N7A	-2.74	107.44	110.58
3	A	1001	U53	C8-C7-S	-2.73	105.79	113.25
2	A	1000	NHW	C13-C11-C10	2.72	113.40	108.77
2	B	1000	NHW	O3A-P2A-O5A	-2.68	102.65	110.70
2	A	1000	NHW	C13-C11-C12	-2.66	103.84	108.22
2	C	1000	NHW	O4X-C4X-C5X	-2.64	100.89	109.33
3	B	1001	U53	C-O-C1	2.62	123.12	117.50
2	C	1000	NHW	C4A-N9A-C8A	2.62	108.49	105.74
3	B	1001	U53	O2-C12-C10	-2.58	112.94	121.59
2	A	1000	NHW	C4X-O4X-C1X	-2.57	103.78	109.47
2	A	1000	NHW	C2X-C1X-N9A	-2.57	106.91	113.30
3	A	1001	U53	C15-C5-C4	2.55	121.99	118.99
2	B	1000	NHW	C4M-C3M-C2M	-2.54	103.78	113.13
2	B	1000	NHW	C13-C11-C12	-2.53	104.05	108.22
2	B	1000	NHW	O6A-C12-C11	-2.52	106.49	110.55
3	B	1001	U53	C6-C5-C4	2.45	120.31	117.53
2	B	1000	NHW	N9A-C8A-N7A	-2.45	110.46	113.94
2	A	1000	NHW	C5A-N7A-C8A	2.44	107.28	103.45
2	A	1000	NHW	C2A-N3A-C4A	2.42	117.74	111.83
2	B	1000	NHW	C10-C9-N8	-2.40	111.92	116.48
2	C	1000	NHW	C2X-C3X-C4X	-2.40	99.03	103.24
2	C	1000	NHW	C6-C5-N4	-2.39	111.99	116.34
4	A	1411	DMS	O-S-C2	2.32	118.09	106.49
2	B	1000	NHW	P3X-O3X-C3X	-2.29	117.31	123.43
3	C	1001	U53	O-C1-C15	-2.27	118.03	124.40
2	A	1000	NHW	O1M-C1M-CP	-2.26	118.95	122.17
2	A	1000	NHW	C6-C5-N4	-2.24	112.26	116.34
3	B	1001	U53	O-C1-C15	-2.18	118.29	124.40
2	A	1000	NHW	O8A-P3X-O7A	2.16	115.92	107.80
2	A	1000	NHW	O4A-P2A-O3A	2.16	113.12	107.27
3	A	1001	U53	C1-C15-C5	-2.14	117.37	120.09
6	A	1414	SO4	O3-S-O2	2.11	120.59	109.56
2	C	1000	NHW	O3X-C3X-C4X	-2.10	102.61	110.03
2	C	1000	NHW	C2A-N1A-C6A	2.09	122.17	118.73
3	B	1001	U53	C13-O1-C12	2.08	121.11	116.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1001	U53	C1-C15-C5	-2.08	117.44	120.09
2	A	1000	NHW	O5-C5-C6	2.05	125.74	122.02
2	C	1000	NHW	C5A-C4A-N3A	-2.02	123.94	126.72
2	B	1000	NHW	C14-C11-C12	2.01	111.54	108.22
3	A	1001	U53	C6-C5-C4	2.01	119.80	117.53

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	1001	U53	C10-C12-O1-C13
3	C	1001	U53	O2-C12-O1-C13
3	C	1001	U53	C10-C12-O1-C13
3	B	1001	U53	O2-C12-O1-C13
3	A	1001	U53	C10-C12-O1-C13
3	A	1001	U53	C8-C7-S-C6
2	C	1000	NHW	C6-C7-N8-C9
3	B	1001	U53	C5-C6-S-C7
3	A	1001	U53	C5-C6-S-C7
3	B	1001	U53	C8-C7-S-C6
2	A	1000	NHW	C4M-C5M-C6M-C7M
2	C	1000	NHW	C7M-C8M-C9M-CAM
2	C	1000	NHW	P2A-O3A-P1A-O1A


There are no ring outliers.



5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1411	DMS	1	0
3	C	1001	U53	5	0
3	B	1001	U53	2	0
4	C	1412	DMS	1	0
3	A	1001	U53	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand NHW A 1000



Ligand U53 A 1001





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	385/385 (100%)	-0.36	6 (1%) 70 74	5, 14, 30, 60	50 (12%)
1	B	385/385 (100%)	-0.32	7 (1%) 67 71	7, 15, 32, 53	44 (11%)
1	C	370/385 (96%)	-0.35	7 (1%) 66 70	6, 15, 34, 60	41 (11%)
All	All	1140/1155 (98%)	-0.35	20 (1%) 67 71	5, 15, 32, 60	135 (11%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	226	PHE	4.4
1	A	226	PHE	4.0
1	B	226[A]	PHE	3.3
1	B	103	PHE	3.1
1	A	386	GLY	3.1
1	A	32[A]	TYR	3.0
1	C	323	GLY	3.0
1	A	26	ILE	3.0
1	C	242	TYR	3.0
1	B	26	ILE	2.9
1	B	100	ASP	2.9
1	C	327	TYR	2.8
1	A	325	ASP	2.7
1	B	102	ILE	2.5
1	C	222	ILE	2.3
1	C	325[A]	ASP	2.2
1	B	32[A]	TYR	2.2
1	B	232	ARG	2.1
1	C	386	GLY	2.0
1	A	231[A]	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	U53	C	1001	22/22	0.74	0.27	15,27,31,33	22
4	DMS	C	1411[A]	4/4	0.75	0.20	37,46,53,57	4
4	DMS	C	1411[B]	4/4	0.75	0.20	37,44,49,59	4
3	U53	A	1001	22/22	0.77	0.19	17,22,27,31	22
3	U53	B	1001	22/22	0.82	0.16	17,22,25,29	22
6	SO4	A	1414	5/5	0.83	0.14	33,42,69,79	0
6	SO4	A	1413	5/5	0.85	0.12	44,46,50,56	0
4	DMS	C	1412	4/4	0.90	0.15	27,29,30,31	0
4	DMS	B	1411	4/4	0.92	0.13	28,28,31,32	0
4	DMS	A	1411	4/4	0.92	0.14	22,26,29,30	0
2	NHW	B	1000	64/64	0.99	0.04	9,14,17,19	0
5	MG	A	1412	1/1	0.99	0.07	23,23,23,23	0
5	MG	B	1412	1/1	0.99	0.07	22,22,22,22	0
5	MG	C	1413	1/1	0.99	0.06	21,21,21,21	0
2	NHW	C	1000	64/64	0.99	0.04	9,13,16,21	0
2	NHW	A	1000	64/64	0.99	0.04	9,13,16,19	0
7	CL	A	1415	1/1	1.00	0.02	14,14,14,14	0
7	CL	B	1413	1/1	1.00	0.03	15,15,15,15	0
7	CL	C	1414	1/1	1.00	0.03	14,14,14,14	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around U53 C 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U53 A 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U53 B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around NHW B 1000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NHW C 1000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NHW A 1000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.