



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:08 AM UTC

PDB ID : 3G4N / pdb_00003g4n
Title : Crystal structure of the activated aerolysin mutant H132D
Authors : Pernot, L.; Schiltz, M.; van der Goot, G.
Deposited on : 2009-02-04
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	4% 78% 17% • •
1	B	470	13% 65% 24% • 9%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aerolysin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	449	Total	C	N	O	S	0	0	0
			3521	2226	603	683	9			
1	B	428	Total	C	N	O	S	0	0	0
			3364	2129	574	652	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	ASP	HIS	engineered mutation	UNP P09167
B	132	ASP	HIS	engineered mutation	UNP P09167


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	161	Total	O	0	0
			161	161		
2	B	180	Total	O	0	0
			180	180		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aerolysin



• Molecule 1: Aerolysin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	95.72Å 70.21Å 165.45Å 90.00° 109.11° 90.00°	Depositor
Resolution (Å)	55.90 – 2.10 55.90 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.4 (55.90-2.10) 98.4 (55.90-2.10)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.25 (at 2.10Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.214 , 0.261 0.209 , 0.257	Depositor DCC
R_{free} test set	3019 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	32.4	Xtriage
Anisotropy	0.923	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 52.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.011 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7226	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/3618	0.78	0/4939
1	B	0.48	0/3456	0.81	4/4712 (0.1%)
All	All	0.46	0/7074	0.80	4/9651 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	364	ILE	CA-C-N	5.76	125.23	119.24
1	B	364	ILE	C-N-CA	5.76	125.23	119.24
1	B	247	TRP	CA-C-N	5.37	125.29	119.76
1	B	247	TRP	C-N-CA	5.37	125.29	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3521	0	3353	55	0
1	B	3364	0	3189	93	0
2	A	161	0	0	5	0
2	B	180	0	0	3	0
All	All	7226	0	6542	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 11.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:447:LEU:HD11	1:B:462:LEU:HD12	1.46	0.95
1:B:198:LYS:HB3	1:B:297:LEU:HD12	1.55	0.88
1:B:202:GLY:HA3	1:B:445:ILE:HG22	1.60	0.84
1:B:198:LYS:HB2	1:B:455:LEU:HD23	1.64	0.80
1:A:236:SER:HA	1:A:239:VAL:HG13	1.67	0.76
1:A:220:ARG:HD2	2:A:505:HOH:O	1.85	0.75
1:A:344:VAL:HG23	2:A:595:HOH:O	1.86	0.75
1:A:214:GLY:HA2	1:A:282:ARG:HE	1.55	0.72
1:B:57:MET:O	1:B:63:GLY:HA2	1.93	0.68
1:B:94:PRO:HG2	1:B:104:ARG:NH1	2.10	0.67
1:B:253:THR:HG22	1:B:300:ALA:HB1	1.77	0.65
1:B:223:THR:HG21	1:B:277:LEU:HD12	1.79	0.65
1:B:204:ALA:HB3	1:B:291:ILE:HD11	1.80	0.64
1:A:170:ILE:HG12	1:A:318:LEU:CD2	2.27	0.64
1:A:94:PRO:HG2	1:A:104:ARG:NH1	2.13	0.64
1:A:99:VAL:HG23	2:A:604:HOH:O	1.98	0.64
1:A:222:ASP:HB3	1:A:276:SER:HA	1.80	0.64
1:B:101:VAL:HG21	1:B:235:LEU:HD22	1.81	0.63
1:A:319:SER:HB3	1:A:340:ASN:OD1	1.98	0.62
1:B:223:THR:O	1:B:274:THR:HA	1.99	0.62
1:A:189:VAL:CG1	1:A:192:SER:HB2	2.30	0.62
1:A:189:VAL:HG11	1:A:192:SER:HB2	1.80	0.62
1:A:10:ARG:NH1	1:B:43:GLY:HA3	2.15	0.61
1:B:216:ASP:OD1	1:B:282:ARG:HD3	2.01	0.61
1:B:187:GLY:HA3	1:B:305:PRO:HG2	1.83	0.60
1:A:193:ASP:OD1	1:A:193:ASP:C	2.43	0.59
1:A:236:SER:HA	1:A:239:VAL:CG1	2.31	0.59
1:B:112:PHE:HZ	1:B:172:VAL:HG21	1.67	0.59
1:B:293:VAL:HG21	1:B:445:ILE:HG21	1.83	0.59
1:B:229:LYS:HE3	1:B:268:GLN:O	2.02	0.59
1:B:445:ILE:CD1	1:B:462:LEU:HD13	2.33	0.58
1:B:202:GLY:CA	1:B:445:ILE:HG22	2.32	0.58
1:A:57:MET:O	1:A:63:GLY:HA2	2.04	0.58
1:B:242:LYS:HD3	2:B:590:HOH:O	2.02	0.57
1:B:383:SER:HA	1:B:386:GLN:HE21	1.70	0.57
1:B:191:GLN:HB2	1:B:302:ILE:HA	1.87	0.57
1:A:247:TRP:CD1	1:A:248:PRO:HD2	2.39	0.57
1:A:244:LYS:HD2	1:A:258:GLU:OE2	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:329:TRP:CE2	1:B:339:TRP:HZ2	2.24	0.56
1:A:187:GLY:HA3	1:A:305:PRO:HG2	1.88	0.56
1:B:95:ASP:CG	1:B:233:TYR:HD2	2.13	0.56
1:B:121:HIS:ND1	1:B:323:ARG:NH2	2.55	0.55
1:B:223:THR:CG2	1:B:277:LEU:HD12	2.37	0.55
1:A:28:ARG:HG3	1:A:29:GLU:N	2.23	0.54
1:A:387:ASN:O	1:A:391:ARG:HG3	2.08	0.54
1:A:301:ASP:HB3	1:A:407:GLU:HG2	1.90	0.54
1:B:90:ALA:HB1	1:B:397:ARG:HG3	1.90	0.54
1:B:16:GLN:HE22	1:B:69:THR:HB	1.74	0.53
1:B:112:PHE:CZ	1:B:172:VAL:HG21	2.44	0.52
1:B:107:HIS:NE2	1:B:142:VAL:CG2	2.73	0.52
1:B:215:TYR:O	1:B:283:PRO:HD2	2.10	0.52
1:A:192:SER:O	1:A:193:ASP:HB3	2.10	0.52
1:B:399:GLY:O	1:B:400:ILE:HD13	2.09	0.52
1:B:447:LEU:HD11	1:B:462:LEU:CD1	2.30	0.52
1:B:132:ASP:HB3	2:B:530:HOH:O	2.09	0.51
1:B:244:LYS:HA	1:B:259:ILE:O	2.09	0.51
1:B:221:TYR:CE2	1:B:223:THR:HG22	2.45	0.51
1:B:16:GLN:NE2	1:B:69:THR:HB	2.25	0.51
1:B:198:LYS:CE	1:B:451:GLU:OE2	2.59	0.50
1:A:44:GLN:HG2	1:A:60:GLY:HA3	1.94	0.50
1:A:2:GLU:N	1:A:3:PRO:CD	2.75	0.50
1:B:118:TYR:CZ	1:B:136:VAL:HG22	2.47	0.50
1:B:213:SER:O	1:B:215:TYR:HD1	1.95	0.50
1:A:253:THR:HB	1:A:300:ALA:HB1	1.93	0.49
1:A:134:GLN:OE1	1:B:292:PRO:HB3	2.12	0.49
1:A:329:TRP:CE2	1:A:339:TRP:HZ2	2.29	0.49
1:A:151:ILE:HD12	1:A:151:ILE:N	2.28	0.49
1:A:193:ASP:OD1	1:A:193:ASP:O	2.30	0.49
1:B:292:PRO:O	1:B:416:ILE:HA	2.12	0.49
1:B:192:SER:HA	1:B:302:ILE:HD13	1.95	0.49
1:B:224:ALA:O	1:B:408:SER:HA	2.13	0.49
1:B:124:GLY:HA2	1:B:323:ARG:NH1	2.28	0.48
1:A:170:ILE:HG12	1:A:318:LEU:HD22	1.94	0.48
1:B:448:ASP:OD1	1:B:450:GLN:HB2	2.13	0.48
1:A:100:ASP:O	1:A:104:ARG:HG3	2.13	0.48
1:B:329:TRP:CE2	1:B:339:TRP:CZ2	3.01	0.48
1:B:447:LEU:CD1	1:B:462:LEU:HD12	2.33	0.48
1:B:452:LEU:HD13	1:B:460:VAL:HG21	1.95	0.48
1:A:144:ARG:HH11	1:A:144:ARG:HG3	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:253:THR:CG2	1:B:300:ALA:HB1	2.45	0.47
1:B:224:ALA:HA	1:B:273:THR:O	2.14	0.47
1:A:243:ASN:ND2	1:B:32:GLN:HE22	2.13	0.47
1:B:131:ASN:HD22	1:B:159:CYS:HB3	1.79	0.47
1:B:279:GLN:NE2	1:B:412:GLY:O	2.47	0.47
1:A:198:LYS:HE3	1:A:451:GLU:OE1	2.15	0.46
1:B:107:HIS:NE2	1:B:142:VAL:HG21	2.31	0.46
1:B:279:GLN:OE1	1:B:413:ASN:HA	2.16	0.46
1:A:299:LYS:HE3	1:A:409:GLN:HE21	1.81	0.46
1:B:198:LYS:HE3	1:B:451:GLU:OE2	2.16	0.45
1:B:219:LEU:HD22	1:B:295:ILE:HD13	1.97	0.45
1:A:9:LEU:HD13	1:A:38:ILE:HG12	1.98	0.45
1:B:293:VAL:CG2	1:B:445:ILE:HG21	2.44	0.45
1:A:294:LYS:C	1:A:295:ILE:HG13	2.41	0.45
1:B:297:LEU:HB3	1:B:457:PHE:CZ	2.53	0.44
1:A:247:TRP:CG	1:A:248:PRO:HD2	2.53	0.44
1:B:191:GLN:HB2	1:B:303:SER:N	2.33	0.44
1:A:299:LYS:HE3	1:A:409:GLN:NE2	2.32	0.44
1:B:281:VAL:HG13	1:B:283:PRO:HD3	1.98	0.44
1:B:261:ALA:O	1:B:262:ASN:C	2.61	0.44
1:A:34:VAL:O	1:A:34:VAL:HG23	2.18	0.43
1:A:78:THR:HG22	2:A:555:HOH:O	2.17	0.43
1:A:356:ARG:HG2	1:A:356:ARG:HH11	1.83	0.43
1:A:441:LEU:HB3	1:A:464:VAL:HG11	1.99	0.43
1:B:9:LEU:HD13	1:B:38:ILE:HG12	2.01	0.43
1:B:106:VAL:HA	1:B:112:PHE:CD2	2.53	0.43
1:B:264:SER:OG	1:B:267:SER:HB3	2.18	0.43
1:B:291:ILE:HA	1:B:292:PRO:HD3	1.79	0.43
1:B:324:TRP:HD1	1:B:334:ASP:O	2.01	0.43
1:A:189:VAL:HA	1:A:304:TYR:HB3	2.01	0.43
1:B:4:VAL:HG21	1:B:30:GLU:HB3	2.01	0.43
1:B:41:MET:HE1	2:B:556:HOH:O	2.19	0.43
1:B:191:GLN:HB2	1:B:303:SER:H	1.84	0.43
1:A:344:VAL:HG22	1:A:353:SER:O	2.18	0.43
1:B:357:TYR:C	1:B:357:TYR:CD1	2.97	0.43
1:A:357:TYR:CD1	1:A:357:TYR:C	2.95	0.42
1:B:107:HIS:CD2	1:B:142:VAL:HG21	2.54	0.42
1:B:198:LYS:HB2	1:B:455:LEU:CD2	2.40	0.42
1:B:35:LYS:HE2	1:B:63:GLY:O	2.20	0.42
1:B:112:PHE:HZ	1:B:172:VAL:CG2	2.30	0.42
1:A:344:VAL:CG2	2:A:472:HOH:O	2.67	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:349:LYS:HE3	1:B:350:ASP:OD2	2.19	0.42
1:B:461:SER:O	1:B:462:LEU:HG	2.19	0.42
1:A:205:VAL:HG22	1:A:290:LYS:HB3	2.02	0.42
1:A:239:VAL:HG22	1:A:265:TRP:HB2	2.00	0.42
1:B:91:LEU:HD12	1:B:92:ASP:N	2.35	0.42
1:B:219:LEU:HD22	1:B:295:ILE:HG21	2.02	0.42
1:B:30:GLU:O	1:B:33:SER:HB3	2.20	0.42
1:B:222:ASP:OD2	1:B:459:ASN:ND2	2.36	0.42
1:B:292:PRO:HD2	1:B:417:GLY:C	2.45	0.42
1:A:114:LYS:HB2	1:A:115:PRO:HD3	2.02	0.41
1:B:21:ASP:O	1:B:22:LYS:HB2	2.20	0.41
1:A:101:VAL:HG21	1:A:235:LEU:HD22	2.02	0.41
1:B:213:SER:O	1:B:215:TYR:CD1	2.72	0.41
1:A:2:GLU:O	1:A:2:GLU:HG2	2.20	0.41
1:B:239:VAL:HG22	1:B:265:TRP:HB2	2.02	0.41
1:B:253:THR:OG1	1:B:302:ILE:HG13	2.20	0.41
1:A:95:ASP:CG	1:A:233:TYR:HD2	2.28	0.41
1:B:204:ALA:HB3	1:B:291:ILE:CG1	2.51	0.41
1:B:204:ALA:HB3	1:B:291:ILE:CD1	2.48	0.41
1:A:135:TYR:CE2	1:B:294:LYS:HD3	2.56	0.41
1:A:376:THR:HB	1:A:385:MET:HE2	2.03	0.41
1:B:196:LEU:HD21	1:B:199:THR:OG1	2.20	0.40
1:B:132:ASP:HB2	1:B:139:ASP:OD2	2.21	0.40
1:B:231:ASN:ND2	1:B:266:ALA:HA	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	445/470 (95%)	425 (96%)	19 (4%)	1 (0%)	43 44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	420/470 (89%)	402 (96%)	16 (4%)	2 (0%)	24	22
All	All	865/940 (92%)	827 (96%)	35 (4%)	3 (0%)	36	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	192	SER
1	A	326	GLY
1	B	326	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	379/392 (97%)	367 (97%)	12 (3%)	34	38
1	B	361/392 (92%)	349 (97%)	12 (3%)	33	37
All	All	740/784 (94%)	716 (97%)	24 (3%)	34	38

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	GLN
1	A	29	GLU
1	A	55	VAL
1	A	136	VAL
1	A	168	THR
1	A	191	GLN
1	A	199	THR
1	A	209	ASP
1	A	220	ARG
1	A	239	VAL
1	A	242	LYS
1	A	253	THR
1	B	10	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	11	LEU
1	B	36	SER
1	B	91	LEU
1	B	136	VAL
1	B	142	VAL
1	B	219	LEU
1	B	239	VAL
1	B	285	VAL
1	B	293	VAL
1	B	445	ILE
1	B	463	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	GLN
1	A	37	ASN
1	A	243	ASN
1	A	374	ASN
1	A	409	GLN
1	A	413	ASN
1	B	16	GLN
1	B	32	GLN
1	B	37	ASN
1	B	131	ASN
1	B	374	ASN
1	B	379	GLN
1	B	386	GLN
1	B	413	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	449/470 (95%)	0.28	18 (4%) 42 44	25, 43, 75, 118	0
1	B	428/470 (91%)	0.60	62 (14%) 6 6	17, 47, 107, 147	0
All	All	877/940 (93%)	0.44	80 (9%) 15 15	17, 44, 94, 147	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	285	VAL	5.8
1	B	291	ILE	5.7
1	A	467	ALA	5.0
1	B	452	LEU	4.8
1	B	204	ALA	4.7
1	B	200	VAL	4.5
1	A	253	THR	4.5
1	B	277	LEU	4.3
1	B	462	LEU	4.3
1	B	214	GLY	4.3
1	B	252	GLU	4.2
1	A	423	ALA	4.0
1	B	445	ILE	4.0
1	B	467	ALA	3.9
1	B	217	VAL	3.8
1	B	460	VAL	3.8
1	B	203	TRP	3.7
1	B	464	VAL	3.6
1	B	211	PRO	3.6
1	B	224	ALA	3.5
1	A	190	THR	3.5
1	B	253	THR	3.5
1	B	465	THR	3.5
1	B	292	PRO	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	215	TYR	3.4
1	B	457	PHE	3.3
1	A	255	LEU	3.2
1	B	189	VAL	3.2
1	B	447	LEU	3.2
1	B	456	GLY	3.1
1	B	466	PRO	3.1
1	A	214	GLY	3.1
1	B	192	SER	3.1
1	B	249	LEU	3.0
1	A	249	LEU	2.9
1	B	222	ASP	2.9
1	B	273	THR	2.9
1	B	190	THR	2.9
1	A	281	VAL	2.8
1	B	302	ILE	2.8
1	B	454	GLY	2.8
1	B	417	GLY	2.7
1	A	466	PRO	2.7
1	B	293	VAL	2.7
1	B	448	ASP	2.7
1	B	272	SER	2.7
1	A	254	GLU	2.6
1	B	223	THR	2.6
1	B	284	THR	2.6
1	B	274	THR	2.6
1	A	441	LEU	2.5
1	A	215	TYR	2.4
1	B	219	LEU	2.4
1	B	255	LEU	2.4
1	B	191	GLN	2.4
1	B	461	SER	2.4
1	B	69	THR	2.4
1	B	89	SER	2.4
1	B	416	ILE	2.4
1	B	446	PRO	2.4
1	A	251	GLY	2.3
1	A	282	ARG	2.3
1	B	213	SER	2.3
1	B	458	ASN	2.3
1	B	197	VAL	2.3
1	A	185	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	90	ALA	2.3
1	B	282	ARG	2.2
1	B	449	ALA	2.2
1	A	378	GLN	2.2
1	B	276	SER	2.2
1	B	275	THR	2.2
1	A	2	GLU	2.2
1	A	191	GLN	2.2
1	B	202	GLY	2.1
1	B	131	ASN	2.1
1	B	220	ARG	2.1
1	B	463	SER	2.1
1	B	254	GLU	2.1
1	B	455	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.