



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:53 PM UTC

PDB ID : 4G44 / pdb_00004g44
Title : Structure of P450 CYP121 in complex with lead compound MB286, 3-((1H-1,2,4-triazol-1-yl)methyl)aniline
Authors : Hudson, S.A.; McLean, K.J.; Surade, S.; Yang, Y.-Q.; Leys, D.; Ciulli, A.; Munro, A.W.; Abell, C.
Deposited on : 2012-07-16
Resolution : 1.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1630 (1.26-1.22)
Clashscore	190562	1668 (1.26-1.22)
Ramachandran outliers	187476	1635 (1.26-1.22)
Sidechain outliers	187428	1633 (1.26-1.22)
RSRZ outliers	180081	1630 (1.26-1.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	5% 77% 19% ..

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 121.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	395	Total	C	N	O	S	0	30	1
			3074	1970	530	562	12			


- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 3-(1H-1,2,4-triazol-1-ylmethyl)aniline (CCD ID: TZM) (formula: C₉H₁₀N₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			13	9	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			13	9	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	832	Total	O	0	0
			832	832		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome P450 121



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	77.64Å 77.64Å 264.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.11 – 1.24 47.11 – 1.24	Depositor EDS
% Data completeness (in resolution range)	96.6 (47.11-1.24) 96.6 (47.11-1.24)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.19 (at 1.24Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.161 , 0.179 0.160 , 0.178	Depositor DCC
R_{free} test set	6646 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	8.4	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3990	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TZM, SO4, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.02	76/3290 (2.3%)	1.51	29/4475 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (76) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	321	ASN	C-O	-10.04	1.19	1.23
1	A	79	PRO	C-O	-7.79	1.18	1.25
1	A	254	GLN	CD-OE1	7.17	1.37	1.23
1	A	32	ARG	CZ-NH2	-7.16	1.24	1.33
1	A	330	PRO	N-CD	-7.08	1.37	1.47
1	A	51	CYS	CA-C	-6.96	1.44	1.52
1	A	253	PRO	C-O	-6.89	1.15	1.24
1	A	335	HIS	CG-CD2	6.85	1.43	1.35
1	A	144	ALA	C-O	6.71	1.31	1.24
1	A	62	MET	CB-CG	6.68	1.72	1.52
1	A	292	ILE	C-O	6.62	1.30	1.24
1	A	213	PRO	C-O	6.51	1.32	1.24
1	A	271[A]	GLU	N-CA	-6.46	1.38	1.46
1	A	271[B]	GLU	N-CA	-6.46	1.38	1.46
1	A	32	ARG	NE-CZ	6.43	1.40	1.33
1	A	116	THR	C-N	-6.39	1.25	1.33
1	A	252	ARG	C-N	6.35	1.43	1.33
1	A	16	ASP	C-O	6.33	1.32	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	373	VAL	CA-C	-6.31	1.47	1.52
1	A	256	ARG	C-O	-6.29	1.16	1.24
1	A	366	MET	CA-C	-6.20	1.45	1.52
1	A	47	SER	CA-C	-6.18	1.45	1.52
1	A	12[A]	SER	N-CA	6.14	1.53	1.46
1	A	12[B]	SER	N-CA	6.14	1.53	1.46
1	A	367	PRO	N-CA	-6.14	1.39	1.47
1	A	190	ALA	C-O	6.13	1.31	1.24
1	A	253	PRO	CA-C	6.12	1.62	1.52
1	A	35	ARG	CZ-NH2	6.08	1.41	1.33
1	A	278	LEU	C-O	6.05	1.31	1.24
1	A	290	ALA	C-O	5.98	1.30	1.23
1	A	25	LEU	CA-CB	5.97	1.62	1.53
1	A	89	ILE	C-O	5.89	1.30	1.24
1	A	26	ARG	CZ-NH1	-5.84	1.24	1.32
1	A	25	LEU	CA-C	-5.83	1.45	1.52
1	A	352	ARG	NE-CZ	-5.83	1.26	1.33
1	A	195	ASN	C-N	5.75	1.40	1.34
1	A	331	ASN	C-O	5.75	1.29	1.23
1	A	204	GLY	C-O	5.74	1.30	1.23
1	A	129	ALA	CA-C	-5.73	1.46	1.53
1	A	122	ASP	N-CA	5.72	1.53	1.46
1	A	253	PRO	N-CA	-5.67	1.40	1.47
1	A	213	PRO	C-N	-5.65	1.26	1.33
1	A	250	ILE	C-O	5.62	1.30	1.24
1	A	81	GLU	CD-OE1	5.59	1.35	1.25
1	A	45	VAL	N-CA	5.58	1.53	1.46
1	A	29	GLU	C-O	5.57	1.30	1.24
1	A	335	HIS	CB-CG	-5.57	1.42	1.50
1	A	204	GLY	N-CA	5.56	1.52	1.45
1	A	255	LEU	C-N	5.51	1.40	1.33
1	A	32	ARG	CA-CB	-5.49	1.44	1.53
1	A	81	GLU	C-O	5.46	1.31	1.24
1	A	116	THR	CA-C	5.42	1.59	1.52
1	A	256	ARG	N-CA	-5.41	1.39	1.46
1	A	118	ASN	CA-C	-5.41	1.45	1.52
1	A	317	GLU	C-O	5.39	1.30	1.24
1	A	90	ALA	C-O	5.36	1.30	1.24
1	A	208[A]	ARG	CZ-NH2	-5.34	1.26	1.33
1	A	208[B]	ARG	CZ-NH2	-5.34	1.26	1.33
1	A	186	ILE	C-O	5.34	1.30	1.24
1	A	61	SER	C-O	5.32	1.30	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	183	ASP	CG-OD1	-5.32	1.15	1.25
1	A	274	LEU	CA-C	-5.32	1.46	1.52
1	A	136	ASP	CA-C	-5.30	1.45	1.52
1	A	232	GLY	CA-C	-5.28	1.46	1.52
1	A	192	ILE	C-O	5.28	1.30	1.24
1	A	363	LEU	C-O	5.22	1.30	1.24
1	A	25	LEU	N-CA	-5.17	1.40	1.46
1	A	122	ASP	CA-C	-5.14	1.46	1.52
1	A	211	LYS	C-O	5.09	1.30	1.24
1	A	57	ASP	C-O	5.06	1.29	1.24
1	A	194[A]	GLU	C-O	5.06	1.30	1.23
1	A	194[B]	GLU	C-O	5.06	1.30	1.23
1	A	276	ILE	C-O	5.05	1.30	1.24
1	A	112	PHE	C-N	-5.05	1.27	1.33
1	A	260	HIS	ND1-CE1	5.02	1.37	1.32
1	A	317	GLU	CA-C	-5.01	1.45	1.52

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	35	ARG	NE-CZ-NH1	10.95	132.45	121.50
1	A	252	ARG	NE-CZ-NH2	8.96	127.27	119.20
1	A	352	ARG	NE-CZ-NH1	-7.80	113.70	121.50
1	A	329	ARG	NE-CZ-NH2	7.40	125.86	119.20
1	A	252	ARG	O-C-N	-7.14	114.98	121.34
1	A	275	ARG	NE-CZ-NH2	6.95	125.45	119.20
1	A	352	ARG	NH1-CZ-NH2	6.94	128.33	119.30
1	A	221	GLU	CB-CG-CD	6.31	123.33	112.60
1	A	86[A]	MET	CA-C-N	6.10	126.76	119.98
1	A	86[A]	MET	C-N-CA	6.10	126.76	119.98
1	A	86[B]	MET	CA-C-N	6.10	126.76	119.98
1	A	86[B]	MET	C-N-CA	6.10	126.76	119.98
1	A	56	GLU	OE1-CD-OE2	5.92	137.12	122.90
1	A	383	ARG	NE-CZ-NH2	5.88	124.49	119.20
1	A	56	GLU	CG-CD-OE2	-5.62	105.48	118.40
1	A	116	THR	O-C-N	5.45	127.97	122.09
1	A	250	ILE	CA-C-O	-5.43	115.30	120.95
1	A	35	ARG	NH1-CZ-NH2	-5.42	112.25	119.30
1	A	120	LEU	O-C-N	5.37	127.61	122.07
1	A	22	VAL	CA-C-O	-5.33	115.52	121.17
1	A	195	ASN	CA-C-O	5.31	123.82	119.36
1	A	327	LEU	O-C-N	5.28	130.21	122.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	321	ASN	CA-C-O	5.28	124.54	120.48
1	A	290	ALA	O-C-N	-5.20	117.80	123.26
1	A	168	PHE	CA-CB-CG	-5.14	108.66	113.80
1	A	254	GLN	CA-C-O	5.14	126.21	120.82
1	A	383	ARG	NE-CZ-NH1	-5.07	116.43	121.50
1	A	256	ARG	CA-C-O	5.07	126.32	120.90
1	A	151	GLY	O-C-N	-5.04	116.38	122.38

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	72	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3074	0	3088	43	1
2	A	43	0	30	4	0
3	A	15	0	0	1	0
4	A	26	0	20	5	0
5	A	832	0	0	30	3
All	All	3990	0	3138	50	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37[A]:ILE:HD11	5:A:1236:HOH:O	1.58	1.02
1:A:383:ARG:NE	5:A:1236:HOH:O	1.96	0.97
1:A:317:GLU:CG	5:A:1250:HOH:O	2.21	0.88
4:A:406:TZM:CAE	5:A:839:HOH:O	2.22	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:GLU:HB2	5:A:1312:HOH:O	1.75	0.86
4:A:406:TZM:NAI	5:A:839:HOH:O	2.12	0.82
1:A:111:GLN:NE2	1:A:114[B]:ARG:HH21	1.78	0.81
1:A:37[A]:ILE:CD1	5:A:1236:HOH:O	2.25	0.76
1:A:99[A]:MET:SD	5:A:707:HOH:O	2.44	0.76
1:A:383:ARG:CD	5:A:1236:HOH:O	2.29	0.75
3:A:404:SO4:O3	5:A:1137:HOH:O	2.05	0.74
1:A:391:ARG:NH2	5:A:1312:HOH:O	2.23	0.72
1:A:86[B]:MET:SD	5:A:1190:HOH:O	2.47	0.71
1:A:17:ARG:NE	5:A:1055:HOH:O	2.23	0.71
1:A:340[A]:ARG:NH2	5:A:1023:HOH:O	2.21	0.70
1:A:29:GLU:HG2	1:A:32:ARG:HB3	1.75	0.68
1:A:58:ARG:HG2	5:A:1137:HOH:O	1.95	0.67
1:A:353:ARG:CG	5:A:1018:HOH:O	2.43	0.66
1:A:41[B]:GLU:OE2	5:A:789:HOH:O	2.14	0.66
1:A:277:ASN:HB2	5:A:711:HOH:O	1.96	0.64
1:A:86[A]:MET:HG3	2:A:401:HEM:HBD2	1.82	0.60
1:A:277:ASN:ND2	5:A:1132:HOH:O	2.34	0.60
1:A:29:GLU:OE1	5:A:1032:HOH:O	2.18	0.57
1:A:99[B]:MET:HE1	5:A:1319:HOH:O	2.05	0.56
1:A:383:ARG:HG2	5:A:1236:HOH:O	2.06	0.56
1:A:74:ASN:C	1:A:74:ASN:HD22	2.14	0.54
4:A:406:TZM:H9	5:A:839:HOH:O	1.94	0.54
1:A:29:GLU:OE1	5:A:1139:HOH:O	2.18	0.54
1:A:331:ASN:H	1:A:331:ASN:HD22	1.55	0.52
1:A:144:ALA:HA	1:A:154:GLN:HE22	1.74	0.51
1:A:205:GLU:OE1	1:A:208[A]:ARG:HD2	2.11	0.51
1:A:86[A]:MET:CE	5:A:809:HOH:O	2.58	0.50
1:A:56:GLU:OE2	1:A:340[B]:ARG:HD2	2.11	0.50
1:A:246:LEU:HD22	1:A:362[B]:LEU:CD2	2.43	0.49
4:A:406:TZM:NAA	5:A:594:HOH:O	2.11	0.48
1:A:271[A]:GLU:OE2	1:A:352:ARG:NE	2.35	0.47
1:A:37[B]:ILE:HG22	5:A:1030:HOH:O	2.13	0.47
1:A:390:GLU:CB	5:A:1312:HOH:O	2.48	0.47
1:A:86[A]:MET:HG3	2:A:401:HEM:CBD	2.45	0.46
1:A:86[A]:MET:HE3	5:A:809:HOH:O	2.16	0.45
1:A:205:GLU:O	1:A:208[A]:ARG:HG2	2.17	0.44
1:A:352:ARG:HH11	1:A:352:ARG:HD2	1.52	0.43
2:A:401:HEM:HMC1	2:A:401:HEM:HBC2	2.00	0.43
1:A:104:PRO:HA	1:A:109[B]:LEU:HD23	2.01	0.43
2:A:401:HEM:C4D	4:A:405:TZM:CAG	3.02	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84:ASN:OD1	5:A:1147:HOH:O	2.22	0.41
1:A:331:ASN:HD22	1:A:331:ASN:N	2.17	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1267:HOH:O	5:A:1290:HOH:O[5_555]	2.05	0.15
5:A:936:HOH:O	5:A:936:HOH:O[10_555]	2.13	0.07
1:A:254:GLN:CG	5:A:1120:HOH:O[5_555]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/396 (107%)	417 (99%)	6 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/326 (103%)	331 (98%)	6 (2%)	51	15

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ARG
1	A	74	ASN
1	A	99[A]	MET
1	A	99[B]	MET
1	A	277	ASN
1	A	331	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	ASN
1	A	111	GLN
1	A	154	GLN
1	A	251	GLN
1	A	331	ASN
1	A	356	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	401	1,4	50,50,50	1.64	13 (26%)	67,82,82	1.23	8 (11%)
4	TZM	A	405	2	14,14,14	1.86	5 (35%)	18,18,18	2.00	7 (38%)
4	TZM	A	406	-	14,14,14	1.83	4 (28%)	18,18,18	1.85	7 (38%)
3	SO4	A	402	-	4,4,4	1.98	1 (25%)	6,6,6	0.92	0
3	SO4	A	404	-	4,4,4	1.61	1 (25%)	6,6,6	1.66	2 (33%)
3	SO4	A	403	-	4,4,4	0.55	0	6,6,6	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TZM	A	405	2	-	0/4/4/4	0/2/2/2
4	TZM	A	406	-	-	0/4/4/4	0/2/2/2
2	HEM	A	401	1,4	-	0/14/54/54	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	HEM	O2D-CGD	-4.70	1.15	1.30
4	A	406	TZM	CAH-CAL	-4.20	1.43	1.51
4	A	405	TZM	NAM-NAJ	-4.08	1.28	1.36
2	A	401	HEM	CBD-CGD	3.87	1.59	1.50
3	A	402	SO4	O2-S	-3.37	1.24	1.44
4	A	406	TZM	NAM-NAJ	-3.37	1.29	1.36
2	A	401	HEM	FE-NB	3.09	2.04	1.94
3	A	404	SO4	O4-S	-3.02	1.23	1.48
2	A	401	HEM	C3B-C4B	-2.77	1.39	1.44
2	A	401	HEM	FE-ND	2.63	2.03	1.94
4	A	405	TZM	CAF-NAM	2.45	1.38	1.33
4	A	405	TZM	CAG-CAL	2.42	1.43	1.39
2	A	401	HEM	CHB-C1B	2.42	1.43	1.38
4	A	406	TZM	CAG-CAL	2.37	1.43	1.39
2	A	401	HEM	C3D-C2D	2.32	1.41	1.36
2	A	401	HEM	CHA-C4D	2.32	1.43	1.38
4	A	406	TZM	CAG-CAK	2.30	1.43	1.39
2	A	401	HEM	C1B-NB	-2.29	1.36	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	HEM	C3B-C2B	2.26	1.41	1.37
2	A	401	HEM	CHD-C1D	2.19	1.44	1.39
4	A	405	TZM	CAE-NAJ	2.17	1.35	1.32
4	A	405	TZM	CAK-NAA	2.16	1.45	1.38
2	A	401	HEM	CBD-CAD	-2.12	1.44	1.51
2	A	401	HEM	CMB-C2B	-2.03	1.46	1.50

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	405	TZM	CAH-CAL-CAD	-4.44	112.56	120.75
4	A	406	TZM	CAC-CAK-CAG	3.34	122.91	118.62
2	A	401	HEM	O2D-CGD-O1D	3.22	131.60	123.33
2	A	401	HEM	C3B-C2B-C1B	-3.20	104.01	106.41
4	A	405	TZM	CAL-CAH-NAM	3.12	117.79	112.14
3	A	404	SO4	O4-S-O3	2.94	124.76	108.54
4	A	406	TZM	CAG-CAK-NAA	-2.94	115.60	120.56
4	A	406	TZM	CAH-NAM-NAJ	2.78	126.05	121.04
4	A	405	TZM	CAB-CAD-CAL	-2.78	116.71	120.61
4	A	405	TZM	CAH-CAL-CAG	2.74	125.44	120.27
4	A	406	TZM	CAK-CAG-CAL	-2.72	118.37	121.01
2	A	401	HEM	O1D-CGD-CBD	-2.62	114.79	123.09
2	A	401	HEM	C3D-C4D-ND	2.54	112.96	110.17
4	A	405	TZM	CAD-CAL-CAG	2.46	121.94	118.55
3	A	404	SO4	O3-S-O2	-2.39	97.04	109.56
2	A	401	HEM	CHA-C4D-C3D	-2.39	120.82	125.23
2	A	401	HEM	C3B-C4B-NB	2.33	111.14	109.47
4	A	405	TZM	CAK-CAG-CAL	-2.31	118.77	121.01
4	A	406	TZM	NAJ-CAE-NAI	-2.29	108.37	114.90
2	A	401	HEM	C2B-C1B-NB	2.23	112.41	109.84
4	A	406	TZM	CAE-NAJ-NAM	2.17	107.62	102.60
2	A	401	HEM	C4A-C3A-C2A	-2.16	104.34	106.82
4	A	406	TZM	CAL-CAH-NAM	-2.11	108.34	112.14
4	A	405	TZM	CAD-CAB-CAC	2.01	122.83	120.24

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	HEM	4	0
4	A	405	TZM	1	0
4	A	406	TZM	4	0
3	A	404	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	395/396 (99%)	0.18	21 (5%)	32 32	4, 9, 21, 44	30 (7%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	THR	4.6
1	A	107	PRO	3.9
1	A	106	ALA	3.5
1	A	105	LYS	3.4
1	A	3	ALA	3.3
1	A	108	GLY	3.2
1	A	126	THR	3.1
1	A	254	GLN	2.9
1	A	196	PRO	2.8
1	A	103	THR	2.8
1	A	25	LEU	2.7
1	A	5	VAL	2.5
1	A	99[A]	MET	2.4
1	A	214	ALA	2.4
1	A	258	LEU	2.4
1	A	251	GLN	2.3
1	A	4	THR	2.3
1	A	95	ARG	2.3
1	A	250	ILE	2.3
1	A	20	ASP	2.2
1	A	21	ALA	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	TZM	A	406	13/13	0.85	0.14	17,21,24,29	0
3	SO4	A	403	5/5	0.94	0.14	15,15,18,20	5
4	TZM	A	405	13/13	0.95	0.08	9,12,19,20	0
3	SO4	A	402	5/5	0.95	0.10	14,21,23,28	0
3	SO4	A	404	5/5	0.97	0.10	11,14,17,18	0
2	HEM	A	401	43/43	0.99	0.05	5,7,11,13	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.