



wwPDB EM Validation Summary Report ⓘ

Mar 20, 2026 – 08:54 AM UTC

PDB ID : 8G4N / pdb_00008g4n
EMDB ID : EMD-29727
Title : Native GABA-A receptor from the mouse brain, alpha1-beta2-gamma2 subtype, in complex with GABA, Zolpidem, and endogenous neurosteroids
Authors : Sun, C.; Gouaux, E.
Deposited on : 2023-02-10
Resolution : 2.67 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : **NOT EXECUTED**
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	455	63% 13% 24%
1	C	455	63% 13% • 24%
2	B	512	54% 11% 35%
2	E	512	55% 9% • 35%
3	D	474	53% 14% 33%
4	H	223	46% 6% 48%
4	J	223	44% 9% 48%
5	K	213	41% 8% 51%
5	L	213	45% • 51%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	O	3	 100%
7	F	5	 60% 40%
7	G	5	 40% 60%
7	M	5	 80% 20%
7	R	5	 80% 20%
7	U	5	 60% 40%
8	I	7	 29% 57% 14%

2 Entry composition [i](#)

There are 16 unique types of molecules in this entry. The entry contains 18308 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gamma-aminobutyric acid receptor subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	346	Total	C	N	O	S	0	0
			2803	1811	471	505	16		
1	C	346	Total	C	N	O	S	0	0
			2803	1811	471	505	16		

- Molecule 2 is a protein called Gamma-aminobutyric acid receptor subunit beta-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	333	Total	C	N	O	S	0	0
			2725	1787	436	486	16		
2	E	333	Total	C	N	O	S	0	0
			2726	1787	437	486	16		

- Molecule 3 is a protein called Gamma-aminobutyric acid receptor subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	318	Total	C	N	O	S	0	0
			2605	1698	428	465	14		

- Molecule 4 is a protein called Heavy Chain of 8E3 Fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	117	Total	C	N	O	S	0	0
			920	587	152	177	4		
4	J	117	Total	C	N	O	S	0	0
			920	587	152	177	4		

- Molecule 5 is a protein called Light Chain of 8E3 Fab.


Mol	Chain	Residues	Atoms					AltConf	Trace
5	K	105	Total	C	N	O	S	0	0
			796	505	132	155	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	Trace
5	L	105	Total	C	N	O	S	0	0
			792	503	131	154	4		

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
6	O	3	Total	C	N	O		0	0
			39	22	2	15			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
7	M	5	Total	C	N	O		0	0
			61	34	2	25			
7	R	5	Total	C	N	O		0	0
			61	34	2	25			
7	U	5	Total	C	N	O		0	0
			61	34	2	25			
7	F	5	Total	C	N	O		0	0
			61	34	2	25			
7	G	5	Total	C	N	O		0	0
			61	34	2	25			

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
8	I	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 9 is allopregnanolone (CCD ID: Y4B) (formula: $C_{21}H_{34}O_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
9	A	1	Total	C	O	0
			23	21	2	
9	C	1	Total	C	O	0
			23	21	2	

- Molecule 10 is [(2R)-2-octanoyloxy-3-[oxidanyl-[(1R,2R,3S,4R,5R,6S)-2,3,6-tris(oxidanyl)-4,5-diphosphonoxy-cyclohexyl]oxy-phosphoryl]oxy-propyl] octanoate (CCD ID: PIO) (formula: $C_{25}H_{49}O_{19}P_3$).



Mol	Chain	Residues	Atoms				AltConf
10	A	1	Total	C	O	P	0
			47	25	19	3	
10	C	1	Total	C	O	P	0
			47	25	19	3	

- Molecule 11 is DODECANE (CCD ID: D12) (formula: C₁₂H₂₆).




Mol	Chain	Residues	Atoms		AltConf
11	A	1	Total	C	0
			12	12	
11	A	1	Total	C	0
			12	12	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
11	B	1	Total C 12 12	0
11	B	1	Total C 12 12	0
11	B	1	Total C 12 12	0
11	B	1	Total C 12 12	0
11	B	1	Total C 12 12	0
11	B	1	Total C 12 12	0
11	B	1	Total C 12 12	0
11	C	1	Total C 12 12	0
11	C	1	Total C 12 12	0
11	D	1	Total C 12 12	0
11	D	1	Total C 12 12	0
11	E	1	Total C 12 12	0
11	E	1	Total C 12 12	0
11	E	1	Total C 12 12	0
11	E	1	Total C 12 12	0

- Molecule 12 is N-OCTANE (CCD ID: OCT) (formula: C₈H₁₈).




Mol	Chain	Residues	Atoms	AltConf
12	A	1	Total C 8 8	0
12	A	1	Total C 8 8	0
12	A	1	Total C 8 8	0
12	A	1	Total C 8 8	0
12	C	1	Total C 8 8	0
12	C	1	Total C 8 8	0
12	C	1	Total C 8 8	0
12	C	1	Total C 8 8	0
12	D	1	Total C 8 8	0
12	D	1	Total C 8 8	0
12	D	1	Total C 8 8	0
12	D	1	Total C 8 8	0
12	E	1	Total C 8 8	0
12	E	1	Total C 8 8	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
12	E	1	Total	C	0
			8	8	
12	E	1	Total	C	0
			8	8	
12	E	1	Total	C	0
			8	8	

- Molecule 13 is (2S)-3-(hexadecanoyloxy)-2-[(9Z)-octadec-9-enoyloxy]propyl 2-(trimethylammonio)ethyl phosphate (CCD ID: POV) (formula: C₄₂H₈₂NO₈P).




Mol	Chain	Residues	Atoms					AltConf
13	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
13	B	1	Total	C	N	O	P	0
			52	42	1	8	1	
13	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
13	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
13	E	1	Total	C	N	O	P	0
			52	42	1	8	1	

- Molecule 14 is GAMMA-AMINO-BUTANOIC ACID (CCD ID: ABU) (formula: C₄H₉NO₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
14	C	1	Total	C	N	O	0
			7	4	1	2	
14	E	1	Total	C	N	O	0
			7	4	1	2	

- Molecule 15 is Zolpidem (CCD ID: R5R) (formula: $C_{19}H_{21}N_3O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
15	C	1	Total	C	N	O	0
			23	19	3	1	

- Molecule 16 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
16	D	1	14	8	1	5	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gamma-aminobutyric acid receptor subunit alpha-1




- Molecule 1: Gamma-aminobutyric acid receptor subunit alpha-1




- Molecule 2: Gamma-aminobutyric acid receptor subunit beta-2







- Molecule 4: Heavy Chain of 8E3 Fab



- Molecule 5: Light Chain of 8E3 Fab



- Molecule 5: Light Chain of 8E3 Fab




- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose






- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	124019	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2100	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OCT, ABU, PIO, BMA, POV, NAG, D12, R5R, Y4B, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.14	0/2874	0.29	0/3904
1	C	0.15	0/2874	0.30	0/3904
2	B	0.15	0/2796	0.33	0/3806
2	E	0.15	0/2797	0.32	0/3807
3	D	0.15	0/2676	0.31	0/3646
4	H	0.11	0/946	0.27	0/1284
4	J	0.11	0/946	0.29	0/1284
5	K	0.11	0/815	0.25	0/1108
5	L	0.11	0/811	0.32	0/1103
All	All	0.14	0/17535	0.30	0/23846

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2803	0	2782	38	0
1	C	2803	0	2782	37	0
2	B	2725	0	2729	34	0
2	E	2726	0	2728	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	2605	0	2581	44	0
4	H	920	0	863	7	0
4	J	920	0	863	9	0
5	K	796	0	756	10	0
5	L	792	0	750	5	0
6	O	39	0	34	0	0
7	F	61	0	52	0	0
7	G	61	0	52	4	0
7	M	61	0	52	2	0
7	R	61	0	52	2	0
7	U	61	0	52	0	0
8	I	83	0	70	1	0
9	A	23	0	0	1	0
9	C	23	0	0	0	0
10	A	47	0	44	2	0
10	C	47	0	44	0	0
11	A	24	0	52	0	0
11	B	84	0	182	2	0
11	C	24	0	52	0	0
11	D	24	0	52	0	0
11	E	48	0	104	0	0
12	A	32	0	72	1	0
12	C	32	0	72	1	0
12	D	32	0	72	0	0
12	E	40	0	90	0	0
13	A	52	0	82	1	0
13	B	52	0	82	0	0
13	C	104	0	164	4	0
13	E	52	0	82	6	0
14	C	7	0	0	1	0
14	E	7	0	0	0	0
15	C	23	0	0	0	0
16	D	14	0	13	0	0
All	All	18308	0	18457	211	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 211 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:85:LEU:HD13	1:C:89:MET:HG3	1.69	0.75
2:E:213:LYS:HB2	7:G:1:NAG:H82	1.74	0.68
2:B:43:ASP:HB2	2:B:62:TYR:HB2	1.76	0.68
2:B:146:ASP:OD2	2:B:148:GLN:NE2	2.27	0.67
1:C:404:GLY:HA3	13:C:511:POV:H313	1.76	0.67

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	342/455 (75%)	336 (98%)	6 (2%)	0	100	100
1	C	342/455 (75%)	337 (98%)	5 (2%)	0	100	100
2	B	329/512 (64%)	321 (98%)	8 (2%)	0	100	100
2	E	329/512 (64%)	321 (98%)	8 (2%)	0	100	100
3	D	314/474 (66%)	306 (98%)	8 (2%)	0	100	100
4	H	115/223 (52%)	111 (96%)	4 (4%)	0	100	100
4	J	115/223 (52%)	113 (98%)	2 (2%)	0	100	100
5	K	103/213 (48%)	99 (96%)	4 (4%)	0	100	100
5	L	103/213 (48%)	99 (96%)	4 (4%)	0	100	100
All	All	2092/3280 (64%)	2043 (98%)	49 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/404 (76%)	304 (99%)	4 (1%)	61	81
1	C	308/404 (76%)	295 (96%)	13 (4%)	26	52
2	B	303/457 (66%)	295 (97%)	8 (3%)	40	68
2	E	303/457 (66%)	296 (98%)	7 (2%)	44	71
3	D	292/436 (67%)	288 (99%)	4 (1%)	59	80
4	H	98/195 (50%)	98 (100%)	0	100	100
4	J	98/195 (50%)	95 (97%)	3 (3%)	35	62
5	K	83/188 (44%)	81 (98%)	2 (2%)	43	70
5	L	82/188 (44%)	81 (99%)	1 (1%)	63	82
All	All	1875/2924 (64%)	1833 (98%)	42 (2%)	45	72

5 of 42 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	D	274	LEU
2	E	487	VAL
2	E	27	LEU
2	E	259	LEU
4	J	96	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
2	E	224	GLN
2	E	265	ASN
5	L	6	GLN
4	H	5	GLN
3	D	80	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

35 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	F	1	7,2	14,14,15	0.26	0	17,19,21	0.45	0
7	NAG	F	2	7	14,14,15	0.20	0	17,19,21	0.45	0
7	BMA	F	3	7	11,11,12	0.61	0	15,15,17	0.72	0
7	MAN	F	4	7	11,11,12	0.93	2 (18%)	15,15,17	1.48	2 (13%)
7	MAN	F	5	7	11,11,12	0.61	0	15,15,17	1.02	2 (13%)
7	NAG	G	1	7,2	14,14,15	0.40	0	17,19,21	0.43	0
7	NAG	G	2	7	14,14,15	0.45	0	17,19,21	1.35	2 (11%)
7	BMA	G	3	7	11,11,12	0.99	0	15,15,17	1.01	1 (6%)
7	MAN	G	4	7	11,11,12	0.82	1 (9%)	15,15,17	1.11	2 (13%)
7	MAN	G	5	7	11,11,12	0.79	0	15,15,17	1.16	2 (13%)
8	NAG	I	1	1,8	14,14,15	0.28	0	17,19,21	0.55	0
8	NAG	I	2	8	14,14,15	0.41	0	17,19,21	1.33	2 (11%)
8	BMA	I	3	8	11,11,12	0.52	0	15,15,17	0.81	0
8	MAN	I	4	8	11,11,12	0.50	0	15,15,17	1.02	2 (13%)
8	MAN	I	5	8	11,11,12	0.48	0	15,15,17	0.97	2 (13%)
8	MAN	I	6	8	11,11,12	0.60	0	15,15,17	0.95	2 (13%)
8	MAN	I	7	8	11,11,12	0.54	0	15,15,17	1.16	2 (13%)
7	NAG	M	1	7,2	14,14,15	0.43	0	17,19,21	0.55	0
7	NAG	M	2	7	14,14,15	0.45	0	17,19,21	1.36	1 (5%)
7	BMA	M	3	7	11,11,12	0.70	0	15,15,17	0.92	1 (6%)
7	MAN	M	4	7	11,11,12	0.89	1 (9%)	15,15,17	1.22	2 (13%)
7	MAN	M	5	7	11,11,12	0.66	0	15,15,17	0.91	1 (6%)
6	NAG	O	1	3,6	14,14,15	0.43	0	17,19,21	0.53	0
6	NAG	O	2	6	14,14,15	0.25	0	17,19,21	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	BMA	O	3	6	11,11,12	0.59	0	15,15,17	0.63	0
7	NAG	R	1	7,2	14,14,15	0.36	0	17,19,21	0.56	0
7	NAG	R	2	7	14,14,15	0.47	0	17,19,21	1.40	2 (11%)
7	BMA	R	3	7	11,11,12	0.86	1 (9%)	15,15,17	0.91	1 (6%)
7	MAN	R	4	7	11,11,12	0.65	0	15,15,17	1.08	2 (13%)
7	MAN	R	5	7	11,11,12	0.64	0	15,15,17	1.05	2 (13%)
7	NAG	U	1	7,1	14,14,15	0.38	0	17,19,21	0.55	0
7	NAG	U	2	7	14,14,15	0.21	0	17,19,21	0.68	0
7	BMA	U	3	7	11,11,12	0.55	0	15,15,17	0.73	0
7	MAN	U	4	7	11,11,12	0.69	0	15,15,17	0.92	1 (6%)
7	MAN	U	5	7	11,11,12	0.59	0	15,15,17	1.00	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	F	1	7,2	-	4/6/23/26	0/1/1/1
7	NAG	F	2	7	-	2/6/23/26	0/1/1/1
7	BMA	F	3	7	-	2/2/19/22	0/1/1/1
7	MAN	F	4	7	-	1/2/19/22	1/1/1/1
7	MAN	F	5	7	-	1/2/19/22	0/1/1/1
7	NAG	G	1	7,2	-	2/6/23/26	0/1/1/1
7	NAG	G	2	7	-	6/6/23/26	0/1/1/1
7	BMA	G	3	7	-	0/2/19/22	0/1/1/1
7	MAN	G	4	7	-	2/2/19/22	1/1/1/1
7	MAN	G	5	7	-	0/2/19/22	1/1/1/1
8	NAG	I	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	I	2	8	-	4/6/23/26	0/1/1/1
8	BMA	I	3	8	-	2/2/19/22	0/1/1/1
8	MAN	I	4	8	-	1/2/19/22	0/1/1/1
8	MAN	I	5	8	-	1/2/19/22	0/1/1/1
8	MAN	I	6	8	-	0/2/19/22	0/1/1/1
8	MAN	I	7	8	-	0/2/19/22	0/1/1/1
7	NAG	M	1	7,2	-	2/6/23/26	0/1/1/1
7	NAG	M	2	7	-	6/6/23/26	0/1/1/1
7	BMA	M	3	7	-	0/2/19/22	0/1/1/1
7	MAN	M	4	7	-	0/2/19/22	1/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	M	5	7	-	1/2/19/22	0/1/1/1
6	NAG	O	1	3,6	-	2/6/23/26	0/1/1/1
6	NAG	O	2	6	-	0/6/23/26	0/1/1/1
6	BMA	O	3	6	-	0/2/19/22	0/1/1/1
7	NAG	R	1	7,2	-	2/6/23/26	0/1/1/1
7	NAG	R	2	7	-	5/6/23/26	0/1/1/1
7	BMA	R	3	7	-	1/2/19/22	0/1/1/1
7	MAN	R	4	7	-	0/2/19/22	0/1/1/1
7	MAN	R	5	7	-	0/2/19/22	0/1/1/1
7	NAG	U	1	7,1	-	4/6/23/26	0/1/1/1
7	NAG	U	2	7	-	2/6/23/26	0/1/1/1
7	BMA	U	3	7	-	0/2/19/22	0/1/1/1
7	MAN	U	4	7	-	1/2/19/22	0/1/1/1
7	MAN	U	5	7	-	0/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	R	3	BMA	C1-C2	2.34	1.57	1.52
7	F	4	MAN	C1-C2	2.18	1.57	1.52
7	M	4	MAN	C1-C2	2.17	1.57	1.52
7	F	4	MAN	O5-C5	2.04	1.47	1.43
7	G	4	MAN	C1-C2	2.00	1.57	1.52

The worst 5 of 36 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	F	4	MAN	C1-O5-C5	4.75	118.56	112.19
7	R	2	NAG	C2-N2-C7	4.63	129.11	122.90
8	I	2	NAG	C2-N2-C7	4.58	129.04	122.90
7	M	2	NAG	C2-N2-C7	4.57	129.03	122.90
7	G	2	NAG	C2-N2-C7	4.54	128.99	122.90

There are no chirality outliers.

5 of 56 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	F	3	BMA	C4-C5-C6-O6
7	F	2	NAG	C4-C5-C6-O6
7	U	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	G	1	NAG	O5-C5-C6-O6
7	F	3	BMA	O5-C5-C6-O6



All (4) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	F	4	MAN	C1-C2-C3-C4-C5-O5
7	G	4	MAN	C1-C2-C3-C4-C5-O5
7	G	5	MAN	C1-C2-C3-C4-C5-O5
7	M	4	MAN	C1-C2-C3-C4-C5-O5


9 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	M	2	NAG	2	0
7	M	1	NAG	1	0
7	G	3	BMA	2	0
7	G	4	MAN	2	0
8	I	2	NAG	1	0
7	G	1	NAG	1	0
7	R	1	NAG	1	0
7	R	2	NAG	1	0
7	G	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

47 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	OCT	D	504	-	7,7,7	0.25	0	6,6,6	0.18	0
11	D12	B	503	-	11,11,11	0.21	0	10,10,10	0.26	0
11	D12	B	505	-	11,11,11	0.24	0	10,10,10	0.19	0
11	D12	E	511	-	11,11,11	0.22	0	10,10,10	0.21	0
13	POV	C	512	-	51,51,51	1.16	5 (9%)	57,59,59	1.08	2 (3%)
12	OCT	E	507	-	7,7,7	0.25	0	6,6,6	0.18	0
12	OCT	C	510	-	7,7,7	0.24	0	6,6,6	0.17	0
12	OCT	D	507	-	7,7,7	0.25	0	6,6,6	0.17	0
12	OCT	C	506	-	7,7,7	0.25	0	6,6,6	0.18	0
11	D12	B	501	-	11,11,11	0.24	0	10,10,10	0.21	0
12	OCT	E	503	-	7,7,7	0.25	0	6,6,6	0.18	0
11	D12	C	509	-	11,11,11	0.23	0	10,10,10	0.18	0
15	R5R	C	502	-	25,25,25	3.14	6 (24%)	33,36,36	3.27	9 (27%)
12	OCT	D	503	-	7,7,7	0.25	0	6,6,6	0.17	0
11	D12	E	508	-	11,11,11	0.22	0	10,10,10	0.21	0
13	POV	C	511	-	51,51,51	1.18	5 (9%)	57,59,59	1.14	3 (5%)
12	OCT	E	506	-	7,7,7	0.24	0	6,6,6	0.20	0
11	D12	C	508	-	11,11,11	0.24	0	10,10,10	0.19	0
12	OCT	A	506	-	7,7,7	0.25	0	6,6,6	0.16	0
11	D12	D	506	-	11,11,11	0.23	0	10,10,10	0.20	0
12	OCT	A	507	-	7,7,7	0.25	0	6,6,6	0.16	0
11	D12	B	504	-	11,11,11	0.23	0	10,10,10	0.26	0
16	NAG	D	501	3	14,14,15	0.24	0	17,19,21	0.42	0
10	PIO	C	503	-	47,47,47	1.40	10 (21%)	62,65,65	1.24	7 (11%)
12	OCT	D	502	-	7,7,7	0.24	0	6,6,6	0.17	0
13	POV	E	510	-	51,51,51	1.18	5 (9%)	57,59,59	1.15	4 (7%)
11	D12	A	503	-	11,11,11	0.22	0	10,10,10	0.21	0
11	D12	B	507	-	11,11,11	0.23	0	10,10,10	0.19	0
12	OCT	E	509	-	7,7,7	0.26	0	6,6,6	0.16	0
13	POV	A	509	-	51,51,51	1.14	6 (11%)	57,59,59	1.07	3 (5%)
14	ABU	E	501	-	6,6,6	0.88	0	6,6,6	1.40	0
14	ABU	C	501	-	6,6,6	0.95	0	6,6,6	1.26	1 (16%)
11	D12	E	504	-	11,11,11	0.23	0	10,10,10	0.21	0
11	D12	E	502	-	11,11,11	0.22	0	10,10,10	0.21	0
12	OCT	C	507	-	7,7,7	0.23	0	6,6,6	0.20	0
12	OCT	A	508	-	7,7,7	0.25	0	6,6,6	0.18	0
11	D12	B	502	-	11,11,11	0.22	0	10,10,10	0.23	0
12	OCT	E	505	-	7,7,7	0.24	0	6,6,6	0.19	0
13	POV	B	508	-	51,51,51	1.15	5 (9%)	57,59,59	1.11	3 (5%)
9	Y4B	A	501	-	26,26,26	1.40	4 (15%)	42,42,42	2.33	18 (42%)
11	D12	A	504	-	11,11,11	0.24	0	10,10,10	0.18	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	PIO	A	502	-	47,47,47	1.43	11 (23%)	62,65,65	1.37	9 (14%)
12	OCT	C	505	-	7,7,7	0.24	0	6,6,6	0.18	0
11	D12	D	505	-	11,11,11	0.24	0	10,10,10	0.18	0
12	OCT	A	505	-	7,7,7	0.25	0	6,6,6	0.19	0
9	Y4B	C	504	-	26,26,26	1.45	3 (11%)	42,42,42	2.35	18 (42%)
11	D12	B	506	-	11,11,11	0.24	0	10,10,10	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	OCT	D	504	-	-	2/5/5/5	-
11	D12	B	503	-	-	1/9/9/9	-
11	D12	B	505	-	-	2/9/9/9	-
11	D12	E	511	-	-	2/9/9/9	-
13	POV	C	512	-	-	21/55/55/55	-
12	OCT	E	507	-	-	0/5/5/5	-
12	OCT	C	510	-	-	1/5/5/5	-
12	OCT	D	507	-	-	1/5/5/5	-
12	OCT	C	506	-	-	1/5/5/5	-
11	D12	B	501	-	-	2/9/9/9	-
12	OCT	E	503	-	-	1/5/5/5	-
11	D12	C	509	-	-	3/9/9/9	-
15	R5R	C	502	-	-	6/12/12/12	0/3/3/3
12	OCT	D	503	-	-	4/5/5/5	-
11	D12	E	508	-	-	1/9/9/9	-
13	POV	C	511	-	-	24/55/55/55	-
12	OCT	E	506	-	-	1/5/5/5	-
11	D12	C	508	-	-	4/9/9/9	-
12	OCT	A	506	-	-	1/5/5/5	-
11	D12	D	506	-	-	1/9/9/9	-
12	OCT	A	507	-	-	3/5/5/5	-
11	D12	B	504	-	-	0/9/9/9	-
16	NAG	D	501	3	-	4/6/23/26	0/1/1/1
10	PIO	C	503	-	-	13/44/68/68	0/1/1/1
12	OCT	D	502	-	-	1/5/5/5	-
13	POV	E	510	-	-	24/55/55/55	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	D12	A	503	-	-	3/9/9/9	-
11	D12	B	507	-	-	3/9/9/9	-
12	OCT	E	509	-	-	0/5/5/5	-
13	POV	A	509	-	-	28/55/55/55	-
14	ABU	E	501	-	-	2/4/4/4	-
14	ABU	C	501	-	-	3/4/4/4	-
11	D12	E	504	-	-	2/9/9/9	-
11	D12	E	502	-	-	4/9/9/9	-
12	OCT	C	507	-	-	1/5/5/5	-
12	OCT	A	508	-	-	1/5/5/5	-
11	D12	B	502	-	-	4/9/9/9	-
12	OCT	E	505	-	-	2/5/5/5	-
13	POV	B	508	-	-	24/55/55/55	-
9	Y4B	A	501	-	-	0/4/62/62	0/4/4/4
11	D12	A	504	-	-	3/9/9/9	-
10	PIO	A	502	-	-	15/44/68/68	0/1/1/1
12	OCT	C	505	-	-	1/5/5/5	-
11	D12	D	505	-	-	1/9/9/9	-
12	OCT	A	505	-	-	1/5/5/5	-
9	Y4B	C	504	-	-	0/4/62/62	0/4/4/4
11	D12	B	506	-	-	0/9/9/9	-

The worst 5 of 60 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	C	502	R5R	C19-N21	9.15	1.45	1.34
15	C	502	R5R	C09-N10	-9.05	1.24	1.39
15	C	502	R5R	C15-N10	-6.52	1.30	1.39
13	E	510	POV	C29-C210	4.09	1.54	1.31
9	C	504	Y4B	C07-C03	4.03	1.63	1.56

The worst 5 of 77 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	C	502	R5R	C09-N10-C15	15.18	116.48	107.09
15	C	502	R5R	N10-C15-N16	-5.79	106.03	111.26
9	C	504	Y4B	C10-C06-C12	5.09	122.22	116.11
9	A	501	Y4B	C10-C06-C12	4.60	121.63	116.11
9	A	501	Y4B	C07-C03-C04	4.47	116.97	112.43

There are no chirality outliers.

5 of 222 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
10	A	502	PIO	C2-C1-O1-P1
10	A	502	PIO	C1C-O13-P1-O1
10	A	502	PIO	C1C-O13-P1-O12
10	A	502	PIO	O2C-C2C-C3C-O3C
10	C	503	PIO	C1C-O13-P1-O1




There are no ring outliers.



11 monomers are involved in 17 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	503	D12	1	0
13	C	512	POV	2	0
13	C	511	POV	2	0
12	A	506	OCT	1	0
13	E	510	POV	6	0
13	A	509	POV	1	0
14	C	501	ABU	1	0
11	B	502	D12	1	0
9	A	501	Y4B	1	0
10	A	502	PIO	2	0
12	C	505	OCT	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-29727. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

This section was not generated.

6.2 Central slices

This section was not generated.

6.3 Largest variance slices

This section was not generated.

6.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

6.5 Orthogonal surface views

This section was not generated.

6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis ⓘ

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution ⓘ

This section was not generated.

7.2 Volume estimate versus contour level ⓘ

This section was not generated.

7.3 Rotationally averaged power spectrum ⓘ

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit

This section was not generated.