



Full wwPDB EM Validation Report ⓘ

Mar 24, 2026 – 04:08 PM UTC

PDB ID : 8G4O / pdb_00008g4o
EMDB ID : EMD-29728
Title : Native GABA-A receptor from the mouse brain, alpha1-beta2-gamma2 subtype, in complex with didesethylflurazepam and endogenous GABA
Authors : Sun, C.; Gouaux, E.
Deposited on : 2023-02-10
Resolution : 3.06 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13976 (2.56 - 3.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	
1	C	455	
2	B	512	
2	E	512	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	474	
4	H	223	
4	J	223	
5	K	213	
5	L	213	
6	F	7	
7	G	5	
7	I	5	
7	M	5	
7	O	5	
7	P	5	
8	N	3	

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 17353 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gamma-aminobutyric acid receptor subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	333	Total	C	N	O	S	0	0
			2695	1742	451	486	16		
1	C	333	Total	C	N	O	S	0	0
			2695	1742	451	486	16		

- Molecule 2 is a protein called Gamma-aminobutyric acid receptor subunit beta-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	333	Total	C	N	O	S	0	0
			2725	1787	436	486	16		
2	E	333	Total	C	N	O	S	0	0
			2727	1787	437	487	16		

- Molecule 3 is a protein called Gamma-aminobutyric acid receptor subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	318	Total	C	N	O	S	0	0
			2605	1698	428	465	14		

- Molecule 4 is a protein called Heavy Chain of 8E3 Fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	117	Total	C	N	O	S	0	0
			920	587	152	177	4		
4	J	117	Total	C	N	O	S	0	0
			920	587	152	177	4		

- Molecule 5 is a protein called Light Chain of 8E3 Fab.


Mol	Chain	Residues	Atoms					AltConf	Trace
5	K	105	Total	C	N	O	S	0	0
			796	505	132	155	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	Trace
5	L	105	Total	C	N	O	S	0	0
			792	503	131	154	4		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	F	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
7	G	5	Total	C	N	O	0	0
			61	34	2	25		
7	I	5	Total	C	N	O	0	0
			61	34	2	25		
7	M	5	Total	C	N	O	0	0
			61	34	2	25		
7	O	5	Total	C	N	O	0	0
			61	34	2	25		
7	P	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
8	N	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 9 is GAMMA-AMINO-BUTANOIC ACID (CCD ID: ABU) (formula: C₄H₉NO₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
9	A	1	Total	C	N	O	0
			7	4	1	2	
9	B	1	Total	C	N	O	0
			7	4	1	2	

- Molecule 10 is (5M)-1-(2-aminoethyl)-7-chloro-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one (CCD ID: YNL) (formula: C₁₇H₁₅ClFN₃O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
10	C	1	Total	C	Cl	F	N	O	0
			23	17	1	1	3	1	


- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
11	D	1	Total	C	N	O	0
			14	8	1	5	



• Molecule 2: Gamma-aminobutyric acid receptor subunit beta-2



• Molecule 2: Gamma-aminobutyric acid receptor subunit beta-2





THR
CYS
SER
VAL
ALA
HIS
PRO
ALA
SER
SER
THR
THR
VAL
ASP
LYS
LYS
SER
SER
ALA
ALA
LEU
LEU
VAL
PHE
GLN

• Molecule 5: Light Chain of 8E3 Fab

Chain K:  40% 8% 51%




SER
VAL
VAL
CYS
CYS
PHE
LEU
ASN
ASN
PHE
TYR
TYR
SER
PRO
LYS
ASP
ILE
ASN
VAL
VAL
LYS
TRP
LYS
ILE
ASP
GLY
SER
GLU
ARG
GLN
ASN
GLY
VAL
LEU
ASN
SER
TRP
THR
ASP
GLN
ASP
SER
LYS
ALA
ASP
SER
ALA
ALA
TYR
SER
MET
VAL
SER
SER
SER
ILE
THR
LEU
THR
PRO
THR
LEU
SER
SER
LYS
GLU
ASP
TYR
GLY
THR
GLN
TYR
ARG
HIS
ASN

SER
THR
THR
GLU
THR
ALA
HIS
THR
SER
THR
SER
THR
SER
PRO
ILE
VAL
VAL
SER
SER
PHE
LYS
ASN
ASN
ARG
ASN
GLU
CYS

• Molecule 5: Light Chain of 8E3 Fab

Chain L:  45% 51%



ILE
ASN
VAL
LYS
TRP
LYS
ILE
ASP
GLY
SER
SER
GLU
ARG
GLN
ASN
ASN
VAL
VAL
LEU
SER
ASN
TRP
THR
ASP
GLN
ASP
SER
LYS
ASP
SER
SER
THR
TYR
SER
MET
SER
SER
SER
THR
PHE
LEU
THR
LEU
THR
LEU
THR
SER
ASP
GLU
GLN
LEU
THR
TYR
ARG
HIS
ASN
SER
TYR
THR
CYS
GLU
THR
ALA
THR
HIS
LYS
THR
SER
THR
SER


PRO
ILE
VAL
LYS
SER
PHE
ASN
ARG
ASN
GLU
CYS


• Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  29% 57% 14%


MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7


• Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  20% 60% 60% 20%




• Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 




- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M: 



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O: 




- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	260779	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.451	Depositor
Minimum map value	-0.169	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.08	Depositor
Map size (Å)	298.8, 298.8, 298.8	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, YNL, MAN, ABU, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/2762	0.28	0/3754
1	C	0.17	0/2762	0.29	2/3754 (0.1%)
2	B	0.17	0/2796	0.30	0/3806
2	E	0.16	0/2798	0.31	0/3807
3	D	0.17	0/2676	0.31	0/3646
4	H	0.14	0/946	0.24	0/1284
4	J	0.15	0/946	0.24	0/1284
5	K	0.15	0/815	0.24	0/1108
5	L	0.16	0/811	0.27	0/1103
All	All	0.16	0/17312	0.29	2/23546 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	111	MET	CA-C-N	5.12	130.92	121.70
1	C	111	MET	C-N-CA	5.12	130.92	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2695	0	2682	39	0
1	C	2695	0	2682	41	0
2	B	2725	0	2729	37	0
2	E	2727	0	2728	40	0
3	D	2605	0	2581	35	0
4	H	920	0	863	11	0
4	J	920	0	863	15	0
5	K	796	0	756	11	0
5	L	792	0	750	4	0
6	F	83	0	70	1	0
7	G	61	0	52	3	0
7	I	61	0	52	2	0
7	M	61	0	52	0	0
7	O	61	0	52	1	0
7	P	61	0	52	5	0
8	N	39	0	34	2	0
9	A	7	0	0	0	0
9	B	7	0	0	0	0
10	C	23	0	0	0	0
11	D	14	0	13	0	0
All	All	17353	0	17011	228	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (228) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:107:HIS:HE2	2:B:131:THR:HG1	0.96	0.90
7:P:3:BMA:O2	7:P:4:MAN:O5	1.97	0.81
2:B:51:SER:OG	2:B:56:ASP:OD1	2.00	0.80
2:E:280:ALA:O	2:E:482:TYR:OH	2.05	0.75
1:A:240:SER:O	1:A:243:SER:OG	2.04	0.75
1:C:189:GLN:N	1:C:189:GLN:OE1	2.20	0.75
7:I:2:NAG:O3	7:I:3:BMA:O2	2.05	0.73
2:B:146:ASP:OD2	2:B:148:GLN:NE2	2.21	0.73
1:C:145:PHE:O	1:C:284:ALA:HB2	1.88	0.73
2:B:142:ARG:NH2	2:B:486:TYR:O	2.22	0.72
2:E:226:TYR:OH	2:E:482:TYR:OH	2.06	0.72
4:J:38:LYS:NZ	4:J:46:GLU:OE1	2.22	0.72
3:D:209:THR:OG1	3:D:224:SER:OG	2.07	0.72
1:C:251:VAL:O	1:C:255:THR:HG23	1.89	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:52:GLU:N	2:B:52:GLU:OE1	2.23	0.71
1:C:271:SER:O	1:C:274:ASN:ND2	2.23	0.71
1:C:203:GLN:NE2	1:C:208:GLU:OE2	2.23	0.71
1:A:189:GLN:N	1:A:189:GLN:OE1	2.24	0.71
4:H:94:ARG:NH2	4:H:101:ASP:OD2	2.25	0.70
2:E:230:ILE:O	2:E:233:THR:OG1	2.07	0.70
1:C:93:ILE:HD11	1:C:118:LEU:HD11	1.73	0.69
1:C:240:SER:O	1:C:243:SER:OG	2.05	0.69
1:A:109:HIS:NE2	1:A:133:THR:OG1	2.25	0.69
2:E:233:THR:O	2:E:236:SER:OG	2.10	0.69
1:A:284:ALA:O	1:A:410:TYR:OH	2.12	0.68
1:C:173:GLU:OE1	1:C:173:GLU:N	2.26	0.68
1:C:190:TYR:OH	1:C:220:ARG:NH2	2.26	0.68
4:J:62:GLU:N	4:J:62:GLU:OE1	2.26	0.68
5:L:9:LYS:O	5:L:9:LYS:NZ	2.25	0.68
2:E:85:ASN:ND2	2:E:112:LYS:O	2.28	0.67
4:J:104:GLY:O	5:K:43:SER:OG	2.10	0.67
1:A:36:ARG:NH1	1:A:72:GLU:OE2	2.27	0.67
1:C:263:LEU:O	1:C:266:THR:OG1	2.12	0.66
5:K:104:GLU:OE1	5:K:105:ILE:HG22	1.95	0.66
1:C:206:THR:OG1	3:D:132:ARG:NH1	2.29	0.66
1:A:91:SER:O	2:B:86:ARG:NH1	2.29	0.66
2:E:147:GLU:OE2	2:E:213:LYS:NZ	2.24	0.65
1:A:121:THR:OG1	1:A:123:ASP:OD1	2.15	0.64
2:E:28:ARG:NH1	2:E:29:PRO:O	2.30	0.64
2:B:43:ASP:OD1	2:B:176:THR:OG1	2.14	0.63
1:A:222:ILE:HD13	1:A:226:VAL:HG23	1.81	0.63
1:C:258:GLY:O	1:C:261:THR:OG1	2.16	0.63
4:J:94:ARG:NH1	4:J:101:ASP:OD2	2.31	0.63
2:B:64:GLN:OE1	2:B:64:GLN:N	2.31	0.63
1:A:247:ASN:O	1:A:254:ARG:NE	2.29	0.63
3:D:28:THR:O	3:D:32:ASN:ND2	2.32	0.63
4:J:83:THR:O	4:J:111:VAL:HG11	1.99	0.62
1:C:198:ASP:OD1	1:C:199:SER:N	2.33	0.62
7:G:2:NAG:O3	7:G:3:BMA:O5	2.17	0.61
2:E:257:THR:O	2:E:260:THR:OG1	2.18	0.60
3:D:63:GLY:N	3:D:73:THR:O	2.34	0.60
3:D:35:LEU:HD11	3:D:102:MET:SD	2.42	0.60
3:D:45:ASP:OD1	3:D:85:ARG:NH1	2.34	0.60
2:E:52:GLU:OE1	2:E:52:GLU:N	2.33	0.59
2:B:275:ILE:HD13	2:B:277:TYR:CD1	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:ASP:OD1	1:A:221:LYS:NZ	2.28	0.59
1:C:163:ARG:NH2	1:C:208:GLU:OE1	2.36	0.59
2:E:262:THR:O	2:E:266:THR:HG23	2.03	0.59
1:A:130:MET:HE2	1:A:132:LEU:HD21	1.85	0.58
6:F:2:NAG:H3	6:F:2:NAG:H83	1.85	0.58
2:B:275:ILE:HD12	2:B:275:ILE:O	2.01	0.58
2:E:272:LEU:HD21	2:E:281:ILE:HG21	1.86	0.58
1:A:198:ASP:OD1	1:A:199:SER:N	2.36	0.58
1:A:163:ARG:NH2	1:A:208:GLU:OE1	2.37	0.57
4:J:20:VAL:HG21	4:J:107:THR:HG21	1.85	0.57
2:B:121:ASP:OD1	2:B:122:GLY:N	2.38	0.57
3:D:161:ASP:OD2	3:D:163:HIS:NE2	2.37	0.57
2:E:269:ARG:NH1	2:E:282:ASP:OD2	2.38	0.57
1:A:190:TYR:OH	1:A:220:ARG:NH1	2.37	0.56
7:I:2:NAG:H3	7:I:2:NAG:H83	1.86	0.56
3:D:211:GLU:N	3:D:211:GLU:OE1	2.39	0.56
8:N:2:NAG:O3	8:N:3:BMA:O5	2.22	0.55
1:A:255:THR:HG21	2:B:249:ALA:HB1	1.88	0.55
2:B:288:CYS:O	2:B:292:VAL:HG23	2.05	0.55
2:B:8:ASN:O	2:B:12:VAL:HG23	2.07	0.55
3:D:43:ARG:NH1	3:D:178:GLU:O	2.40	0.55
3:D:141:TYR:OH	3:D:143:LEU:HD13	2.05	0.55
4:J:90:TYR:O	4:J:107:THR:HG22	2.06	0.55
1:C:302:GLU:O	1:C:306:VAL:HG23	2.07	0.55
4:H:56:ASP:OD1	4:H:57:THR:N	2.40	0.55
1:C:123:ASP:OD1	1:C:124:GLY:N	2.40	0.54
1:C:49:PHE:CE1	1:C:187:LEU:HD21	2.43	0.54
3:D:417:PHE:O	3:D:420:THR:OG1	2.24	0.54
2:E:43:ASP:OD1	2:E:176:THR:OG1	2.14	0.54
3:D:74:ILE:HD13	3:D:167:LEU:HD11	1.89	0.53
1:A:278:LYS:NZ	2:B:220:TYR:OH	2.39	0.53
1:A:251:VAL:O	1:A:255:THR:HG23	2.09	0.53
2:B:85:ASN:O	2:B:114:ARG:NH2	2.41	0.53
1:C:262:VAL:O	1:C:266:THR:HG23	2.08	0.53
2:E:213:LYS:HB2	7:P:1:NAG:H82	1.90	0.53
1:C:109:HIS:NE2	1:C:133:THR:OG1	2.42	0.53
1:C:142:LEU:O	1:C:283:THR:HG22	2.09	0.53
2:B:268:LEU:HD23	2:B:268:LEU:O	2.08	0.53
2:E:254:GLY:O	2:E:257:THR:OG1	2.26	0.52
1:A:255:THR:HG22	1:A:303:PHE:HZ	1.74	0.52
2:E:223:LEU:HD12	2:E:224:GLN:N	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:388:VAL:O	1:C:389:SER:OG	2.23	0.52
3:D:89:PHE:O	3:D:135:ASN:ND2	2.42	0.52
5:K:20:THR:HG22	5:K:74:THR:HG22	1.91	0.52
1:A:203:GLN:NE2	1:A:208:GLU:OE2	2.42	0.52
3:D:122:HIS:NE2	3:D:146:THR:OG1	2.40	0.52
7:O:2:NAG:O3	7:O:3:BMA:O5	2.21	0.52
2:E:279:LYS:NZ	2:E:282:ASP:OD1	2.43	0.51
2:E:265:ASN:OD1	2:E:269:ARG:NE	2.43	0.51
3:D:233:MET:SD	3:D:233:MET:N	2.83	0.51
2:E:175:VAL:HG21	2:E:193:LEU:HD22	1.92	0.50
3:D:52:LEU:HD23	3:D:53:ILE:N	2.27	0.50
1:C:246:LEU:O	1:C:254:ARG:NH1	2.44	0.50
4:H:83:THR:C	4:H:111:VAL:HG11	2.36	0.50
3:D:270:ILE:HD13	2:E:253:LEU:CD1	2.42	0.50
1:A:258:GLY:O	1:A:261:THR:OG1	2.27	0.49
4:J:44:SER:OG	5:K:98:GLY:O	2.25	0.49
1:A:118:LEU:HD23	1:A:128:TYR:HD1	1.77	0.49
2:B:74:TYR:OH	2:B:118:LEU:O	2.25	0.49
1:C:147:MET:SD	1:C:147:MET:N	2.86	0.49
7:G:2:NAG:C1	7:G:2:NAG:H82	2.42	0.49
7:P:2:NAG:H3	7:P:2:NAG:H83	1.95	0.49
5:K:2:ILE:HD12	5:K:27:GLU:HB2	1.95	0.49
2:B:470:PHE:O	2:B:474:VAL:HG22	2.13	0.48
2:B:271:THR:O	2:B:272:LEU:HD23	2.13	0.48
4:H:20:VAL:HG21	4:H:107:THR:HG21	1.95	0.48
4:H:41:HIS:O	4:H:41:HIS:ND1	2.47	0.48
4:H:8:GLY:O	4:H:107:THR:HG23	2.14	0.48
5:L:81:GLU:OE1	5:L:81:GLU:N	2.44	0.48
1:A:262:VAL:HG11	2:B:235:LEU:HD11	1.96	0.48
1:C:93:ILE:HD12	1:C:94:TRP:O	2.14	0.48
2:B:275:ILE:HD13	2:B:277:TYR:CE1	2.49	0.47
2:B:254:GLY:O	2:B:257:THR:OG1	2.27	0.47
3:D:293:VAL:HG13	3:D:293:VAL:O	2.15	0.47
5:K:41:GLU:O	5:K:42:GLN:NE2	2.48	0.47
2:B:84:ASP:OD1	2:B:85:ASN:N	2.48	0.47
3:D:185:ARG:NH2	8:N:2:NAG:O5	2.48	0.47
1:C:48:SER:OG	1:C:186:ARG:NE	2.49	0.47
1:C:167:VAL:HA	1:C:210:VAL:HG11	1.97	0.46
4:J:83:THR:OG1	4:J:84:SER:N	2.49	0.46
4:J:87:SER:HB3	4:J:111:VAL:HG12	1.97	0.46
2:E:143:TYR:O	2:E:280:ALA:HB3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:LEU:HD23	1:A:128:TYR:CD1	2.50	0.46
1:C:148:ASP:OD1	1:C:148:ASP:N	2.49	0.46
4:J:16:THR:O	4:J:82(C):LEU:HD13	2.16	0.46
5:K:48:ILE:HG23	5:K:53:ASN:O	2.16	0.46
3:D:120:ASP:N	3:D:120:ASP:OD1	2.48	0.46
5:L:83:LEU:HD12	5:L:83:LEU:O	2.15	0.46
4:H:96:ARG:NH1	4:H:97:ASN:OD1	2.49	0.46
5:K:8:PRO:O	5:K:101:THR:OG1	2.26	0.46
1:A:102:ASN:O	1:A:137:GLU:N	2.48	0.45
1:A:190:TYR:O	1:A:221:LYS:NZ	2.49	0.45
2:E:74:TYR:OH	2:E:118:LEU:O	2.31	0.45
2:E:130:ILE:CG2	2:E:132:THR:HG23	2.46	0.45
4:H:60:ASN:OD1	4:H:61:ARG:N	2.49	0.45
2:B:262:THR:HG21	1:C:264:THR:HG23	1.98	0.45
2:E:146:ASP:OD1	2:E:146:ASP:N	2.49	0.45
2:E:171:ASP:OD1	2:E:172:ASP:N	2.47	0.45
1:A:131:ARG:O	1:A:132:LEU:HD23	2.17	0.45
2:E:268:LEU:HD11	2:E:272:LEU:HD22	1.98	0.45
1:A:102:ASN:OD1	1:A:102:ASN:N	2.49	0.44
1:A:222:ILE:CD1	1:A:226:VAL:HG23	2.45	0.44
1:C:165:GLU:OE2	3:D:97:ARG:NH1	2.47	0.44
2:E:121:ASP:OD1	2:E:122:GLY:N	2.50	0.44
4:J:6:GLN:O	4:J:105:GLN:NE2	2.50	0.44
1:C:49:PHE:CD1	1:C:187:LEU:HD21	2.52	0.44
3:D:234:GLY:O	3:D:237:THR:OG1	2.29	0.44
5:K:81:GLU:N	5:K:81:GLU:OE1	2.51	0.44
4:J:38:LYS:O	4:J:46:GLU:N	2.48	0.44
2:B:12:VAL:HG22	2:B:77:ILE:HG12	2.00	0.44
3:D:233:MET:O	3:D:237:THR:HG23	2.18	0.44
2:B:164:ILE:HG23	2:B:206:PRO:HG3	2.00	0.44
2:E:104:SER:CB	2:E:132:THR:HG22	2.47	0.44
3:D:256:TRP:O	3:D:258:ASN:ND2	2.51	0.44
3:D:273:VAL:O	3:D:277:THR:HG23	2.18	0.44
2:B:41:ASN:N	2:B:41:ASN:OD1	2.51	0.44
2:B:221:PHE:O	2:B:225:THR:OG1	2.22	0.44
2:E:106:VAL:HG21	2:E:112:LYS:HE3	1.99	0.44
7:P:3:BMA:HO2	7:P:4:MAN:C1	2.19	0.43
1:C:52:VAL:HG23	1:C:187:LEU:CD2	2.48	0.43
4:H:37:VAL:HG11	4:H:103:TRP:HZ3	1.82	0.43
4:H:48:ILE:HG21	4:H:80:MET:HE3	2.00	0.43
2:B:77:ILE:N	2:B:77:ILE:HD12	2.34	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:192:LYS:C	2:E:193:LEU:HD23	2.43	0.43
3:D:298:LEU:O	3:D:302:VAL:HG23	2.18	0.43
2:E:47:ILE:HD12	2:E:188:ILE:HD11	1.99	0.43
4:J:13:LYS:O	4:J:16:THR:HG22	2.19	0.43
2:B:99:LEU:O	1:C:131:ARG:NH2	2.52	0.43
1:C:266:THR:HG21	3:D:275:THR:OG1	2.19	0.43
3:D:106:ILE:HD11	3:D:131:LEU:HD11	2.00	0.43
1:A:407:ASN:OD1	1:A:411:TRP:NE1	2.51	0.43
1:C:227:ILE:HA	1:C:231:LEU:HD12	2.01	0.43
1:A:80:MET:SD	1:A:80:MET:N	2.80	0.42
3:D:70:MET:HA	3:D:153:LEU:HD12	2.01	0.42
2:E:142:ARG:NH1	2:E:488:ASN:OXT	2.49	0.42
7:G:2:NAG:C1	7:G:2:NAG:C8	2.97	0.42
1:A:255:THR:HG22	1:A:303:PHE:CZ	2.52	0.42
1:C:264:THR:O	1:C:267:THR:OG1	2.27	0.42
3:D:267:SER:O	3:D:271:THR:OG1	2.29	0.42
4:J:38:LYS:HB2	4:J:48:ILE:HD11	2.01	0.42
1:C:39:GLU:OE1	1:C:39:GLU:N	2.53	0.42
1:C:43:ASP:HB2	1:C:171:THR:HG22	2.01	0.42
3:D:270:ILE:O	3:D:273:VAL:HG22	2.19	0.42
2:E:104:SER:HB3	2:E:132:THR:HG22	2.02	0.42
1:A:106:SER:OG	2:B:109:VAL:HG22	2.20	0.42
1:A:248:ARG:NH1	1:A:388:VAL:HG23	2.34	0.42
2:E:281:ILE:HG23	2:E:282:ASP:N	2.34	0.42
2:E:153:GLU:OE1	2:E:207:ARG:NH1	2.53	0.42
4:H:89:VAL:HG22	4:H:108:PRO:HA	2.01	0.42
5:K:105:ILE:HG23	5:K:105:ILE:O	2.20	0.42
1:C:118:LEU:HD12	1:C:128:TYR:HD1	1.83	0.41
1:A:237:VAL:HG11	1:A:403:PHE:CE1	2.55	0.41
3:D:291:SER:N	2:E:184:PRO:O	2.52	0.41
1:C:53:SER:N	1:C:58:GLU:O	2.53	0.41
1:A:297:PHE:CD1	2:B:231:LEU:HD21	2.56	0.41
2:E:107:HIS:NE2	2:E:131:THR:OG1	2.40	0.41
1:A:257:PHE:O	1:A:261:THR:HG23	2.20	0.41
2:B:286:MET:O	2:B:290:VAL:HG22	2.21	0.41
3:D:274:LEU:O	3:D:277:THR:OG1	2.33	0.41
2:B:188:ILE:HG23	2:B:188:ILE:O	2.21	0.41
2:B:251:VAL:HG11	1:C:253:ALA:CB	2.50	0.41
5:K:90:GLN:OE1	5:K:92:TYR:N	2.54	0.41
5:L:37:GLN:O	5:L:45:LYS:N	2.53	0.41
2:B:47:ILE:HG12	2:B:59:LEU:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:64:GLN:CD	2:E:125:LEU:HD21	2.46	0.41
2:E:46:SER:HA	2:E:181:ILE:HD12	2.02	0.40
1:A:72:GLU:O	1:A:75:LYS:NZ	2.52	0.40
2:E:261:MET:HE1	2:E:288:CYS:HB3	2.03	0.40
7:P:2:NAG:H82	7:P:2:NAG:C1	2.51	0.40
1:A:124:GLY:O	1:A:126:LEU:HD12	2.21	0.40
1:C:106:SER:O	3:D:124:ILE:HD13	2.22	0.40
3:D:176:ARG:N	3:D:219:ASP:O	2.46	0.40
1:A:50:GLY:N	1:A:60:THR:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	329/455 (72%)	318 (97%)	11 (3%)	0	100	100
1	C	329/455 (72%)	310 (94%)	19 (6%)	0	100	100
2	B	329/512 (64%)	311 (94%)	18 (6%)	0	100	100
2	E	329/512 (64%)	318 (97%)	11 (3%)	0	100	100
3	D	314/474 (66%)	301 (96%)	13 (4%)	0	100	100
4	H	115/223 (52%)	108 (94%)	7 (6%)	0	100	100
4	J	115/223 (52%)	112 (97%)	3 (3%)	0	100	100
5	K	103/213 (48%)	98 (95%)	5 (5%)	0	100	100
5	L	103/213 (48%)	98 (95%)	5 (5%)	0	100	100
All	All	2066/3280 (63%)	1974 (96%)	92 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/404 (74%)	284 (95%)	14 (5%)	23	51
1	C	298/404 (74%)	285 (96%)	13 (4%)	25	53
2	B	303/457 (66%)	294 (97%)	9 (3%)	36	62
2	E	303/457 (66%)	294 (97%)	9 (3%)	36	62
3	D	292/436 (67%)	281 (96%)	11 (4%)	29	57
4	H	98/195 (50%)	93 (95%)	5 (5%)	21	48
4	J	98/195 (50%)	98 (100%)	0	100	100
5	K	83/188 (44%)	80 (96%)	3 (4%)	31	58
5	L	82/188 (44%)	78 (95%)	4 (5%)	22	50
All	All	1855/2924 (63%)	1787 (96%)	68 (4%)	31	57

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	LYS
1	A	118	LEU
1	A	143	GLU
1	A	169	GLU
1	A	222	ILE
1	A	226	VAL
1	A	229	THR
1	A	231	LEU
1	A	242	VAL
1	A	263	LEU
1	A	273	ARG
1	A	295	PHE
1	A	303	PHE
1	A	307	ASN
2	B	55	MET
2	B	101	ASP
2	B	109	VAL
2	B	151	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	200	PHE
2	B	227	MET
2	B	230	ILE
2	B	255	ILE
2	B	261	MET
1	C	10	ASN
1	C	22	LEU
1	C	54	ASP
1	C	92	LYS
1	C	121	THR
1	C	228	GLN
1	C	263	LEU
1	C	279	VAL
1	C	281	TYR
1	C	293	TYR
1	C	300	LEU
1	C	307	ASN
1	C	390	LYS
3	D	39	ASP
3	D	140	LEU
3	D	142	THR
3	D	252	TRP
3	D	257	ILE
3	D	258	ASN
3	D	274	LEU
3	D	276	MET
3	D	282	ILE
3	D	317	LEU
3	D	430	TRP
2	E	82	THR
2	E	101	ASP
2	E	193	LEU
2	E	195	THR
2	E	221	PHE
2	E	231	LEU
2	E	243	ASN
2	E	256	THR
2	E	274	LYS
4	H	41	HIS
4	H	45	LEU
4	H	51	ILE
4	H	68	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	H	86	ASP
5	K	17	GLU
5	K	103	LEU
5	K	104	GLU
5	L	4	MET
5	L	65	SER
5	L	87	HIS
5	L	96	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	185	GLN
1	C	27	ASN
3	D	69	ASN
3	D	258	ASN
2	E	185	GLN
4	H	82(A)	ASN
5	K	42	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

35 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	F	1	1,6	14,14,15	0.22	0	17,19,21	0.46	0
6	NAG	F	2	6	14,14,15	0.21	0	17,19,21	1.21	1 (5%)
6	BMA	F	3	6	11,11,12	0.59	0	15,15,17	0.72	0
6	MAN	F	4	6	11,11,12	0.56	0	15,15,17	1.01	2 (13%)
6	MAN	F	5	6	11,11,12	0.55	0	15,15,17	0.92	1 (6%)
6	MAN	F	6	6	11,11,12	0.56	0	15,15,17	0.99	2 (13%)
6	MAN	F	7	6	11,11,12	0.53	0	15,15,17	0.95	2 (13%)
7	NAG	G	1	2,7	14,14,15	0.53	0	17,19,21	0.75	0
7	NAG	G	2	7	14,14,15	0.28	0	17,19,21	1.19	2 (11%)
7	BMA	G	3	7	11,11,12	0.48	0	15,15,17	0.77	0
7	MAN	G	4	7	11,11,12	0.63	0	15,15,17	1.07	2 (13%)
7	MAN	G	5	7	11,11,12	0.61	0	15,15,17	1.01	2 (13%)
7	NAG	I	1	2,7	14,14,15	0.26	0	17,19,21	0.42	0
7	NAG	I	2	7	14,14,15	0.24	0	17,19,21	1.23	1 (5%)
7	BMA	I	3	7	11,11,12	0.59	0	15,15,17	0.74	0
7	MAN	I	4	7	11,11,12	0.62	0	15,15,17	1.06	2 (13%)
7	MAN	I	5	7	11,11,12	0.61	0	15,15,17	0.96	2 (13%)
7	NAG	M	1	1,7	14,14,15	0.26	0	17,19,21	0.37	0
7	NAG	M	2	7	14,14,15	0.22	0	17,19,21	0.48	0
7	BMA	M	3	7	11,11,12	0.52	0	15,15,17	0.68	0
7	MAN	M	4	7	11,11,12	0.63	0	15,15,17	0.95	2 (13%)
7	MAN	M	5	7	11,11,12	0.58	0	15,15,17	0.93	2 (13%)
8	NAG	N	1	8,3	14,14,15	0.62	1 (7%)	17,19,21	0.72	0
8	NAG	N	2	8	14,14,15	0.26	0	17,19,21	0.44	0
8	BMA	N	3	8	11,11,12	0.57	0	15,15,17	0.72	0
7	NAG	O	1	2,7	14,14,15	0.42	0	17,19,21	0.48	0
7	NAG	O	2	7	14,14,15	0.19	0	17,19,21	0.43	0
7	BMA	O	3	7	11,11,12	0.51	0	15,15,17	0.78	0
7	MAN	O	4	7	11,11,12	0.60	0	15,15,17	1.14	2 (13%)
7	MAN	O	5	7	11,11,12	0.58	0	15,15,17	0.96	2 (13%)
7	NAG	P	1	2,7	14,14,15	0.34	0	17,19,21	0.46	0
7	NAG	P	2	7	14,14,15	0.33	0	17,19,21	1.20	1 (5%)
7	BMA	P	3	7	11,11,12	0.81	0	15,15,17	0.82	1 (6%)
7	MAN	P	4	7	11,11,12	0.79	0	15,15,17	1.12	2 (13%)
7	MAN	P	5	7	11,11,12	0.61	0	15,15,17	1.07	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	F	1	1,6	-	3/6/23/26	0/1/1/1
6	NAG	F	2	6	-	4/6/23/26	0/1/1/1
6	BMA	F	3	6	-	2/2/19/22	0/1/1/1
6	MAN	F	4	6	-	1/2/19/22	0/1/1/1
6	MAN	F	5	6	-	1/2/19/22	0/1/1/1
6	MAN	F	6	6	-	0/2/19/22	0/1/1/1
6	MAN	F	7	6	-	0/2/19/22	0/1/1/1
7	NAG	G	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	G	2	7	-	5/6/23/26	0/1/1/1
7	BMA	G	3	7	-	2/2/19/22	0/1/1/1
7	MAN	G	4	7	-	0/2/19/22	1/1/1/1
7	MAN	G	5	7	-	0/2/19/22	0/1/1/1
7	NAG	I	1	2,7	-	4/6/23/26	0/1/1/1
7	NAG	I	2	7	-	6/6/23/26	0/1/1/1
7	BMA	I	3	7	-	1/2/19/22	0/1/1/1
7	MAN	I	4	7	-	2/2/19/22	0/1/1/1
7	MAN	I	5	7	-	0/2/19/22	0/1/1/1
7	NAG	M	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	M	2	7	-	2/6/23/26	0/1/1/1
7	BMA	M	3	7	-	0/2/19/22	0/1/1/1
7	MAN	M	4	7	-	1/2/19/22	0/1/1/1
7	MAN	M	5	7	-	0/2/19/22	0/1/1/1
8	NAG	N	1	8,3	-	4/6/23/26	0/1/1/1
8	NAG	N	2	8	-	2/6/23/26	0/1/1/1
8	BMA	N	3	8	-	0/2/19/22	0/1/1/1
7	NAG	O	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	O	2	7	-	2/6/23/26	0/1/1/1
7	BMA	O	3	7	-	0/2/19/22	0/1/1/1
7	MAN	O	4	7	-	1/2/19/22	1/1/1/1
7	MAN	O	5	7	-	1/2/19/22	0/1/1/1
7	NAG	P	1	2,7	-	3/6/23/26	0/1/1/1
7	NAG	P	2	7	-	4/6/23/26	0/1/1/1
7	BMA	P	3	7	-	0/2/19/22	0/1/1/1
7	MAN	P	4	7	-	0/2/19/22	0/1/1/1
7	MAN	P	5	7	-	0/2/19/22	1/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	N	1	NAG	O5-C1	-2.27	1.39	1.43

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	I	2	NAG	C2-N2-C7	4.01	128.27	122.90
6	F	2	NAG	C2-N2-C7	3.91	128.14	122.90
7	P	2	NAG	C2-N2-C7	3.84	128.04	122.90
7	G	2	NAG	C2-N2-C7	3.81	128.01	122.90
7	O	4	MAN	C1-O5-C5	3.41	116.75	112.19
7	G	4	MAN	C1-O5-C5	3.10	116.34	112.19
7	P	5	MAN	C1-O5-C5	3.10	116.34	112.19
7	P	4	MAN	C1-O5-C5	2.92	116.10	112.19
7	I	4	MAN	C1-O5-C5	2.61	115.68	112.19
6	F	4	MAN	O2-C2-C3	-2.57	104.83	110.15
7	G	5	MAN	C1-O5-C5	2.49	115.52	112.19
6	F	6	MAN	O2-C2-C3	-2.38	105.22	110.15
7	O	5	MAN	C1-O5-C5	2.34	115.32	112.19
6	F	5	MAN	O2-C2-C3	-2.26	105.47	110.15
7	I	5	MAN	C1-O5-C5	2.24	115.18	112.19
7	I	4	MAN	O2-C2-C3	-2.23	105.53	110.15
6	F	7	MAN	O2-C2-C3	-2.23	105.53	110.15
7	P	4	MAN	O2-C2-C3	-2.23	105.54	110.15
7	G	2	NAG	C1-C2-N2	2.22	113.93	110.43
7	G	5	MAN	O2-C2-C3	-2.22	105.56	110.15
6	F	4	MAN	C1-O5-C5	2.21	115.15	112.19
6	F	6	MAN	C1-O5-C5	2.19	115.12	112.19
6	F	7	MAN	C1-O5-C5	2.19	115.12	112.19
7	M	4	MAN	O2-C2-C3	-2.16	105.69	110.15
7	M	5	MAN	O2-C2-C3	-2.16	105.69	110.15
7	I	5	MAN	O2-C2-C3	-2.15	105.70	110.15
7	O	4	MAN	O2-C2-C3	-2.14	105.72	110.15
7	O	5	MAN	O2-C2-C3	-2.14	105.72	110.15
7	P	5	MAN	O2-C2-C3	-2.14	105.73	110.15
7	G	4	MAN	O2-C2-C3	-2.13	105.75	110.15
7	M	5	MAN	C1-O5-C5	2.13	115.04	112.19
7	P	3	BMA	O3-C3-C2	2.05	114.25	110.05
7	M	4	MAN	C1-O5-C5	2.04	114.92	112.19

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	G	2	NAG	C1-C2-N2-C7
7	I	1	NAG	C1-C2-N2-C7
8	N	2	NAG	C4-C5-C6-O6
8	N	1	NAG	O5-C5-C6-O6
8	N	2	NAG	O5-C5-C6-O6
7	G	2	NAG	O5-C5-C6-O6
7	I	2	NAG	O5-C5-C6-O6
7	I	1	NAG	O5-C5-C6-O6
7	P	1	NAG	O5-C5-C6-O6
7	O	2	NAG	O5-C5-C6-O6
7	G	2	NAG	C4-C5-C6-O6
8	N	1	NAG	C4-C5-C6-O6
7	I	2	NAG	C4-C5-C6-O6
7	O	2	NAG	C4-C5-C6-O6
6	F	2	NAG	C8-C7-N2-C2
6	F	2	NAG	O7-C7-N2-C2
7	G	1	NAG	C8-C7-N2-C2
7	G	1	NAG	O7-C7-N2-C2
7	G	2	NAG	C8-C7-N2-C2
7	G	2	NAG	O7-C7-N2-C2
7	I	2	NAG	C8-C7-N2-C2
7	I	2	NAG	O7-C7-N2-C2
7	O	1	NAG	C8-C7-N2-C2
7	O	1	NAG	O7-C7-N2-C2
7	P	2	NAG	C8-C7-N2-C2
7	P	2	NAG	O7-C7-N2-C2
8	N	1	NAG	C8-C7-N2-C2
8	N	1	NAG	O7-C7-N2-C2
6	F	3	BMA	O5-C5-C6-O6
7	G	3	BMA	O5-C5-C6-O6
7	I	1	NAG	C4-C5-C6-O6
7	P	1	NAG	C4-C5-C6-O6
7	G	3	BMA	C4-C5-C6-O6
6	F	3	BMA	C4-C5-C6-O6
7	M	2	NAG	C4-C5-C6-O6
7	M	2	NAG	O5-C5-C6-O6
7	M	1	NAG	O5-C5-C6-O6
7	O	5	MAN	O5-C5-C6-O6
6	F	4	MAN	O5-C5-C6-O6
7	M	4	MAN	O5-C5-C6-O6
6	F	5	MAN	O5-C5-C6-O6
7	O	4	MAN	O5-C5-C6-O6
7	I	3	BMA	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	F	1	NAG	O5-C5-C6-O6
6	F	1	NAG	C1-C2-N2-C7
6	F	2	NAG	C1-C2-N2-C7
7	I	2	NAG	C1-C2-N2-C7
7	P	2	NAG	C1-C2-N2-C7
6	F	1	NAG	C3-C2-N2-C7
7	I	4	MAN	O5-C5-C6-O6
7	I	4	MAN	C4-C5-C6-O6
6	F	2	NAG	C3-C2-N2-C7
7	I	1	NAG	C3-C2-N2-C7
7	I	2	NAG	C3-C2-N2-C7
7	P	1	NAG	C3-C2-N2-C7
7	P	2	NAG	C3-C2-N2-C7


All (3) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	P	5	MAN	C1-C2-C3-C4-C5-O5
7	G	4	MAN	C1-C2-C3-C4-C5-O5
7	O	4	MAN	C1-C2-C3-C4-C5-O5


13 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	O	2	NAG	1	0
7	I	3	BMA	1	0
7	P	4	MAN	2	0
7	G	2	NAG	3	0
7	P	3	BMA	2	0
7	P	2	NAG	2	0
7	I	2	NAG	2	0
7	O	3	BMA	1	0
7	P	1	NAG	1	0
8	N	3	BMA	1	0
6	F	2	NAG	1	0
8	N	2	NAG	2	0
7	G	3	BMA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.















5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
9	ABU	A	501	-	6,6,6	0.90	0	6,6,6	1.34	0
11	NAG	D	501	3	14,14,15	0.26	0	17,19,21	0.64	1 (5%)
10	YNL	C	601	-	25,25,25	0.99	3 (12%)	34,35,35	2.11	8 (23%)
9	ABU	B	501	-	6,6,6	0.93	0	6,6,6	1.43	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	ABU	A	501	-	-	3/4/4/4	-
11	NAG	D	501	3	-	3/6/23/26	0/1/1/1
10	YNL	C	601	-	-	1/5/24/24	0/3/3/3
9	ABU	B	501	-	-	2/4/4/4	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	C	601	YNL	C10-N05	-2.58	1.25	1.28
10	C	601	YNL	C11-N04	-2.53	1.34	1.37
10	C	601	YNL	C18-CL01	2.18	1.79	1.74

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	C	601	YNL	C12-N05-C10	6.97	125.35	117.46
10	C	601	YNL	O03-C11-C12	-4.54	117.22	122.79
10	C	601	YNL	C16-C10-C08	3.99	123.21	117.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	C	601	YNL	C08-C10-N05	-3.86	118.75	125.06
10	C	601	YNL	C21-C19-C16	-2.71	120.15	123.07
10	C	601	YNL	C11-C12-N05	-2.53	104.94	108.49
10	C	601	YNL	C20-C16-C19	2.47	119.45	116.70
9	B	501	ABU	OXT-C-CG	2.44	121.71	114.00
10	C	601	YNL	C12-C11-N04	2.25	120.05	115.56
11	D	501	NAG	C2-N2-C7	2.03	125.62	122.90

There are no chirality outliers.



All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	A	501	ABU	CD-CB-CG-C
9	B	501	ABU	CD-CB-CG-C
10	C	601	YNL	N04-C09-C14-N06
11	D	501	NAG	C8-C7-N2-C2
11	D	501	NAG	O7-C7-N2-C2
11	D	501	NAG	O5-C5-C6-O6
9	A	501	ABU	OXT-C-CG-CB
9	A	501	ABU	O-C-CG-CB
9	B	501	ABU	CG-CB-CD-N

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29728. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 167




Y Index: 170




Z Index: 166


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_29728_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 152 nm³; this corresponds to an approximate mass of 137 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.327 \text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.327 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.06	-	-
Author-provided FSC curve	3.06	3.69	3.16
Unmasked-calculated*	4.02	6.73	4.11

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.02 differs from the reported value 3.06 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-29728 and PDB model 8G4O. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8120	 0.4230
A	 0.8290	 0.4270
B	 0.8290	 0.4230
C	 0.8260	 0.4160
D	 0.7810	 0.4010
E	 0.7960	 0.4020
F	 0.8680	 0.4920
G	 0.3440	 0.2920
H	 0.8050	 0.4350
I	 0.8530	 0.4000
J	 0.8500	 0.4720
K	 0.8660	 0.4850
L	 0.8370	 0.4500
M	 0.2950	 0.4000
N	 0.6150	 0.4020
O	 0.3930	 0.3860
P	 0.7700	 0.3800

