



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 03:13 AM UTC

PDB ID : 4G5H / pdb_00004g5h
Title : Crystal structure of capsular polysaccharide synthesizing enzyme CapE from Staphylococcus aureus in complex with by-product
Authors : Miyafusa, T.; Caaveiro, J.M.M.; Tanaka, Y.; Tsumoto, K.
Deposited on : 2012-07-18
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	FMT	A	407	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	FMT	A	410	-	-	X	-
4	FMT	A	415	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3104 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Capsular polysaccharide synthesis enzyme Cap8E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	346	2800	1769	471	544	16	0	10	0

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	expression tag	UNP Q7A2Y4
A	-19	ASN	-	expression tag	UNP Q7A2Y4
A	-18	HIS	-	expression tag	UNP Q7A2Y4
A	-17	LYS	-	expression tag	UNP Q7A2Y4
A	-16	HIS	-	expression tag	UNP Q7A2Y4
A	-15	HIS	-	expression tag	UNP Q7A2Y4
A	-14	HIS	-	expression tag	UNP Q7A2Y4
A	-13	HIS	-	expression tag	UNP Q7A2Y4
A	-12	HIS	-	expression tag	UNP Q7A2Y4
A	-11	HIS	-	expression tag	UNP Q7A2Y4
A	-10	SER	-	expression tag	UNP Q7A2Y4
A	-9	SER	-	expression tag	UNP Q7A2Y4
A	-8	GLY	-	expression tag	UNP Q7A2Y4
A	-7	LEU	-	expression tag	UNP Q7A2Y4
A	-6	VAL	-	expression tag	UNP Q7A2Y4
A	-5	PRO	-	expression tag	UNP Q7A2Y4
A	-4	ARG	-	expression tag	UNP Q7A2Y4
A	-3	GLY	-	expression tag	UNP Q7A2Y4
A	-2	SER	-	expression tag	UNP Q7A2Y4
A	-1	ALA	-	expression tag	UNP Q7A2Y4
A	0	MET	-	expression tag	UNP Q7A2Y4
A	1	GLY	-	expression tag	UNP Q7A2Y4

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 3 is [(2R,3R,4R,6R)-3-acetamido-6-methyl-4-oxidanyl-5-oxidanylidene-oxan-2-yl] [(2R,3S,4R,5R)-5-[2,4-bis(oxidanylidene)pyrimidin-1-yl]-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl] hydrogen phosphate (CCD ID: UD7) (formula: $C_{17}H_{25}N_3O_{16}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 38	C 17	N 3	O 16	P 2	0	0
3	A	1	Total 38	C 17	N 3	O 16	P 2	0	0

- Molecule 4 is FORMIC ACID (CCD ID: FMT) (formula: CH_2O_2).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		
4	A	1	Total	C	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			3	1	2		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	136	Total	O	0	1
			137	137		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Capsular polysaccharide synthesis enzyme Cap8E



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	124.03Å 124.03Å 103.16Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.80 – 1.88 35.80 – 1.88	Depositor EDS
% Data completeness (in resolution range)	99.8 (35.80-1.88) 99.8 (35.80-1.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 1.88Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.175 , 0.209 (Not available) , 0.212	Depositor DCC
R_{free} test set	1546 reflections (4.01%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.44 , 48.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3104	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, NA, NAP, UD7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.50	20/2859 (0.7%)	1.41	22/3852 (0.6%)

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	156	GLN	C-O	7.04	1.31	1.23
1	A	129	TYR	N-CA	6.79	1.52	1.46
1	A	2	PHE	N-CA	-6.21	1.38	1.46
1	A	64	SER	N-CA	6.20	1.54	1.46
1	A	235	ALA	CA-C	6.13	1.60	1.52
1	A	113	HIS	CG-CD2	5.78	1.42	1.35
1	A	37	ARG	N-CA	-5.74	1.38	1.46
1	A	134	MET	CA-C	5.70	1.60	1.52
1	A	82	ALA	CA-C	-5.63	1.45	1.52
1	A	166	ASN	C-O	5.56	1.30	1.24
1	A	209	VAL	C-O	5.23	1.30	1.24
1	A	36	SER	CA-C	-5.23	1.46	1.52
1	A	126	LYS	N-CA	5.20	1.53	1.46
1	A	19	ALA	C-O	-5.19	1.18	1.24
1	A	110	SER	C-O	5.15	1.30	1.24
1	A	17	GLY	CA-C	-5.11	1.46	1.52
1	A	127	ALA	N-CA	5.07	1.52	1.46
1	A	59	GLY	CA-C	5.04	1.57	1.51
1	A	211	HIS	CG-CD2	5.03	1.41	1.35
1	A	89	CYS	N-CA	5.01	1.52	1.46

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2	PHE	N-CA-C	-8.81	100.25	112.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	312	THR	CB-CA-C	-8.01	95.23	113.33
1	A	233	ASP	N-CA-C	7.70	119.75	111.36
1	A	191	THR	N-CA-CB	-7.62	98.86	110.07
1	A	191	THR	OG1-CB-CG2	7.10	123.50	109.30
1	A	312	THR	OG1-CB-CG2	6.46	122.23	109.30
1	A	17	GLY	N-CA-C	-6.19	105.19	112.62
1	A	154	SER	CA-CB-OG	-6.09	98.91	111.10
1	A	38	ASP	N-CA-C	6.00	118.46	108.20
1	A	37	ARG	NE-CZ-NH2	5.79	124.41	119.20
1	A	25	LEU	N-CA-C	-5.73	105.17	111.82
1	A	120	ILE	CB-CA-C	-5.71	102.63	110.96
1	A	294	VAL	N-CA-CB	5.69	116.31	111.64
1	A	58	ILE	CA-C-N	-5.62	112.57	120.56
1	A	58	ILE	C-N-CA	-5.62	112.57	120.56
1	A	257	GLU	CB-CA-C	-5.56	98.75	109.37
1	A	214	LYS	CB-CG-CD	-5.53	98.58	111.30
1	A	36	SER	CA-C-O	5.23	126.91	121.31
1	A	35	PHE	CA-C-N	-5.22	113.44	122.10
1	A	35	PHE	C-N-CA	-5.22	113.44	122.10
1	A	312	THR	CA-CB-OG1	5.16	117.34	109.60
1	A	258	LYS	CB-CG-CD	-5.04	99.71	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2800	0	2808	58	0
2	A	48	0	22	6	0
3	A	76	0	48	1	0
4	A	42	0	18	11	0
5	A	1	0	0	0	0
6	A	137	0	0	9	0
All	All	3104	0	2896	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16[A]:PHE:CZ	1:A:20:VAL:HG21	1.37	1.54
1:A:16[A]:PHE:CZ	1:A:20:VAL:CG2	2.23	1.20
1:A:16[A]:PHE:CE1	1:A:20:VAL:CG2	2.32	1.12
1:A:16[A]:PHE:CE1	1:A:20:VAL:HG21	1.93	1.03
1:A:226:ALA:O	1:A:312:THR:HG21	1.63	0.96
4:A:414:FMT:H	6:A:524:HOH:O	1.68	0.93
1:A:191:THR:HG21	3:A:402:UD7:O2'	1.76	0.86
1:A:16[A]:PHE:CE1	1:A:20:VAL:HG23	2.10	0.83
1:A:11:GLY:HA2	2:A:401:NAP:H1B	1.68	0.76
1:A:16[B]:PHE:CZ	1:A:205:ALA:HB1	2.21	0.75
1:A:155:GLU:HG3	6:A:588:HOH:O	1.85	0.75
1:A:20:VAL:HG11	1:A:78[A]:PHE:CD2	2.21	0.75
1:A:20:VAL:HG11	1:A:78[A]:PHE:HD2	1.50	0.74
1:A:286:ARG:O	4:A:415:FMT:H	1.88	0.73
1:A:16[A]:PHE:HZ	1:A:20:VAL:HG21	1.46	0.71
1:A:16[A]:PHE:CE1	1:A:209:VAL:HG21	2.30	0.67
1:A:16[B]:PHE:HB2	2:A:401:NAP:O2N	1.96	0.66
1:A:16[A]:PHE:CE2	1:A:20:VAL:HG21	2.21	0.65
1:A:120:ILE:HD12	1:A:160:CYS:SG	2.39	0.62
1:A:4:ASP:OD1	1:A:4:ASP:N	2.29	0.61
1:A:22:LYS:HD2	1:A:49:TYR:OH	2.00	0.61
1:A:192:ASP:HB3	1:A:195:MET:HE3	1.84	0.60
1:A:267:GLU:O	1:A:271:GLN:HG2	2.02	0.60
2:A:401:NAP:N7N	6:A:620:HOH:O	2.31	0.59
1:A:118:LYS:NZ	6:A:522:HOH:O	2.35	0.59
1:A:51:ASN:HD22	1:A:53:LYS:H	1.51	0.57
1:A:84:LYS:HD2	2:A:401:NAP:H2D	1.86	0.57
1:A:16[A]:PHE:CD2	1:A:16[A]:PHE:C	2.85	0.55
1:A:286:ARG:O	4:A:415:FMT:C	2.54	0.54
1:A:16[A]:PHE:CD1	1:A:20:VAL:HG23	2.41	0.54
1:A:203:GLU:O	1:A:207:GLU:HG2	2.08	0.53
1:A:211:HIS:HD2	1:A:222:MET:HG2	1.73	0.53
4:A:415:FMT:O2	6:A:562:HOH:O	2.19	0.53
2:A:401:NAP:O7N	6:A:579:HOH:O	2.18	0.52
1:A:23:ARG:O	1:A:26:ASP:HB2	2.11	0.51
1:A:1:GLY:HA2	1:A:28:ASN:HD22	1.75	0.51
1:A:271:GLN:NE2	6:A:608:HOH:O	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:THR:CG2	1:A:192:ASP:N	2.76	0.49
1:A:0:MET:SD	1:A:2:PHE:CZ	3.06	0.49
1:A:191:THR:CG2	1:A:192:ASP:H	2.25	0.48
1:A:290:TYR:N	4:A:407:FMT:H	2.29	0.48
4:A:411:FMT:H	6:A:622:HOH:O	2.13	0.48
1:A:-5:PRO:HB3	1:A:215:HIS:HE1	1.80	0.47
1:A:138:LYS:HE3	2:A:401:NAP:O2D	2.15	0.47
1:A:191:THR:HG22	1:A:192:ASP:H	1.80	0.47
1:A:123:SER:O	1:A:164[B]:TYR:HD1	1.97	0.46
1:A:226:ALA:CB	4:A:410:FMT:H	2.45	0.46
1:A:2:PHE:HB3	1:A:29:ILE:HD12	1.98	0.46
1:A:120:ILE:HD13	1:A:120:ILE:N	2.30	0.45
1:A:68:GLU:HG3	4:A:413:FMT:O1	2.18	0.44
1:A:291:SER:H	4:A:407:FMT:C	2.30	0.44
1:A:18[A]:ASN:HA	1:A:21:MET:HE3	1.99	0.44
1:A:48:LYS:HG3	1:A:49:TYR:CD1	2.54	0.42
1:A:126:LYS:HD2	1:A:134:MET:CE	2.49	0.42
1:A:164[A]:TYR:HD2	1:A:208:LEU:HD23	1.84	0.42
1:A:-6:VAL:HG11	1:A:-1:ALA:HA	2.02	0.42
1:A:242:PHE:CE1	1:A:334:LEU:HD13	2.55	0.42
1:A:15:SER:HB3	6:A:615:HOH:O	2.20	0.42
1:A:123:SER:O	1:A:164[B]:TYR:CD1	2.72	0.42
1:A:227:PRO:HD2	4:A:410:FMT:H	2.01	0.41
1:A:18[B]:ASN:ND2	1:A:18[B]:ASN:C	2.78	0.41
1:A:150:ARG:O	4:A:415:FMT:C	2.69	0.41
1:A:47[B]:LYS:HD2	1:A:47[B]:LYS:HA	1.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	354/363 (98%)	343 (97%)	10 (3%)	1 (0%)	36	26

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	310/316 (98%)	288 (93%)	22 (7%)	13	3

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-7	LEU
1	A	-6	VAL
1	A	-4	ARG
1	A	0	MET
1	A	15	SER
1	A	21	MET
1	A	51	ASN
1	A	66	SER
1	A	84	LYS
1	A	120	ILE
1	A	156	GLN
1	A	170	SER
1	A	183	LYS
1	A	191	THR
1	A	231	VAL
1	A	239	LEU
1	A	245	ASP
1	A	248	ILE
1	A	303	GLN
1	A	312	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	322	GLU
1	A	328	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	ASN
1	A	51	ASN
1	A	109	GLN
1	A	115	ASN
1	A	151	ASN
1	A	156	GLN
1	A	211	HIS
1	A	215	HIS
1	A	255	HIS
1	A	292	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 1 is monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FMT	A	410	-	2,2,2	1.08	0	1,1,1	0.16	0
3	UD7	A	402	-	38,40,40	1.73	4 (10%)	52,61,61	1.55	12 (23%)
4	FMT	A	405	-	2,2,2	1.65	1 (50%)	1,1,1	0.33	0
4	FMT	A	406	-	2,2,2	0.94	0	1,1,1	0.41	0
4	FMT	A	416	-	2,2,2	0.38	0	1,1,1	0.62	0
4	FMT	A	411	-	2,2,2	1.20	0	1,1,1	0.51	0
2	NAP	A	401	-	50,52,52	1.83	8 (16%)	71,80,80	2.10	23 (32%)
4	FMT	A	409	-	2,2,2	1.33	0	1,1,1	0.45	0
3	UD7	A	403	-	38,40,40	1.56	7 (18%)	52,61,61	1.79	12 (23%)
4	FMT	A	417	-	2,2,2	1.68	1 (50%)	1,1,1	0.84	0
4	FMT	A	404	-	2,2,2	0.83	0	1,1,1	0.58	0
4	FMT	A	412	-	2,2,2	1.26	0	1,1,1	0.43	0
4	FMT	A	413	-	2,2,2	0.57	0	1,1,1	0.81	0
4	FMT	A	407	-	2,2,2	1.12	0	1,1,1	0.02	0
4	FMT	A	415	-	2,2,2	0.64	0	1,1,1	0.25	0
4	FMT	A	408	-	2,2,2	1.14	0	1,1,1	0.54	0
4	FMT	A	414	-	2,2,2	1.03	0	1,1,1	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UD7	A	402	-	-	4/24/61/61	0/3/3/3
2	NAP	A	401	-	-	9/35/67/67	0/5/5/5
3	UD7	A	403	-	-	8/24/61/61	0/3/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NAP	C5A-C4A	7.11	1.51	1.39
3	A	402	UD7	PB-O3A	5.17	1.65	1.59
3	A	402	UD7	PA-O3A	5.13	1.65	1.59
2	A	401	NAP	C4A-N3A	4.80	1.43	1.34
2	A	401	NAP	P2B-O2B	4.25	1.67	1.59
3	A	402	UD7	C2-N1	3.95	1.44	1.38
2	A	401	NAP	O4D-C1D	3.84	1.45	1.40
3	A	403	UD7	PB-O3A	3.75	1.63	1.59
3	A	403	UD7	PA-O3A	3.71	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	403	UD7	C2-N1	3.62	1.44	1.38
2	A	401	NAP	C8A-N7A	2.94	1.37	1.31
3	A	403	UD7	C6-C5	2.84	1.41	1.35
3	A	402	UD7	C6-C5	2.81	1.41	1.35
3	A	403	UD7	C2-N3	-2.74	1.33	1.38
2	A	401	NAP	P2B-O1X	2.62	1.58	1.50
2	A	401	NAP	C6A-N1A	2.30	1.42	1.35
2	A	401	NAP	C2A-N3A	2.24	1.37	1.33
4	A	405	FMT	O2-C	2.15	1.39	1.28
3	A	403	UD7	C2'-N2'	2.08	1.49	1.45
3	A	403	UD7	C4-N3	-2.05	1.35	1.38
4	A	417	FMT	O2-C	2.00	1.38	1.28

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	NAP	C4A-N9A-C8A	5.70	111.72	105.74
3	A	403	UD7	O5'-C1'-O1'	-5.32	104.41	111.36
2	A	401	NAP	N3A-C2A-N1A	-5.10	120.86	128.58
2	A	401	NAP	N3A-C4A-N9A	5.06	135.77	127.17
2	A	401	NAP	N6A-C6A-N1A	4.51	128.43	118.38
3	A	402	UD7	C5-C4-N3	4.43	121.00	114.80
2	A	401	NAP	C5A-C6A-N6A	-4.20	112.89	123.29
3	A	403	UD7	N3-C2-N1	3.98	120.07	114.89
2	A	401	NAP	C2A-N1A-C6A	3.92	125.17	118.73
2	A	401	NAP	C5A-C4A-N9A	-3.86	101.60	105.81
3	A	402	UD7	O4-C4-C5	-3.65	118.86	125.16
3	A	403	UD7	O4B-C1B-N1	3.64	116.61	108.36
2	A	401	NAP	C3N-C7N-N7N	3.52	122.07	117.74
2	A	401	NAP	C6N-N1N-C2N	-3.45	118.94	121.88
3	A	402	UD7	C6-C5-C4	-3.39	115.20	119.53
3	A	403	UD7	C5-C4-N3	3.25	119.36	114.80
3	A	403	UD7	C2'-N2'-C7'	3.25	130.72	123.11
3	A	403	UD7	C1B-N1-C6	3.23	127.69	120.78
2	A	401	NAP	O2A-PA-O1A	3.20	127.35	112.44
2	A	401	NAP	C5A-C4A-N3A	-3.08	122.48	126.72
3	A	403	UD7	C3'-C2'-N2'	3.03	114.79	111.22
3	A	403	UD7	C4-N3-C2	-3.02	122.86	126.61
3	A	402	UD7	O3'-C3'-C4'	2.91	118.16	110.11
2	A	401	NAP	O2N-PN-O1N	2.85	125.69	112.44
3	A	402	UD7	O4'-C4'-C3'	-2.74	117.36	121.73
3	A	402	UD7	O4B-C4B-C5B	-2.74	100.57	109.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	NAP	C2A-N3A-C4A	2.61	118.21	111.83
2	A	401	NAP	O4B-C1B-C2B	-2.60	102.11	106.59
3	A	403	UD7	O2-C2-N1	-2.60	119.41	122.80
2	A	401	NAP	O7N-C7N-C3N	-2.52	116.51	119.60
2	A	401	NAP	O3-PN-O1N	-2.51	103.14	110.70
2	A	401	NAP	O2D-C2D-C3D	-2.38	104.17	111.82
3	A	402	UD7	C2'-N2'-C7'	-2.33	117.66	123.11
3	A	402	UD7	O3B-C3B-C4B	-2.33	104.40	111.08
2	A	401	NAP	O5B-PA-O1A	-2.29	99.84	108.94
3	A	402	UD7	O1A-PA-O3A	-2.28	101.11	107.27
3	A	402	UD7	O5'-C1'-O1'	2.27	114.33	111.36
3	A	402	UD7	O3'-C3'-C2'	-2.26	102.04	109.45
2	A	401	NAP	C4B-O4B-C1B	-2.24	104.53	109.47
3	A	403	UD7	O5'-C1'-C2'	2.23	114.81	110.59
2	A	401	NAP	O3X-P2B-O2X	2.22	116.11	107.80
2	A	401	NAP	C5N-C4N-C3N	-2.18	118.22	120.36
3	A	403	UD7	C1B-N1-C2	-2.18	113.68	117.59
2	A	401	NAP	O3X-P2B-O2B	-2.03	97.92	105.85
2	A	401	NAP	C6A-C5A-C4A	-2.03	114.40	117.18
3	A	402	UD7	O1A-PA-O5B	2.03	116.78	107.57
3	A	403	UD7	O2B-PB-O1B	2.03	121.89	112.44

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NAP	O4D-C1D-N1N-C2N
3	A	402	UD7	C5B-O5B-PA-O1A
3	A	402	UD7	C1'-O1'-PB-O3A
3	A	403	UD7	O5'-C1'-O1'-PB
3	A	403	UD7	C1'-C2'-N2'-C7'
3	A	403	UD7	O7'-C7'-N2'-C2'
3	A	403	UD7	C8'-C7'-N2'-C2'
2	A	401	NAP	C2N-C3N-C7N-N7N
2	A	401	NAP	C2N-C3N-C7N-O7N
2	A	401	NAP	O4D-C4D-C5D-O5D
2	A	401	NAP	C4N-C3N-C7N-N7N
2	A	401	NAP	C4N-C3N-C7N-O7N
2	A	401	NAP	C3D-C4D-C5D-O5D
3	A	402	UD7	PB-O3A-PA-O5B
3	A	403	UD7	PA-O3A-PB-O1'
3	A	403	UD7	C3'-C2'-N2'-C7'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	401	NAP	O4D-C1D-N1N-C6N
3	A	402	UD7	C1'-O1'-PB-O1B
3	A	403	UD7	PA-O3A-PB-O1B
2	A	401	NAP	O4B-C4B-C5B-O5B
3	A	403	UD7	PB-O3A-PA-O1A


There are no ring outliers.

8 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	410	FMT	2	0
3	A	402	UD7	1	0
4	A	411	FMT	1	0
2	A	401	NAP	6	0
4	A	413	FMT	1	0
4	A	407	FMT	2	0
4	A	415	FMT	4	0
4	A	414	FMT	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand UD7 A 402



Ligand NAP A 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	346/363 (95%)	0.22	22 (6%)	25 28	9, 34, 67, 98	10 (2%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	0	MET	4.4
1	A	16[A]	PHE	4.3
1	A	-1	ALA	4.2
1	A	1	GLY	3.7
1	A	337	TYR	3.6
1	A	247	ALA	3.2
1	A	-5	PRO	3.2
1	A	-7	LEU	2.7
1	A	47[A]	LYS	2.7
1	A	28	ASN	2.6
1	A	26	ASP	2.6
1	A	-6	VAL	2.6
1	A	329	TYR	2.5
1	A	322	GLU	2.5
1	A	3[A]	ASP	2.5
1	A	335	ASN	2.4
1	A	2	PHE	2.4
1	A	171	ARG	2.3
1	A	-2	SER	2.2
1	A	49	TYR	2.1
1	A	325	LEU	2.1
1	A	318	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FMT	A	412	3/3	0.80	0.20	49,49,50,53	0
3	UD7	A	403	38/38	0.81	0.14	36,82,127,135	0
4	FMT	A	407	3/3	0.82	0.14	52,52,56,65	0
4	FMT	A	414	3/3	0.82	0.20	53,53,59,63	0
4	FMT	A	405	3/3	0.85	0.16	39,39,48,49	0
4	FMT	A	410	3/3	0.85	0.22	59,59,61,68	0
4	FMT	A	411	3/3	0.86	0.30	31,31,43,44	0
4	FMT	A	409	3/3	0.88	0.21	46,46,51,60	0
4	FMT	A	415	3/3	0.88	0.15	28,28,37,48	0
4	FMT	A	404	3/3	0.89	0.26	40,40,49,54	0
4	FMT	A	417	3/3	0.89	0.14	29,29,34,40	0
4	FMT	A	416	3/3	0.91	0.14	34,34,42,53	0
2	NAP	A	401	48/48	0.91	0.13	19,44,53,56	25
4	FMT	A	408	3/3	0.92	0.12	40,40,42,42	0
3	UD7	A	402	38/38	0.93	0.10	28,36,65,69	0
4	FMT	A	413	3/3	0.94	0.15	41,41,46,48	0
4	FMT	A	406	3/3	0.97	0.07	26,26,32,40	0
5	NA	A	418	1/1	0.98	0.05	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UD7 A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UD7 A 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.