



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 04:15 PM UTC

PDB ID : 6G51 / pdb_00006g51
EMDB ID : EMD-4350
Title : Cryo-EM structure of a late human pre-40S ribosomal subunit - State D
Authors : Ameismeier, M.; Cheng, J.; Berninghausen, O.; Beckmann, R.
Deposited on : 2018-03-28
Resolution : 4.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
RNA backbone	8273	3508	-
Q-score	-	25397	6458 (3.60 - 4.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1882	
2	R	135	
3	A	295	
4	B	264	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	C	293	
6	E	263	
7	G	249	
8	H	194	
9	I	208	
10	J	194	
11	L	158	
12	N	151	
13	O	151	
14	V	83	
15	W	130	
16	X	143	
17	Y	133	
18	b	84	
19	e	59	
20	x	252	
21	y	412	
22	u	804	
23	v	552	
24	t	475	
25	d	56	
26	D	243	
27	F	204	
28	K	165	
29	M	132	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	P	145	
31	Q	146	
32	S	152	
33	T	145	
34	U	119	
35	Z	125	
36	c	69	
37	f	156	
38	g	317	

2 Entry composition

There are 38 unique types of molecules in this entry. The entry contains 50662 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	2	1659	Total	C	O	P	0	0
			19905	8295	9952	1658		

- Molecule 2 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	R	122	Total	C	N	O	0	0
			604	360	122	122		

- Molecule 3 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	A	216	Total	C	N	O	0	0
			1068	636	216	216		

- Molecule 4 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	B	213	Total	C	N	O	0	0
			1054	628	213	213		

- Molecule 5 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	C	218	Total	C	N	O	0	0
			1072	636	218	218		

- Molecule 6 is a protein called 40S ribosomal protein S4, X isoform.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	E	262	Total	C	N	O	0	0
			1287	763	262	262		

- Molecule 7 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	G	230	Total	C	N	O	0	0
			1135	675	230	230		

- Molecule 8 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	H	186	Total	C	N	O	0	0
			920	548	186	186		

- Molecule 9 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	I	205	Total	C	N	O	0	0
			1009	599	205	205		

- Molecule 10 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	J	180	Total	C	N	O	0	0
			888	528	180	180		

- Molecule 11 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms				AltConf	Trace
11	L	151	Total	C	N	O	0	0
			744	442	151	151		

- Molecule 12 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	N	149	Total	C	N	O	0	0
			737	439	149	149		

- Molecule 13 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues	Atoms				AltConf	Trace
13	O	135	Total	C	N	O	0	0
			659	389	135	135		

- Molecule 14 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	V	82	Total	C	N	O	0	0
			403	239	82	82		

- Molecule 15 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	W	129	Total	C	N	O	0	0
			634	376	129	129		

- Molecule 16 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	X	141	Total	C	N	O	0	0
			690	408	141	141		

- Molecule 17 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	Y	124	Total	C	N	O	0	0
			610	362	124	124		

- Molecule 18 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	b	82	Total	C	N	O	0	0
			405	241	82	82		

- Molecule 19 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	e	55	Total	C	N	O	0	0
			270	160	55	55		

- Molecule 20 is a protein called RNA-binding protein PNO1.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	x	178	Total	C	N	O	0	0
			880	524	178	178		

- Molecule 21 is a protein called RNA-binding protein NOB1.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	y	325	Total	C	N	O	0	0
			1606	956	325	325		

- Molecule 22 is a protein called Pre-rRNA-processing protein TSR1 homolog.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	u	615	Total	C	N	O	0	0
			3042	1812	615	615		

- Molecule 23 is a protein called Serine/threonine-protein kinase RIO2.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	v	325	Total	C	N	O	0	0
			1610	960	325	325		

- Molecule 24 is a protein called Protein LTV1 homolog.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	t	61	Total	C	N	O	0	0
			304	182	61	61		

- Molecule 25 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	d	55	Total	C	N	O	0	0
			269	159	55	55		

- Molecule 26 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	D	225	Total	C	N	O	0	0
			1104	654	225	225		

- Molecule 27 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	F	189	Total	C	N	O	0	0
			935	557	189	189		

- Molecule 28 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	K	95	Total	C	N	O	0	0
			472	282	95	95		

- Molecule 29 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms				AltConf	Trace
29	M	123	Total	C	N	O	0	0
			607	361	123	123		

- Molecule 30 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	P	120	Total	C	N	O	0	0
			590	350	120	120		

- Molecule 31 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	Q	139	Total	C	N	O	0	0
			683	405	139	139		

- Molecule 32 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	S	143	Total	C	N	O	0	0
			704	418	143	143		

- Molecule 33 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	T	144	Total	C	N	O	0	0
			705	417	144	144		

- Molecule 34 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	U	101	Total	C	N	O	0	0
			500	298	101	101		

- Molecule 35 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	Z	72	Total	C	N	O	0	0
			358	214	72	72		

- Molecule 36 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	c	61	Total	C	N	O	0	0
			300	178	61	61		

- Molecule 37 is a protein called Ubiquitin-40S ribosomal protein S27a.

Mol	Chain	Residues	Atoms				AltConf	Trace
37	f	72	Total	C	N	O	0	0
			356	212	72	72		


- Molecule 38 is a protein called Receptor of activated protein C kinase 1.


Mol	Chain	Residues	Atoms				AltConf	Trace
38	g	314	Total	C	N	O	0	0
			1543	915	314	314		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 18S ribosomal RNA






- Chain H:  6% 95%




- Molecule 9: 40S ribosomal protein S8

Chain I: 99%




- Molecule 10: 40S ribosomal protein S9

Chain J: 91% 7%




- Molecule 11: 40S ribosomal protein S11

Chain L: 12% 94%




- Molecule 12: 40S ribosomal protein S13

Chain N: 99%



- Molecule 13: 40S ribosomal protein S14

Chain O: 5% 88% 11%




- Molecule 14: 40S ribosomal protein S21

Chain V: 99%




- Molecule 15: 40S ribosomal protein S15a

Chain W:  96% ..



- Molecule 16: 40S ribosomal protein S23

Chain X:  97% ...




- Molecule 17: 40S ribosomal protein S24

Chain Y:  92% • 7%



- Molecule 18: 40S ribosomal protein S27

Chain b:  98% •




- Molecule 19: 40S ribosomal protein S30

Chain e:  88% 5% 7%



- Molecule 20: RNA-binding protein PNO1


Chain x:  69% • 29%






- Molecule 21: RNA-binding protein NOB1

Chain y:  76% • 21%














- Molecule 26: 40S ribosomal protein S3




- Molecule 27: 40S ribosomal protein S5




- Molecule 28: 40S ribosomal protein S10





- Molecule 29: 40S ribosomal protein S12





- Molecule 30: 40S ribosomal protein S15



- Molecule 37: Ubiquitin-40S ribosomal protein S27a



- Molecule 38: Receptor of activated protein C kinase 1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	71735	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	2.5	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.189	Depositor
Minimum map value	-0.070	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.04	Depositor
Map size ($\text{\AA}$)	390.24, 390.24, 390.24	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.084, 1.084, 1.084	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	2	0.50	1/21550 (0.0%)	0.99	38/33120 (0.1%)
2	R	0.53	0/603	1.06	3/839 (0.4%)
3	A	0.64	0/1067	1.21	2/1485 (0.1%)
4	B	0.57	0/1053	1.07	1/1466 (0.1%)
5	C	0.65	0/1071	1.11	0/1487
6	E	0.54	0/1286	1.04	0/1785
7	G	0.65	0/1134	1.11	0/1577
8	H	0.62	0/919	1.10	0/1279
9	I	0.56	0/1008	1.08	0/1400
10	J	0.63	0/887	1.22	1/1233 (0.1%)
11	L	0.55	0/743	1.02	0/1032
12	N	0.67	0/736	1.28	0/1024
13	O	0.62	0/658	1.23	1/910 (0.1%)
14	V	0.56	0/402	1.08	0/557
15	W	0.58	0/633	1.12	0/878
16	X	0.59	0/689	1.08	1/954 (0.1%)
17	Y	0.58	0/609	1.07	1/845 (0.1%)
18	b	0.56	0/404	1.01	0/561
19	e	0.64	0/269	1.09	0/372
20	x	0.58	0/879	1.16	0/1223
21	y	0.59	0/1603	1.11	2/2228 (0.1%)
22	u	0.56	0/3038	1.08	6/4227 (0.1%)
23	v	0.63	0/1606	1.12	0/2233
24	t	0.48	0/303	1.10	0/422
25	d	0.44	0/268	0.76	0/370
26	D	0.53	1/1103 (0.1%)	0.98	4/1530 (0.3%)
27	F	0.43	0/934	0.99	2/1300 (0.2%)
28	K	0.39	0/471	0.85	0/656
29	M	0.30	0/606	0.80	0/842
30	P	0.34	0/589	0.85	0/817
31	Q	0.46	0/682	0.97	0/946
32	S	0.32	0/703	0.88	2/976 (0.2%)
33	T	0.48	1/704 (0.1%)	0.85	0/975
34	U	0.49	0/499	1.03	2/694 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	Z	0.35	0/357	0.95	2/497 (0.4%)
36	c	0.40	0/299	0.87	1/414 (0.2%)
37	f	0.31	0/355	0.78	0/493
38	g	0.38	0/1542	0.81	0/2141
All	All	0.53	3/52262 (0.0%)	1.03	69/75788 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
26	D	0	1
27	F	0	4
31	Q	0	1
33	T	0	1
37	f	0	1
All	All	0	8

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	1389	C	O3'-P	-9.55	1.46	1.61
26	D	189	MET	C-N	-8.91	1.20	1.33
33	T	87	VAL	C-N	-7.13	1.23	1.33

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	1389	C	O4'-C1'-C2'	-8.46	99.14	107.60
22	u	80	GLY	CA-C-N	8.36	128.99	120.38
22	u	80	GLY	C-N-CA	8.36	128.99	120.38
1	2	958	G	C2'-C3'-O3'	8.12	125.87	113.70
3	A	206	ASP	CA-C-N	8.02	129.86	119.84
3	A	206	ASP	C-N-CA	8.02	129.86	119.84
1	2	1210	G	C2'-C3'-O3'	7.88	125.53	113.70
26	D	189	MET	CA-C-N	7.63	132.27	120.68
26	D	189	MET	C-N-CA	7.63	132.27	120.68
1	2	980	A	C2'-C3'-O3'	7.28	124.62	113.70
1	2	604	A	C2'-C3'-O3'	7.16	124.43	113.70
1	2	1726	G	C2'-C3'-O3'	7.15	124.42	113.70
1	2	547	G	C2'-C3'-O3'	6.83	123.95	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	u	292	VAL	N-CA-C	6.73	117.23	110.23
1	2	919	A	C2'-C3'-O3'	-6.64	103.74	113.70
1	2	638	C	C3'-C2'-O2'	6.49	120.44	110.70
1	2	1869	A	C4'-C3'-O3'	-6.36	103.45	113.00
1	2	604	A	C3'-C2'-O2'	6.24	120.05	110.70
35	Z	61	GLU	CA-C-N	6.14	126.33	120.43
35	Z	61	GLU	C-N-CA	6.14	126.33	120.43
21	y	370	VAL	N-CA-C	6.09	122.02	109.34
1	2	1389	C	P-O3'-C3'	-6.01	111.18	120.20
27	F	141	VAL	CA-C-N	5.97	130.42	120.86
27	F	141	VAL	C-N-CA	5.97	130.42	120.86
1	2	596	U	C4'-C3'-O3'	-5.89	104.16	113.00
1	2	1726	G	C3'-C2'-O2'	5.87	119.51	110.70
1	2	1389	C	C3'-C2'-O2'	5.86	119.49	110.70
1	2	1565	C	P-O3'-C3'	5.81	128.92	120.20
34	U	18	HIS	CA-C-N	5.75	130.54	122.08
34	U	18	HIS	C-N-CA	5.75	130.54	122.08
1	2	1403	C	P-O3'-C3'	5.64	128.66	120.20
36	c	22	GLY	N-CA-C	-5.58	104.18	111.37
2	R	43	SER	CA-C-N	5.57	129.17	120.82
2	R	43	SER	C-N-CA	5.57	129.17	120.82
1	2	1389	C	C2'-C3'-O3'	-5.56	105.36	113.70
22	u	660	PHE	CA-C-N	5.51	123.63	119.66
22	u	660	PHE	C-N-CA	5.51	123.63	119.66
1	2	980	A	C3'-C2'-O2'	5.50	118.95	110.70
32	S	99	LEU	CA-C-N	5.48	128.41	120.79
32	S	99	LEU	C-N-CA	5.48	128.41	120.79
1	2	1371	U	C4'-C3'-O3'	-5.47	104.80	113.00
1	2	563	G	C4'-C3'-O3'	-5.42	104.86	113.00
1	2	180	G	C4'-C3'-O3'	-5.41	104.89	113.00
1	2	1425	G	C2'-C3'-O3'	5.41	121.81	113.70
1	2	1389	C	O4'-C4'-C3'	-5.36	98.64	104.00
1	2	1330	G	P-O3'-C3'	5.34	128.22	120.20
1	2	143	U	C2'-C3'-O3'	5.33	121.69	113.70
1	2	114	G	C2'-C3'-O3'	5.29	121.63	113.70
1	2	1388	A	O4'-C1'-C2'	-5.28	102.32	107.60
1	2	180	G	C2'-C3'-O3'	5.24	121.56	113.70
13	O	148	GLY	N-CA-C	5.23	118.11	110.63
1	2	1585	U	P-O3'-C3'	5.20	127.99	120.20
1	2	1871	C	C2'-C3'-O3'	-5.18	105.92	113.70
1	2	314	U	C2'-C3'-O3'	5.18	121.47	113.70
26	D	196	GLY	CA-C-N	5.17	131.42	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	D	196	GLY	C-N-CA	5.17	131.42	121.54
4	B	200	ALA	N-CA-C	5.16	119.42	113.18
17	Y	84	LYS	N-CA-C	5.16	117.80	111.82
1	2	1308	U	P-O3'-C3'	5.13	127.90	120.20
16	X	61	GLN	N-CA-C	5.13	121.15	109.81
1	2	309	G	C3'-C2'-O2'	5.12	118.38	110.70
10	J	43	VAL	CB-CA-C	-5.12	105.42	111.97
1	2	102	A	C2'-C3'-O3'	5.12	121.38	113.70
2	R	44	LYS	N-CA-C	5.12	119.81	111.37
1	2	1154	U	C2'-C3'-O3'	-5.05	106.13	113.70
1	2	591	U	O4'-C1'-C2'	-5.02	102.58	107.60
1	2	1210	G	C3'-C2'-O2'	5.01	118.22	110.70
21	y	49	LEU	N-CA-C	5.01	120.87	109.81
22	u	563	SER	N-CA-C	5.00	116.42	111.07

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
26	D	194	PRO	Peptide
27	F	165	ASN	Peptide
27	F	40	ALA	Peptide
27	F	77	MET	Peptide
27	F	82	ASN	Peptide
31	Q	42	ILE	Peptide
33	T	36	THR	Peptide
37	f	87	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	19905	0	9967	179	0
2	R	604	0	259	17	0
3	A	1068	0	503	0	0
4	B	1054	0	455	0	0
5	C	1072	0	489	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	E	1287	0	577	2	0
7	G	1135	0	512	2	0
8	H	920	0	399	1	0
9	I	1009	0	451	0	0
10	J	888	0	389	0	0
11	L	744	0	321	1	0
12	N	737	0	330	0	0
13	O	659	0	321	1	0
14	V	403	0	199	0	0
15	W	634	0	283	2	0
16	X	690	0	330	0	0
17	Y	610	0	271	0	0
18	b	405	0	172	0	0
19	e	270	0	126	0	0
20	x	880	0	403	2	0
21	y	1606	0	708	16	0
22	u	3042	0	1327	48	0
23	v	1610	0	704	26	0
24	t	304	0	133	0	0
25	d	269	0	117	3	0
26	D	1104	0	504	33	0
27	F	935	0	442	5	0
28	K	472	0	203	1	0
29	M	607	0	284	1	0
30	P	590	0	251	14	0
31	Q	683	0	320	5	0
32	S	704	0	317	4	0
33	T	705	0	343	3	0
34	U	500	0	210	0	0
35	Z	358	0	161	0	0
36	c	300	0	131	16	0
37	f	356	0	153	19	0
38	g	1543	0	689	9	0
All	All	50662	0	23754	279	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (279) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
23:v:101:MET:CB	30:P:134:GLY:H	1.03	1.61
1:2:1384:C:H5'	26:D:156:LEU:CB	1.32	1.58
1:2:1503:C:C4'	22:u:762:GLN:CA	1.78	1.56
22:u:706:ILE:CA	37:f:79:LYS:HA	1.32	1.54
22:u:714:ARG:CB	37:f:82:LYS:CB	1.89	1.49
23:v:101:MET:CB	30:P:134:GLY:N	1.74	1.42
1:2:1204:A:H4'	23:v:68:LYS:CB	1.50	1.39
22:u:712:VAL:CB	37:f:80:ARG:C	1.97	1.37
1:2:1503:C:C4'	22:u:762:GLN:HA	0.85	1.32
22:u:706:ILE:HA	37:f:79:LYS:CA	1.60	1.32
1:2:1384:C:C5'	26:D:156:LEU:CB	2.07	1.31
1:2:1503:C:C5'	22:u:762:GLN:HA	1.60	1.30
1:2:1503:C:O4'	22:u:762:GLN:CA	1.70	1.30
1:2:1503:C:O4'	22:u:762:GLN:HA	1.16	1.30
2:R:74:GLN:O	2:R:76:GLU:N	1.64	1.30
23:v:100:GLN:HA	30:P:131:PRO:CB	1.41	1.30
22:u:712:VAL:CB	37:f:81:LYS:N	1.98	1.27
21:y:370:VAL:CB	36:c:67:ARG:CB	2.14	1.25
23:v:100:GLN:CA	30:P:131:PRO:CB	2.15	1.25
22:u:712:VAL:O	37:f:80:ARG:O	1.56	1.19
1:2:1204:A:C1'	23:v:69:THR:CB	2.19	1.18
1:2:1385:G:C5'	26:D:159:HIS:H	1.59	1.15
1:2:1503:C:H4'	22:u:762:GLN:CA	1.67	1.14
1:2:1204:A:O2'	23:v:69:THR:N	1.81	1.14
1:2:1503:C:C5'	22:u:762:GLN:CA	2.21	1.12
1:2:1503:C:H4'	22:u:762:GLN:HA	1.19	1.10
1:2:1384:C:C4'	26:D:157:MET:H	1.65	1.10
23:v:100:GLN:CB	30:P:131:PRO:CB	2.32	1.07
1:2:1384:C:H4'	26:D:157:MET:N	1.70	1.06
1:2:1384:C:H4'	26:D:157:MET:H	0.89	1.05
23:v:101:MET:CB	30:P:134:GLY:CA	2.34	1.05
1:2:1375:G:OP1	2:R:67:ARG:CB	2.04	1.04
1:2:1385:G:H5''	26:D:159:HIS:H	1.21	1.04
22:u:706:ILE:CA	37:f:79:LYS:CA	2.26	1.03
1:2:1503:C:H4'	22:u:762:GLN:C	1.83	1.02
1:2:1204:A:C4'	23:v:68:LYS:CB	2.37	1.02
1:2:1503:C:H5'	22:u:762:GLN:CA	1.88	0.99
1:2:1385:G:C5'	26:D:158:ILE:HA	1.90	0.99
1:2:1503:C:O4'	22:u:762:GLN:N	1.95	0.98
1:2:1375:G:OP1	2:R:67:ARG:C	2.06	0.98
22:u:712:VAL:C	37:f:80:ARG:O	2.08	0.97
22:u:712:VAL:CB	37:f:80:ARG:O	2.16	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:R:73:LEU:C	2:R:75:GLU:H	1.77	0.92
1:2:1388:A:O2'	26:D:205:PRO:O	1.90	0.89
1:2:1385:G:C5'	26:D:159:HIS:N	2.36	0.89
1:2:1375:G:OP1	2:R:67:ARG:CA	2.22	0.88
1:2:1385:G:H5''	26:D:159:HIS:N	1.90	0.87
22:u:706:ILE:HA	37:f:79:LYS:HA	0.86	0.86
1:2:1384:C:H5'	26:D:156:LEU:CA	2.04	0.86
1:2:1503:C:H5'	22:u:762:GLN:CB	2.06	0.86
1:2:1503:C:H5'	22:u:762:GLN:C	2.00	0.86
1:2:1503:C:H5'	22:u:762:GLN:O	1.75	0.84
1:2:1385:G:H5'	26:D:159:HIS:H	1.43	0.84
22:u:706:ILE:HA	37:f:79:LYS:CB	2.09	0.83
1:2:1503:C:C1'	22:u:761:SER:C	2.52	0.82
22:u:712:VAL:CB	37:f:81:LYS:CA	2.58	0.82
1:2:1204:A:C2'	23:v:69:THR:H	1.93	0.81
22:u:706:ILE:N	37:f:79:LYS:HA	1.66	0.80
1:2:1375:G:C5'	2:R:67:ARG:CB	2.60	0.80
1:2:1208:A:O2'	1:2:1209:A:O4'	2.01	0.78
1:2:1503:C:C5'	22:u:762:GLN:C	2.57	0.78
1:2:1384:C:H5''	26:D:156:LEU:CB	2.10	0.78
23:v:101:MET:CB	30:P:134:GLY:HA3	2.13	0.78
1:2:1272:C:HO2'	25:d:2:GLY:N	1.81	0.78
27:F:158:ALA:O	27:F:162:ALA:HB3	1.84	0.77
1:2:1342:U:C1'	1:2:1343:U:OP2	2.32	0.77
1:2:1385:G:H5'	26:D:158:ILE:HA	1.66	0.76
1:2:1513:C:OP1	25:d:10:HIS:CB	2.33	0.76
1:2:1389:C:H5'	26:D:205:PRO:CB	2.16	0.75
1:2:1385:G:H5'	26:D:159:HIS:N	2.01	0.75
21:y:368:ALA:HB2	36:c:65:ALA:HB3	1.70	0.74
1:2:925:G:H2'	1:2:926:A:H5''	1.69	0.73
1:2:1503:C:C5'	22:u:762:GLN:CB	2.64	0.73
21:y:368:ALA:CB	36:c:65:ALA:HB3	2.19	0.72
1:2:44:U:O2'	1:2:45:A:H2'	1.89	0.72
31:Q:87:SER:O	31:Q:91:ALA:HB2	1.89	0.72
1:2:1375:G:H5''	2:R:67:ARG:CB	2.19	0.71
1:2:1204:A:HO2'	23:v:69:THR:H	1.37	0.71
21:y:368:ALA:O	36:c:66:ARG:HA	1.91	0.71
1:2:983:A:H2'	1:2:984:C:O4'	1.91	0.70
1:2:1204:A:C1'	23:v:69:THR:N	2.54	0.70
2:R:73:LEU:C	2:R:75:GLU:N	2.46	0.70
2:R:74:GLN:C	2:R:76:GLU:N	2.48	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
23:v:100:GLN:CB	30:P:131:PRO:CA	2.66	0.69
2:R:74:GLN:O	2:R:75:GLU:C	2.36	0.69
2:R:19:LYS:O	2:R:20:TYR:CB	2.41	0.69
2:R:73:LEU:O	2:R:75:GLU:N	2.25	0.69
1:2:1374:C:H2'	1:2:1375:G:O4'	1.93	0.69
1:2:1384:C:C5'	26:D:157:MET:H	2.05	0.68
1:2:1208:A:H2'	1:2:1209:A:C1'	2.23	0.68
1:2:926:A:H2'	1:2:927:C:O4'	1.93	0.67
1:2:102:A:OP1	1:2:102:A:H3'	1.94	0.67
1:2:495:U:H2'	1:2:496:C:O4'	1.94	0.67
1:2:1328:G:O2'	22:u:759:LEU:O	2.13	0.67
1:2:1037:G:H4'	1:2:1845:A:H4'	1.77	0.67
1:2:1385:G:C5'	26:D:158:ILE:CA	2.71	0.66
22:u:712:VAL:CA	37:f:80:ARG:O	2.44	0.65
1:2:1503:C:O4'	22:u:762:GLN:CB	2.45	0.64
1:2:1798:C:H2'	1:2:1799:G:O4'	1.98	0.64
1:2:301:A:H2'	1:2:302:A:O4'	1.99	0.63
23:v:100:GLN:CB	30:P:131:PRO:N	2.62	0.63
1:2:1375:G:H5'	2:R:67:ARG:CB	2.29	0.63
1:2:102:A:H3'	1:2:102:A:P	2.39	0.62
1:2:370:G:H4'	1:2:371:A:OP1	1.98	0.62
1:2:870:A:H4'	1:2:871:U:OP2	2.00	0.62
1:2:1204:A:O2'	23:v:70:VAL:N	2.29	0.62
1:2:1344:A:OP1	1:2:1369:A:O2'	2.18	0.61
1:2:1503:C:C5'	22:u:762:GLN:O	2.47	0.61
1:2:1384:C:C5'	26:D:157:MET:N	2.64	0.60
22:u:712:VAL:CB	37:f:81:LYS:HA	2.30	0.60
1:2:1091:C:HO2'	15:W:2:VAL:N	1.99	0.59
1:2:1503:C:C1'	22:u:762:GLN:N	2.62	0.59
21:y:368:ALA:O	36:c:66:ARG:CA	2.49	0.59
2:R:74:GLN:O	2:R:76:GLU:CA	2.51	0.59
2:R:74:GLN:O	2:R:77:GLU:N	2.35	0.59
21:y:364:PRO:CB	36:c:41:SER:CB	2.81	0.58
26:D:107:TYR:O	26:D:111:GLY:N	2.31	0.58
1:2:15:U:H2'	1:2:16:G:O4'	2.03	0.58
1:2:1606:G:H5'	33:T:86:GLY:HA2	1.85	0.58
1:2:1388:A:C2'	26:D:205:PRO:O	2.51	0.58
1:2:1389:C:C5'	26:D:205:PRO:CB	2.81	0.58
1:2:448:A:H4'	1:2:449:A:H5'	1.84	0.58
1:2:297:A:H5'	6:E:132:GLY:HA2	1.86	0.57
21:y:368:ALA:O	36:c:66:ARG:C	2.47	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:1673:U:OP1	31:Q:79:ALA:N	2.38	0.57
22:u:712:VAL:H	37:f:79:LYS:C	2.12	0.57
23:v:40:SER:CB	23:v:518:ARG:HA	2.34	0.57
1:2:1721:U:H3'	1:2:1722:G:H5'	1.87	0.56
1:2:1139:C:H2'	1:2:1140:G:O4'	2.06	0.55
23:v:155:ARG:HA	23:v:183:ARG:O	2.06	0.55
23:v:101:MET:N	30:P:132:GLY:O	2.40	0.55
1:2:1245:G:O2'	1:2:1492:U:OP1	2.23	0.55
1:2:1503:C:C4'	22:u:762:GLN:C	2.48	0.55
30:P:50:ARG:O	30:P:54:HIS:N	2.37	0.55
38:g:70:VAL:O	38:g:79:LEU:N	2.40	0.55
1:2:1691:U:H2'	1:2:1692:U:O4'	2.07	0.54
29:M:25:ALA:O	29:M:29:ASP:N	2.40	0.54
1:2:1049:A:H3'	1:2:1050:A:H5''	1.89	0.54
1:2:575:A:H2'	1:2:576:A:O4'	2.08	0.54
1:2:1204:A:C1'	23:v:69:THR:CA	2.84	0.54
1:2:616:A:H2'	1:2:617:G:O4'	2.07	0.54
1:2:808:A:H5''	6:E:219:ALA:O	2.08	0.54
1:2:1512:C:O2'	25:d:7:TYR:O	2.25	0.54
1:2:1208:A:C2'	1:2:1209:A:O4'	2.55	0.54
1:2:337:C:H3'	1:2:338:G:H5''	1.90	0.53
2:R:74:GLN:C	2:R:76:GLU:H	2.11	0.53
38:g:42:MET:O	38:g:56:GLN:N	2.34	0.53
1:2:1503:C:O4'	22:u:761:SER:C	2.51	0.53
21:y:368:ALA:HB2	36:c:65:ALA:CB	2.37	0.53
21:y:368:ALA:CB	36:c:65:ALA:CB	2.85	0.53
1:2:1012:A:H2'	1:2:1013:U:O4'	2.08	0.53
21:y:370:VAL:CA	36:c:67:ARG:CB	2.84	0.52
1:2:1388:A:H2'	26:D:205:PRO:O	2.10	0.52
1:2:1389:C:HO2'	1:2:1390:U:P	2.33	0.51
1:2:443:U:H2'	1:2:444:G:O4'	2.10	0.51
1:2:1025:U:H2'	1:2:1026:C:O4'	2.11	0.51
1:2:1788:A:H2'	1:2:1789:G:O4'	2.10	0.51
1:2:1324:G:O2'	1:2:1510:G:O2'	2.28	0.51
21:y:368:ALA:O	36:c:67:ARG:N	2.44	0.51
26:D:133:GLY:HA2	26:D:155:GLY:HA3	1.92	0.51
1:2:1025:U:H5''	1:2:1090:C:O2'	2.11	0.50
32:S:114:LEU:O	32:S:118:ARG:N	2.45	0.50
1:2:176:U:H2'	1:2:177:G:O4'	2.12	0.50
1:2:1288:U:O2'	1:2:1315:U:O2'	2.28	0.50
1:2:1503:C:C4'	22:u:762:GLN:N	2.62	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
31:Q:76:GLY:H	31:Q:79:ALA:HB3	1.77	0.50
21:y:368:ALA:HB2	36:c:65:ALA:CA	2.42	0.49
1:2:798:G:O2'	8:H:106:ARG:HA	2.11	0.49
1:2:1211:G:H5'	1:2:1212:G:OP2	2.12	0.49
1:2:1464:C:O2'	1:2:1465:A:O4'	2.29	0.49
1:2:4:C:H4'	5:C:207:ALA:HB2	1.93	0.49
1:2:1818:A:H2'	1:2:1819:A:O4'	2.12	0.49
1:2:1385:G:H5'	26:D:158:ILE:CA	2.39	0.49
22:u:251:ALA:HA	22:u:280:GLY:HA3	1.95	0.49
26:D:226:GLN:HA	38:g:186:THR:HA	1.94	0.49
1:2:1384:C:C4'	26:D:157:MET:N	2.50	0.49
1:2:1384:C:H5''	26:D:157:MET:N	2.28	0.49
1:2:399:C:H3'	1:2:400:C:H5'	1.95	0.49
1:2:818:A:H2'	1:2:819:G:O4'	2.14	0.48
32:S:99:LEU:O	32:S:103:LEU:N	2.46	0.48
1:2:946:U:H2'	1:2:947:G:O4'	2.13	0.48
1:2:1204:A:C2'	23:v:69:THR:N	2.63	0.48
1:2:1384:C:C5'	26:D:156:LEU:CA	2.79	0.48
1:2:310:C:H2'	1:2:311:C:O4'	2.14	0.48
1:2:1143:A:H2'	1:2:1144:A:O4'	2.14	0.48
1:2:213:G:H2'	1:2:214:U:O4'	2.13	0.48
1:2:648:A:H2'	1:2:649:U:O4'	2.14	0.48
22:u:706:ILE:N	37:f:79:LYS:CA	2.49	0.48
38:g:259:TRP:HA	38:g:266:ILE:HA	1.95	0.48
27:F:165:ASN:O	27:F:167:LYS:N	2.48	0.47
32:S:45:LEU:O	32:S:49:ASP:N	2.47	0.47
1:2:1100:A:H2'	1:2:1101:U:O4'	2.14	0.47
1:2:1088:U:H4'	1:2:1089:G:OP2	2.14	0.47
33:T:124:THR:O	33:T:128:GLN:N	2.45	0.47
1:2:26:U:H2'	1:2:27:A:O4'	2.14	0.47
1:2:441:C:H4'	1:2:441:C:OP1	2.15	0.47
1:2:556:U:H2'	1:2:557:U:O4'	2.15	0.47
21:y:364:PRO:CB	36:c:41:SER:O	2.62	0.47
22:u:712:VAL:H	37:f:80:ARG:N	2.12	0.47
31:Q:87:SER:O	31:Q:91:ALA:CB	2.61	0.47
11:L:42:LEU:O	11:L:44:PHE:N	2.48	0.47
1:2:106:C:H5''	1:2:431:G:O2'	2.15	0.47
1:2:654:A:H5'	1:2:655:A:H3'	1.97	0.47
1:2:1325:G:O2'	1:2:1327:G:OP1	2.33	0.47
7:G:57:ASP:HA	7:G:106:LEU:HA	1.97	0.47
2:R:44:LYS:O	2:R:48:ASN:N	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
37:f:138:ARG:HA	37:f:149:CYS:HA	1.97	0.46
1:2:1049:A:H3'	1:2:1050:A:C5'	2.45	0.46
1:2:1389:C:O2'	1:2:1390:U:O5'	2.31	0.46
22:u:591:MET:HA	22:u:657:PRO:HA	1.97	0.45
1:2:27:A:H2'	1:2:28:U:O4'	2.17	0.45
1:2:591:U:O2'	1:2:592:C:H3'	2.17	0.45
1:2:1380:C:H2'	1:2:1381:G:O4'	2.17	0.45
22:u:596:MET:O	22:u:651:VAL:HA	2.17	0.45
1:2:146:G:H2'	1:2:147:A:O4'	2.17	0.45
1:2:672:A:H3'	1:2:673:G:H5''	1.99	0.44
1:2:1243:U:OP1	1:2:1518:C:O2'	2.29	0.44
21:y:368:ALA:HB1	36:c:65:ALA:CB	2.47	0.44
1:2:417:C:H2'	1:2:418:A:H5''	1.99	0.44
1:2:1655:C:OP1	33:T:92:PHE:N	2.49	0.44
36:c:32:VAL:O	36:c:41:SER:HA	2.17	0.44
1:2:152:U:H2'	1:2:153:G:O4'	2.18	0.44
30:P:95:GLY:HA2	30:P:103:ASN:O	2.17	0.44
1:2:480:G:H2'	1:2:481:C:O4'	2.17	0.44
1:2:1537:A:O2'	1:2:1604:G:OP1	2.36	0.44
26:D:108:LYS:O	26:D:113:LEU:N	2.49	0.43
1:2:871:U:OP2	1:2:871:U:H4'	2.18	0.43
1:2:1811:C:H2'	1:2:1812:U:O4'	2.19	0.43
23:v:290:ILE:HA	23:v:291:ARG:HA	1.72	0.43
1:2:1231:C:H2'	1:2:1232:U:O4'	2.18	0.43
1:2:1809:A:H2'	1:2:1810:U:O4'	2.18	0.43
1:2:415:A:H2'	1:2:416:U:O4'	2.18	0.43
1:2:96:C:H2'	1:2:97:U:O4'	2.18	0.43
1:2:795:A:H2'	1:2:796:G:O4'	2.18	0.43
27:F:86:LYS:O	27:F:90:VAL:N	2.49	0.43
1:2:340:C:H2'	1:2:341:C:O4'	2.19	0.43
1:2:1144:A:C1'	1:2:1199:A:O2'	2.67	0.43
1:2:638:C:HO2'	1:2:639:C:C5'	2.32	0.43
22:u:481:GLU:HA	22:u:484:PHE:O	2.17	0.43
1:2:219:U:H2'	1:2:220:U:O4'	2.19	0.43
38:g:71:ILE:HA	38:g:78:ALA:HA	2.00	0.43
1:2:561:A:H2'	1:2:562:U:O4'	2.19	0.43
38:g:131:LEU:O	38:g:139:LYS:N	2.39	0.43
1:2:498:C:H2'	1:2:499:G:O4'	2.18	0.43
1:2:462:C:H2'	1:2:463:C:O4'	2.19	0.42
1:2:833:C:H2'	1:2:834:C:H4'	2.01	0.42
20:x:231:GLY:O	20:x:232:ASN:C	2.62	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
27:F:168:THR:O	27:F:172:CYS:N	2.41	0.42
1:2:681:U:H2'	1:2:682:U:O4'	2.18	0.42
1:2:897:U:H2'	1:2:898:U:H4'	2.01	0.42
26:D:108:LYS:O	26:D:112:GLY:N	2.52	0.42
1:2:84:A:H2'	1:2:85:A:O4'	2.20	0.42
1:2:162:C:H2'	1:2:163:U:O4'	2.19	0.42
1:2:929:G:H2'	1:2:930:C:O4'	2.20	0.42
1:2:1208:A:C2'	1:2:1209:A:C1'	2.94	0.42
1:2:1522:A:O2'	32:S:145:THR:O	2.36	0.42
1:2:1645:C:H5'	31:Q:139:ALA:HA	2.02	0.42
26:D:227:LYS:N	38:g:185:LYS:O	2.52	0.42
38:g:260:ASP:N	38:g:265:ILE:O	2.39	0.42
1:2:1840:U:H2'	1:2:1841:C:O4'	2.18	0.42
28:K:31:LYS:HA	28:K:41:PRO:HA	2.02	0.42
1:2:332:G:H5'	7:G:193:ALA:HB2	2.02	0.42
1:2:88:G:H2'	1:2:89:C:O4'	2.19	0.41
21:y:368:ALA:HB1	36:c:65:ALA:HB3	1.98	0.41
27:F:200:ALA:O	27:F:204:ARG:N	2.51	0.41
23:v:100:GLN:C	30:P:132:GLY:O	2.64	0.41
1:2:1204:A:O2'	23:v:69:THR:CA	2.65	0.41
20:x:160:LEU:HA	20:x:211:ILE:O	2.20	0.41
38:g:112:ALA:HB2	38:g:155:ARG:HA	2.03	0.41
1:2:943:U:O2'	13:O:136:PRO:HA	2.21	0.41
1:2:1306:U:H2'	1:2:1307:U:O4'	2.20	0.41
1:2:1503:C:C4'	22:u:761:SER:O	2.69	0.41
1:2:918:U:O2'	1:2:919:A:O4'	2.39	0.41
22:u:614:LEU:O	22:u:624:ARG:HA	2.21	0.41
1:2:1378:A:H5'	21:y:332:GLY:HA2	2.03	0.40
15:W:66:THR:C	15:W:68:ARG:H	2.29	0.40
23:v:101:MET:CB	30:P:132:GLY:O	2.69	0.40
1:2:1125:C:H2'	1:2:1126:G:O4'	2.21	0.40
1:2:871:U:H3'	1:2:872:A:H4'	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	R	120/135 (89%)	102 (85%)	15 (12%)	3 (2%)	4	29
3	A	214/295 (72%)	200 (94%)	12 (6%)	2 (1%)	14	49
4	B	211/264 (80%)	195 (92%)	15 (7%)	1 (0%)	24	61
5	C	216/293 (74%)	202 (94%)	12 (6%)	2 (1%)	14	49
6	E	260/263 (99%)	245 (94%)	14 (5%)	1 (0%)	30	65
7	G	228/249 (92%)	215 (94%)	12 (5%)	1 (0%)	30	65
8	H	184/194 (95%)	174 (95%)	10 (5%)	0	100	100
9	I	203/208 (98%)	191 (94%)	12 (6%)	0	100	100
10	J	178/194 (92%)	159 (89%)	17 (10%)	2 (1%)	11	44
11	L	149/158 (94%)	143 (96%)	4 (3%)	2 (1%)	9	41
12	N	147/151 (97%)	137 (93%)	10 (7%)	0	100	100
13	O	133/151 (88%)	125 (94%)	8 (6%)	0	100	100
14	V	80/83 (96%)	76 (95%)	4 (5%)	0	100	100
15	W	127/130 (98%)	121 (95%)	5 (4%)	1 (1%)	16	52
16	X	139/143 (97%)	134 (96%)	3 (2%)	2 (1%)	9	39
17	Y	122/133 (92%)	113 (93%)	8 (7%)	1 (1%)	16	52
18	b	80/84 (95%)	73 (91%)	7 (9%)	0	100	100
19	e	53/59 (90%)	46 (87%)	4 (8%)	3 (6%)	1	16
20	x	176/252 (70%)	169 (96%)	6 (3%)	1 (1%)	21	58
21	y	319/412 (77%)	290 (91%)	21 (7%)	8 (2%)	4	29
22	u	607/804 (76%)	549 (90%)	49 (8%)	9 (2%)	8	39
23	v	317/552 (57%)	294 (93%)	20 (6%)	3 (1%)	14	49
24	t	59/475 (12%)	52 (88%)	6 (10%)	1 (2%)	7	36
25	d	53/56 (95%)	50 (94%)	2 (4%)	1 (2%)	6	34
26	D	223/243 (92%)	198 (89%)	25 (11%)	0	100	100
27	F	187/204 (92%)	172 (92%)	12 (6%)	3 (2%)	7	37
28	K	93/165 (56%)	85 (91%)	8 (9%)	0	100	100
29	M	121/132 (92%)	114 (94%)	7 (6%)	0	100	100
30	P	118/145 (81%)	115 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
31	Q	137/146 (94%)	122 (89%)	15 (11%)	0	100	100
32	S	141/152 (93%)	130 (92%)	11 (8%)	0	100	100
33	T	142/145 (98%)	133 (94%)	9 (6%)	0	100	100
34	U	99/119 (83%)	89 (90%)	10 (10%)	0	100	100
35	Z	70/125 (56%)	68 (97%)	2 (3%)	0	100	100
36	c	59/69 (86%)	52 (88%)	7 (12%)	0	100	100
37	f	70/156 (45%)	60 (86%)	10 (14%)	0	100	100
38	g	312/317 (98%)	278 (89%)	34 (11%)	0	100	100
All	All	6147/7856 (78%)	5671 (92%)	429 (7%)	47 (1%)	18	52

All (47) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	R	20	TYR
2	R	74	GLN
2	R	75	GLU
10	J	160	SER
11	L	42	LEU
16	X	61	GLN
16	X	86	PRO
21	y	370	VAL
22	u	81	PRO
27	F	166	ILE
21	y	107	PRO
22	u	76	GLY
22	u	183	PRO
22	u	619	GLY
23	v	31	GLU
25	d	14	PHE
5	C	72	ASP
6	E	133	THR
7	G	133	LEU
11	L	41	GLY
21	y	130	LEU
21	y	219	GLN
22	u	49	SER
22	u	518	GLU
3	A	206	ASP
5	C	135	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
19	e	51	LYS
19	e	57	ALA
21	y	106	GLU
21	y	320	ARG
22	u	82	PRO
23	v	246	ASP
15	W	5	ASN
17	Y	11	LYS
21	y	50	PRO
23	v	248	PRO
24	t	425	GLU
27	F	40	ALA
10	J	138	ARG
20	x	232	ASN
21	y	339	HIS
22	u	361	PRO
3	A	207	PRO
19	e	55	PRO
22	u	749	GLY
27	F	41	VAL
4	B	93	GLY

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1645/1882 (87%)	558 (33%)	0

All (558) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	2	A
1	2	3	C
1	2	4	C
1	2	5	U
1	2	8	U
1	2	9	U
1	2	14	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	17	C
1	2	23	G
1	2	26	U
1	2	33	G
1	2	41	G
1	2	43	U
1	2	44	U
1	2	45	A
1	2	46	A
1	2	49	C
1	2	50	A
1	2	56	G
1	2	58	C
1	2	60	A
1	2	61	A
1	2	62	G
1	2	65	C
1	2	66	G
1	2	67	C
1	2	68	A
1	2	69	C
1	2	70	G
1	2	72	C
1	2	73	C
1	2	74	G
1	2	75	G
1	2	76	U
1	2	77	A
1	2	79	A
1	2	92	A
1	2	102	A
1	2	103	A
1	2	104	A
1	2	110	U
1	2	111	A
1	2	113	G
1	2	114	G
1	2	115	U
1	2	127	C
1	2	128	U
1	2	129	C
1	2	130	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	142	C
1	2	143	U
1	2	144	U
1	2	155	G
1	2	163	U
1	2	167	G
1	2	168	C
1	2	171	A
1	2	172	U
1	2	181	A
1	2	182	C
1	2	184	G
1	2	187	G
1	2	190	G
1	2	191	A
1	2	214	U
1	2	215	G
1	2	220	U
1	2	290	U
1	2	291	G
1	2	292	A
1	2	293	C
1	2	294	U
1	2	295	C
1	2	302	A
1	2	305	U
1	2	306	C
1	2	309	G
1	2	310	C
1	2	312	G
1	2	315	C
1	2	318	A
1	2	319	C
1	2	332	G
1	2	333	G
1	2	338	G
1	2	342	C
1	2	343	A
1	2	347	G
1	2	349	A
1	2	351	G
1	2	356	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	357	C
1	2	360	A
1	2	362	C
1	2	364	A
1	2	370	G
1	2	371	A
1	2	377	G
1	2	382	C
1	2	384	U
1	2	385	G
1	2	386	C
1	2	387	C
1	2	400	C
1	2	407	G
1	2	408	A
1	2	409	C
1	2	411	G
1	2	413	G
1	2	418	A
1	2	421	G
1	2	426	A
1	2	427	U
1	2	428	U
1	2	429	C
1	2	438	G
1	2	441	C
1	2	442	C
1	2	445	A
1	2	448	A
1	2	449	A
1	2	450	C
1	2	455	A
1	2	464	A
1	2	465	A
1	2	466	G
1	2	471	G
1	2	472	C
1	2	473	A
1	2	474	G
1	2	476	A
1	2	482	G
1	2	487	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	488	U
1	2	489	A
1	2	492	C
1	2	496	C
1	2	500	A
1	2	502	C
1	2	503	C
1	2	508	A
1	2	517	C
1	2	531	A
1	2	534	G
1	2	535	G
1	2	537	C
1	2	540	U
1	2	542	U
1	2	544	G
1	2	545	A
1	2	546	G
1	2	547	G
1	2	548	C
1	2	552	G
1	2	554	A
1	2	555	A
1	2	556	U
1	2	559	G
1	2	560	A
1	2	563	G
1	2	564	A
1	2	568	C
1	2	576	A
1	2	583	A
1	2	587	A
1	2	588	G
1	2	589	G
1	2	590	A
1	2	591	U
1	2	593	C
1	2	594	A
1	2	595	U
1	2	598	G
1	2	603	C
1	2	604	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	605	A
1	2	606	G
1	2	608	C
1	2	614	C
1	2	617	G
1	2	627	U
1	2	628	A
1	2	629	A
1	2	630	U
1	2	632	C
1	2	638	C
1	2	639	C
1	2	640	A
1	2	643	A
1	2	644	G
1	2	655	A
1	2	659	G
1	2	660	C
1	2	664	A
1	2	666	U
1	2	668	A
1	2	669	A
1	2	670	A
1	2	671	A
1	2	672	A
1	2	673	G
1	2	684	G
1	2	685	A
1	2	686	U
1	2	687	C
1	2	688	U
1	2	748	C
1	2	749	U
1	2	750	C
1	2	751	G
1	2	792	C
1	2	794	A
1	2	796	G
1	2	797	C
1	2	799	U
1	2	800	U
1	2	809	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	810	A
1	2	812	A
1	2	816	A
1	2	821	G
1	2	822	U
1	2	827	A
1	2	830	A
1	2	834	C
1	2	845	G
1	2	847	A
1	2	852	G
1	2	853	C
1	2	856	C
1	2	858	A
1	2	869	A
1	2	870	A
1	2	871	U
1	2	872	A
1	2	873	G
1	2	874	G
1	2	877	C
1	2	878	G
1	2	880	G
1	2	882	U
1	2	884	C
1	2	885	U
1	2	886	A
1	2	888	U
1	2	889	U
1	2	890	U
1	2	891	G
1	2	892	U
1	2	893	U
1	2	895	G
1	2	896	U
1	2	898	U
1	2	903	A
1	2	905	C
1	2	907	G
1	2	908	A
1	2	912	C
1	2	913	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	914	U
1	2	918	U
1	2	919	A
1	2	920	A
1	2	921	G
1	2	926	A
1	2	933	G
1	2	956	G
1	2	958	G
1	2	959	G
1	2	963	A
1	2	970	G
1	2	971	G
1	2	978	G
1	2	980	A
1	2	981	A
1	2	988	C
1	2	989	C
1	2	990	A
1	2	991	G
1	2	992	A
1	2	1001	A
1	2	1002	U
1	2	1009	A
1	2	1016	U
1	2	1017	U
1	2	1023	A
1	2	1027	A
1	2	1031	A
1	2	1039	C
1	2	1040	G
1	2	1041	G
1	2	1045	U
1	2	1049	A
1	2	1050	A
1	2	1053	C
1	2	1056	U
1	2	1057	C
1	2	1058	A
1	2	1059	G
1	2	1060	A
1	2	1062	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1078	C
1	2	1082	A
1	2	1083	A
1	2	1085	C
1	2	1087	A
1	2	1088	U
1	2	1096	G
1	2	1099	G
1	2	1100	A
1	2	1109	C
1	2	1110	G
1	2	1114	U
1	2	1116	C
1	2	1117	C
1	2	1118	C
1	2	1119	A
1	2	1121	G
1	2	1126	G
1	2	1131	G
1	2	1133	A
1	2	1138	C
1	2	1141	G
1	2	1148	A
1	2	1150	A
1	2	1153	C
1	2	1154	U
1	2	1155	U
1	2	1157	G
1	2	1159	G
1	2	1165	G
1	2	1166	G
1	2	1170	A
1	2	1171	G
1	2	1181	A
1	2	1194	A
1	2	1195	A
1	2	1197	G
1	2	1200	A
1	2	1202	U
1	2	1204	A
1	2	1205	C
1	2	1207	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1208	A
1	2	1210	G
1	2	1211	G
1	2	1215	C
1	2	1217	A
1	2	1221	G
1	2	1224	G
1	2	1227	G
1	2	1232	U
1	2	1235	G
1	2	1236	G
1	2	1238	U
1	2	1242	U
1	2	1243	U
1	2	1245	G
1	2	1251	A
1	2	1253	A
1	2	1254	C
1	2	1257	G
1	2	1259	A
1	2	1260	A
1	2	1261	C
1	2	1270	G
1	2	1274	G
1	2	1275	G
1	2	1283	C
1	2	1284	A
1	2	1286	G
1	2	1288	U
1	2	1294	G
1	2	1298	G
1	2	1301	A
1	2	1302	G
1	2	1303	C
1	2	1304	U
1	2	1308	U
1	2	1309	C
1	2	1313	A
1	2	1314	U
1	2	1315	U
1	2	1317	C
1	2	1320	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1321	G
1	2	1322	G
1	2	1323	U
1	2	1327	G
1	2	1329	U
1	2	1330	G
1	2	1331	C
1	2	1343	U
1	2	1344	A
1	2	1345	G
1	2	1358	U
1	2	1364	U
1	2	1371	U
1	2	1372	U
1	2	1376	A
1	2	1378	A
1	2	1382	A
1	2	1386	A
1	2	1389	C
1	2	1390	U
1	2	1401	A
1	2	1402	A
1	2	1403	C
1	2	1404	U
1	2	1405	A
1	2	1406	G
1	2	1411	G
1	2	1414	A
1	2	1415	C
1	2	1416	C
1	2	1426	U
1	2	1428	G
1	2	1429	G
1	2	1430	C
1	2	1431	G
1	2	1432	U
1	2	1439	A
1	2	1441	U
1	2	1442	U
1	2	1444	U
1	2	1446	A
1	2	1452	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1454	A
1	2	1462	U
1	2	1463	U
1	2	1465	A
1	2	1466	G
1	2	1474	A
1	2	1476	A
1	2	1477	U
1	2	1478	U
1	2	1486	A
1	2	1487	A
1	2	1489	A
1	2	1494	U
1	2	1495	G
1	2	1498	A
1	2	1500	G
1	2	1505	U
1	2	1506	A
1	2	1507	G
1	2	1510	G
1	2	1512	C
1	2	1516	G
1	2	1517	G
1	2	1518	C
1	2	1519	U
1	2	1520	G
1	2	1521	C
1	2	1522	A
1	2	1523	C
1	2	1524	G
1	2	1526	G
1	2	1531	A
1	2	1533	A
1	2	1534	C
1	2	1535	U
1	2	1536	G
1	2	1544	C
1	2	1548	G
1	2	1559	C
1	2	1560	U
1	2	1566	G
1	2	1567	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1570	G
1	2	1572	C
1	2	1573	G
1	2	1574	C
1	2	1579	A
1	2	1580	A
1	2	1581	C
1	2	1582	C
1	2	1585	U
1	2	1586	U
1	2	1587	G
1	2	1588	A
1	2	1598	G
1	2	1599	U
1	2	1600	G
1	2	1601	A
1	2	1602	U
1	2	1603	G
1	2	1606	G
1	2	1607	A
1	2	1612	G
1	2	1615	U
1	2	1617	G
1	2	1618	C
1	2	1619	A
1	2	1621	U
1	2	1623	A
1	2	1630	A
1	2	1631	U
1	2	1632	G
1	2	1635	C
1	2	1648	G
1	2	1649	U
1	2	1650	A
1	2	1654	G
1	2	1660	C
1	2	1663	A
1	2	1665	G
1	2	1671	G
1	2	1675	A
1	2	1678	A
1	2	1683	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1685	U
1	2	1686	G
1	2	1693	G
1	2	1699	A
1	2	1706	G
1	2	1712	A
1	2	1721	U
1	2	1722	G
1	2	1724	A
1	2	1727	G
1	2	1728	U
1	2	1729	U
1	2	1742	C
1	2	1746	U
1	2	1756	C
1	2	1757	G
1	2	1761	U
1	2	1773	C
1	2	1776	G
1	2	1778	C
1	2	1783	C
1	2	1784	G
1	2	1785	C
1	2	1786	U
1	2	1800	A
1	2	1801	A
1	2	1805	G
1	2	1806	A
1	2	1808	U
1	2	1816	G
1	2	1819	A
1	2	1822	A
1	2	1824	A
1	2	1825	A
1	2	1826	G
1	2	1827	U
1	2	1841	C
1	2	1849	G
1	2	1859	A
1	2	1861	G
1	2	1863	A
1	2	1864	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1865	C
1	2	1869	A
1	2	1870	A
1	2	1872	G
1	2	1873	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	189:MET	C	190:LEU	N	1.20


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4350. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 145



Y Index: 193




Z Index: 164


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.04. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 787 nm³; this corresponds to an approximate mass of 711 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.10	-	-
Author-provided FSC curve	4.05	5.13	4.15
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-4350 and PDB model 6G51. Per-residue inclusion information can be found in [section 3](#) on [page 11](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.04 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.04).

9.4 Atom inclusion ⓘ



At the recommended contour level, 87% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.04) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8360	 0.3520
2	 0.8870	 0.3570
A	 0.9240	 0.4110
B	 0.8990	 0.3980
C	 0.8870	 0.4020
D	 0.7680	 0.3300
E	 0.8920	 0.4180
F	 0.8060	 0.3160
G	 0.9250	 0.3820
H	 0.8910	 0.3750
I	 0.9090	 0.3780
J	 0.9260	 0.4100
K	 0.8180	 0.3230
L	 0.8000	 0.4180
M	 0.5720	 0.2090
N	 0.9280	 0.4000
O	 0.8130	 0.3780
P	 0.8760	 0.3300
Q	 0.8020	 0.3260
R	 0.7960	 0.3280
S	 0.8140	 0.2840
T	 0.8000	 0.3290
U	 0.7520	 0.3190
V	 0.9080	 0.4270
W	 0.9270	 0.4400
X	 0.9290	 0.4320
Y	 0.9530	 0.4120
Z	 0.6840	 0.2400
b	 0.8890	 0.4160
c	 0.6900	 0.2920
d	 0.8330	 0.3650
e	 0.6930	 0.3510
f	 0.6400	 0.2080
g	 0.6850	 0.2590
t	 0.7240	 0.3480



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
u	 0.7020	 0.3120
v	 0.4880	 0.2190
x	 0.8690	 0.3930
y	 0.7930	 0.3680