



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 11:17 AM UTC

PDB ID : 2GA6 / pdb_00002ga6
Title : The crystal structure of SARS nsp10 without zinc ion as additive
Authors : Su, D.; Lou, Z.; Sun, F.; Zhai, Y.; Yang, H.; Rao, Z.
Deposited on : 2006-03-08
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	152	3% 48% 26% • • 22%
1	B	152	5% 50% 24% • 22%
1	C	152	4% 45% 30% • 22%
1	D	152	4% 50% 23% • • 22%
1	E	152	5% 49% 28% • 22%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	152	
1	G	152	
1	H	152	
1	I	152	
1	J	152	
1	K	152	
1	L	152	
1	M	152	
1	N	152	
1	O	152	
1	P	152	
1	Q	152	
1	R	152	
1	S	152	
1	T	152	
1	U	152	
1	V	152	
1	W	152	
1	X	152	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 21977 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called orfla polypeptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	B	119	Total	C	N	O	S	0	0	0
			880	549	148	168	15			
1	C	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	D	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	E	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	F	120	Total	C	N	O	S	0	0	0
			883	551	148	169	15			
1	G	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	H	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	I	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	J	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	K	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	L	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	M	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	N	119	Total	C	N	O	S	0	0	0
			880	549	148	168	15			
1	O	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	P	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	R	117	Total	C	N	O	S	0	0	0
			863	538	144	166	15			
1	S	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	T	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	U	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	V	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	W	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	X	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		
2	C	2	Total	Zn	0	0
			2	2		
2	D	2	Total	Zn	0	0
			2	2		
2	E	2	Total	Zn	0	0
			2	2		
2	F	2	Total	Zn	0	0
			2	2		
2	G	2	Total	Zn	0	0
			2	2		
2	H	2	Total	Zn	0	0
			2	2		
2	I	2	Total	Zn	0	0
			2	2		
2	J	2	Total	Zn	0	0
			2	2		
2	K	2	Total	Zn	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	L	2	Total 2	Zn 2	0	0
2	M	2	Total 2	Zn 2	0	0
2	N	2	Total 2	Zn 2	0	0
2	O	2	Total 2	Zn 2	0	0
2	P	2	Total 2	Zn 2	0	0
2	Q	2	Total 2	Zn 2	0	0
2	R	2	Total 2	Zn 2	0	0
2	S	2	Total 2	Zn 2	0	0
2	T	2	Total 2	Zn 2	0	0
2	U	2	Total 2	Zn 2	0	0
2	V	2	Total 2	Zn 2	0	0
2	W	2	Total 2	Zn 2	0	0
2	X	2	Total 2	Zn 2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	46	Total 46	O 46	0	0
3	B	37	Total 37	O 37	0	0
3	C	43	Total 43	O 43	0	0
3	D	29	Total 29	O 29	0	0
3	E	42	Total 42	O 42	0	0
3	F	44	Total 44	O 44	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	48	Total 48	O 48	0	0
3	H	43	Total 43	O 43	0	0
3	I	37	Total 37	O 37	0	0
3	J	30	Total 30	O 30	0	0
3	K	40	Total 40	O 40	0	0
3	L	48	Total 48	O 48	0	0
3	M	56	Total 56	O 56	0	0
3	N	31	Total 31	O 31	0	0
3	O	53	Total 53	O 53	0	0
3	P	51	Total 51	O 51	0	0
3	Q	34	Total 34	O 34	0	0
3	R	39	Total 39	O 39	0	0
3	S	34	Total 34	O 34	0	0
3	T	33	Total 33	O 33	0	0
3	U	26	Total 26	O 26	0	0
3	V	47	Total 47	O 47	0	0
3	W	37	Total 37	O 37	0	0
3	X	35	Total 35	O 35	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: orf1a polypeptide



• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide






• Molecule 1: orf1a polypeptide






• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




- Molecule 1: orf1a polypeptide




- Molecule 1: orf1a polypeptide




- Molecule 1: orf1a polypeptide




- Molecule 1: orf1a polypeptide




- Molecule 1: orf1a polypeptide








• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide







• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide




• Molecule 1: orf1a polypeptide



- Molecule 1: orf1a polypeptide



- Molecule 1: orf1a polypeptide



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	159.74Å 322.70Å 162.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.70 50.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.70) 96.5 (50.00-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.52 (at 2.69Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.219 , 0.267 0.225 , 0.271	Depositor DCC
R_{free} test set	10955 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	34.7	Xtriage
Anisotropy	0.204	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 56.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	21977	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.24 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.3121e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/892	1.04	3/1211 (0.2%)
1	B	0.47	0/900	1.09	4/1222 (0.3%)
1	C	0.44	0/892	1.01	3/1211 (0.2%)
1	D	0.46	0/892	1.02	3/1211 (0.2%)
1	E	0.49	0/892	1.01	3/1211 (0.2%)
1	F	0.48	0/902	1.04	3/1224 (0.2%)
1	G	0.48	0/892	1.07	5/1211 (0.4%)
1	H	0.45	0/892	1.06	6/1211 (0.5%)
1	I	0.47	0/892	1.08	3/1211 (0.2%)
1	J	0.48	0/892	0.99	4/1211 (0.3%)
1	K	0.48	0/892	1.02	6/1211 (0.5%)
1	L	0.47	0/892	1.01	4/1211 (0.3%)
1	M	0.52	0/892	1.04	6/1211 (0.5%)
1	N	0.45	0/900	1.06	8/1222 (0.7%)
1	O	0.49	0/892	1.09	7/1211 (0.6%)
1	P	0.51	0/892	0.99	3/1211 (0.2%)
1	Q	0.46	0/892	0.97	2/1211 (0.2%)
1	R	0.49	0/880	0.96	3/1193 (0.3%)
1	S	0.49	0/892	0.99	7/1211 (0.6%)
1	T	0.46	0/892	1.02	4/1211 (0.3%)
1	U	0.45	0/892	0.98	5/1211 (0.4%)
1	V	0.49	0/892	1.00	3/1211 (0.2%)
1	W	0.46	0/892	0.94	4/1211 (0.3%)
1	X	0.46	0/892	0.98	4/1211 (0.3%)
All	All	0.47	0/21422	1.02	103/29081 (0.4%)

There are no bond length outliers.

The worst 5 of 103 bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	91	ASP	N-CA-C	-11.20	100.39	112.93
1	D	91	ASP	N-CA-C	-10.34	100.60	113.01
1	I	121	GLY	N-CA-C	-9.62	102.42	114.92
1	T	91	ASP	N-CA-C	-9.05	102.42	113.19
1	S	92	LEU	N-CA-C	-8.88	103.02	114.04

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	873	0	829	39	0
1	B	880	0	837	40	0
1	C	873	0	829	43	0
1	D	873	0	829	42	0
1	E	873	0	829	39	0
1	F	883	0	845	44	0
1	G	873	0	829	42	0
1	H	873	0	830	41	0
1	I	873	0	829	44	0
1	J	873	0	829	40	0
1	K	873	0	830	37	0
1	L	873	0	829	34	0
1	M	873	0	829	50	0
1	N	880	0	837	46	0
1	O	873	0	829	38	0
1	P	873	0	829	35	0
1	Q	873	0	829	52	0
1	R	863	0	821	46	0
1	S	873	0	830	43	0
1	T	873	0	829	45	0
1	U	873	0	829	41	0
1	V	873	0	829	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	W	873	0	829	40	0
1	X	873	0	830	40	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	J	2	0	0	0	0
2	K	2	0	0	0	0
2	L	2	0	0	0	0
2	M	2	0	0	0	0
2	N	2	0	0	0	0
2	O	2	0	0	0	0
2	P	2	0	0	0	0
2	Q	2	0	0	0	0
2	R	2	0	0	0	0
2	S	2	0	0	0	0
2	T	2	0	0	0	0
2	U	2	0	0	0	0
2	V	2	0	0	0	0
2	W	2	0	0	0	0
2	X	2	0	0	0	0
3	A	46	0	0	8	0
3	B	37	0	0	4	0
3	C	43	0	0	1	0
3	D	29	0	0	0	0
3	E	42	0	0	3	0
3	F	44	0	0	6	0
3	G	48	0	0	6	0
3	H	43	0	0	7	0
3	I	37	0	0	3	0
3	J	30	0	0	5	0
3	K	40	0	0	1	0
3	L	48	0	0	6	0
3	M	56	0	0	10	0
3	N	31	0	0	8	0
3	O	53	0	0	1	0
3	P	51	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	Q	34	0	0	1	0
3	R	39	0	0	5	0
3	S	34	0	0	3	0
3	T	33	0	0	4	0
3	U	26	0	0	7	0
3	V	47	0	0	6	0
3	W	37	0	0	4	0
3	X	35	0	0	2	0
All	All	21977	0	19924	947	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

The worst 5 of 947 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:90:CYS:HB3	1:N:93:LYS:H	1.21	1.04
1:G:90:CYS:HB3	1:G:93:LYS:H	1.21	1.03
1:M:105:ASN:HD22	1:M:105:ASN:H	1.03	1.02
1:D:90:CYS:HB3	1:D:93:LYS:H	1.18	1.02
1:J:45:LEU:HD21	1:M:48:HIS:HB2	1.41	1.01

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	114/152 (75%)	100 (88%)	9 (8%)	5 (4%)	2 4
1	B	115/152 (76%)	103 (90%)	8 (7%)	4 (4%)	3 6
1	C	114/152 (75%)	100 (88%)	12 (10%)	2 (2%)	6 18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	114/152 (75%)	100 (88%)	12 (10%)	2 (2%)	6	18
1	E	114/152 (75%)	100 (88%)	12 (10%)	2 (2%)	6	18
1	F	116/152 (76%)	99 (85%)	14 (12%)	3 (3%)	4	11
1	G	114/152 (75%)	104 (91%)	7 (6%)	3 (3%)	4	11
1	H	114/152 (75%)	96 (84%)	13 (11%)	5 (4%)	2	4
1	I	114/152 (75%)	101 (89%)	12 (10%)	1 (1%)	14	35
1	J	114/152 (75%)	103 (90%)	8 (7%)	3 (3%)	4	11
1	K	114/152 (75%)	104 (91%)	7 (6%)	3 (3%)	4	11
1	L	114/152 (75%)	106 (93%)	7 (6%)	1 (1%)	14	35
1	M	114/152 (75%)	104 (91%)	6 (5%)	4 (4%)	3	6
1	N	115/152 (76%)	100 (87%)	12 (10%)	3 (3%)	4	11
1	O	114/152 (75%)	101 (89%)	10 (9%)	3 (3%)	4	11
1	P	114/152 (75%)	106 (93%)	7 (6%)	1 (1%)	14	35
1	Q	114/152 (75%)	96 (84%)	11 (10%)	7 (6%)	1	2
1	R	111/152 (73%)	99 (89%)	10 (9%)	2 (2%)	6	18
1	S	114/152 (75%)	99 (87%)	11 (10%)	4 (4%)	3	6
1	T	114/152 (75%)	99 (87%)	10 (9%)	5 (4%)	2	4
1	U	114/152 (75%)	105 (92%)	7 (6%)	2 (2%)	6	18
1	V	114/152 (75%)	103 (90%)	8 (7%)	3 (3%)	4	11
1	W	114/152 (75%)	95 (83%)	15 (13%)	4 (4%)	3	6
1	X	114/152 (75%)	102 (90%)	9 (8%)	3 (3%)	4	11
All	All	2737/3648 (75%)	2425 (89%)	237 (9%)	75 (3%)	4	10

5 of 75 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	CYS
1	D	84	PRO
1	F	91	ASP
1	G	84	PRO
1	I	90	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/123 (79%)	94 (97%)	3 (3%)	35	65
1	B	98/123 (80%)	96 (98%)	2 (2%)	48	76
1	C	97/123 (79%)	95 (98%)	2 (2%)	47	75
1	D	97/123 (79%)	91 (94%)	6 (6%)	16	39
1	E	97/123 (79%)	93 (96%)	4 (4%)	27	56
1	F	98/123 (80%)	94 (96%)	4 (4%)	27	56
1	G	97/123 (79%)	92 (95%)	5 (5%)	21	47
1	H	97/123 (79%)	91 (94%)	6 (6%)	16	39
1	I	97/123 (79%)	91 (94%)	6 (6%)	16	39
1	J	97/123 (79%)	94 (97%)	3 (3%)	35	65
1	K	97/123 (79%)	92 (95%)	5 (5%)	21	47
1	L	97/123 (79%)	93 (96%)	4 (4%)	27	56
1	M	97/123 (79%)	88 (91%)	9 (9%)	8	21
1	N	98/123 (80%)	93 (95%)	5 (5%)	21	48
1	O	97/123 (79%)	94 (97%)	3 (3%)	35	65
1	P	97/123 (79%)	92 (95%)	5 (5%)	21	47
1	Q	97/123 (79%)	90 (93%)	7 (7%)	13	32
1	R	96/123 (78%)	91 (95%)	5 (5%)	21	47
1	S	97/123 (79%)	91 (94%)	6 (6%)	16	39
1	T	97/123 (79%)	94 (97%)	3 (3%)	35	65
1	U	97/123 (79%)	93 (96%)	4 (4%)	27	56
1	V	97/123 (79%)	90 (93%)	7 (7%)	13	32
1	W	97/123 (79%)	93 (96%)	4 (4%)	27	56
1	X	97/123 (79%)	94 (97%)	3 (3%)	35	65
All	All	2330/2952 (79%)	2219 (95%)	111 (5%)	23	50

5 of 111 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	105	ASN
1	X	105	ASN
1	P	105	ASN
1	X	90	CYS
1	V	74	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 93 such sidechains are listed below:

Mol	Chain	Res	Type
1	O	53	GLN
1	S	53	GLN
1	O	114	ASN
1	Q	85	ASN
1	T	48	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 48 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	118/152 (77%)	0.09	4 (3%) 48 44	22, 32, 52, 67	0
1	B	119/152 (78%)	0.35	8 (6%) 24 21	21, 36, 53, 82	0
1	C	118/152 (77%)	0.24	6 (5%) 33 29	24, 36, 53, 73	0
1	D	118/152 (77%)	0.36	6 (5%) 33 29	25, 36, 54, 77	0
1	E	118/152 (77%)	0.30	8 (6%) 23 20	23, 34, 56, 79	0
1	F	120/152 (78%)	0.24	9 (7%) 20 17	19, 35, 59, 75	0
1	G	118/152 (77%)	0.27	4 (3%) 48 44	24, 33, 53, 70	0
1	H	118/152 (77%)	0.33	9 (7%) 20 17	22, 36, 58, 76	0
1	I	118/152 (77%)	0.24	6 (5%) 33 29	23, 34, 53, 66	0
1	J	118/152 (77%)	0.19	5 (4%) 40 37	22, 35, 54, 76	0
1	K	118/152 (77%)	0.17	5 (4%) 40 37	21, 33, 55, 75	0
1	L	118/152 (77%)	0.10	4 (3%) 48 44	19, 31, 48, 61	0
1	M	118/152 (77%)	0.34	11 (9%) 14 12	18, 32, 55, 81	0
1	N	119/152 (78%)	0.38	5 (4%) 40 37	23, 38, 57, 81	0
1	O	118/152 (77%)	0.18	6 (5%) 33 29	17, 31, 49, 71	0
1	P	118/152 (77%)	0.00	4 (3%) 48 44	18, 29, 47, 67	0
1	Q	118/152 (77%)	0.73	14 (11%) 9 7	30, 42, 69, 97	0
1	R	117/152 (76%)	0.25	6 (5%) 33 29	20, 33, 56, 74	0
1	S	118/152 (77%)	0.28	7 (5%) 28 25	18, 32, 62, 83	0
1	T	118/152 (77%)	0.55	12 (10%) 12 10	24, 38, 62, 75	0
1	U	118/152 (77%)	0.35	5 (4%) 40 37	24, 39, 53, 69	0
1	V	118/152 (77%)	0.23	6 (5%) 33 29	22, 32, 55, 73	0
1	W	118/152 (77%)	0.53	10 (8%) 16 14	29, 42, 60, 75	0
1	X	118/152 (77%)	0.54	9 (7%) 20 17	25, 40, 56, 66	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	2835/3648 (77%)	0.30	169 (5%) 27 24	17, 35, 57, 97	0

The worst 5 of 169 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	48	HIS	11.4
1	E	89	PHE	6.7
1	N	89	PHE	6.3
1	W	89	PHE	5.9
1	G	89	PHE	5.7

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	L	998	1/1	0.90	0.12	74,74,74,74	0
2	ZN	H	998	1/1	0.91	0.14	78,78,78,78	0
2	ZN	C	998	1/1	0.92	0.15	84,84,84,84	0
2	ZN	D	998	1/1	0.92	0.12	75,75,75,75	0
2	ZN	N	998	1/1	0.92	0.10	62,62,62,62	0
2	ZN	T	998	1/1	0.92	0.14	78,78,78,78	0
2	ZN	V	998	1/1	0.92	0.12	83,83,83,83	0
2	ZN	P	998	1/1	0.93	0.12	76,76,76,76	0
2	ZN	K	998	1/1	0.93	0.12	66,66,66,66	0
2	ZN	O	999	1/1	0.93	0.10	67,67,67,67	0
2	ZN	X	998	1/1	0.93	0.12	72,72,72,72	0
2	ZN	S	998	1/1	0.94	0.08	49,49,49,49	0
2	ZN	O	998	1/1	0.94	0.08	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZN	I	998	1/1	0.94	0.09	67,67,67,67	0
2	ZN	E	998	1/1	0.94	0.11	73,73,73,73	0
2	ZN	J	998	1/1	0.95	0.11	85,85,85,85	0
2	ZN	F	998	1/1	0.95	0.13	73,73,73,73	0
2	ZN	G	998	1/1	0.95	0.09	51,51,51,51	0
2	ZN	B	998	1/1	0.95	0.11	67,67,67,67	0
2	ZN	N	999	1/1	0.95	0.08	79,79,79,79	0
2	ZN	A	998	1/1	0.95	0.09	72,72,72,72	0
2	ZN	B	999	1/1	0.96	0.08	74,74,74,74	0
2	ZN	Q	998	1/1	0.96	0.11	76,76,76,76	0
2	ZN	W	998	1/1	0.96	0.09	80,80,80,80	0
2	ZN	M	998	1/1	0.96	0.11	62,62,62,62	0
2	ZN	X	999	1/1	0.96	0.06	54,54,54,54	0
2	ZN	R	998	1/1	0.97	0.10	64,64,64,64	0
2	ZN	U	998	1/1	0.97	0.09	84,84,84,84	0
2	ZN	D	999	1/1	0.97	0.07	63,63,63,63	0
2	ZN	C	999	1/1	0.98	0.03	45,45,45,45	0
2	ZN	E	999	1/1	0.99	0.05	44,44,44,44	0
2	ZN	R	999	1/1	0.99	0.05	46,46,46,46	0
2	ZN	H	999	1/1	0.99	0.04	41,41,41,41	0
2	ZN	S	999	1/1	0.99	0.02	39,39,39,39	0
2	ZN	K	999	1/1	0.99	0.06	46,46,46,46	0
2	ZN	T	999	1/1	0.99	0.02	35,35,35,35	0
2	ZN	G	999	1/1	0.99	0.04	46,46,46,46	0
2	ZN	U	999	1/1	0.99	0.04	50,50,50,50	0
2	ZN	I	999	1/1	0.99	0.05	46,46,46,46	0
2	ZN	V	999	1/1	0.99	0.03	42,42,42,42	0
2	ZN	P	999	1/1	0.99	0.05	40,40,40,40	0
2	ZN	W	999	1/1	0.99	0.04	48,48,48,48	0
2	ZN	M	999	1/1	0.99	0.04	42,42,42,42	0
2	ZN	Q	999	1/1	0.99	0.04	49,49,49,49	0
2	ZN	F	999	1/1	1.00	0.04	42,42,42,42	0
2	ZN	A	999	1/1	1.00	0.04	43,43,43,43	0
2	ZN	J	999	1/1	1.00	0.03	40,40,40,40	0
2	ZN	L	999	1/1	1.00	0.03	40,40,40,40	0

6.5 Other polymers

There are no such residues in this entry.