



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 09:54 PM UTC

PDB ID : 4GAZ / pdb_00004gaz
Title : Crystal Structure of a Jumonji Domain-containing Protein JMJD5
Authors : Wang, H.; Zhou, X.; Zhang, X.; Tao, Y.; Chen, N.; Zang, J.
Deposited on : 2012-07-26
Resolution : 2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	252	 68% 24% • 7%
1	B	252	 71% 20% • 7%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3893 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-specific demethylase 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	235	Total	C	N	O	S	0	0	0
			1927	1249	319	352	7			
1	B	235	Total	C	N	O	S	1	0	0
			1927	1249	319	352	7			


There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	173	MET	-	expression tag	UNP Q8N371
A	174	GLY	-	expression tag	UNP Q8N371
A	175	SER	-	expression tag	UNP Q8N371
A	417	LEU	-	expression tag	UNP Q8N371
A	418	GLU	-	expression tag	UNP Q8N371
A	419	HIS	-	expression tag	UNP Q8N371
A	420	HIS	-	expression tag	UNP Q8N371
A	421	HIS	-	expression tag	UNP Q8N371
A	422	HIS	-	expression tag	UNP Q8N371
A	423	HIS	-	expression tag	UNP Q8N371
A	424	HIS	-	expression tag	UNP Q8N371
B	173	MET	-	expression tag	UNP Q8N371
B	174	GLY	-	expression tag	UNP Q8N371
B	175	SER	-	expression tag	UNP Q8N371
B	417	LEU	-	expression tag	UNP Q8N371
B	418	GLU	-	expression tag	UNP Q8N371
B	419	HIS	-	expression tag	UNP Q8N371
B	420	HIS	-	expression tag	UNP Q8N371
B	421	HIS	-	expression tag	UNP Q8N371
B	422	HIS	-	expression tag	UNP Q8N371
B	423	HIS	-	expression tag	UNP Q8N371
B	424	HIS	-	expression tag	UNP Q8N371

- Molecule 2 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ni 1 1	0	0
2	B	1	Total Ni 1 1	0	0

- Molecule 3 is N-OXALYLGLYCINE (CCD ID: OGA) (formula: $C_4H_5NO_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 10 4 1 5	0	0
3	B	1	Total C N O 10 4 1 5	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	11	Total O 11 11	0	0
4	B	6	Total O 6 6	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lysine-specific demethylase 8



• Molecule 1: Lysine-specific demethylase 8



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	69.43Å 69.43Å 270.05Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	40.18 – 2.81 40.18 – 2.81	Depositor EDS
% Data completeness (in resolution range)	90.1 (40.18-2.81) 94.5 (40.18-2.81)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.65 (at 2.81Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6_289)	Depositor
R, R_{free}	0.221 , 0.274 0.225 , 0.275	Depositor DCC
R_{free} test set	952 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	72.0	Xtriage
Anisotropy	0.684	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.046 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3893	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NI, OGA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/1988	0.92	1/2708 (0.0%)
1	B	0.55	0/1988	0.94	4/2708 (0.1%)
All	All	0.55	0/3976	0.93	5/5416 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	215	TRP	CA-C-N	6.67	126.18	119.24
1	B	215	TRP	C-N-CA	6.67	126.18	119.24
1	B	408	SER	N-CA-C	5.91	118.38	109.23
1	A	280	ASP	N-CA-C	-5.59	106.13	113.12
1	B	280	ASP	N-CA-C	-5.07	106.79	113.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1927	0	1871	37	0
1	B	1927	0	1871	34	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	10	0	3	0	0
3	B	10	0	3	0	0
4	A	11	0	0	2	0
4	B	6	0	0	1	0
All	All	3893	0	3748	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:GLU:OE2	1:A:242:ARG:NH1	1.75	1.20
1:B:177:ASP:HB3	1:B:180:LEU:HG	1.60	0.83
1:A:279:PHE:O	1:A:286:LYS:HE2	1.93	0.69
1:A:350:TYR:CE2	1:A:373:PHE:HB3	2.29	0.67
1:A:238:GLU:CD	1:A:242:ARG:HH11	2.04	0.66
1:A:334:GLY:O	1:A:388:PRO:HD3	1.97	0.63
1:A:233:ARG:NH1	4:A:1001:HOH:O	2.33	0.61
1:A:233:ARG:HG3	1:A:282:ILE:HD11	1.81	0.61
1:B:177:ASP:CB	1:B:180:LEU:HG	2.30	0.60
1:B:225:TYR:CZ	1:B:229:ILE:HD12	2.37	0.59
1:B:259:ILE:HA	1:B:263:ILE:HG13	1.84	0.59
1:B:228:GLU:OE1	4:B:1004:HOH:O	2.17	0.59
1:A:343:PRO:C	1:A:345:GLU:H	2.10	0.58
1:B:282:ILE:HG22	1:B:282:ILE:O	2.07	0.55
1:A:322:GLN:HG2	1:A:399:TRP:CE2	2.42	0.54
1:B:242:ARG:HH11	1:B:242:ARG:HB3	1.73	0.54
1:A:322:GLN:HG2	1:A:399:TRP:CD2	2.43	0.53
1:A:199:PHE:CD2	1:A:206:VAL:HB	2.43	0.53
1:A:364:ASP:OD1	1:A:364:ASP:C	2.53	0.52
1:B:242:ARG:HH11	1:B:242:ARG:CB	2.22	0.52
1:B:350:TYR:O	1:B:362:GLN:HG3	2.11	0.51
1:A:265:ASN:O	1:A:267:PRO:HD3	2.11	0.51
1:A:340:LEU:HD23	1:A:400:HIS:HB3	1.93	0.51
1:B:224:GLU:H	1:B:224:GLU:CD	2.19	0.50
1:A:201:VAL:HB	1:A:202:PRO:HD3	1.94	0.50
1:B:194:HIS:CE1	1:B:198:GLN:HG3	2.47	0.49
1:A:327:ASN:HB3	1:A:394:ILE:HB	1.94	0.49
1:B:364:ASP:C	1:B:364:ASP:OD1	2.56	0.49
1:A:313:PRO:O	1:A:316:THR:HG23	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:TYR:CE2	1:B:373:PHE:HB3	2.48	0.49
1:A:262:TYR:C	1:A:263:ILE:HG12	2.37	0.48
1:A:176:PRO:HG3	1:A:403:ARG:HH22	1.78	0.48
1:B:343:PRO:C	1:B:345:GLU:H	2.21	0.48
1:B:242:ARG:HH11	1:B:242:ARG:CG	2.27	0.47
1:B:177:ASP:CG	1:B:180:LEU:HG	2.40	0.47
1:A:330:VAL:HG22	1:A:391:ILE:HG12	1.97	0.46
1:A:194:HIS:CE1	1:A:198:GLN:HG3	2.51	0.46
1:A:199:PHE:CE2	1:A:206:VAL:HB	2.51	0.46
1:B:227:GLN:HG3	1:B:256:ASN:OD1	2.16	0.46
1:B:234:THR:HG22	1:B:254:THR:HG22	1.96	0.46
1:B:196:ARG:HB2	1:B:297:LEU:HD13	1.98	0.46
1:A:233:ARG:O	1:A:254:THR:HA	2.16	0.45
1:A:367:ASN:N	1:A:368:PRO:HD3	2.31	0.45
1:A:320:LEU:HD11	1:A:399:TRP:HB3	1.97	0.45
1:B:327:ASN:HB3	1:B:394:ILE:HB	1.98	0.45
1:B:201:VAL:N	1:B:202:PRO:HD2	2.32	0.45
1:A:350:TYR:O	1:A:362:GLN:HG3	2.17	0.45
1:A:186:ARG:O	1:A:187:LEU:HD23	2.17	0.45
1:B:333:MET:O	1:B:408:SER:HA	2.16	0.44
1:B:233:ARG:O	1:B:254:THR:HA	2.17	0.44
1:A:201:VAL:HB	1:A:202:PRO:CD	2.48	0.44
1:A:333:MET:O	1:A:408:SER:HA	2.18	0.43
1:B:314:GLN:HG3	1:B:405:LEU:O	2.18	0.43
1:B:204:ARG:HA	1:B:205:PRO:HD3	1.87	0.43
1:A:343:PRO:C	1:A:345:GLU:N	2.74	0.42
1:A:352:HIS:CE1	1:A:362:GLN:HG2	2.54	0.42
1:B:341:TYR:CE1	1:B:381:PHE:HB3	2.54	0.42
1:B:387:SER:O	1:B:388:PRO:C	2.61	0.42
1:A:231:GLY:HA2	1:A:255:VAL:HB	2.01	0.42
1:B:285:LEU:C	1:B:287:GLN:N	2.78	0.42
1:A:282:ILE:HB	1:A:285:LEU:HD12	2.01	0.41
1:A:232:CYS:HB2	4:A:1001:HOH:O	2.20	0.41
1:A:387:SER:HB3	1:A:388:PRO:HD2	2.02	0.41
1:A:341:TYR:CE1	1:A:381:PHE:HB3	2.56	0.41
1:B:279:PHE:HB3	1:B:286:LYS:HB2	2.03	0.41
1:B:242:ARG:CG	1:B:242:ARG:NH1	2.84	0.40
1:B:334:GLY:O	1:B:388:PRO:HD3	2.21	0.40
1:B:223:LEU:O	1:B:227:GLN:HB2	2.21	0.40
1:B:273:LEU:CD2	1:B:273:LEU:C	2.95	0.40
1:B:314:GLN:HG3	1:B:405:LEU:C	2.46	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:ARG:HD3	1:A:248:TRP:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/252 (92%)	212 (92%)	18 (8%)	1 (0%)	30	58
1	B	231/252 (92%)	211 (91%)	20 (9%)	0	100	100
All	All	462/504 (92%)	423 (92%)	38 (8%)	1 (0%)	43	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	344	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/231 (93%)	203 (94%)	12 (6%)	19	48
1	B	215/231 (93%)	202 (94%)	13 (6%)	17	45
All	All	430/462 (93%)	405 (94%)	25 (6%)	18	47

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	177	ASP
1	A	224	GLU
1	A	244	THR
1	A	263	ILE
1	A	269	ASP
1	A	270	VAL
1	A	273	LEU
1	A	303	GLU
1	A	322	GLN
1	A	344	GLN
1	A	360	THR
1	A	406	ASP
1	B	177	ASP
1	B	224	GLU
1	B	242	ARG
1	B	263	ILE
1	B	270	VAL
1	B	273	LEU
1	B	290	SER
1	B	322	GLN
1	B	344	GLN
1	B	360	THR
1	B	365	VAL
1	B	366	GLU
1	B	406	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	HIS
1	A	219	GLN
1	B	194	HIS
1	B	277	GLN
1	B	325	GLN
1	B	344	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	OGA	A	502	2	9,9,9	2.81	2 (22%)	8,11,11	1.16	1 (12%)
3	OGA	B	502	2	9,9,9	2.65	2 (22%)	8,11,11	1.51	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OGA	A	502	2	-	1/8/9/9	-
3	OGA	B	502	2	-	2/8/9/9	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	OGA	C2-N1	6.02	1.43	1.33
3	B	502	OGA	C2-N1	5.93	1.43	1.33
3	A	502	OGA	C2-C1	-5.02	1.48	1.54
3	B	502	OGA	C2-C1	-4.16	1.49	1.54

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	OGA	O2'-C2-N1	-3.03	117.89	123.35
3	A	502	OGA	O2-C1-O1	-2.07	118.98	123.90

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	502	OGA	O1-C1-C2-O2'
3	B	502	OGA	O2-C1-C2-O2'
3	A	502	OGA	O1-C1-C2-O2'

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	235/252 (93%)	0.01	3 (1%) 75 66	59, 74, 105, 123	7 (2%)
1	B	235/252 (93%)	0.18	4 (1%) 69 60	62, 78, 111, 126	2 (0%)
All	All	470/504 (93%)	0.10	7 (1%) 72 63	59, 76, 108, 126	9 (1%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	244	THR	3.7
1	B	243	TYR	3.0
1	A	369	ASP	2.8
1	A	243	TYR	2.2
1	A	405	LEU	2.1
1	B	232	CYS	2.0
1	B	176	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OGA	A	502	10/10	0.89	0.12	67,75,80,87	0
3	OGA	B	502	10/10	0.94	0.09	72,74,78,80	0
2	NI	A	501	1/1	0.99	0.04	81,81,81,81	0
2	NI	B	501	1/1	0.99	0.03	84,84,84,84	0

6.5 Other polymers [i](#)

There are no such residues in this entry.