



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:53 AM UTC

PDB ID : 1GBU / pdb_00001gbu
Title : DEOXY (BETA-(C93A,C112G)) HUMAN HEMOGLOBIN
Authors : Vasquez, G.B.; Ji, X.; Fronticelli, C.; Gilliland, G.L.
Deposited on : 1996-01-04
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	141	55% 38% 6% .
1	C	141	43% 47% 8% .
2	B	146	51% 45% . .
2	D	146	53% 38% 8% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	B	147	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			
1	C	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			


- Molecule 2 is a protein called HEMOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	146	Total	C	N	O	S	0	0	0
			1120	723	195	201	1			
2	D	146	Total	C	N	O	S	0	0	0
			1120	723	195	201	1			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	93	ALA	CYS	engineered mutation	UNP P68871
B	112	GLY	CYS	engineered mutation	UNP P68871
D	93	ALA	CYS	engineered mutation	UNP P68871
D	112	GLY	CYS	engineered mutation	UNP P68871

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	122	Total	O	0	0
			122	122		
5	B	94	Total	O	0	0
			94	94		
5	C	125	Total	O	0	0
			125	125		
5	D	111	Total	O	0	0
			111	111		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: HEMOGLOBIN

Chain A: 




• Molecule 1: HEMOGLOBIN

Chain C: 




• Molecule 2: HEMOGLOBIN


Chain B: 



• Molecule 2: HEMOGLOBIN

Chain D: 





4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.02Å 82.94Å 53.83Å 90.00° 99.16° 90.00°	Depositor
Resolution (Å)	6.00 – 1.80	Depositor
% Data completeness (in resolution range)	82.7 (6.00-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	PROLSQ, GPRLSA	Depositor
R, R_{free}	0.167 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5012	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.57	10/1097 (0.9%)	2.43	58/1491 (3.9%)
1	C	1.68	16/1097 (1.5%)	2.52	92/1491 (6.2%)
2	B	1.54	9/1150 (0.8%)	2.39	78/1562 (5.0%)
2	D	1.57	6/1150 (0.5%)	2.43	80/1562 (5.1%)
All	All	1.59	41/4494 (0.9%)	2.44	308/6106 (5.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	D	0	1
All	All	0	2

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	40	LYS	N-CA	8.06	1.56	1.46
2	B	130	TYR	N-CA	6.74	1.54	1.46
1	C	106	LEU	N-CA	6.72	1.54	1.46
1	C	55	VAL	N-CA	6.71	1.54	1.46
1	C	141	ARG	CZ-NH2	6.60	1.42	1.33
2	D	124	PRO	CA-C	-6.43	1.46	1.52
2	B	98	VAL	N-CA	6.41	1.54	1.46
1	A	28	ALA	C-N	6.15	1.41	1.33
1	C	118	THR	CA-CB	6.09	1.61	1.53
1	C	41	THR	C-O	6.08	1.31	1.24
1	A	36	PHE	CA-C	6.03	1.59	1.52
1	C	43	PHE	N-CA	5.94	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	8	THR	CA-CB	5.92	1.62	1.53
1	A	55	VAL	N-CA	5.88	1.53	1.46
2	B	103	PHE	CA-C	5.87	1.60	1.52
2	B	102	ASN	C-N	-5.85	1.26	1.33
1	A	36	PHE	C-N	-5.80	1.26	1.34
1	C	87	HIS	C-N	-5.78	1.26	1.33
2	B	35	TYR	CA-C	5.77	1.58	1.52
1	A	102	SER	N-CA	5.76	1.53	1.46
2	B	19	ASN	N-CA	5.75	1.53	1.46
2	D	99	ASP	N-CA	5.74	1.53	1.46
1	C	47	ASP	CA-C	5.71	1.59	1.52
1	A	87	HIS	CD2-NE2	5.68	1.44	1.37
2	B	110	LEU	CA-C	5.63	1.59	1.52
1	C	29	LEU	CA-C	-5.61	1.45	1.52
1	A	108	THR	CA-CB	5.61	1.62	1.53
1	A	106	LEU	N-CA	5.60	1.53	1.46
2	B	113	VAL	CA-CB	5.56	1.61	1.54
2	D	141	LEU	N-CA	5.51	1.53	1.46
1	C	108	THR	CA-CB	5.36	1.61	1.53
1	A	132	VAL	N-CA	5.32	1.52	1.46
1	C	103	HIS	CG-ND1	5.32	1.44	1.38
1	C	111	ALA	C-N	-5.31	1.26	1.33
1	C	27	GLU	N-CA	5.29	1.52	1.46
2	B	111	VAL	N-CA	5.29	1.52	1.46
2	D	60	VAL	N-CA	5.26	1.52	1.46
1	C	36	PHE	CA-C	5.09	1.57	1.52
1	A	92	ARG	NE-CZ	5.04	1.38	1.33
2	D	36	PRO	C-O	5.04	1.30	1.24
2	D	108	ASN	C-N	5.02	1.40	1.33

All (308) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	143	HIS	CA-CB-CG	15.03	128.83	113.80
1	A	36	PHE	O-C-N	14.78	134.67	121.37
1	A	137	THR	OG1-CB-CG2	12.66	134.61	109.30
2	D	139	ASN	CA-CB-CG	-11.65	100.95	112.60
1	C	118	THR	N-CA-CB	-11.62	94.59	110.04
1	C	52	SER	CA-C-O	10.99	132.94	120.96
2	B	103	PHE	O-C-N	10.75	133.52	122.12
2	B	35	TYR	O-C-N	10.52	130.94	121.36
2	D	22	GLU	CB-CG-CD	10.32	130.14	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	23	GLU	CB-CG-CD	10.13	129.82	112.60
1	A	122	HIS	CA-CB-CG	10.02	123.82	113.80
1	C	97	ASN	CA-CB-CG	-9.97	102.63	112.60
1	A	135	VAL	CA-C-O	-9.93	110.64	121.17
2	D	127	GLN	CA-C-O	9.88	131.94	121.07
1	A	54	GLN	O-C-N	9.80	133.32	122.15
2	D	114	LEU	O-C-N	9.79	133.31	122.15
2	D	73	ASP	CA-CB-CG	9.68	122.28	112.60
1	C	36	PHE	O-C-N	9.67	130.51	121.04
1	C	54	GLN	O-C-N	9.59	133.08	122.15
1	C	34	LEU	O-C-N	9.49	132.97	122.15
2	B	105	LEU	O-C-N	9.40	131.75	122.07
1	C	131	SER	O-C-N	9.29	132.12	122.09
1	A	135	VAL	O-C-N	9.25	130.98	121.91
1	C	106	LEU	CA-C-N	9.10	132.34	120.60
1	C	106	LEU	C-N-CA	9.10	132.34	120.60
2	B	57	ASN	OD1-CG-ND2	9.08	131.68	122.60
1	C	120	ALA	O-C-N	8.99	131.65	122.12
2	D	139	ASN	OD1-CG-ND2	8.94	131.53	122.60
1	A	106	LEU	CA-C-N	8.91	133.09	120.53
1	A	106	LEU	C-N-CA	8.91	133.09	120.53
1	A	137	THR	N-CA-CB	-8.70	97.62	110.49
2	B	65	LYS	CA-C-O	-8.68	111.22	120.42
1	C	105	LEU	N-CA-C	-8.61	101.84	111.14
2	D	63	HIS	CA-CB-CG	-8.45	105.35	113.80
2	D	108	ASN	CA-C-O	8.44	129.37	120.42
1	C	42	TYR	O-C-N	8.39	134.33	122.41
2	D	99	ASP	O-C-N	8.34	128.72	121.30
2	D	63	HIS	O-C-N	8.28	131.59	122.15
2	B	114	LEU	O-C-N	8.16	130.77	122.12
1	C	58	HIS	CA-C-O	-8.10	111.83	120.42
1	C	141	ARG	NE-CZ-NH1	8.06	129.56	121.50
2	D	111	VAL	CA-C-N	8.04	129.08	119.99
2	D	111	VAL	C-N-CA	8.04	129.08	119.99
2	D	114	LEU	CA-C-O	-7.99	111.95	120.42
1	A	43	PHE	CA-CB-CG	7.92	121.72	113.80
2	B	110	LEU	N-CA-CB	7.88	121.43	110.01
2	D	131	GLN	CB-CG-CD	7.85	125.94	112.60
1	A	87	HIS	CE1-NE2-CD2	-7.83	101.17	109.00
1	A	89	HIS	CA-CB-CG	-7.83	105.97	113.80
2	D	110	LEU	O-C-N	7.81	130.40	122.12
2	D	104	ARG	CA-C-N	7.79	130.56	120.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	104	ARG	C-N-CA	7.79	130.56	120.44
2	B	99	ASP	O-C-N	7.78	129.06	121.28
2	B	102	ASN	OD1-CG-ND2	-7.76	114.84	122.60
2	B	30	ARG	CA-C-O	-7.75	112.21	120.42
1	A	92	ARG	NE-CZ-NH2	-7.69	112.28	119.20
2	B	129	ALA	CA-C-O	-7.67	112.28	120.42
1	A	124	SER	O-C-N	7.62	130.84	122.15
2	B	99	ASP	CA-C-O	-7.59	112.20	119.80
2	D	63	HIS	CA-C-O	-7.54	112.42	120.42
2	D	137	VAL	CA-C-O	-7.51	113.21	121.17
2	B	118	PHE	CA-C-O	-7.51	110.59	119.15
1	A	92	ARG	CD-NE-CZ	-7.50	113.91	124.40
1	C	47	ASP	O-C-N	7.49	131.75	123.13
1	A	54	GLN	OE1-CD-NE2	-7.48	115.12	122.60
2	D	102	ASN	CA-C-O	-7.46	111.67	120.10
2	B	14	LEU	O-C-N	7.43	130.00	122.12
1	C	131	SER	CA-C-O	-7.39	113.09	120.70
1	A	112	HIS	CA-CB-CG	-7.35	106.45	113.80
2	B	108	ASN	OD1-CG-ND2	7.33	129.93	122.60
1	C	96	VAL	CA-CB-CG2	7.33	122.86	110.40
1	A	15	GLY	N-CA-C	-7.31	104.02	112.50
1	C	59	GLY	CA-C-O	7.29	128.87	121.00
2	D	127	GLN	N-CA-CB	7.28	120.89	109.82
2	D	35	TYR	O-C-N	7.25	127.96	121.36
2	B	131	GLN	N-CA-CB	7.14	120.61	110.12
2	B	105	LEU	CA-C-O	-7.13	113.33	120.82
1	A	28	ALA	CA-C-O	7.07	128.24	120.82
2	D	77	HIS	CA-CB-CG	-7.04	106.77	113.80
1	A	29	LEU	O-C-N	-7.02	114.84	122.07
2	B	97	HIS	CA-C-N	-6.96	114.16	122.93
2	B	97	HIS	C-N-CA	-6.96	114.16	122.93
2	D	84	THR	CA-CB-CG2	6.95	122.31	110.50
2	D	88	LEU	CA-C-O	-6.94	112.26	120.10
2	B	102	ASN	CA-C-O	-6.86	112.35	120.10
1	C	122	HIS	CA-CB-CG	6.86	120.66	113.80
2	B	79	ASP	CA-CB-CG	6.86	119.46	112.60
2	B	49	SER	N-CA-C	6.85	118.40	111.07
1	C	94	ASP	CA-CB-CG	-6.82	105.78	112.60
2	D	57	ASN	CA-C-O	6.79	124.69	119.46
2	B	103	PHE	N-CA-CB	6.78	120.08	110.12
1	A	47	ASP	O-C-N	6.76	130.90	123.13
2	D	124	PRO	CB-CA-C	6.72	119.12	110.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	36	PHE	CA-C-O	-6.68	111.81	120.83
2	D	57	ASN	CA-CB-CG	6.63	119.23	112.60
1	C	52	SER	O-C-N	-6.62	115.12	123.06
2	B	107	GLY	CA-C-O	-6.61	113.94	120.75
1	A	23	GLU	O-C-N	6.60	129.67	122.15
1	A	55	VAL	CB-CA-C	6.58	120.64	112.02
1	C	39	THR	O-C-N	6.58	131.25	122.43
2	D	18	VAL	O-C-N	6.58	130.11	122.81
2	D	146	HIS	CA-CB-CG	-6.57	107.23	113.80
2	D	26	GLU	CA-C-O	-6.57	113.46	120.42
1	C	134	THR	CA-CB-OG1	-6.54	99.78	109.60
1	C	116	GLU	CB-CG-CD	6.53	123.71	112.60
1	C	92	ARG	NE-CZ-NH2	-6.53	113.32	119.20
1	C	46	PHE	CA-CB-CG	6.53	120.33	113.80
1	A	87	HIS	CA-CB-CG	6.52	120.32	113.80
2	D	60	VAL	CA-CB-CG2	6.51	121.47	110.40
1	C	34	LEU	CA-C-O	-6.51	113.52	120.42
1	A	32	MET	CA-C-O	6.48	127.63	120.82
1	C	40	LYS	CA-CB-CG	6.47	127.04	114.10
2	D	94	ASP	N-CA-C	6.46	119.28	111.40
1	A	47	ASP	N-CA-C	-6.45	98.71	108.96
1	C	29	LEU	O-C-N	-6.43	115.45	122.07
2	B	102	ASN	CA-C-N	6.42	128.88	120.28
2	B	102	ASN	C-N-CA	6.42	128.88	120.28
2	B	89	SER	O-C-N	6.38	128.64	122.07
2	D	123	THR	N-CA-CB	-6.36	101.59	110.04
2	B	91	LEU	CA-C-O	6.34	127.27	120.55
1	C	15	GLY	CA-C-N	6.33	129.39	120.28
1	C	15	GLY	C-N-CA	6.33	129.39	120.28
2	D	65	LYS	CA-CB-CG	6.32	126.74	114.10
1	C	22	GLY	N-CA-C	6.30	119.81	112.50
2	D	27	ALA	N-CA-C	-6.30	104.32	111.07
2	B	129	ALA	O-C-N	6.30	129.34	122.15
2	B	11	VAL	O-C-N	6.27	128.05	121.91
1	A	128	PHE	O-C-N	6.24	128.50	122.07
1	C	81	SER	O-C-N	6.22	128.71	122.12
1	A	117	PHE	O-C-N	6.21	130.47	122.71
2	D	107	GLY	CA-C-O	-6.18	114.68	121.05
2	B	26	GLU	CA-CB-CG	6.17	126.43	114.10
2	B	117	HIS	CA-CB-CG	-6.16	107.64	113.80
2	D	19	ASN	CA-C-O	-6.16	114.52	120.92
1	C	85	ASP	CA-C-N	6.14	128.83	120.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	85	ASP	C-N-CA	6.14	128.83	120.54
2	B	115	ALA	CA-C-N	6.12	128.99	120.29
2	B	115	ALA	C-N-CA	6.12	128.99	120.29
1	A	58	HIS	CA-CB-CG	-6.12	107.68	113.80
1	C	36	PHE	CA-C-O	-6.11	113.15	120.54
1	C	98	PHE	O-C-N	6.11	128.59	122.12
1	C	118	THR	CA-CB-CG2	6.10	120.87	110.50
2	B	41	PHE	O-C-N	6.09	131.05	122.41
1	A	141	ARG	NE-CZ-NH2	-6.08	113.72	119.20
2	B	142	ALA	CA-C-N	6.07	128.41	120.28
2	B	142	ALA	C-N-CA	6.07	128.41	120.28
2	D	50	THR	O-C-N	6.06	125.59	121.71
2	D	133	VAL	CA-C-O	-6.03	114.78	121.17
1	A	8	THR	CA-CB-OG1	-6.03	100.56	109.60
2	B	131	GLN	CA-C-O	-6.00	114.19	120.55
2	D	73	ASP	CA-C-N	5.99	127.83	120.22
2	D	73	ASP	C-N-CA	5.99	127.83	120.22
2	B	99	ASP	OD1-CG-OD2	5.99	137.28	122.90
2	B	24	GLY	CA-C-N	5.97	126.57	119.94
2	B	24	GLY	C-N-CA	5.97	126.57	119.94
2	D	26	GLU	CB-CG-CD	5.97	122.74	112.60
2	B	57	ASN	CB-CA-C	5.96	119.66	109.82
1	C	14	TRP	CA-C-N	5.96	126.73	119.99
1	C	14	TRP	C-N-CA	5.96	126.73	119.99
2	B	52	ASP	CA-C-N	5.96	128.54	120.44
2	B	52	ASP	C-N-CA	5.96	128.54	120.44
1	C	42	TYR	CA-C-N	-5.95	116.21	122.28
1	C	42	TYR	C-N-CA	-5.95	116.21	122.28
1	C	4	PRO	N-CA-C	-5.95	105.27	113.53
1	C	81	SER	CA-C-O	-5.92	114.28	120.55
2	D	59	LYS	O-C-N	5.92	129.55	122.27
2	D	40	ARG	NE-CZ-NH2	-5.91	113.88	119.20
1	C	108	THR	CA-CB-OG1	-5.90	100.75	109.60
1	A	105	LEU	N-CA-C	-5.89	104.94	111.36
1	C	54	GLN	OE1-CD-NE2	-5.89	116.71	122.60
1	C	124	SER	CA-C-O	-5.87	114.33	120.55
2	D	21	ASP	CA-CB-CG	5.85	118.45	112.60
1	C	124	SER	O-C-N	5.84	128.31	122.12
2	B	38	THR	O-C-N	5.82	130.49	122.46
1	C	105	LEU	CA-C-N	-5.82	112.88	120.44
1	C	105	LEU	C-N-CA	-5.82	112.88	120.44
2	D	43	GLU	CG-CD-OE1	5.81	131.76	118.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	32	LEU	N-CA-CB	-5.80	100.94	110.40
2	B	141	LEU	CA-C-O	-5.79	113.55	120.10
1	C	55	VAL	CB-CA-C	5.78	120.20	112.22
2	D	49	SER	N-CA-C	5.77	117.57	111.28
2	D	129	ALA	O-C-N	5.76	128.72	122.15
1	C	67	THR	CA-C-N	5.76	127.99	120.28
1	C	67	THR	C-N-CA	5.76	127.99	120.28
1	C	98	PHE	CA-C-O	-5.75	114.45	120.55
2	B	99	ASP	CA-CB-CG	5.75	118.34	112.60
2	D	26	GLU	CA-C-N	5.75	127.91	120.44
2	D	26	GLU	C-N-CA	5.75	127.91	120.44
1	A	107	VAL	CA-C-N	-5.71	112.19	120.29
1	A	107	VAL	C-N-CA	-5.71	112.19	120.29
1	A	91	LEU	O-C-N	5.71	128.65	122.15
1	C	58	HIS	CA-CB-CG	-5.71	108.09	113.80
2	B	65	LYS	O-C-N	5.69	128.64	122.15
2	B	98	VAL	O-C-N	5.69	129.35	123.03
2	B	114	LEU	N-CA-CB	5.69	118.48	110.12
2	B	93	ALA	O-C-N	5.68	130.63	122.28
1	C	107	VAL	N-CA-CB	5.68	116.81	110.51
2	D	30	ARG	NE-CZ-NH2	-5.67	114.10	119.20
1	C	87	HIS	CA-C-N	5.67	128.34	120.29
1	C	87	HIS	C-N-CA	5.67	128.34	120.29
1	A	6	ASP	O-C-N	5.67	128.13	122.12
2	D	124	PRO	CA-C-N	5.66	125.02	118.85
2	D	124	PRO	C-N-CA	5.66	125.02	118.85
1	A	131	SER	O-C-N	5.64	128.58	122.15
2	D	104	ARG	O-C-N	-5.64	116.00	122.09
2	B	104	ARG	CA-C-N	5.63	127.76	120.44
2	B	104	ARG	C-N-CA	5.63	127.76	120.44
1	A	138	SER	CA-C-O	-5.63	112.68	119.49
2	D	30	ARG	NH1-CZ-NH2	5.62	126.61	119.30
1	C	31	ARG	O-C-N	5.62	128.07	122.12
2	B	118	PHE	O-C-N	5.61	129.77	122.42
1	A	4	PRO	N-CA-C	-5.58	106.26	113.57
2	B	41	PHE	CA-C-O	-5.58	112.55	119.18
2	B	103	PHE	CA-C-O	-5.56	114.65	120.55
2	B	110	LEU	N-CA-C	-5.54	105.14	111.07
2	B	105	LEU	CA-C-N	-5.53	112.87	120.28
2	B	105	LEU	C-N-CA	-5.53	112.87	120.28
1	A	22	GLY	N-CA-C	5.52	119.56	112.83
1	C	56	LYS	CA-C-O	5.51	126.80	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	94	ASP	CA-C-O	-5.51	113.28	120.00
1	C	105	LEU	CA-CB-CG	5.50	135.56	116.30
1	C	137	THR	CA-C-N	5.50	128.20	120.28
1	C	137	THR	C-N-CA	5.50	128.20	120.28
1	C	47	ASP	N-CA-C	-5.47	100.26	108.96
2	B	18	VAL	CA-C-N	-5.47	114.37	122.41
2	B	18	VAL	C-N-CA	-5.47	114.37	122.41
2	B	14	LEU	CA-C-O	-5.46	114.76	120.55
2	B	24	GLY	CA-C-O	5.46	126.90	121.00
2	D	14	LEU	O-C-N	5.46	128.37	122.15
1	A	65	ALA	CB-CA-C	5.45	120.12	110.85
2	D	108	ASN	OD1-CG-ND2	5.45	128.05	122.60
2	D	84	THR	O-C-N	5.44	128.35	122.15
1	A	47	ASP	CA-C-O	-5.43	114.35	120.43
1	A	103	HIS	CA-C-O	5.43	126.52	120.82
2	B	32	LEU	CB-CG-CD1	5.43	126.98	110.70
1	C	58	HIS	O-C-N	5.41	128.32	122.15
2	D	108	ASN	CA-CB-CG	-5.41	107.19	112.60
2	D	124	PRO	N-CA-C	5.40	117.28	110.70
2	B	124	PRO	CB-CA-C	5.38	117.48	110.92
2	D	99	ASP	CA-C-O	-5.37	114.70	119.75
1	C	32	MET	CA-C-O	5.37	126.46	120.82
1	C	10	VAL	O-C-N	5.36	127.48	121.90
1	C	72	HIS	CA-CB-CG	-5.36	108.44	113.80
1	A	107	VAL	N-CA-CB	5.36	117.16	110.47
2	B	126	VAL	CA-C-N	5.35	127.45	120.28
2	B	126	VAL	C-N-CA	5.35	127.45	120.28
2	D	40	ARG	NE-CZ-NH1	5.34	126.84	121.50
1	C	58	HIS	N-CA-C	-5.32	105.56	111.36
2	B	72	SER	CA-C-O	5.32	126.59	120.90
1	A	87	HIS	CB-CG-CD2	5.32	138.11	131.20
1	A	92	ARG	N-CA-CB	-5.32	103.83	111.70
2	D	28	LEU	CA-C-N	5.30	125.96	120.03
2	D	28	LEU	C-N-CA	5.30	125.96	120.03
1	A	42	TYR	O-C-N	5.30	129.93	122.41
1	A	54	GLN	CA-C-O	-5.29	114.81	120.42
1	A	104	CYS	CB-CA-C	5.29	120.83	110.67
2	B	108	ASN	CA-CB-CG	-5.28	107.32	112.60
2	B	11	VAL	CA-C-O	-5.27	115.59	121.17
2	B	64	GLY	CA-C-O	5.26	125.96	120.80
1	C	97	ASN	N-CA-C	5.26	117.92	111.82
2	D	26	GLU	O-C-N	5.25	128.14	122.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	6	ASP	O-C-N	5.25	128.14	122.15
1	C	121	VAL	O-C-N	5.25	127.24	121.83
2	D	50	THR	CA-CB-OG1	-5.25	101.73	109.60
2	D	103	PHE	O-C-N	5.24	128.13	122.15
1	C	23	GLU	O-C-N	5.24	127.67	122.12
2	D	62	ALA	CA-C-N	5.24	127.73	120.29
2	D	62	ALA	C-N-CA	5.24	127.73	120.29
1	C	60	LYS	CA-C-N	5.23	127.24	120.44
1	C	60	LYS	C-N-CA	5.23	127.24	120.44
1	C	68	ASN	O-C-N	5.22	127.66	122.12
1	A	37	PRO	CB-CA-C	5.21	119.28	111.68
1	C	54	GLN	CA-C-O	-5.20	114.91	120.42
1	A	55	VAL	N-CA-C	-5.18	105.66	110.53
2	B	101	GLU	N-CA-CB	5.18	117.74	110.12
2	B	108	ASN	CB-CG-ND2	-5.17	108.64	116.40
1	C	76	MET	N-CA-C	5.17	119.96	113.25
2	D	10	ALA	O-C-N	5.16	127.67	122.09
1	A	67	THR	O-C-N	5.16	127.38	122.07
1	C	75	ASP	N-CA-C	5.15	117.05	110.61
1	C	128	PHE	CA-C-O	-5.14	115.42	120.82
2	D	6	GLU	CB-CG-CD	5.14	121.33	112.60
2	B	35	TYR	CA-C-O	-5.13	113.61	120.64
1	C	119	PRO	CA-C-N	5.13	127.16	120.28
1	C	119	PRO	C-N-CA	5.13	127.16	120.28
1	A	106	LEU	CB-CA-C	5.13	118.93	110.88
1	A	94	ASP	CA-CB-CG	-5.12	107.48	112.60
1	C	100	LEU	CA-C-O	-5.12	115.42	120.70
1	A	97	ASN	CA-CB-CG	-5.12	107.48	112.60
1	C	9	ASN	CA-C-N	5.11	127.10	120.56
1	C	9	ASN	C-N-CA	5.11	127.10	120.56
1	C	103	HIS	CB-CG-ND1	-5.11	115.04	122.70
1	C	118	THR	OG1-CB-CG2	5.11	119.51	109.30
2	D	29	GLY	CA-C-O	5.10	125.80	120.80
2	D	42	PHE	CA-CB-CG	-5.07	108.73	113.80
1	C	92	ARG	NE-CZ-NH1	5.07	126.57	121.50
1	C	61	LYS	O-C-N	5.05	127.27	122.07
2	D	116	HIS	CA-C-N	5.04	127.30	120.44
2	D	116	HIS	C-N-CA	5.04	127.30	120.44
1	C	120	ALA	N-CA-CB	5.04	117.52	110.12
2	B	30	ARG	O-C-N	5.03	127.89	122.15
1	A	37	PRO	N-CD-CG	5.03	110.74	103.20
1	C	97	ASN	N-CA-CB	-5.03	102.49	110.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	144	LYS	CA-C-O	-5.03	113.35	119.43
1	A	124	SER	CA-C-O	-5.02	115.10	120.42
2	D	110	LEU	CA-C-N	-5.01	113.60	120.46
2	D	110	LEU	C-N-CA	-5.01	113.60	120.46
2	B	59	LYS	O-C-N	5.00	127.85	122.15

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	92	ARG	Sidechain
2	D	40	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1069	0	1073	18	0
1	C	1069	0	1073	29	0
2	B	1120	0	1116	26	0
2	D	1120	0	1116	15	0
3	A	43	0	30	2	0
3	B	43	0	30	2	0
3	C	43	0	30	0	0
3	D	43	0	30	3	0
4	B	5	0	0	2	0
4	D	5	0	0	0	0
5	A	122	0	0	2	0
5	B	94	0	0	2	0
5	C	125	0	0	4	0
5	D	111	0	0	2	0
All	All	5012	0	4498	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:THR:HG22	1:C:121:VAL:H	1.29	0.96
1:C:113:LEU:HB3	1:C:116:GLU:HG2	1.54	0.89
2:D:104:ARG:H	2:D:104:ARG:HD2	1.49	0.77
2:D:24:GLY:HA2	2:D:68:LEU:HD13	1.70	0.73
2:D:104:ARG:HD2	2:D:104:ARG:N	2.04	0.72
2:B:4:THR:OG1	2:B:7:GLU:HG3	1.90	0.71
1:A:84:SER:HB2	1:A:139:LYS:HE3	1.72	0.69
3:D:148:HEM:HBB2	3:D:148:HEM:HHC	1.73	0.69
1:A:30:GLU:O	1:A:34:LEU:HD13	1.93	0.69
1:C:118:THR:HG22	1:C:121:VAL:N	2.07	0.66
1:A:7:LYS:O	1:A:11:LYS:HG3	1.98	0.63
1:C:16:LYS:HE2	1:C:116:GLU:OE1	2.00	0.62
2:B:37:TRP:HA	1:C:92:ARG:HD3	1.82	0.61
2:B:1:VAL:CG2	2:B:3:LEU:HG	2.31	0.61
2:D:146:HIS:CD2	2:D:146:HIS:H	2.19	0.60
2:B:1:VAL:HG22	2:B:3:LEU:HG	1.83	0.60
1:C:118:THR:CG2	1:C:121:VAL:H	2.09	0.60
2:B:23:VAL:HG12	2:B:68:LEU:HD11	1.85	0.58
2:B:75:LEU:HD23	2:B:78:LEU:HD21	1.85	0.58
1:C:84:SER:HB3	1:C:139:LYS:HD2	1.85	0.58
2:B:2:HIS:H	2:B:2:HIS:CD2	2.21	0.58
1:A:137:THR:HG21	5:A:176:HOH:O	2.05	0.56
2:B:86:ALA:HA	2:B:143:HIS:CE1	2.40	0.56
1:C:99:LYS:HD3	1:C:100:LEU:HD23	1.88	0.55
1:C:113:LEU:HD22	1:C:116:GLU:HG3	1.89	0.55
1:C:113:LEU:CB	1:C:116:GLU:HG2	2.34	0.55
1:C:16:LYS:NZ	1:C:16:LYS:HB2	2.22	0.54
2:B:104:ARG:HH12	2:B:135:ALA:HA	1.72	0.54
1:A:7:LYS:NZ	1:A:74:ASP:OD1	2.26	0.52
2:D:94:ASP:OD1	2:D:146:HIS:NE2	2.43	0.51
1:A:84:SER:CB	1:A:139:LYS:HE3	2.40	0.51
1:C:99:LYS:HD3	1:C:100:LEU:CD2	2.41	0.51
2:B:86:ALA:HA	2:B:143:HIS:HE1	1.75	0.50
1:C:13:ALA:O	1:C:16:LYS:HB3	2.11	0.50
2:B:82:LYS:NZ	4:B:147:SO4:O3	2.44	0.49
1:C:11:LYS:HE3	1:C:73:VAL:HG11	1.94	0.49
1:C:42:TYR:CE2	1:C:93:VAL:HA	2.47	0.49
1:C:99:LYS:NZ	5:C:211:HOH:O	2.46	0.49
1:C:79:ALA:HA	5:C:218:HOH:O	2.12	0.48
2:B:82:LYS:HB2	2:B:82:LYS:HZ3	1.78	0.48
2:B:82:LYS:N	4:B:147:SO4:O4	2.42	0.48
1:A:51:GLY:HA2	1:A:56:LYS:HE3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:75:LEU:O	2:D:78:LEU:HD22	2.15	0.47
2:B:51:PRO:HD2	5:B:166:HOH:O	2.15	0.47
2:B:104:ARG:NH2	2:B:139:ASN:OD1	2.48	0.47
2:B:40:ARG:NH2	1:C:91:LEU:O	2.34	0.47
2:B:51:PRO:O	2:B:55:MET:HG2	2.15	0.47
3:D:148:HEM:HHC	3:D:148:HEM:CBB	2.42	0.46
1:A:90:LYS:HD3	1:A:90:LYS:N	2.31	0.46
1:C:17:VAL:HG22	1:C:24:TYR:CE2	2.51	0.46
3:D:148:HEM:HBC2	3:D:148:HEM:HMC2	1.98	0.46
1:A:106:LEU:HD23	5:B:198:HOH:O	2.16	0.45
1:C:113:LEU:HD22	1:C:116:GLU:CG	2.46	0.45
1:A:31:ARG:HD3	2:B:127:GLN:OE1	2.17	0.45
2:D:57:ASN:HA	2:D:58:PRO:HD2	1.82	0.45
2:B:91:LEU:HD21	3:B:148:HEM:HBA2	1.98	0.44
2:D:101:GLU:HA	2:D:104:ARG:HD3	1.99	0.44
2:B:91:LEU:CD2	3:B:148:HEM:HBA2	2.47	0.44
1:C:101:LEU:HG	1:C:105:LEU:HD22	1.99	0.44
1:C:16:LYS:HB2	1:C:16:LYS:HZ3	1.82	0.44
1:C:78:ASN:ND2	5:C:227:HOH:O	2.50	0.44
1:A:83:LEU:HD21	3:A:142:HEM:HMA1	1.99	0.43
2:B:89:SER:OG	2:B:144:LYS:HB2	2.18	0.43
2:B:36:PRO:O	2:B:39:GLN:HB2	2.19	0.43
2:D:22:GLU:HG2	5:D:188:HOH:O	2.19	0.43
1:A:60:LYS:HG3	5:A:248:HOH:O	2.17	0.43
2:B:58:PRO:HA	2:B:61:LYS:HD2	2.01	0.43
1:C:81:SER:OG	1:C:139:LYS:NZ	2.51	0.43
1:A:94:ASP:OD1	2:D:101:GLU:HG2	2.19	0.42
2:B:1:VAL:HG23	2:B:2:HIS:N	2.34	0.42
1:C:99:LYS:HG3	5:C:211:HOH:O	2.19	0.42
1:C:16:LYS:HG2	1:C:116:GLU:HG3	2.01	0.42
1:C:118:THR:HG23	1:C:120:ALA:H	1.84	0.42
1:A:38:THR:HB	2:D:100:PRO:HD2	2.01	0.42
2:D:82:LYS:HE2	5:D:215:HOH:O	2.20	0.41
1:A:20:HIS:O	1:A:21:ALA:C	2.64	0.41
2:B:23:VAL:HG12	2:B:68:LEU:CD1	2.49	0.41
2:D:4:THR:O	2:D:5:PRO:C	2.64	0.41
2:D:51:PRO:O	2:D:55:MET:HG2	2.21	0.41
1:A:58:HIS:HE1	3:A:142:HEM:C1A	2.39	0.41
1:A:94:ASP:HA	1:A:95:PRO:HD3	1.92	0.41
1:C:34:LEU:HD23	1:C:34:LEU:HA	1.85	0.41
2:D:117:HIS:HD2	2:D:118:PHE:CZ	2.39	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:ALA:O	1:A:16:LYS:HB3	2.22	0.40
2:B:2:HIS:CD2	2:B:2:HIS:N	2.90	0.40
1:C:7:LYS:HG2	1:C:73:VAL:HG21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	134 (96%)	5 (4%)	0	100	100
1	C	139/141 (99%)	137 (99%)	2 (1%)	0	100	100
2	B	144/146 (99%)	142 (99%)	2 (1%)	0	100	100
2	D	144/146 (99%)	143 (99%)	1 (1%)	0	100	100
All	All	566/574 (99%)	556 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/113 (100%)	105 (93%)	8 (7%)	13	4
1	C	113/113 (100%)	104 (92%)	9 (8%)	11	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	116/116 (100%)	112 (97%)	4 (3%)	32	20
2	D	116/116 (100%)	107 (92%)	9 (8%)	11	3
All	All	458/458 (100%)	428 (93%)	30 (7%)	15	5

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	83	LEU
1	A	90	LYS
1	A	92	ARG
1	A	95	PRO
1	A	105	LEU
1	A	109	LEU
1	A	137	THR
2	B	68	LEU
2	B	82	LYS
2	B	104	ARG
2	B	143	HIS
1	C	1	VAL
1	C	16	LYS
1	C	23	GLU
1	C	83	LEU
1	C	99	LYS
1	C	105	LEU
1	C	106	LEU
1	C	116	GLU
1	C	118	THR
2	D	1	VAL
2	D	21	ASP
2	D	26	GLU
2	D	68	LEU
2	D	78	LEU
2	D	82	LYS
2	D	120	LYS
2	D	139	ASN
2	D	146	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
2	B	2	HIS
2	B	80	ASN
2	B	146	HIS
1	C	78	ASN
1	C	89	HIS
2	D	19	ASN
2	D	77	HIS
2	D	117	HIS
2	D	139	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HEM	A	142	1	50,50,50	1.86	16 (32%)	67,82,82	1.32	10 (14%)
4	SO4	D	147	-	4,4,4	0.72	0	6,6,6	0.34	0
4	SO4	B	147	-	4,4,4	0.74	0	6,6,6	0.23	0
3	HEM	C	142	1	50,50,50	1.71	11 (22%)	67,82,82	1.61	13 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	B	148	2	50,50,50	1.55	8 (16%)	67,82,82	1.47	10 (14%)
3	HEM	D	148	2	50,50,50	1.65	12 (24%)	67,82,82	1.48	11 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	142	1	-	2/14/54/54	-
3	HEM	C	142	1	-	7/14/54/54	-
3	HEM	B	148	2	-	3/14/54/54	-
3	HEM	D	148	2	-	5/14/54/54	-

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	142	HEM	FE-NB	4.12	2.07	1.94
3	C	142	HEM	FE-NB	4.07	2.07	1.94
3	C	142	HEM	CAB-C3B	4.06	1.58	1.47
3	A	142	HEM	FE-NC	3.89	2.08	1.95
3	D	148	HEM	FE-NB	3.86	2.06	1.94
3	A	142	HEM	CMC-C2C	3.73	1.58	1.50
3	B	148	HEM	FE-ND	3.58	2.05	1.94
3	A	142	HEM	FE-NA	3.51	2.06	1.95
3	D	148	HEM	FE-ND	3.45	2.05	1.94
3	C	142	HEM	CMC-C2C	3.37	1.57	1.50
3	C	142	HEM	CBD-CGD	3.34	1.58	1.50
3	B	148	HEM	FE-NB	3.25	2.04	1.94
3	B	148	HEM	FE-NA	3.06	2.05	1.95
3	B	148	HEM	CAB-C3B	3.02	1.55	1.47
3	A	142	HEM	CAD-C3D	3.01	1.59	1.51
3	D	148	HEM	CMC-C2C	3.01	1.56	1.50
3	D	148	HEM	CAB-C3B	2.96	1.55	1.47
3	C	142	HEM	FE-ND	2.96	2.04	1.94
3	A	142	HEM	C3C-C4C	2.87	1.51	1.46
3	D	148	HEM	FE-NA	2.86	2.04	1.95
3	B	148	HEM	CAD-C3D	2.79	1.58	1.51
3	C	142	HEM	CAD-C3D	2.75	1.58	1.51
3	B	148	HEM	C1B-NB	-2.75	1.35	1.40
3	D	148	HEM	CAA-C2A	2.63	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	142	HEM	FE-NA	2.63	2.03	1.95
3	A	142	HEM	FE-ND	2.63	2.03	1.94
3	A	142	HEM	CAB-C3B	2.61	1.54	1.47
3	A	142	HEM	CAA-C2A	2.61	1.58	1.51
3	A	142	HEM	C2A-C3A	-2.59	1.32	1.38
3	A	142	HEM	C4A-C3A	2.56	1.49	1.43
3	C	142	HEM	O2D-CGD	-2.54	1.22	1.30
3	B	148	HEM	CMC-C2C	2.50	1.55	1.50
3	C	142	HEM	CMB-C2B	2.50	1.55	1.50
3	D	148	HEM	C1B-C2B	2.45	1.49	1.44
3	B	148	HEM	C1B-C2B	2.39	1.49	1.44
3	A	142	HEM	CAC-C3C	2.29	1.53	1.47
3	A	142	HEM	C3B-C2B	-2.25	1.32	1.37
3	D	148	HEM	C2A-C3A	-2.24	1.33	1.38
3	D	148	HEM	C1D-C2D	2.24	1.49	1.44
3	A	142	HEM	CMB-C2B	2.21	1.55	1.50
3	C	142	HEM	C4D-C3D	-2.19	1.41	1.45
3	D	148	HEM	CMD-C2D	2.11	1.55	1.50
3	A	142	HEM	CBD-CGD	2.08	1.55	1.50
3	D	148	HEM	CBD-CAD	2.07	1.59	1.51
3	C	142	HEM	FE-NC	2.02	2.01	1.95
3	D	148	HEM	CHD-C4C	2.01	1.42	1.38
3	A	142	HEM	C3C-C2C	-2.01	1.33	1.37

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	142	HEM	O2D-CGD-O1D	6.02	138.81	123.33
3	B	148	HEM	CMB-C2B-C1B	-3.63	119.36	125.03
3	D	148	HEM	CAA-CBA-CGA	3.59	123.18	113.67
3	A	142	HEM	O2D-CGD-O1D	3.52	132.39	123.33
3	C	142	HEM	O1D-CGD-CBD	-3.45	112.16	123.09
3	B	148	HEM	O2D-CGD-O1D	3.35	131.96	123.33
3	D	148	HEM	CHD-C1D-ND	3.26	127.93	124.42
3	C	142	HEM	CHD-C1D-ND	3.14	127.80	124.42
3	D	148	HEM	O1A-CGA-CBA	-3.01	113.53	123.09
3	B	148	HEM	O1D-CGD-CBD	-3.00	113.58	123.09
3	D	148	HEM	C4C-CHD-C1D	-2.96	119.73	126.02
3	D	148	HEM	C1A-CHA-C4D	2.88	133.01	126.25
3	D	148	HEM	CMB-C2B-C1B	-2.67	120.86	125.03
3	C	142	HEM	CAD-CBD-CGD	-2.67	106.59	113.67
3	A	142	HEM	O1D-CGD-CBD	-2.66	114.66	123.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	142	HEM	CHD-C1D-C2D	-2.64	120.85	125.03
3	A	142	HEM	CMB-C2B-C1B	-2.59	120.98	125.03
3	B	148	HEM	CHD-C1D-ND	2.56	127.17	124.42
3	C	142	HEM	C4C-C3C-C2C	-2.55	104.61	106.81
3	B	148	HEM	CMA-C3A-C2A	2.53	131.00	125.62
3	B	148	HEM	C3D-C4D-ND	-2.53	107.39	110.17
3	A	142	HEM	CHD-C4C-NC	2.52	127.20	124.45
3	A	142	HEM	C4C-CHD-C1D	-2.47	120.77	126.02
3	C	142	HEM	C4B-C3B-C2B	2.45	109.53	107.28
3	C	142	HEM	C4D-C3D-C2D	2.44	110.45	106.89
3	D	148	HEM	O2A-CGA-CBA	2.43	121.69	114.00
3	A	142	HEM	CHC-C4B-NB	2.43	127.04	124.42
3	B	148	HEM	CMB-C2B-C3B	2.42	134.29	128.43
3	C	142	HEM	CBB-CAB-C3B	-2.42	115.43	127.53
3	A	142	HEM	C3C-C2C-C1C	2.40	109.32	107.05
3	B	148	HEM	C1B-NB-C4B	2.38	108.03	105.21
3	D	148	HEM	CMA-C3A-C2A	2.37	130.64	125.62
3	C	142	HEM	CMD-C2D-C3D	2.36	132.54	126.15
3	B	148	HEM	O1A-CGA-CBA	-2.36	115.62	123.09
3	A	142	HEM	CHD-C1D-ND	2.27	126.86	124.42
3	D	148	HEM	CHD-C4C-NC	2.24	126.89	124.45
3	C	142	HEM	C3C-C2C-C1C	2.21	109.14	107.05
3	D	148	HEM	C4D-ND-C1D	2.17	107.78	105.21
3	A	142	HEM	CMA-C3A-C2A	2.14	130.15	125.62
3	B	148	HEM	CHB-C1B-NB	2.09	126.95	124.37
3	C	142	HEM	C4C-CHD-C1D	-2.07	121.62	126.02
3	A	142	HEM	CAD-C3D-C2D	-2.04	124.05	127.87
3	C	142	HEM	C1D-C2D-C3D	-2.02	104.86	106.98
3	D	148	HEM	CAD-CBD-CGD	-2.00	108.35	113.67

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	148	HEM	C2C-C3C-CAC-CBC
3	C	142	HEM	C2B-C3B-CAB-CBB
3	D	148	HEM	C2A-CAA-CBA-CGA
3	D	148	HEM	CAA-CBA-CGA-O2A
3	C	142	HEM	CAA-CBA-CGA-O1A
3	A	142	HEM	CAD-CBD-CGD-O1D
3	C	142	HEM	CAD-CBD-CGD-O2D
3	D	148	HEM	CAD-CBD-CGD-O1D

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	148	HEM	CAA-CBA-CGA-O1A
3	C	142	HEM	CAD-CBD-CGD-O1D
3	D	148	HEM	CAD-CBD-CGD-O2D
3	A	142	HEM	CAD-CBD-CGD-O2D
3	C	142	HEM	C2C-C3C-CAC-CBC
3	B	148	HEM	C4C-C3C-CAC-CBC
3	C	142	HEM	C4B-C3B-CAB-CBB
3	C	142	HEM	CAA-CBA-CGA-O2A
3	B	148	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.


4 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	142	HEM	2	0
4	B	147	SO4	2	0
3	B	148	HEM	2	0
3	D	148	HEM	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.