



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 05:59 PM UTC

PDB ID : 3GC3 / pdb_00003gc3
Title : Crystal Structure of Arrestin2S and Clathrin
Authors : Williams, J.C.; Kang, D.S.
Deposited on : 2009-02-21
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	385	14% 59% 25% • 15%
2	B	363	2% 76% 18% •••

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6221 atoms, of which 634 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-arrestin-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	329	Total	C	H	N	O	S	25	0	0
			2904	1660	322	442	470	10			

- Molecule 2 is a protein called Clathrin heavy chain 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	349	Total	C	H	N	O	S	0	0	0
			3041	1738	312	469	504	18			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	133	Total	O	0	0
			133	133		
3	B	143	Total	O	0	0
			143	143		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Beta-arrestin-1



• Molecule 2: Clathrin heavy chain 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.86Å 126.17Å 129.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.07 – 2.20 35.07 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.7 (35.07-2.20) 99.7 (35.07-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.4.0034	Depositor
R, R_{free}	0.200 , 0.251 0.232 , 0.269	Depositor DCC
R_{free} test set	3099 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	36.4	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.011 for -h,l,k	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6221	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.26	13/2631 (0.5%)	1.24	13/3560 (0.4%)
2	B	1.39	11/2784 (0.4%)	1.25	8/3770 (0.2%)
All	All	1.33	24/5415 (0.4%)	1.25	21/7330 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
2	B	0	1
All	All	0	3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	372	LEU	CA-C	8.27	1.60	1.52
2	B	52	ILE	CA-CB	7.31	1.62	1.53
2	B	192	GLN	CA-C	-7.23	1.46	1.52
1	A	207	ILE	CA-CB	7.11	1.63	1.54
1	A	122	ASN	CG-OD1	6.79	1.36	1.23
1	A	177	ARG	CA-CB	-6.70	1.44	1.53
2	B	334	ILE	CA-CB	6.69	1.63	1.54
2	B	10	GLN	CD-OE1	6.14	1.35	1.23
1	A	83	ASN	CG-OD1	5.87	1.34	1.23
1	A	142	VAL	N-CA	-5.81	1.39	1.46
1	A	153	ASN	CB-CG	-5.78	1.37	1.52
2	B	220	VAL	CA-CB	-5.72	1.49	1.55
2	B	53	ILE	CA-CB	5.71	1.60	1.54
1	A	295	HIS	ND1-CE1	5.64	1.38	1.32
2	B	309	HIS	ND1-CE1	5.51	1.38	1.32
2	B	334	ILE	CA-C	5.45	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	172	GLN	CD-OE1	5.43	1.33	1.23
1	A	159	HIS	ND1-CE1	5.34	1.37	1.32
2	B	178	VAL	CA-C	5.31	1.58	1.52
1	A	219	HIS	ND1-CE1	5.29	1.37	1.32
1	A	188	ARG	CD-NE	-5.26	1.38	1.46
2	B	183	LEU	N-CA	-5.19	1.39	1.46
1	A	327	LEU	CA-CB	5.04	1.60	1.53
2	B	203	GLN	CD-OE1	5.01	1.33	1.23

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	153	ASN	CA-CB-CG	9.01	121.61	112.60
1	A	159	HIS	CB-CG-CD2	-6.74	122.44	131.20
1	A	188	ARG	NE-CZ-NH2	-6.46	113.39	119.20
2	B	312	THR	N-CA-C	-6.41	104.00	113.61
2	B	309	HIS	CB-CG-CD2	-6.28	123.03	131.20
1	A	188	ARG	CG-CD-NE	-6.08	98.63	112.00
1	A	295	HIS	CB-CG-CD2	-6.07	123.30	131.20
1	A	159	HIS	CB-CG-ND1	5.79	131.38	122.70
2	B	166	LEU	CA-CB-CG	-5.78	96.08	116.30
1	A	219	HIS	CB-CG-CD2	-5.74	123.73	131.20
2	B	309	HIS	CB-CG-ND1	5.57	131.05	122.70
1	A	206	GLU	CA-CB-CG	-5.51	103.08	114.10
1	A	295	HIS	CB-CG-ND1	5.31	130.66	122.70
2	B	159	ASP	CA-C-N	5.23	127.29	120.28
2	B	159	ASP	C-N-CA	5.23	127.29	120.28
1	A	141	GLY	N-CA-C	5.22	118.20	110.42
1	A	241	ILE	N-CA-CB	5.17	116.89	111.00
1	A	219	HIS	CB-CG-ND1	5.16	130.44	122.70
1	A	372	LEU	N-CA-C	5.10	119.71	112.93
2	B	68	ALA	CA-C-N	-5.07	114.53	122.65
2	B	68	ALA	C-N-CA	-5.07	114.53	122.65

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	156	GLU	Sidechain
1	A	290	ASP	Peptide
2	B	253	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2582	322	2627	93	0
2	B	2729	312	2740	65	0
3	A	133	0	0	8	0
3	B	143	0	0	4	0
All	All	5587	634	5367	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:GLU:CG	1:A:274:LEU:HD21	1.39	1.51
1:A:147:LYS:NZ	1:A:158:ILE:HD13	1.27	1.45
1:A:122:ASN:HB2	3:A:509:HOH:O	1.42	1.18
1:A:147:LYS:HZ1	1:A:158:ILE:CD1	1.53	1.18
1:A:256:GLU:HG2	1:A:274:LEU:CD2	1.71	1.18
1:A:147:LYS:NZ	1:A:158:ILE:CD1	2.06	1.18
2:B:8:ARG:NH1	2:B:10:GLN:NE2	1.97	1.12
1:A:256:GLU:CG	1:A:274:LEU:CD2	2.27	1.09
1:A:294:LYS:HE3	3:A:415:HOH:O	1.53	1.07
1:A:256:GLU:HG3	1:A:274:LEU:HD21	1.39	1.01
2:B:265:GLN:NE2	3:B:410:HOH:O	1.95	0.98
2:B:8:ARG:HH12	2:B:10:GLN:CD	1.73	0.95
2:B:8:ARG:NH1	2:B:10:GLN:CD	2.24	0.94
2:B:253:PRO:HD2	2:B:256:ALA:HB3	1.49	0.93
2:B:8:ARG:HH11	2:B:10:GLN:NE2	1.64	0.89
2:B:335:ILE:HD12	2:B:335:ILE:H	1.34	0.89
1:A:147:LYS:HZ2	1:A:158:ILE:HD13	1.23	0.89
1:A:256:GLU:HG2	1:A:274:LEU:HD21	0.85	0.84
1:A:147:LYS:HZ1	1:A:158:ILE:HD13	1.08	0.83
1:A:15:ASN:ND2	1:A:17:LYS:CG	2.44	0.81
2:B:315:ILE:HD12	2:B:316:ILE:N	1.96	0.80
2:B:306:THR:HB	2:B:315:ILE:HD11	1.63	0.80
1:A:15:ASN:ND2	1:A:17:LYS:HG2	1.97	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:355:ASN:O	2:B:356:ASN:HB2	1.82	0.79
2:B:8:ARG:HH11	2:B:10:GLN:HE21	1.31	0.78
1:A:278:LEU:O	1:A:279:ALA:C	2.26	0.78
1:A:256:GLU:HG3	1:A:274:LEU:CD2	2.03	0.77
1:A:159:HIS:O	1:A:161:ARG:N	2.19	0.76
1:A:63:TYR:O	1:A:73:LEU:CD2	2.36	0.74
2:B:253:PRO:HB3	2:B:255:GLU:OE1	1.88	0.73
2:B:76:ALA:CB	2:B:116:LEU:HD22	2.22	0.69
1:A:122:ASN:HD21	1:A:307:ARG:HD2	1.58	0.69
1:A:55:VAL:HG12	1:A:117:PHE:HZ	1.58	0.68
1:A:104:LEU:O	1:A:108:LEU:HB2	1.93	0.67
2:B:53:ILE:N	2:B:53:ILE:HD13	2.09	0.67
2:B:51:VAL:HG12	2:B:53:ILE:CD1	2.25	0.67
1:A:73:LEU:HD22	1:A:74:THR:H	1.59	0.66
1:A:72:GLY:N	3:A:508:HOH:O	2.28	0.66
2:B:3:GLN:HG2	2:B:4:ILE:N	2.09	0.66
1:A:24:LYS:NZ	1:A:35:GLU:OE2	2.29	0.66
2:B:53:ILE:N	2:B:53:ILE:CD1	2.59	0.66
2:B:339:THR:O	2:B:343:GLN:HA	1.96	0.66
2:B:49:GLN:HB2	2:B:64:ARG:O	1.96	0.65
1:A:312:ARG:HH11	1:A:312:ARG:HG2	1.62	0.65
2:B:76:ALA:HB3	2:B:116:LEU:HD22	1.77	0.65
2:B:315:ILE:HD12	2:B:315:ILE:C	2.21	0.64
1:A:101:GLN:O	1:A:105:ILE:HG13	2.00	0.61
1:A:63:TYR:O	1:A:73:LEU:HD23	2.00	0.61
2:B:78:LYS:HD2	2:B:94:GLU:OE2	2.00	0.61
2:B:253:PRO:CD	2:B:256:ALA:HB3	2.29	0.61
1:A:11:LYS:HD2	1:A:166:LEU:HD23	1.83	0.61
1:A:312:ARG:HB3	3:A:414:HOH:O	1.99	0.61
1:A:11:LYS:HD2	1:A:166:LEU:CD2	2.31	0.60
1:A:122:ASN:ND2	1:A:307:ARG:HD2	2.16	0.60
2:B:253:PRO:HD2	2:B:256:ALA:CB	2.28	0.60
1:A:15:ASN:ND2	1:A:17:LYS:HG3	2.14	0.60
1:A:166:LEU:HD22	1:A:383:PHE:CG	2.37	0.60
2:B:345:PRO:HD2	3:B:495:HOH:O	2.02	0.59
1:A:15:ASN:OD1	1:A:162:ASN:HA	2.03	0.59
1:A:383:PHE:O	1:A:384:ALA:C	2.47	0.58
2:B:14:GLN:OE1	2:B:16:GLN:HG3	2.04	0.58
2:B:11:GLU:OE2	2:B:323:GLN:HG2	2.04	0.57
1:A:39:GLY:O	1:A:101:GLN:NE2	2.37	0.57
1:A:306:LEU:CD2	1:A:315:LEU:CD1	2.83	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:51:VAL:HG12	2:B:53:ILE:HD11	1.87	0.57
2:B:76:ALA:HB2	2:B:116:LEU:CD2	2.34	0.56
1:A:24:LYS:HZ2	1:A:35:GLU:CD	2.13	0.56
1:A:191:LEU:O	1:A:192:MET:HB2	2.05	0.56
1:A:98:THR:OG1	1:A:101:GLN:HG3	2.06	0.55
2:B:196:GLY:HA2	2:B:220:VAL:HB	1.87	0.55
1:A:147:LYS:HZ3	1:A:158:ILE:HD13	1.56	0.55
1:A:294:LYS:CE	3:A:415:HOH:O	2.28	0.55
2:B:51:VAL:HG22	2:B:63:ARG:HG2	1.87	0.55
2:B:148:LEU:N	2:B:148:LEU:HD12	2.22	0.55
1:A:55:VAL:HG12	1:A:117:PHE:CZ	2.41	0.55
1:A:18:LEU:HD22	1:A:41:VAL:HG22	1.87	0.55
2:B:255:GLU:H	2:B:255:GLU:CD	2.15	0.54
1:A:201:ALA:HA	1:A:217:ASN:O	2.08	0.54
2:B:276:ILE:HG12	2:B:282:ILE:HD12	1.90	0.54
2:B:335:ILE:H	2:B:335:ILE:CD1	2.09	0.54
2:B:59:SER:C	2:B:61:PRO:HD3	2.33	0.54
1:A:370:ILE:HG13	2:B:66:ILE:HG22	1.91	0.53
1:A:18:LEU:HD22	1:A:41:VAL:CG2	2.39	0.52
1:A:312:ARG:HH11	1:A:312:ARG:CG	2.23	0.52
1:A:236:ARG:HG2	1:A:236:ARG:HH11	1.75	0.51
1:A:64:GLY:O	1:A:73:LEU:HD23	2.10	0.51
1:A:156:GLU:HG2	1:A:157:LYS:H	1.75	0.51
2:B:13:LEU:C	2:B:13:LEU:HD12	2.35	0.51
2:B:301:GLU:HG3	2:B:321:LYS:HD2	1.91	0.51
2:B:12:HIS:O	2:B:13:LEU:HB3	2.09	0.50
1:A:43:VAL:HG22	1:A:111:HIS:O	2.10	0.50
1:A:63:TYR:HB3	1:A:75:PHE:HB3	1.93	0.50
2:B:59:SER:O	2:B:61:PRO:HD3	2.12	0.50
1:A:24:LYS:NZ	1:A:35:GLU:CD	2.70	0.50
2:B:301:GLU:CD	2:B:321:LYS:HE3	2.37	0.49
2:B:49:GLN:HA	2:B:66:ILE:HG12	1.95	0.49
1:A:15:ASN:OD1	1:A:161:ARG:O	2.31	0.49
1:A:73:LEU:CD2	1:A:74:THR:H	2.25	0.49
1:A:85:GLN:OE1	1:A:88:PRO:HD2	2.13	0.48
1:A:181:GLN:CB	1:A:182:PRO:CD	2.92	0.48
1:A:241:ILE:N	1:A:241:ILE:HD13	2.28	0.48
1:A:8:VAL:HG11	1:A:104:LEU:HD11	1.95	0.48
1:A:73:LEU:HD22	1:A:74:THR:N	2.28	0.48
1:A:182:PRO:O	1:A:202:SER:HB2	2.14	0.48
1:A:326:LYS:HE2	3:A:436:HOH:O	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:315:ILE:CD1	2:B:316:ILE:N	2.72	0.47
2:B:315:ILE:C	2:B:315:ILE:CD1	2.87	0.47
1:A:236:ARG:HG2	1:A:236:ARG:NH1	2.30	0.47
2:B:30:LEU:C	2:B:30:LEU:HD23	2.40	0.46
1:A:307:ARG:HB2	1:A:310:ALA:HB2	1.97	0.46
2:B:32:MET:HE1	2:B:317:GLY:HA2	1.97	0.46
2:B:11:GLU:HG3	2:B:325:LEU:HD23	1.97	0.46
2:B:59:SER:HB2	3:B:369:HOH:O	2.15	0.46
1:A:191:LEU:HD12	1:A:191:LEU:HA	1.74	0.46
1:A:232:LYS:HB3	1:A:232:LYS:HE2	1.69	0.46
1:A:312:ARG:CG	1:A:312:ARG:NH1	2.80	0.45
1:A:53:VAL:HG22	1:A:150:CYS:SG	2.57	0.45
2:B:8:ARG:NH1	2:B:10:GLN:CG	2.80	0.45
2:B:52:ILE:CD1	2:B:52:ILE:N	2.79	0.45
2:B:237:PRO:O	2:B:240:ASN:HB2	2.17	0.45
1:A:306:LEU:CD2	1:A:315:LEU:HD13	2.46	0.45
2:B:355:ASN:O	2:B:356:ASN:CB	2.57	0.45
2:B:52:ILE:N	2:B:52:ILE:HD13	2.32	0.44
2:B:50:VAL:HG22	2:B:52:ILE:HD12	2.00	0.44
1:A:7:ARG:HH21	1:A:9:PHE:HZ	1.66	0.44
2:B:69:ASP:N	2:B:83:LYS:O	2.51	0.43
2:B:86:LYS:NZ	2:B:105:THR:O	2.39	0.43
1:A:181:GLN:HB3	1:A:182:PRO:CD	2.49	0.43
1:A:185:GLU:OE2	1:A:198:HIS:CE1	2.72	0.42
1:A:73:LEU:HD22	1:A:75:PHE:H	1.83	0.42
1:A:147:LYS:HZ3	1:A:158:ILE:CD1	2.17	0.42
1:A:314:ILE:HD13	1:A:314:ILE:HG21	1.71	0.42
1:A:62:ARG:HH11	1:A:62:ARG:HG3	1.85	0.42
2:B:303:ILE:HD13	2:B:319:ASN:HB3	2.00	0.42
1:A:6:THR:O	1:A:378:ILE:HA	2.20	0.42
1:A:251:CYS:HA	1:A:252:PRO:HD3	1.90	0.42
1:A:173:TYR:CE1	1:A:347:LYS:HB3	2.55	0.42
1:A:306:LEU:HD23	1:A:315:LEU:CD1	2.50	0.42
1:A:15:ASN:HD21	1:A:17:LYS:CG	2.31	0.42
2:B:164:TRP:CZ3	2:B:185:SER:HB2	2.54	0.42
1:A:147:LYS:NZ	1:A:158:ILE:HD12	2.22	0.41
2:B:25:ILE:O	2:B:25:ILE:HG22	2.20	0.41
1:A:87:PHE:CD2	1:A:87:PHE:C	2.99	0.41
1:A:379:VAL:HG12	1:A:380:PHE:N	2.35	0.41
2:B:83:LYS:NZ	3:B:434:HOH:O	2.53	0.41
1:A:307:ARG:HE	1:A:307:ARG:HB3	1.62	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:53:ILE:HD13	2:B:53:ILE:H	1.83	0.41
1:A:56:THR:HG23	1:A:147:LYS:HB3	2.03	0.40
1:A:232:LYS:HG2	1:A:257:GLU:HB3	2.03	0.40
1:A:156:GLU:HG2	1:A:157:LYS:N	2.36	0.40
1:A:193:SER:HB3	3:A:470:HOH:O	2.21	0.40
1:A:344:MET:HE2	1:A:344:MET:HA	2.03	0.40
2:B:3:GLN:HG2	2:B:4:ILE:H	1.85	0.40
2:B:51:VAL:HG22	2:B:63:ARG:CG	2.52	0.40
2:B:335:ILE:N	2:B:336:PRO:HD2	2.36	0.40
1:A:166:LEU:HD22	1:A:383:PHE:CD2	2.56	0.40
1:A:314:ILE:HG13	3:A:501:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/385 (81%)	292 (93%)	20 (6%)	1 (0%)	36	42
2	B	342/363 (94%)	329 (96%)	12 (4%)	1 (0%)	36	42
All	All	655/748 (88%)	621 (95%)	32 (5%)	2 (0%)	36	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	160	LYS
2	B	94	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/344 (83%)	275 (96%)	11 (4%)	29	40
2	B	300/310 (97%)	290 (97%)	10 (3%)	33	45
All	All	586/654 (90%)	565 (96%)	21 (4%)	31	42

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	40	VAL
1	A	73	LEU
1	A	84	VAL
1	A	86	SER
1	A	110	GLU
1	A	155	GLU
1	A	241	ILE
1	A	250	LYS
1	A	367	THR
1	A	378	ILE
2	B	43	LYS
2	B	52	ILE
2	B	53	ILE
2	B	62	ILE
2	B	67	SER
2	B	83	LYS
2	B	93	ILE
2	B	282	ILE
2	B	315	ILE
2	B	325	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	102	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	137	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/385 (85%)	0.69	53 (16%) 4 3	4, 22, 49, 69	9 (2%)
2	B	349/363 (96%)	0.13	9 (2%) 57 54	6, 21, 39, 56	0
All	All	678/748 (90%)	0.40	62 (9%) 15 12	4, 22, 45, 69	9 (1%)

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	269	CYS	6.4
2	B	45	GLY	6.2
1	A	73	LEU	5.6
1	A	150	CYS	5.2
1	A	219	HIS	4.8
1	A	279	ALA	4.7
1	A	373	ASP	4.1
2	B	176	ARG	4.0
1	A	153	ASN	4.0
1	A	130	GLN	4.0
1	A	43	VAL	3.8
1	A	110	GLU	3.7
1	A	111	HIS	3.7
1	A	162	ASN	3.7
1	A	72	GLY	3.6
1	A	310	ALA	3.4
1	A	284	LYS	3.4
1	A	277	PHE	3.2
1	A	16	GLY	3.2
1	A	108	LEU	3.2
2	B	253	PRO	3.2
1	A	309	GLY	3.1
1	A	217	ASN	3.1
2	B	173	GLN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	43	LYS	3.0
1	A	112	ALA	3.0
2	B	235	THR	3.0
1	A	152	GLU	3.0
1	A	89	PRO	2.8
1	A	13	SER	2.8
1	A	313	GLU	2.8
1	A	161	ARG	2.7
1	A	192	MET	2.6
1	A	54	TYR	2.6
2	B	356	ASN	2.6
1	A	182	PRO	2.6
1	A	113	TYR	2.6
1	A	306	LEU	2.5
1	A	158	ILE	2.5
1	A	106	LYS	2.5
1	A	154	LEU	2.5
1	A	12	ALA	2.5
1	A	19	THR	2.4
1	A	18	LEU	2.4
2	B	3	GLN	2.4
1	A	21	TYR	2.3
1	A	307	ARG	2.3
1	A	367	THR	2.3
1	A	378	ILE	2.2
1	A	194	ASP	2.2
1	A	274	LEU	2.2
1	A	88	PRO	2.2
1	A	86	SER	2.2
1	A	349	LYS	2.1
1	A	163	SER	2.1
1	A	384	ALA	2.1
2	B	177	VAL	2.1
1	A	87	PHE	2.1
1	A	5	GLY	2.1
1	A	371	GLU	2.1
1	A	42	LEU	2.0
1	A	366	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.