



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 12:28 AM UTC

PDB ID : 3GCK / pdb_00003gck
Title : Mode of ligand binding and assignment of subsites in mammalian peroxidases: crystal structure of lactoperoxidase complexes with acetyl salicylic acid, salicylhydroxamic acid and benzylhydroxamic acid
Authors : Singh, A.K.; Singh, N.; Sinha, M.; Bhushan, A.; Kaur, P.; Srinivasan, A.; Sharma, S.; Singh, T.P.
Deposited on : 2009-02-22
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	% 47% 37% 13% .
2	B	3	33% 67%
2	D	3	67% 33%
3	C	2	50% 50%
3	E	2	100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	C	1	X	-	-	-
6	IOD	A	615	-	-	X	-
8	BHO	A	800	-	X	X	-

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 5129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4774	3037	847	863	1	26			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	D	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Ca 1 1	0	0

- Molecule 6 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	8	Total I 8 8	0	0

- Molecule 7 is THIOCYANATE ION (CCD ID: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 8 is BENZHYDROXAMIC ACID (CCD ID: BHO) (formula: $C_7H_7NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			10	7	1	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	156	Total 156	O 156	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Lactoperoxidase



• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  67% 33%

MAG1
MAG2
MAG3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.52Å 80.11Å 68.57Å 90.00° 93.99° 90.00°	Depositor
Resolution (Å)	19.95 – 2.90 19.95 – 2.90	Depositor EDS
% Data completeness (in resolution range)	91.3 (19.95-2.90) 91.1 (19.95-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.67 (at 2.88Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.199 , 0.224 0.183 , 0.227	Depositor DCC
R_{free} test set	599 reflections (4.55%)	wwPDB-VP
Wilson B-factor (Å ²)	42.1	Xtriage
Anisotropy	0.228	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5129	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP, BHO, IOD, HEM, CA, SCN, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	3/4891 (0.1%)	1.30	78/6634 (1.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	257	SER	C-N	8.02	1.45	1.33
1	A	258	GLU	N-CA	6.21	1.54	1.46
1	A	257	SER	CA-C	5.93	1.60	1.52

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	LYS	N-CA-C	11.75	127.63	110.59
1	A	108	ASP	CA-CB-CG	10.71	123.31	112.60
1	A	169	THR	CA-C-N	10.62	131.32	120.38
1	A	169	THR	C-N-CA	10.62	131.32	120.38
1	A	259	GLN	OE1-CD-NE2	-9.75	112.85	122.60
1	A	173	GLN	N-CA-C	9.45	128.83	113.89
1	A	105	GLN	OE1-CD-NE2	-9.45	113.15	122.60
1	A	10	VAL	N-CA-C	8.88	117.65	108.95
1	A	409	GLN	N-CA-C	8.77	121.80	111.71
1	A	174	SER	N-CA-C	8.54	124.32	113.55
1	A	17	GLU	N-CA-C	8.50	123.21	113.01
1	A	235	SER	N-CA-C	-8.26	99.25	109.65
1	A	520	GLN	N-CA-C	-8.17	102.32	111.14
1	A	549	PHE	N-CA-C	-7.83	103.18	112.89
1	A	225	ALA	N-CA-C	7.80	120.38	110.24
1	A	112	ASP	N-CA-C	7.74	120.92	109.24
1	A	126	LYS	N-CA-C	-7.70	103.68	113.23
1	A	508	GLY	CA-C-N	7.68	129.44	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	508	GLY	C-N-CA	7.68	129.44	119.84
1	A	181	ASN	N-CA-C	-7.64	96.78	109.24
1	A	544	LEU	N-CA-C	7.59	119.64	111.36
1	A	593	ARG	N-CA-C	-7.58	94.84	108.48
1	A	429	HIS	N-CA-C	-7.10	96.02	108.23
1	A	180	ILE	N-CA-C	7.09	118.50	108.36
1	A	281	LYS	N-CA-C	-7.02	102.84	111.40
1	A	213	MET	N-CA-C	-6.92	99.32	110.32
1	A	259	GLN	CG-CD-NE2	6.87	126.70	116.40
1	A	363	GLU	N-CA-C	6.59	119.30	111.33
1	A	117	THR	N-CA-C	-6.58	101.67	110.55
1	A	105	GLN	CG-CD-NE2	6.57	126.25	116.40
1	A	427	LYS	N-CA-C	6.47	120.56	111.30
1	A	175	LEU	N-CA-C	-6.47	100.11	110.14
1	A	153	THR	N-CA-C	6.37	122.65	114.56
1	A	125	SER	N-CA-C	-6.37	105.55	113.38
1	A	6	CYS	N-CA-C	6.32	124.26	110.80
1	A	116	GLU	N-CA-C	-6.30	102.66	110.41
1	A	313	LEU	CA-C-N	-6.27	112.54	119.19
1	A	313	LEU	C-N-CA	-6.27	112.54	119.19
1	A	227	LEU	N-CA-C	-6.27	101.12	109.84
1	A	349	PHE	N-CA-C	-6.26	104.56	111.82
1	A	474	LYS	N-CA-C	6.25	117.76	111.07
1	A	87	ASP	N-CA-C	6.23	118.33	108.67
1	A	61	TRP	N-CA-C	-6.08	105.77	113.43
1	A	191	LEU	N-CA-C	-6.04	105.75	113.23
1	A	397	ARG	N-CA-C	-5.98	104.76	111.28
1	A	38	ALA	N-CA-C	5.96	118.24	110.43
1	A	5	GLY	N-CA-C	5.89	127.13	113.18
1	A	285	PRO	N-CA-C	5.88	121.48	113.84
1	A	227	LEU	CA-C-N	5.85	125.76	119.85
1	A	227	LEU	C-N-CA	5.85	125.76	119.85
1	A	364	ASN	N-CA-C	-5.84	103.39	111.81
1	A	16	ASP	N-CA-C	-5.84	99.67	108.96
1	A	453	ARG	N-CA-C	-5.82	104.84	111.07
1	A	529	TRP	N-CA-C	-5.78	101.85	110.23
1	A	95	ASN	N-CA-C	5.72	117.76	110.61
1	A	29	ASN	N-CA-C	-5.72	104.96	111.14
1	A	279	GLU	N-CA-C	-5.68	105.08	112.23
1	A	294	GLN	N-CA-C	5.63	117.11	110.97
1	A	556	ASN	N-CA-C	5.53	120.73	112.94
1	A	35	ALA	N-CA-C	5.49	119.48	112.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	407	MET	N-CA-C	-5.49	101.52	110.20
1	A	23	THR	N-CA-C	-5.47	103.47	110.53
1	A	137	ASP	CB-CA-C	-5.45	109.81	117.23
1	A	296	ALA	N-CA-C	-5.43	105.06	110.97
1	A	158	MET	N-CA-C	-5.42	101.19	109.64
1	A	9	PRO	N-CA-C	-5.40	107.72	114.20
1	A	167	CYS	N-CA-C	-5.38	97.91	109.81
1	A	167	CYS	CA-CB-SG	5.31	126.62	114.40
1	A	317	LEU	N-CA-C	-5.31	106.64	113.01
1	A	196	GLU	O-C-N	5.29	126.35	121.80
1	A	10	VAL	CA-C-N	5.27	126.43	119.84
1	A	10	VAL	C-N-CA	5.27	126.43	119.84
1	A	55	LEU	N-CA-C	5.23	120.31	113.88
1	A	387	ILE	N-CA-C	5.22	115.84	110.36
1	A	193	TYR	N-CA-C	5.20	119.90	113.50
1	A	74	LEU	N-CA-C	-5.18	103.20	110.50
1	A	582	VAL	N-CA-C	5.03	115.55	108.36
1	A	31	ARG	N-CA-C	5.02	116.83	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4774	0	4688	304	0
2	B	39	0	34	2	0
2	D	39	0	34	1	0
3	C	28	0	25	1	0
3	E	28	0	25	3	0
4	A	43	0	30	13	0
5	A	1	0	0	0	0
6	A	8	0	0	4	0
7	A	3	0	0	0	0
8	A	10	0	7	7	0
9	A	156	0	0	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5129	0	4843	309	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (309) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:CYS:HB3	1:A:168:PRO:HD3	1.28	1.11
1:A:167:CYS:SG	1:A:172:TYR:HE2	1.76	1.07
1:A:357:THR:HG22	1:A:375:PRO:HA	1.35	1.07
1:A:63:GLN:HA	1:A:63:GLN:HE21	1.13	1.06
1:A:167:CYS:HB3	1:A:168:PRO:CD	1.87	1.03
1:A:542:ASP:HA	1:A:545:GLN:HE21	1.22	1.02
1:A:108:ASP:HB2	1:A:347:PHE:CD2	1.94	1.01
1:A:167:CYS:SG	1:A:172:TYR:CE2	2.58	0.96
1:A:175:LEU:HD12	1:A:176:ALA:N	1.85	0.92
1:A:172:TYR:HD1	1:A:173:GLN:H	1.17	0.91
1:A:196:GLU:HB3	1:A:198:SEP:O2P	1.72	0.89
1:A:261:LEU:HG	1:A:399:LEU:HD21	1.55	0.88
1:A:169:THR:H	1:A:170:PRO:CD	1.85	0.86
1:A:63:GLN:HA	1:A:63:GLN:NE2	1.93	0.83
1:A:225:ALA:HB3	1:A:271:ARG:HG2	1.60	0.83
1:A:381:PHE:CZ	1:A:424:PRO:HG3	2.14	0.83
1:A:172:TYR:HD1	1:A:173:GLN:N	1.77	0.82
1:A:63:GLN:HE21	1:A:63:GLN:CA	1.92	0.81
1:A:175:LEU:HD12	1:A:176:ALA:H	1.47	0.79
1:A:314:PRO:HB3	1:A:321:MET:HE2	1.63	0.79
1:A:166:VAL:O	1:A:167:CYS:HB2	1.82	0.78
1:A:169:THR:H	1:A:170:PRO:HD2	1.49	0.78
1:A:2:TRP:CD1	1:A:3:GLU:H	2.02	0.77
1:A:14:LYS:HG2	1:A:15:CYS:H	1.50	0.76
1:A:381:PHE:HZ	8:A:800:BHO:H3	1.49	0.76
1:A:278:ARG:HA	9:A:757:HOH:O	1.85	0.76
1:A:425:THR:HB	1:A:426:HIS:HD2	1.49	0.76
1:A:387:ILE:HG22	1:A:388:LYS:HG3	1.67	0.75
1:A:169:THR:N	1:A:170:PRO:CD	2.48	0.74
1:A:168:PRO:HB3	1:A:170:PRO:HD2	1.69	0.74
1:A:168:PRO:CB	1:A:170:PRO:HD2	2.17	0.74
1:A:284:ASN:N	1:A:284:ASN:HD22	1.85	0.74
1:A:564:LEU:HB3	1:A:565:HIS:HD2	1.53	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:CYS:HB2	9:A:629:HOH:O	1.87	0.74
1:A:542:ASP:HB2	9:A:754:HOH:O	1.88	0.74
1:A:302:ALA:O	1:A:306:ILE:HG13	1.89	0.73
1:A:287:TRP:HB3	1:A:292:LEU:HD13	1.70	0.73
1:A:381:PHE:CZ	8:A:800:BHO:H3	2.24	0.73
1:A:169:THR:CG2	1:A:170:PRO:HD3	2.20	0.72
1:A:227:LEU:HD11	1:A:266:HIS:HB3	1.69	0.72
1:A:105:GLN:HG3	4:A:605:HEM:C1C	2.25	0.72
1:A:593:ARG:O	1:A:594:GLU:HB2	1.88	0.71
1:A:282:LYS:HG2	1:A:283:LEU:HD23	1.73	0.71
1:A:3:GLU:HG3	1:A:175:LEU:HD22	1.73	0.70
1:A:10:VAL:HG11	1:A:41:ARG:CZ	2.21	0.70
1:A:203:LEU:HB3	1:A:213:MET:HE1	1.72	0.70
1:A:258:GLU:HB2	8:A:800:BHO:H2	1.73	0.69
1:A:542:ASP:HA	1:A:545:GLN:NE2	2.03	0.69
1:A:8:ALA:H	1:A:9:PRO:CD	2.04	0.69
1:A:150:LYS:HD3	1:A:154:GLN:NE2	2.07	0.69
1:A:108:ASP:HB2	1:A:347:PHE:HD2	1.55	0.68
1:A:260:ILE:HG21	1:A:379:LEU:HD13	1.73	0.68
1:A:258:GLU:O	1:A:380:PHE:HA	1.92	0.68
1:A:588:SER:C	1:A:590:TRP:H	2.01	0.68
1:A:425:THR:HB	1:A:426:HIS:CD2	2.28	0.68
1:A:10:VAL:HG11	1:A:41:ARG:NH2	2.08	0.68
1:A:564:LEU:HB3	1:A:565:HIS:CD2	2.28	0.67
1:A:120:GLY:HA2	9:A:698:HOH:O	1.94	0.67
1:A:213:MET:HG2	1:A:273:HIS:CD2	2.30	0.67
1:A:387:ILE:CG2	1:A:388:LYS:HG3	2.25	0.67
1:A:167:CYS:CB	1:A:168:PRO:CD	2.68	0.66
1:A:160:PHE:C	1:A:160:PHE:CD2	2.73	0.66
1:A:200:ALA:O	1:A:204:ARG:HG3	1.97	0.65
1:A:122:ASN:HB3	9:A:745:HOH:O	1.98	0.64
1:A:544:LEU:O	1:A:547:VAL:HG22	1.98	0.64
1:A:574:HIS:HB2	9:A:638:HOH:O	1.96	0.64
1:A:261:LEU:HG	1:A:399:LEU:CD2	2.27	0.64
1:A:203:LEU:HB3	1:A:213:MET:CE	2.28	0.64
1:A:565:HIS:HB3	6:A:615:IOD:I	2.67	0.64
1:A:146:LYS:O	1:A:147:ASN:HB2	1.96	0.64
1:A:314:PRO:HD3	1:A:321:MET:HE1	1.80	0.63
1:A:254:PHE:N	1:A:254:PHE:HD1	1.95	0.63
1:A:283:LEU:C	1:A:284:ASN:HD22	2.06	0.63
1:A:105:GLN:HG3	4:A:605:HEM:CHC	2.29	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:GLU:OE1	4:A:605:HEM:C2B	2.50	0.63
1:A:284:ASN:HD21	1:A:591:ALA:HA	1.64	0.62
1:A:349:PHE:CB	1:A:497:ASN:HD21	2.11	0.62
1:A:295:GLU:O	1:A:299:ILE:HG13	2.00	0.62
1:A:63:GLN:NE2	1:A:63:GLN:CA	2.55	0.62
1:A:254:PHE:N	1:A:254:PHE:CD1	2.67	0.62
1:A:193:TYR:OH	1:A:297:ARG:HA	2.00	0.61
1:A:150:LYS:HD3	1:A:154:GLN:HE22	1.64	0.61
1:A:108:ASP:CB	1:A:347:PHE:CD2	2.79	0.61
1:A:551:ARG:HD3	1:A:584:LYS:HG2	1.80	0.61
9:A:708:HOH:O	2:B:3:MAN:H2	2.01	0.61
1:A:530:TRP:CE2	1:A:531:GLU:HG3	2.38	0.59
1:A:503:GLU:HB2	9:A:695:HOH:O	2.02	0.59
1:A:468:GLN:OE1	1:A:474:LYS:HG3	2.03	0.59
1:A:287:TRP:HB3	1:A:292:LEU:CD1	2.33	0.59
1:A:8:ALA:H	1:A:9:PRO:HD3	1.67	0.59
1:A:16:ASP:OD1	1:A:16:ASP:C	2.46	0.58
1:A:588:SER:C	1:A:590:TRP:N	2.58	0.58
1:A:310:ARG:NH2	1:A:547:VAL:O	2.33	0.58
1:A:37:GLY:HA3	1:A:186:PHE:CZ	2.38	0.58
1:A:281:LYS:HG3	9:A:685:HOH:O	2.03	0.58
1:A:564:LEU:C	1:A:565:HIS:HD2	2.11	0.58
1:A:351:HIS:CE1	1:A:433:LEU:HD21	2.39	0.58
1:A:148:ASP:O	1:A:151:LEU:HB2	2.03	0.57
1:A:387:ILE:HG22	1:A:388:LYS:N	2.19	0.57
1:A:385:ARG:O	1:A:389:ASP:HB3	2.03	0.57
1:A:587:LEU:O	1:A:590:TRP:HB2	2.04	0.57
1:A:2:TRP:CG	1:A:3:GLU:N	2.73	0.57
1:A:108:ASP:OD1	4:A:605:HEM:C2D	2.57	0.57
1:A:197:PRO:O	1:A:198:SEP:C	2.48	0.57
1:A:408:ASN:OD1	1:A:408:ASN:C	2.48	0.57
1:A:402:LYS:HD2	9:A:748:HOH:O	2.04	0.57
1:A:8:ALA:N	1:A:9:PRO:CD	2.68	0.56
1:A:349:PHE:HB2	1:A:497:ASN:HD21	1.68	0.56
1:A:106:ILE:HG23	1:A:191:LEU:HD11	1.87	0.56
1:A:475:ILE:HB	9:A:756:HOH:O	2.05	0.56
1:A:108:ASP:CG	4:A:605:HEM:CHD	2.79	0.56
1:A:546:LYS:HA	9:A:760:HOH:O	2.05	0.56
1:A:199:LEU:HG	1:A:203:LEU:CD2	2.36	0.56
1:A:324:TRP:C	1:A:326:PRO:HD3	2.31	0.56
1:A:360:ARG:NH1	1:A:372:ALA:HA	2.21	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:LEU:HD22	1:A:101:MET:HE3	1.88	0.55
1:A:106:ILE:HD11	1:A:265:ALA:CB	2.35	0.55
1:A:124:HIS:O	1:A:128:GLN:HB2	2.05	0.55
1:A:276:LEU:HD12	1:A:587:LEU:HD21	1.88	0.55
1:A:150:LYS:NZ	1:A:154:GLN:HE22	2.05	0.55
1:A:531:GLU:O	1:A:533:PRO:HD3	2.06	0.55
1:A:2:TRP:CG	1:A:3:GLU:H	2.24	0.55
1:A:159:PRO:HG3	1:A:426:HIS:CE1	2.42	0.55
1:A:328:TYR:HE2	1:A:531:GLU:O	1.91	0.55
1:A:108:ASP:CB	1:A:347:PHE:HD2	2.19	0.54
1:A:170:PRO:HA	9:A:650:HOH:O	2.07	0.54
1:A:426:HIS:CD2	1:A:426:HIS:N	2.74	0.54
1:A:172:TYR:CD1	1:A:173:GLN:N	2.67	0.54
1:A:484:TYR:C	1:A:486:THR:H	2.16	0.54
1:A:519:PHE:HA	1:A:522:ILE:HG12	1.88	0.54
1:A:169:THR:HG22	1:A:170:PRO:HD3	1.90	0.54
1:A:567:PHE:HB2	6:A:615:IOD:I	2.78	0.54
1:A:301:GLY:O	1:A:305:GLN:HG3	2.08	0.53
1:A:8:ALA:HB3	1:A:167:CYS:O	2.08	0.53
1:A:168:PRO:HB2	1:A:170:PRO:HD2	1.89	0.53
1:A:595:ASN:HD22	1:A:595:ASN:C	2.16	0.53
1:A:504:ARG:NH2	6:A:610:IOD:I	3.12	0.53
1:A:217:GLN:NE2	3:C:1:NAG:O7	2.41	0.53
1:A:131:GLU:HG3	9:A:682:HOH:O	2.07	0.53
1:A:284:ASN:N	1:A:284:ASN:ND2	2.53	0.53
1:A:465:LYS:HA	1:A:468:GLN:HE21	1.74	0.53
1:A:239:PHE:CZ	1:A:427:LYS:HB2	2.43	0.53
1:A:341:ASN:HB3	1:A:446:MET:HE1	1.90	0.53
1:A:393:ASP:N	1:A:394:PRO:HD2	2.24	0.53
1:A:544:LEU:C	1:A:546:LYS:H	2.16	0.53
1:A:407:MET:HG3	9:A:655:HOH:O	2.09	0.52
1:A:540:GLN:HG2	1:A:590:TRP:CE3	2.44	0.52
1:A:565:HIS:CD2	1:A:565:HIS:N	2.77	0.52
1:A:165:PHE:HZ	1:A:170:PRO:O	1.93	0.52
1:A:348:ARG:CZ	4:A:605:HEM:HAD2	2.40	0.52
1:A:588:SER:O	1:A:590:TRP:N	2.42	0.52
1:A:74:LEU:HG	9:A:641:HOH:O	2.09	0.52
1:A:559:ILE:HA	6:A:613:IOD:I	2.80	0.52
1:A:12:LEU:HD22	9:A:700:HOH:O	2.09	0.52
1:A:360:ARG:NH1	1:A:372:ALA:C	2.67	0.52
1:A:564:LEU:C	1:A:565:HIS:CD2	2.88	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:LEU:HD23	1:A:270:LEU:HD22	1.91	0.52
1:A:560:THR:O	1:A:578:ASP:HA	2.10	0.51
1:A:188:ASP:O	1:A:189:ALA:HB3	2.09	0.51
1:A:284:ASN:OD1	1:A:592:SER:HB3	2.10	0.51
1:A:220:TRP:CD1	9:A:739:HOH:O	2.65	0.51
1:A:3:GLU:C	1:A:5:GLY:H	2.17	0.50
1:A:232:LYS:HG2	9:A:677:HOH:O	2.09	0.50
1:A:357:THR:HG22	1:A:375:PRO:CA	2.25	0.50
1:A:98:LEU:CD2	1:A:101:MET:HE3	2.42	0.50
1:A:108:ASP:CG	4:A:605:HEM:HHD	2.37	0.50
1:A:271:ARG:NH1	1:A:392:ILE:HD11	2.27	0.50
1:A:426:HIS:CE1	9:A:648:HOH:O	2.65	0.50
4:A:605:HEM:HMB1	4:A:605:HEM:HBB2	1.93	0.50
1:A:191:LEU:HD23	1:A:191:LEU:H	1.76	0.50
1:A:432:ASP:OD1	1:A:432:ASP:C	2.55	0.50
1:A:51:TYR:HB3	1:A:57:LEU:O	2.12	0.50
1:A:260:ILE:CD1	1:A:385:ARG:HB2	2.42	0.50
1:A:260:ILE:CG2	1:A:379:LEU:HD13	2.41	0.50
1:A:220:TRP:HD1	9:A:739:HOH:O	1.95	0.49
1:A:360:ARG:O	1:A:368:TRP:HB2	2.11	0.49
1:A:407:MET:HE3	1:A:501:MET:HE3	1.92	0.49
1:A:106:ILE:HD11	1:A:265:ALA:HB1	1.95	0.49
1:A:593:ARG:O	1:A:594:GLU:CB	2.59	0.49
1:A:348:ARG:HH11	1:A:437:ASN:ND2	2.10	0.49
1:A:407:MET:SD	1:A:408:ASN:N	2.86	0.49
3:E:1:NAG:O3	3:E:2:NAG:C1	2.60	0.49
1:A:258:GLU:OE2	4:A:605:HEM:HHB	2.14	0.48
1:A:282:LYS:HB2	1:A:282:LYS:NZ	2.29	0.48
1:A:357:THR:HB	1:A:374:LEU:O	2.14	0.48
1:A:378:THR:C	1:A:379:LEU:HD23	2.39	0.48
1:A:130:GLU:HA	1:A:159:PRO:HB3	1.95	0.48
1:A:352:MET:CB	1:A:407:MET:HG2	2.44	0.48
1:A:387:ILE:HG22	1:A:388:LYS:CG	2.39	0.48
1:A:564:LEU:CB	1:A:565:HIS:HD2	2.25	0.48
1:A:67:ARG:O	1:A:68:ASN:HB2	2.13	0.47
1:A:394:PRO:HA	1:A:397:ARG:NH1	2.29	0.47
1:A:117:THR:HG23	1:A:164:GLY:HA2	1.96	0.47
1:A:175:LEU:HD13	9:A:725:HOH:O	2.13	0.47
1:A:353:GLU:HA	1:A:405:LYS:O	2.13	0.47
1:A:83:VAL:HG12	1:A:413:VAL:HB	1.97	0.47
1:A:244:ALA:HB2	2:D:1:NAG:O6	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:LEU:C	1:A:284:ASN:ND2	2.72	0.47
1:A:169:THR:N	1:A:170:PRO:HD3	2.29	0.47
1:A:366:GLN:O	1:A:367:PRO:C	2.58	0.47
1:A:13:VAL:CG1	1:A:14:LYS:N	2.78	0.47
1:A:314:PRO:HB3	1:A:321:MET:CE	2.38	0.47
1:A:461:PRO:HG3	1:A:470:VAL:HG21	1.96	0.47
1:A:10:VAL:HG11	1:A:41:ARG:NE	2.28	0.47
1:A:476:LEU:HD21	1:A:498:ALA:HB1	1.97	0.47
1:A:108:ASP:HB2	1:A:347:PHE:CE2	2.46	0.46
1:A:238:GLU:HB3	1:A:245:ARG:HA	1.96	0.46
1:A:349:PHE:CD1	1:A:349:PHE:C	2.92	0.46
1:A:248:CYS:HA	1:A:383:THR:HG21	1.97	0.46
1:A:310:ARG:NE	1:A:311:ASP:OD1	2.43	0.46
1:A:400:LEU:HD11	1:A:553:ILE:CD1	2.46	0.46
1:A:158:MET:HE1	1:A:432:ASP:CB	2.46	0.46
1:A:276:LEU:CD1	1:A:587:LEU:HD21	2.46	0.46
1:A:7:GLY:C	1:A:10:VAL:HG23	2.41	0.46
1:A:360:ARG:C	1:A:368:TRP:HB2	2.41	0.46
1:A:381:PHE:HZ	8:A:800:BHO:C3	2.23	0.46
1:A:424:PRO:CD	8:A:800:BHO:H4	2.46	0.46
1:A:101:MET:SD	1:A:101:MET:C	3.00	0.45
1:A:2:TRP:O	1:A:4:VAL:N	2.42	0.45
1:A:21:TYR:OH	1:A:295:GLU:OE1	2.33	0.45
1:A:159:PRO:CG	1:A:426:HIS:CE1	2.99	0.45
1:A:236:PRO:HB3	9:A:640:HOH:O	2.14	0.45
1:A:367:PRO:O	1:A:369:GLY:N	2.46	0.45
1:A:475:ILE:HD11	9:A:689:HOH:O	2.16	0.45
1:A:480:LEU:HD12	1:A:480:LEU:HA	1.79	0.45
1:A:530:TRP:CZ2	1:A:531:GLU:HG3	2.52	0.45
1:A:335:VAL:CG2	3:E:1:NAG:H61	2.47	0.45
1:A:110:ASP:CG	1:A:187:LEU:HD23	2.42	0.45
1:A:108:ASP:OD1	4:A:605:HEM:C1D	2.70	0.44
1:A:8:ALA:HB3	1:A:167:CYS:C	2.42	0.44
1:A:108:ASP:OD2	1:A:347:PHE:HB3	2.17	0.44
1:A:142:ILE:O	1:A:157:CYS:HB2	2.17	0.44
1:A:331:TYR:HA	9:A:628:HOH:O	2.17	0.44
1:A:258:GLU:OE1	4:A:605:HEM:C1B	2.71	0.44
1:A:299:ILE:O	1:A:302:ALA:N	2.50	0.44
1:A:465:LYS:HA	1:A:468:GLN:NE2	2.32	0.44
1:A:544:LEU:C	1:A:546:LYS:N	2.75	0.44
1:A:10:VAL:HA	1:A:11:PRO:HD3	1.78	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:494:ILE:HD12	1:A:494:ILE:HA	1.81	0.44
1:A:119:LEU:HD23	1:A:169:THR:HG23	2.00	0.44
1:A:169:THR:HG23	1:A:170:PRO:HD3	1.95	0.44
1:A:392:ILE:O	1:A:396:VAL:HG23	2.16	0.44
1:A:118:GLU:O	1:A:118:GLU:HG2	2.17	0.44
1:A:79:SER:OG	1:A:418:ARG:HD2	2.18	0.44
1:A:364:ASN:O	1:A:366:GLN:HG2	2.17	0.43
1:A:146:LYS:O	1:A:147:ASN:CB	2.66	0.43
1:A:197:PRO:C	1:A:199:LEU:N	2.73	0.43
1:A:199:LEU:C	1:A:201:SER:N	2.72	0.43
1:A:24:ILE:HD13	1:A:24:ILE:HA	1.69	0.43
1:A:425:THR:C	1:A:426:HIS:CD2	2.97	0.43
1:A:328:TYR:CZ	1:A:529:TRP:HD1	2.36	0.43
1:A:32:ARG:HE	1:A:32:ARG:HB3	1.62	0.43
1:A:424:PRO:CG	8:A:800:BHO:H4	2.49	0.43
1:A:491:ASP:O	1:A:494:ILE:HG22	2.19	0.43
1:A:118:GLU:O	1:A:118:GLU:CG	2.67	0.43
1:A:286:HIS:NE2	1:A:595:ASN:HB3	2.33	0.43
1:A:510:LEU:O	1:A:513:CYS:HB3	2.18	0.43
1:A:10:VAL:CG1	1:A:41:ARG:NE	2.82	0.43
1:A:268:LEU:HD12	1:A:268:LEU:HA	1.54	0.43
1:A:331:TYR:CD1	1:A:527:ARG:HA	2.54	0.43
1:A:362:ASP:C	1:A:362:ASP:OD1	2.61	0.43
1:A:424:PRO:HG2	8:A:800:BHO:H4	2.00	0.43
1:A:449:TYR:CD1	1:A:495:GLY:HA3	2.54	0.43
1:A:109:HIS:CD2	1:A:255:ARG:CZ	3.02	0.43
1:A:227:LEU:HD13	1:A:251:ALA:HB2	1.99	0.43
1:A:341:ASN:OD1	1:A:446:MET:HE3	2.19	0.43
1:A:484:TYR:C	1:A:486:THR:N	2.77	0.43
1:A:187:LEU:HD23	1:A:187:LEU:HA	1.83	0.42
1:A:407:MET:SD	1:A:407:MET:C	3.02	0.42
1:A:484:TYR:O	1:A:486:THR:N	2.52	0.42
1:A:42:ALA:HB2	1:A:166:VAL:HG21	2.01	0.42
1:A:272:GLU:HB2	1:A:556:ASN:HD21	1.85	0.42
1:A:425:THR:CB	1:A:426:HIS:HD2	2.26	0.42
1:A:359:SER:CB	1:A:402:LYS:HE3	2.49	0.42
1:A:432:ASP:OD1	1:A:434:ALA:N	2.52	0.42
1:A:572:TYR:HA	1:A:573:PRO:HA	1.80	0.42
1:A:70:PHE:CD1	1:A:485:LYS:HB3	2.55	0.42
1:A:82:ILE:HD13	1:A:480:LEU:CD1	2.50	0.42
1:A:275:ARG:CD	1:A:555:ASP:HB3	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:LEU:HD23	1:A:566:ALA:HB1	2.02	0.42
1:A:467:LEU:HG	1:A:471:LEU:HD22	2.02	0.42
2:B:2:NAG:O7	2:B:2:NAG:H3	2.19	0.42
1:A:286:HIS:HD1	1:A:286:HIS:H	1.68	0.41
1:A:305:GLN:HB3	1:A:529:TRP:CZ3	2.55	0.41
1:A:348:ARG:HG2	4:A:605:HEM:HMD3	2.01	0.41
1:A:96:ARG:NH2	1:A:315:ILE:HB	2.35	0.41
1:A:324:TRP:O	1:A:326:PRO:HD3	2.21	0.41
1:A:30:ASN:HB3	1:A:33:SER:O	2.20	0.41
1:A:11:PRO:HB2	1:A:12:LEU:H	1.71	0.41
1:A:317:LEU:O	1:A:320:GLU:HB2	2.21	0.41
3:E:2:NAG:N2	3:E:2:NAG:H5	2.35	0.41
1:A:537:THR:N	1:A:540:GLN:OE1	2.41	0.41
1:A:85:TYR:CD1	1:A:411:LYS:HG2	2.54	0.41
1:A:595:ASN:C	1:A:595:ASN:ND2	2.79	0.41
1:A:308:THR:O	1:A:312:TYR:HB3	2.20	0.41
1:A:380:PHE:CE2	1:A:421:LEU:HA	2.55	0.41
1:A:360:ARG:NH1	1:A:372:ALA:CA	2.83	0.41
1:A:475:ILE:CG1	1:A:476:LEU:N	2.84	0.41
1:A:588:SER:O	1:A:591:ALA:N	2.54	0.40
1:A:77:GLU:O	1:A:78:VAL:C	2.62	0.40
1:A:158:MET:HE1	1:A:432:ASP:HB2	2.03	0.40
1:A:272:GLU:HB2	1:A:556:ASN:ND2	2.37	0.40
1:A:349:PHE:HB2	1:A:497:ASN:ND2	2.33	0.40
1:A:292:LEU:HD12	1:A:292:LEU:HA	1.85	0.40
1:A:348:ARG:CZ	4:A:605:HEM:CAD	2.99	0.40
1:A:117:THR:OG1	1:A:162:ARG:O	2.38	0.40
1:A:394:PRO:HA	1:A:397:ARG:HH11	1.85	0.40
1:A:486:THR:HA	1:A:487:PRO:HD3	1.96	0.40
1:A:561:LYS:NZ	1:A:578:ASP:OD2	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	592/595 (100%)	513 (87%)	59 (10%)	20 (3%)	3 12

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	CYS
1	A	167	CYS
1	A	169	THR
1	A	368	TRP
1	A	5	GLY
1	A	11	PRO
1	A	168	PRO
1	A	200	ALA
1	A	485	LYS
1	A	260	ILE
1	A	533	PRO
1	A	222	HIS
1	A	232	LYS
1	A	120	GLY
1	A	8	ALA
1	A	430	GLY
1	A	594	GLU
1	A	370	PRO
1	A	34	PRO
1	A	367	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	517/517 (100%)	445 (86%)	72 (14%)	3 11

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	CYS
1	A	10	VAL
1	A	13	VAL
1	A	16	ASP
1	A	24	ILE
1	A	36	LEU
1	A	55	LEU
1	A	57	LEU
1	A	63	GLN
1	A	91	VAL
1	A	98	LEU
1	A	105	GLN
1	A	117	THR
1	A	126	LYS
1	A	130	GLU
1	A	131	GLU
1	A	146	LYS
1	A	151	LEU
1	A	153	THR
1	A	160	PHE
1	A	170	PRO
1	A	173	GLN
1	A	174	SER
1	A	175	LEU
1	A	187	LEU
1	A	199	LEU
1	A	203	LEU
1	A	208	SER
1	A	215	VAL
1	A	218	GLU
1	A	226	TYR
1	A	238	GLU
1	A	254	PHE
1	A	261	LEU
1	A	268	LEU
1	A	276	LEU
1	A	278	ARG
1	A	282	LYS
1	A	284	ASN
1	A	292	LEU
1	A	295	GLU
1	A	307	ILE
1	A	317	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	321	MET
1	A	323	LYS
1	A	344	THR
1	A	347	PHE
1	A	352	MET
1	A	359	SER
1	A	360	ARG
1	A	363	GLU
1	A	367	PRO
1	A	368	TRP
1	A	370	PRO
1	A	373	GLU
1	A	376	LEU
1	A	387	ILE
1	A	388	LYS
1	A	408	ASN
1	A	420	LYS
1	A	437	ASN
1	A	465	LYS
1	A	471	LEU
1	A	475	ILE
1	A	480	LEU
1	A	504	ARG
1	A	511	LEU
1	A	533	PRO
1	A	538	GLU
1	A	542	ASP
1	A	545	GLN
1	A	560	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	GLN
1	A	68	ASN
1	A	147	ASN
1	A	154	GLN
1	A	217	GLN
1	A	284	ASN
1	A	305	GLN
1	A	364	ASN
1	A	426	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	437	ASN
1	A	460	GLN
1	A	489	ASN
1	A	497	ASN
1	A	545	GLN
1	A	556	ASN
1	A	558	HIS
1	A	565	HIS
1	A	570	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1	8,9,10	1.57	2 (25%)	7,12,14	2.19	2 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	4/6/8/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SEP	P-O1P	2.88	1.59	1.50
1	A	198	SEP	CA-N	-2.07	1.42	1.48

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	OG-CB-CA	4.25	112.28	108.14
1	A	198	SEP	O2P-P-OG	-2.69	99.66	106.67

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	198	SEP	CA-CB-OG-P
1	A	198	SEP	CB-OG-P-O1P
1	A	198	SEP	CB-OG-P-O2P
1	A	198	SEP	CB-OG-P-O3P

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	2	0

5.5 Carbohydrates

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	2,1	14,14,15	0.71	0	17,19,21	1.17	2 (11%)
2	NAG	B	2	2	14,14,15	1.15	2 (14%)	17,19,21	1.40	4 (23%)
2	MAN	B	3	2	11,11,12	0.78	0	15,15,17	1.37	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	C	1	3,1	14,14,15	0.78	0	17,19,21	0.76	1 (5%)
3	NAG	C	2	3	14,14,15	0.67	0	17,19,21	0.71	1 (5%)
2	NAG	D	1	2,1	14,14,15	0.62	0	17,19,21	0.87	1 (5%)
2	NAG	D	2	2	14,14,15	0.67	0	17,19,21	1.13	1 (5%)
2	MAN	D	3	2	11,11,12	0.93	0	15,15,17	1.76	3 (20%)
3	NAG	E	1	3,1	14,14,15	0.54	0	17,19,21	0.94	1 (5%)
3	NAG	E	2	3	14,14,15	0.57	0	17,19,21	1.04	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	4/6/23/26	0/1/1/1
2	MAN	B	3	2	-	1/2/19/22	0/1/1/1
3	NAG	C	1	3,1	1/1/5/7	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	2/6/23/26	0/1/1/1
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	MAN	D	3	2	-	0/2/19/22	0/1/1/1
3	NAG	E	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	NAG	C3-C2	2.77	1.58	1.52
2	B	2	NAG	C1-C2	2.40	1.55	1.52

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	3	MAN	C1-C2-C3	5.42	117.54	109.64
2	B	2	NAG	C4-C3-C2	3.47	116.10	111.02
2	B	3	MAN	C1-C2-C3	3.26	114.39	109.64
3	E	1	NAG	C1-C2-N2	2.88	114.97	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2	NAG	C1-O5-C5	2.86	116.02	112.19
2	B	2	NAG	C1-C2-N2	-2.69	106.19	110.43
2	B	3	MAN	C3-C4-C5	2.56	114.88	110.23
2	D	3	MAN	O5-C1-C2	2.55	116.87	110.79
2	B	1	NAG	C2-N2-C7	-2.40	119.69	122.90
3	C	1	NAG	C2-N2-C7	-2.37	119.72	122.90
2	B	1	NAG	C1-O5-C5	2.25	115.20	112.19
2	D	1	NAG	C4-C3-C2	2.21	114.26	111.02
2	B	3	MAN	C2-C3-C4	2.14	114.63	110.86
2	D	3	MAN	C3-C4-C5	-2.13	106.36	110.23
2	B	2	NAG	C1-O5-C5	-2.13	109.33	112.19
3	C	2	NAG	C2-N2-C7	-2.11	120.07	122.90
3	E	2	NAG	C1-C2-N2	-2.06	107.19	110.43
2	B	2	NAG	C6-C5-C4	2.05	118.06	113.02

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	1	NAG	C1

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	2	NAG	O5-C5-C6-O6
3	C	1	NAG	C4-C5-C6-O6
2	D	1	NAG	O5-C5-C6-O6
3	C	1	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	B	2	NAG	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
3	C	2	NAG	O5-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
3	E	2	NAG	O5-C5-C6-O6
2	B	3	MAN	C4-C5-C6-O6
3	C	2	NAG	C4-C5-C6-O6
2	B	2	NAG	C3-C2-N2-C7
3	E	1	NAG	C3-C2-N2-C7

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	2	NAG	C1-C2-N2-C7


There are no ring outliers.


6 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	1	NAG	2	0
2	B	2	NAG	1	0
3	E	2	NAG	2	0
2	B	3	MAN	1	0
2	D	1	NAG	1	0
3	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 9 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	BHO	A	800	-	10,10,10	3.38	6 (60%)	12,12,12	4.98	7 (58%)
7	SCN	A	616	-	1,2,2	5.14	1 (100%)	0,1,1	-	-
4	HEM	A	605	1	50,50,50	3.14	25 (50%)	67,82,82	2.19	22 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BHO	A	800	-	-	0/6/6/6	0/1/1/1
4	HEM	A	605	1	-	2/14/54/54	-

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	605	HEM	C3D-C2D	8.59	1.55	1.36
4	A	605	HEM	FE-NC	7.93	2.21	1.95
4	A	605	HEM	FE-NB	7.92	2.19	1.94
8	A	800	BHO	C3-C2	5.84	1.48	1.38
4	A	605	HEM	CMC-C2C	5.53	1.62	1.50
4	A	605	HEM	CAB-C3B	5.51	1.62	1.47
7	A	616	SCN	C-N	5.14	1.33	1.15
8	A	800	BHO	O2-N	4.95	1.51	1.40
4	A	605	HEM	C4A-NA	-4.50	1.31	1.39
8	A	800	BHO	C6-C1	4.10	1.45	1.39
4	A	605	HEM	C1B-C2B	3.87	1.52	1.44
8	A	800	BHO	C4-C3	3.83	1.46	1.38
4	A	605	HEM	C4D-ND	-3.61	1.34	1.40
4	A	605	HEM	C4A-C3A	3.60	1.51	1.43
4	A	605	HEM	C3C-C2C	3.58	1.44	1.37
4	A	605	HEM	CAA-C2A	3.51	1.60	1.51
4	A	605	HEM	CBA-CAA	3.50	1.64	1.51
4	A	605	HEM	CMB-C2B	3.37	1.57	1.50
8	A	800	BHO	C5-C6	3.19	1.44	1.38
4	A	605	HEM	C1C-C2C	-3.16	1.39	1.45
4	A	605	HEM	C4D-C3D	3.13	1.50	1.45
4	A	605	HEM	CBA-CGA	-3.10	1.43	1.50
4	A	605	HEM	CAD-C3D	2.98	1.59	1.51
4	A	605	HEM	C1B-NB	-2.93	1.35	1.40
4	A	605	HEM	CAC-C3C	2.88	1.55	1.47
4	A	605	HEM	CHB-C1B	2.81	1.44	1.38
8	A	800	BHO	O1-C	2.59	1.29	1.23
4	A	605	HEM	C1A-NA	-2.44	1.35	1.39
4	A	605	HEM	CHC-C4B	-2.38	1.33	1.39
4	A	605	HEM	FE-NA	2.36	2.02	1.95
4	A	605	HEM	C1D-C2D	2.18	1.48	1.44
4	A	605	HEM	CBC-CAC	2.07	1.40	1.30

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	800	BHO	C1-C-N	10.34	132.24	116.26
8	A	800	BHO	O1-C-C1	-7.85	105.35	120.90
8	A	800	BHO	C5-C6-C1	7.66	127.89	120.36
4	A	605	HEM	C4D-ND-C1D	6.15	112.49	105.21
4	A	605	HEM	CBD-CAD-C3D	-5.65	96.90	112.53
8	A	800	BHO	C3-C2-C1	-5.14	115.31	120.36
4	A	605	HEM	CAD-CBD-CGD	4.81	126.41	113.67
4	A	605	HEM	CHA-C4D-ND	4.35	129.75	124.37
8	A	800	BHO	C4-C5-C6	-4.23	115.02	120.24
4	A	605	HEM	CAA-CBA-CGA	3.89	123.99	113.67
4	A	605	HEM	CHD-C1D-ND	3.84	128.55	124.42
4	A	605	HEM	C4B-C3B-C2B	-3.45	104.11	107.28
4	A	605	HEM	C1B-NB-C4B	3.39	109.22	105.21
4	A	605	HEM	C3B-C4B-NB	3.37	111.89	109.47
8	A	800	BHO	C4-C3-C2	3.36	124.38	120.24
8	A	800	BHO	O2-N-C	3.28	127.94	119.73
4	A	605	HEM	C1A-C2A-C3A	-3.18	101.95	106.87
4	A	605	HEM	C2A-C1A-NA	3.14	113.63	110.15
4	A	605	HEM	CHA-C4D-C3D	-3.09	119.52	125.23
4	A	605	HEM	CMC-C2C-C1C	-2.79	119.82	124.73
4	A	605	HEM	CMD-C2D-C1D	2.64	129.16	125.03
4	A	605	HEM	C2B-C1B-NB	-2.58	106.87	109.84
4	A	605	HEM	C4D-C3D-C2D	-2.41	103.39	106.89
4	A	605	HEM	CMA-C3A-C4A	2.37	129.03	125.42
4	A	605	HEM	CAD-C3D-C4D	2.21	128.54	124.70
4	A	605	HEM	CMC-C2C-C3C	2.18	133.71	128.43
4	A	605	HEM	CHC-C1C-NC	2.12	126.76	124.45
4	A	605	HEM	C1C-CHC-C4B	2.01	130.30	126.02
4	A	605	HEM	CHD-C4C-C3C	2.01	128.59	125.21

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	605	HEM	CAD-CBD-CGD-O2D
4	A	605	HEM	CAD-CBD-CGD-O1D

There are no ring outliers.

2 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	800	BHO	7	0
4	A	605	HEM	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	-0.40	4 (0%) 84 79	8, 30, 73, 100	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	594	GLU	3.0
1	A	9	PRO	2.5
1	A	4	VAL	2.1
1	A	8	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	198	10/11	0.95	0.06	24,31,36,38	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MAN	D	3	11/12	0.39	0.14	87,89,90,90	0
2	MAN	B	3	11/12	0.57	0.14	85,85,86,87	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	E	2	14/15	0.62	0.12	77,79,82,82	0
2	NAG	B	2	14/15	0.70	0.14	78,81,83,83	0
2	NAG	D	2	14/15	0.74	0.12	75,77,80,84	0
2	NAG	B	1	14/15	0.76	0.12	62,66,69,74	0
3	NAG	C	1	14/15	0.83	0.10	52,55,55,56	0
3	NAG	E	1	14/15	0.84	0.09	66,70,72,73	0
3	NAG	C	2	14/15	0.85	0.10	58,59,61,61	0
2	NAG	D	1	14/15	0.89	0.11	59,61,64,70	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	SCN	A	616	3/3	0.82	0.13	15,15,16,23	0
8	BHO	A	800	10/10	0.85	0.18	35,36,37,38	0
6	IOD	A	610	1/1	0.93	0.10	76,76,76,76	1
5	CA	A	606	1/1	0.95	0.04	14,14,14,14	0
4	HEM	A	605	43/43	0.95	0.09	7,10,16,22	0
6	IOD	A	614	1/1	0.97	0.04	69,69,69,69	0
6	IOD	A	615	1/1	0.97	0.06	64,64,64,64	1
6	IOD	A	609	1/1	0.97	0.05	96,96,96,96	0
6	IOD	A	612	1/1	0.97	0.06	87,87,87,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	IOD	A	613	1/1	0.98	0.04	100,100,100,100	0
6	IOD	A	611	1/1	0.99	0.03	65,65,65,65	0
6	IOD	A	608	1/1	1.00	0.03	32,32,32,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.