



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 03:06 AM UTC

PDB ID : 6GCL / pdb_00006gcl
Title : Trypanosoma brucei PTR1 in complex with inhibitor 3a (F020)
Authors : Landi, G.; Pozzi, C.; Mangani, S.
Deposited on : 2018-04-18
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	
1	B	288	
1	D	288	
2	C	288	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EUE	A	302	-	X	-	-
4	EUE	B	302	-	X	-	-
4	EUE	D	302	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7980 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1828	1149	324	344	11			
1	B	249	Total	C	N	O	S	0	0	0
			1821	1148	314	348	11			
1	D	249	Total	C	N	O	S	0	0	0
			1826	1150	322	343	11			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	initiating methionine	UNP O76290
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
D	-19	MET	-	initiating methionine	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290


- Molecule 2 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	248	Total	C	N	O	S	0	0	0
			1796	1129	313	343	11			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-19	MET	-	initiating methionine	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is 6-methylsulfonyl-1,3-benzothiazol-2-amine (CCD ID: EUE) (formula: $C_8H_8N_2O_2S_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			14	8	2	2	2		
4	B	1	Total	C	N	O	S	0	0
			14	8	2	2	2		
4	C	1	Total	C	N	O	S	0	0
			14	8	2	2	2		
4	D	1	Total	C	N	O	S	0	0
			14	8	2	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	102	Total	O	0	0
			102	102		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	129	Total 129	O 129	0	0
5	C	102	Total 102	O 102	0	0
5	D	128	Total 128	O 128	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pteridine reductase




- Molecule 1: Pteridine reductase




- Molecule 1: Pteridine reductase



- Molecule 2: Pteridine reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.87Å 91.06Å 83.08Å 90.00° 115.92° 90.00°	Depositor
Resolution (Å)	33.26 – 1.95 33.26 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.8 (33.26-1.95) 99.8 (33.26-1.95)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.189 , 0.243 0.210 , 0.258	Depositor DCC
R_{free} test set	3558 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtriage
Anisotropy	0.536	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7980	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 61.90 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2228e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OCS, EUE, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.16	1/1855 (0.1%)	1.16	0/2522
1	B	1.20	2/1848 (0.1%)	1.18	1/2512 (0.0%)
1	D	1.21	2/1853 (0.1%)	1.19	2/2519 (0.1%)
2	C	1.21	0/1813	1.23	7/2469 (0.3%)
All	All	1.19	5/7369 (0.1%)	1.19	10/10022 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	4	PRO	C-O	5.35	1.30	1.23
1	B	239	ASP	N-CA	5.23	1.52	1.46
1	A	241	VAL	C-O	5.05	1.30	1.24
1	D	242	ILE	C-O	5.04	1.29	1.24
1	B	184	LEU	C-O	5.04	1.29	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	30	VAL	N-CA-C	7.42	118.50	108.11
1	B	263	LEU	N-CA-C	6.82	119.58	111.33
1	D	30	VAL	N-CA-C	6.56	117.93	108.48
2	C	69	LEU	CA-C-N	-6.42	111.93	119.05
2	C	69	LEU	C-N-CA	-6.42	111.93	119.05
2	C	172	SER	N-CA-C	5.94	117.43	111.07
2	C	207	SER	N-CA-C	-5.33	101.77	109.29
2	C	73	CYS	N-CA-C	-5.18	105.32	111.69
1	D	191	GLU	N-CA-C	5.18	117.00	111.36
2	C	206	VAL	CB-CA-C	5.04	117.06	110.96

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1828	0	1815	20	0
1	B	1821	0	1809	24	0
1	D	1826	0	1832	21	0
2	C	1796	0	1763	21	0
3	A	48	0	25	3	0
3	B	48	0	25	1	0
3	C	48	0	25	2	0
3	D	48	0	25	2	0
4	A	14	0	0	0	0
4	B	14	0	0	0	0
4	C	14	0	0	0	0
4	D	14	0	0	1	0
5	A	102	0	0	0	0
5	B	129	0	0	1	0
5	C	102	0	0	4	0
5	D	128	0	0	1	0
All	All	7980	0	7319	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:205:GLY:O	3:C:301:NAP:H4N	1.89	0.72
2:C:179:HIS:ND1	5:C:401:HOH:O	2.22	0.72
1:A:53:SER:O	1:A:54:ASN:ND2	2.21	0.69
1:A:213:MET:HE1	1:A:221:TRP:CD1	2.28	0.69
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.76	0.68
1:B:215:GLU:HG2	1:B:218:LYS:HE2	1.76	0.67
2:C:230:ARG:HH11	2:C:236:GLN:HE21	1.44	0.65
2:C:230:ARG:HD3	2:C:236:GLN:HE22	1.62	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:230:ARG:HD3	2:C:236:GLN:NE2	2.11	0.65
1:A:179:HIS:ND1	5:C:401:HOH:O	2.29	0.64
2:C:22:LYS:HG2	2:C:242:ILE:HG13	1.81	0.62
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.35	0.62
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.82	0.61
1:A:213:MET:HE1	1:A:221:TRP:HD1	1.64	0.61
1:B:2:GLU:N	5:B:402:HOH:O	2.35	0.59
1:A:232:ALA:HB2	1:B:251:TYR:CE2	2.40	0.57
1:B:2:GLU:HG2	1:B:3:ALA:H	1.70	0.56
2:C:65:ASN:HA	2:C:69:LEU:HD22	1.88	0.56
1:B:169:MET:HE3	1:D:191:GLU:HG3	1.87	0.55
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.42	0.54
1:B:121:ALA:O	1:B:125:GLY:HA3	2.07	0.54
2:C:78:ASN:OD1	2:C:141:ARG:NH1	2.41	0.54
1:B:172:SER:O	1:B:176:MET:HG3	2.08	0.53
1:D:210:PRO:HD3	4:D:302:EUE:CAN	2.39	0.52
1:B:9:THR:HA	1:B:33:HIS:HB3	1.92	0.52
1:B:2:GLU:CG	1:B:3:ALA:H	2.22	0.52
2:C:265:LEU:HD11	1:D:254:GLY:HA3	1.93	0.51
1:D:205:GLY:O	3:D:301:NAP:H4N	2.10	0.51
2:C:9:THR:HA	2:C:33:HIS:HB3	1.92	0.51
1:B:2:GLU:HG2	1:B:3:ALA:N	2.26	0.50
1:D:35:HIS:HB2	3:D:301:NAP:C2A	2.42	0.50
1:D:123:LEU:O	1:D:127:ASN:HB2	2.13	0.48
1:D:247:GLY:HA2	1:D:250:GLN:HG3	1.95	0.48
1:D:9:THR:HA	1:D:33:HIS:HB3	1.96	0.48
2:C:163:MET:HE1	5:C:426:HOH:O	2.14	0.48
1:A:254:GLY:HA3	1:B:265:LEU:HD11	1.95	0.47
1:A:17:ARG:HG3	1:A:44:LEU:HD22	1.95	0.47
2:C:254:GLY:HA3	1:D:265:LEU:HD11	1.98	0.46
1:B:136:MET:HG3	1:D:102:LEU:O	2.14	0.46
1:A:9:THR:HA	1:A:33:HIS:HB3	1.97	0.46
1:B:11:ALA:HB3	1:B:32:ILE:HG23	1.97	0.45
2:C:14:ARG:HB3	2:C:208:LEU:HD12	1.99	0.45
2:C:14:ARG:NH2	3:C:301:NAP:O2N	2.48	0.45
1:D:29:ARG:HG2	1:D:55:THR:HG22	1.98	0.45
1:B:95:SER:HB3	3:B:301:NAP:H3D	1.98	0.45
1:D:98:TYR:HE1	1:D:119:GLN:HG2	1.81	0.45
1:A:232:ALA:HB2	1:B:251:TYR:CD2	2.52	0.45
1:D:153:ASN:ND2	1:D:245:VAL:O	2.49	0.45
2:C:121:ALA:O	2:C:125:GLY:HA3	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:GLY:O	3:A:301:NAP:H4N	2.18	0.44
1:B:103:VAL:HG21	1:D:195:TYR:CZ	2.53	0.43
1:B:192:LEU:HB3	1:B:197:ILE:HB	1.99	0.43
1:A:5:ALA:HA	1:A:29:ARG:O	2.18	0.43
1:B:138:PHE:O	1:B:142:GLN:HG2	2.18	0.43
1:D:192:LEU:HB3	1:D:197:ILE:HB	2.00	0.43
1:A:15:ILE:HB	3:A:301:NAP:H51N	2.01	0.42
1:B:88:ASP:O	1:B:154:LEU:HA	2.19	0.42
1:B:209:LEU:HB3	1:B:213:MET:HE2	2.01	0.42
1:B:164:VAL:CG1	1:B:165:ASP:N	2.80	0.42
2:C:52:ARG:HB2	2:C:55:THR:HG21	2.01	0.42
1:A:193:ALA:HB3	1:A:194:PRO:HD3	2.01	0.42
1:B:169:MET:HE1	5:D:444:HOH:O	2.19	0.42
2:C:258:LYS:HD3	5:C:472:HOH:O	2.19	0.42
1:D:22:LYS:HG2	1:D:242:ILE:HG13	2.01	0.42
1:D:78:ASN:OD1	1:D:141:ARG:NH1	2.52	0.41
1:B:209:LEU:HD22	1:B:213:MET:HE1	2.02	0.41
1:D:3:ALA:HB1	1:D:27:GLY:O	2.19	0.41
1:A:35:HIS:HB2	3:A:301:NAP:C2A	2.51	0.41
2:C:192:LEU:HB3	2:C:197:ILE:HB	2.03	0.41
2:C:23:LEU:O	2:C:28:TYR:HB2	2.20	0.41
2:C:247:GLY:HA2	2:C:250:GLN:HG3	2.02	0.41
1:D:224:LYS:O	1:D:226:PRO:HD3	2.21	0.41
1:A:251:TYR:CE2	1:B:232:ALA:HB2	2.56	0.40
1:A:153:ASN:ND2	1:A:245:VAL:O	2.54	0.40
1:A:213:MET:CE	1:A:221:TRP:HD1	2.31	0.40
1:D:206:VAL:HG23	1:D:263:LEU:HD22	2.04	0.40
2:C:123:LEU:O	2:C:127:ASN:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/288 (85%)	233 (96%)	11 (4%)	0	100	100
1	B	243/288 (84%)	232 (96%)	11 (4%)	0	100	100
1	D	243/288 (84%)	233 (96%)	10 (4%)	0	100	100
2	C	241/288 (84%)	228 (95%)	13 (5%)	0	100	100
All	All	971/1152 (84%)	926 (95%)	45 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/231 (81%)	181 (97%)	6 (3%)	34	25
1	B	187/231 (81%)	179 (96%)	8 (4%)	26	15
1	D	190/231 (82%)	187 (98%)	3 (2%)	55	52
2	C	182/230 (79%)	179 (98%)	3 (2%)	55	52
All	All	746/923 (81%)	726 (97%)	20 (3%)	39	32

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	GLU
1	A	54	ASN
1	A	140	GLN
1	A	169	MET
1	A	179	HIS
1	A	206	VAL
1	B	74	GLU
1	B	114	LYS
1	B	164	VAL
1	B	169	MET
1	B	209	LEU
1	B	213	MET
1	B	215	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	216	GLU
2	C	53	SER
2	C	164	VAL
2	C	235	GLU
1	D	43	SER
1	D	166	GLN
1	D	215	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	HIS
1	A	92	ASN
1	A	127	ASN
1	A	166	GLN
1	A	179	HIS
1	B	35	HIS
1	B	92	ASN
1	B	175	ASN
2	C	92	ASN
2	C	166	GLN
2	C	175	ASN
2	C	179	HIS
1	D	54	ASN
1	D	186	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	OCS	C	59	2	6,8,9	2.87	1 (16%)	7,11,13	1.71	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OCS	C	59	2	-	1/4/7/9	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	59	OCS	OD3-SG	6.67	1.63	1.45

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	59	OCS	CA-CB-SG	-2.77	109.48	113.61

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	59	OCS	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAP	C	301	-	50,52,52	1.50	9 (18%)	71,80,80	1.95	19 (26%)
4	EUE	B	302	-	15,15,15	2.69	6 (40%)	23,23,23	4.79	10 (43%)
4	EUE	A	302	-	15,15,15	2.44	5 (33%)	23,23,23	4.31	11 (47%)
3	NAP	A	301	-	50,52,52	1.52	7 (14%)	71,80,80	1.72	16 (22%)
3	NAP	B	301	-	50,52,52	1.74	10 (20%)	71,80,80	1.78	14 (19%)
4	EUE	D	302	-	15,15,15	2.64	7 (46%)	23,23,23	4.19	8 (34%)
3	NAP	D	301	-	50,52,52	1.29	4 (8%)	71,80,80	1.81	14 (19%)
4	EUE	C	302	-	15,15,15	3.28	6 (40%)	23,23,23	4.23	8 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	C	301	-	-	8/35/67/67	0/5/5/5
4	EUE	B	302	-	-	4/6/6/6	0/2/2/2
4	EUE	A	302	-	-	4/6/6/6	0/2/2/2
3	NAP	A	301	-	-	1/35/67/67	0/5/5/5
3	NAP	B	301	-	-	1/35/67/67	0/5/5/5
4	EUE	D	302	-	-	6/6/6/6	0/2/2/2
3	NAP	D	301	-	-	1/35/67/67	0/5/5/5
4	EUE	C	302	-	-	4/6/6/6	0/2/2/2

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	302	EUE	CAH-SAG	-7.04	1.68	1.76
3	B	301	NAP	C5A-C4A	6.64	1.50	1.39
4	B	302	EUE	CAE-SAG	-6.13	1.62	1.74
4	D	302	EUE	CAC-SAK	-6.02	1.71	1.77
4	C	302	EUE	CAE-SAG	-5.98	1.62	1.74
3	C	301	NAP	C5A-C4A	5.55	1.49	1.39
4	B	302	EUE	OAL-SAK	5.55	1.57	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	NAP	C5A-C4A	5.28	1.48	1.39
4	C	302	EUE	OAM-SAK	5.06	1.56	1.44
4	A	302	EUE	CAC-SAK	-4.60	1.72	1.77
3	D	301	NAP	C5A-C4A	4.44	1.47	1.39
4	A	302	EUE	OAM-SAK	4.38	1.54	1.44
4	A	302	EUE	OAL-SAK	3.90	1.53	1.44
4	C	302	EUE	OAL-SAK	3.85	1.53	1.44
4	D	302	EUE	OAL-SAK	3.76	1.53	1.44
4	D	302	EUE	OAM-SAK	3.67	1.53	1.44
4	C	302	EUE	CAA-CAF	-3.65	1.34	1.40
3	D	301	NAP	C5A-C6A	3.58	1.51	1.41
3	B	301	NAP	PA-O3	3.55	1.63	1.59
3	A	301	NAP	C5A-C6A	3.55	1.50	1.41
4	B	302	EUE	OAM-SAK	3.53	1.52	1.44
3	B	301	NAP	C5A-C6A	3.52	1.50	1.41
4	C	302	EUE	CAD-CAE	-3.44	1.33	1.39
4	D	302	EUE	CAE-SAG	-3.38	1.67	1.74
3	B	301	NAP	C8A-N7A	3.31	1.38	1.31
3	C	301	NAP	PN-O3	3.30	1.63	1.59
3	C	301	NAP	PA-O3	3.27	1.63	1.59
3	A	301	NAP	PA-O3	3.09	1.62	1.59
4	A	302	EUE	CAH-NAI	3.06	1.34	1.31
4	A	302	EUE	CAA-CAF	-3.05	1.35	1.40
3	B	301	NAP	P2B-O2B	3.04	1.64	1.59
3	A	301	NAP	C8A-N7A	3.03	1.37	1.31
3	C	301	NAP	C5A-C6A	2.99	1.49	1.41
3	A	301	NAP	P2B-O2B	2.91	1.64	1.59
4	B	302	EUE	CAH-NAI	2.87	1.34	1.31
4	D	302	EUE	CAH-SAG	2.76	1.79	1.76
3	C	301	NAP	P2B-O2B	2.72	1.64	1.59
3	B	301	NAP	C2N-N1N	2.71	1.38	1.35
4	D	302	EUE	CAA-CAF	-2.71	1.35	1.40
3	D	301	NAP	P2B-O2B	2.66	1.64	1.59
4	B	302	EUE	CAD-CAE	-2.64	1.35	1.39
3	B	301	NAP	C2A-N1A	2.63	1.38	1.33
3	C	301	NAP	C5A-N7A	-2.49	1.34	1.39
3	A	301	NAP	C2N-N1N	2.44	1.37	1.35
3	C	301	NAP	C8A-N7A	2.35	1.36	1.31
3	C	301	NAP	C2N-N1N	2.27	1.37	1.35
3	B	301	NAP	C4A-N3A	2.26	1.38	1.34
3	D	301	NAP	O4D-C1D	2.25	1.43	1.40
4	D	302	EUE	CAD-CAE	-2.25	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	NAP	O4D-C1D	2.17	1.43	1.40
3	B	301	NAP	C2N-C3N	2.16	1.42	1.39
3	C	301	NAP	C4A-N9A	-2.12	1.33	1.37
3	A	301	NAP	C2A-N1A	2.02	1.37	1.33
4	B	302	EUE	CAA-CAF	-2.01	1.36	1.40

All (100) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	302	EUE	CAE-SAG-CAH	14.30	95.65	88.89
4	B	302	EUE	SAG-CAH-NAI	-12.96	107.68	115.72
4	B	302	EUE	CAE-SAG-CAH	12.59	94.84	88.89
4	D	302	EUE	SAG-CAH-NAI	-10.94	108.93	115.72
4	A	302	EUE	SAG-CAH-NAI	-10.91	108.95	115.72
4	C	302	EUE	SAG-CAH-NAI	-10.36	109.29	115.72
4	A	302	EUE	CAF-NAI-CAH	8.15	115.41	110.57
4	D	302	EUE	CAE-SAG-CAH	7.86	92.61	88.89
4	A	302	EUE	CAE-SAG-CAH	7.82	92.59	88.89
4	D	302	EUE	CAN-SAK-CAC	7.67	113.00	104.55
4	A	302	EUE	CAN-SAK-CAC	7.47	112.78	104.55
3	C	301	NAP	C2B-C1B-N9A	-7.25	101.82	113.75
4	A	302	EUE	OAM-SAK-OAL	-7.06	106.02	117.99
4	D	302	EUE	SAG-CAH-NAJ	6.93	127.66	120.13
4	B	302	EUE	CAN-SAK-CAC	6.57	111.79	104.55
4	B	302	EUE	OAL-SAK-CAC	6.27	113.10	108.23
3	B	301	NAP	C2B-C1B-N9A	-5.92	104.02	113.75
4	D	302	EUE	CAD-CAC-SAK	5.66	123.57	119.02
4	D	302	EUE	CAF-NAI-CAH	5.59	113.89	110.57
3	A	301	NAP	C5A-C4A-N3A	-5.32	119.39	126.72
3	B	301	NAP	O4B-C1B-N9A	5.29	118.24	108.09
4	B	302	EUE	OAM-SAK-CAC	-5.28	104.12	108.23
3	D	301	NAP	C2B-C1B-N9A	-5.26	105.10	113.75
3	C	301	NAP	C5A-C4A-N3A	-5.16	119.61	126.72
4	B	302	EUE	CAF-NAI-CAH	5.12	113.60	110.57
3	D	301	NAP	C5A-C4A-N3A	-5.11	119.68	126.72
4	B	302	EUE	SAG-CAH-NAJ	5.03	125.59	120.13
4	A	302	EUE	SAG-CAH-NAJ	4.91	125.47	120.13
4	C	302	EUE	SAG-CAH-NAJ	4.87	125.42	120.13
4	D	302	EUE	OAM-SAK-OAL	-4.50	110.35	117.99
3	A	301	NAP	C4A-C5A-N7A	-4.35	105.61	110.58
4	B	302	EUE	OAM-SAK-OAL	-4.24	110.80	117.99
3	C	301	NAP	N3A-C4A-N9A	4.24	134.37	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	301	NAP	N3A-C4A-N9A	4.13	134.19	127.17
4	D	302	EUE	CAB-CAC-SAK	-4.12	115.92	119.58
3	D	301	NAP	O4B-C1B-N9A	4.02	115.81	108.09
4	C	302	EUE	OAM-SAK-OAL	-4.00	111.21	117.99
3	A	301	NAP	O4B-C1B-N9A	3.98	115.74	108.09
3	A	301	NAP	N3A-C4A-N9A	3.97	133.92	127.17
3	B	301	NAP	C5A-C4A-N3A	-3.91	121.33	126.72
3	C	301	NAP	O4B-C1B-N9A	3.90	115.57	108.09
3	D	301	NAP	C4A-C5A-N7A	-3.88	106.14	110.58
4	C	302	EUE	CAN-SAK-CAC	3.86	108.80	104.55
3	D	301	NAP	C4A-N9A-C8A	3.76	109.69	105.74
3	B	301	NAP	C4A-N9A-C8A	3.75	109.68	105.74
3	D	301	NAP	C2A-N3A-C4A	3.74	120.96	111.83
3	B	301	NAP	N3A-C4A-N9A	3.70	133.46	127.17
3	C	301	NAP	C4A-C5A-N7A	-3.65	106.41	110.58
3	A	301	NAP	C2A-N3A-C4A	3.63	120.71	111.83
3	A	301	NAP	N3A-C2A-N1A	-3.59	123.15	128.58
3	B	301	NAP	N3A-C2A-N1A	-3.40	123.43	128.58
3	A	301	NAP	C4A-N9A-C8A	3.33	109.23	105.74
4	C	302	EUE	CAD-CAC-SAK	3.32	121.69	119.02
4	B	302	EUE	NAJ-CAH-NAI	3.27	126.71	124.13
3	B	301	NAP	C4A-C5A-N7A	-3.25	106.86	110.58
3	C	301	NAP	C3N-C7N-N7N	3.18	121.65	117.74
3	D	301	NAP	N3A-C2A-N1A	-3.14	123.83	128.58
3	C	301	NAP	C2A-N3A-C4A	3.09	119.38	111.83
3	B	301	NAP	C2A-N3A-C4A	3.08	119.36	111.83
4	A	302	EUE	OAL-SAK-CAC	-3.04	105.86	108.23
4	C	302	EUE	CAF-NAI-CAH	2.90	112.29	110.57
4	A	302	EUE	OAM-SAK-CAN	2.90	112.72	108.47
3	A	301	NAP	C5A-N7A-C8A	2.90	108.00	103.45
3	B	301	NAP	C6A-C5A-N7A	2.90	137.68	132.09
4	A	302	EUE	OAM-SAK-CAC	2.90	110.48	108.23
3	D	301	NAP	C5A-N7A-C8A	2.88	107.98	103.45
3	A	301	NAP	O2A-PA-O3	2.87	115.02	107.27
4	A	302	EUE	CAA-CAB-CAC	-2.84	116.68	119.44
3	D	301	NAP	C6A-C5A-N7A	2.83	137.54	132.09
3	C	301	NAP	C4A-N9A-C8A	2.81	108.69	105.74
3	B	301	NAP	C4A-N9A-C1B	-2.78	120.13	126.63
3	D	301	NAP	N9A-C8A-N7A	-2.74	110.05	113.94
3	A	301	NAP	C6A-C5A-N7A	2.71	137.32	132.09
3	C	301	NAP	P2B-O2B-C2B	2.65	130.52	123.43
4	C	302	EUE	OAM-SAK-CAC	2.55	110.21	108.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	NAP	O2B-P2B-O1X	-2.52	100.35	109.33
3	A	301	NAP	C2B-C1B-N9A	-2.51	109.63	113.75
3	C	301	NAP	O2B-C2B-C3B	2.50	120.63	111.68
3	C	301	NAP	N3A-C2A-N1A	-2.45	124.87	128.58
3	C	301	NAP	C5A-N7A-C8A	2.45	107.30	103.45
3	A	301	NAP	N9A-C8A-N7A	-2.44	110.47	113.94
3	C	301	NAP	O4D-C4D-C5D	2.44	117.14	109.33
3	C	301	NAP	O2A-PA-O3	2.41	113.80	107.27
3	C	301	NAP	O3B-C3B-C2B	2.38	117.84	111.19
3	B	301	NAP	C5A-N7A-C8A	2.35	107.14	103.45
3	B	301	NAP	C2A-N1A-C6A	2.33	122.55	118.73
3	D	301	NAP	O2X-P2B-O1X	2.28	119.70	110.83
3	D	301	NAP	O3B-C3B-C2B	2.24	117.45	111.19
4	A	302	EUE	CAB-CAA-CAF	2.19	123.61	119.97
3	B	301	NAP	C4D-O4D-C1D	2.17	111.91	109.92
3	A	301	NAP	O2X-P2B-O1X	2.12	119.11	110.83
3	C	301	NAP	C6A-C5A-N7A	2.11	136.16	132.09
3	C	301	NAP	C2A-N1A-C6A	2.08	122.15	118.73
3	A	301	NAP	O3B-C3B-C2B	2.05	116.92	111.19
3	A	301	NAP	C2A-N1A-C6A	2.05	122.09	118.73
3	D	301	NAP	O2B-P2B-O1X	-2.02	102.12	109.33
4	B	302	EUE	CAA-CAB-CAC	-2.01	117.48	119.44
3	C	301	NAP	O3-PA-O1A	-2.01	104.66	110.70
3	B	301	NAP	O2B-P2B-O1X	-2.00	102.20	109.33
3	C	301	NAP	O2X-P2B-O2B	-2.00	98.05	105.85

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	302	EUE	CAD-CAC-SAK-CAN
4	D	302	EUE	CAB-CAC-SAK-CAN
4	B	302	EUE	CAD-CAC-SAK-CAN
4	B	302	EUE	CAB-CAC-SAK-CAN
3	C	301	NAP	C3B-C4B-C5B-O5B
4	A	302	EUE	CAB-CAC-SAK-OAM
4	B	302	EUE	CAB-CAC-SAK-OAL
4	C	302	EUE	CAB-CAC-SAK-OAM
4	A	302	EUE	CAD-CAC-SAK-OAM
4	C	302	EUE	CAD-CAC-SAK-OAM
4	B	302	EUE	CAD-CAC-SAK-OAL
4	D	302	EUE	CAB-CAC-SAK-OAL

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	C	302	EUE	CAB-CAC-SAK-CAN
3	C	301	NAP	O4B-C4B-C5B-O5B
4	D	302	EUE	CAD-CAC-SAK-OAL
4	A	302	EUE	CAB-CAC-SAK-CAN
4	C	302	EUE	CAD-CAC-SAK-CAN
4	A	302	EUE	CAD-CAC-SAK-CAN
3	A	301	NAP	C5B-O5B-PA-O1A
3	C	301	NAP	C5B-O5B-PA-O1A
3	C	301	NAP	C5B-O5B-PA-O2A
3	C	301	NAP	C5B-O5B-PA-O3
3	C	301	NAP	C5D-O5D-PN-O1N
3	C	301	NAP	C2B-O2B-P2B-O2X
3	D	301	NAP	O4D-C4D-C5D-O5D
3	B	301	NAP	O4D-C4D-C5D-O5D
4	D	302	EUE	CAD-CAC-SAK-OAM
3	C	301	NAP	C3D-C4D-C5D-O5D
4	D	302	EUE	CAB-CAC-SAK-OAM


There are no ring outliers.


5 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	301	NAP	2	0
3	A	301	NAP	3	0
3	B	301	NAP	1	0
4	D	302	EUE	1	0
3	D	301	NAP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	250/288 (86%)	0.42	9 (3%)	46	53	16, 34, 62, 78	2 (0%)
1	B	249/288 (86%)	0.24	9 (3%)	46	53	17, 29, 66, 116	1 (0%)
1	D	249/288 (86%)	0.25	4 (1%)	70	77	17, 32, 62, 78	1 (0%)
2	C	247/288 (85%)	0.46	16 (6%)	25	28	18, 33, 84, 119	2 (0%)
All	All	995/1152 (86%)	0.34	38 (3%)	44	50	16, 32, 66, 119	6 (0%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	221	TRP	4.4
2	C	208	LEU	4.2
2	C	206	VAL	3.7
2	C	212	ALA	3.6
1	B	211	VAL	3.6
2	C	209	LEU	3.4
1	A	57	VAL	3.3
1	B	208	LEU	3.3
1	B	212	ALA	3.2
1	B	210	PRO	3.0
2	C	217	GLU	3.0
1	D	208	LEU	2.9
1	A	221	TRP	2.9
1	B	221	TRP	2.9
1	A	216	GLU	2.9
1	A	212	ALA	2.8
1	B	214	GLY	2.8
2	C	213	MET	2.8
1	A	48	LEU	2.7
1	D	42	VAL	2.7
1	B	209	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	210	PRO	2.5
2	C	83	ALA	2.4
1	A	42	VAL	2.4
1	A	38	ALA	2.3
2	C	232	ALA	2.3
1	B	113	GLY	2.3
1	A	217	GLU	2.3
1	D	209	LEU	2.2
2	C	214	GLY	2.2
2	C	195	TYR	2.2
1	B	217	GLU	2.1
1	A	104	GLN	2.1
2	C	103	VAL	2.1
2	C	64	THR	2.1
2	C	207	SER	2.1
1	D	210	PRO	2.0
2	C	46	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	OCS	C	59	9/10	0.92	0.10	33,37,38,43	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAP	C	301	48/48	0.84	0.16	23,29,39,44	48
4	EUE	C	302	14/14	0.85	0.17	31,36,45,46	14
4	EUE	B	302	14/14	0.91	0.11	32,37,43,45	14
3	NAP	B	301	48/48	0.92	0.09	28,35,42,44	48
4	EUE	A	302	14/14	0.92	0.11	38,42,47,50	14
3	NAP	A	301	48/48	0.93	0.08	28,33,41,46	48
3	NAP	D	301	48/48	0.94	0.08	23,26,34,35	48
4	EUE	D	302	14/14	0.94	0.10	27,33,42,45	14

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NAP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.