



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:21 AM UTC

PDB ID : 6GCP / pdb_00006gcp
Title : Trypanosoma brucei PTR1 in complex with inhibitor 2d (F186)
Authors : Pozzi, C.; Landi, G.; Mangani, S.
Deposited on : 2018-04-18
Resolution : 1.52 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5890 (1.54-1.50)
Clashscore	190562	6116 (1.54-1.50)
Ramachandran outliers	187476	6002 (1.54-1.50)
Sidechain outliers	187428	5999 (1.54-1.50)
RSRZ outliers	180081	5891 (1.54-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	
1	B	288	
1	C	288	
1	D	288	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8831 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	7	0
			1892	1192	333	356	11			
1	B	252	Total	C	N	O	S	0	8	0
			1893	1198	327	356	12			
1	C	251	Total	C	N	O	S	0	10	0
			1885	1191	327	355	12			
1	D	250	Total	C	N	O	S	0	14	0
			1921	1217	330	362	12			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	initiating methionine	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	initiating methionine	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290
D	-19	MET	-	initiating methionine	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290


- # NAP
-
- The chemical structure of Naproxen (NAP) is shown with its stereochemistry and atom numbering. The molecule consists of a naphthalene ring system substituted with a carboxylic acid group and a propyl chain. The stereochemistry is indicated by wedges and dashes at the chiral centers. The atom numbering is as follows:
- Naphthalene ring atoms: C1 to C10.
 - Carboxylic acid group: C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99, C100, C101, C102, C103, C104, C105, C106, C107, C108, C109, C110, C111, C112, C113, C114, C115, C116, C117, C118, C119, C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C133, C134, C135, C136, C137, C138, C139, C140, C141, C142, C143, C144, C145, C146, C147, C148, C149, C150, C151, C152, C153, C154, C155, C156, C157, C158, C159, C160, C161, C162, C163, C164, C165, C166, C167, C168, C169, C170, C171, C172, C173, C174, C175, C176, C177, C178, C179, C180, C181, C182, C183, C184, C185, C186, C187, C188, C189, C190, C191, C192, C193, C194, C195, C196, C197, C198, C199, C200, C201, C202, C203, C204, C205, C206, C207, C208, C209, C210, C211, C212, C213, C214, C215, C216, C217, C218, C219, C220, C221, C222, C223, C224, C225, C226, C227, C228, C229, C230, C231, C232, C233, C234, C235, C236, C237, C238, C239, C240, C241, C242, C243, C244, C245, C246, C247, C248, C249, C250, C251, C252, C253, C254, C255, C256, C257, C258, C259, C260, C261, C262, C263, C264, C265, C266, C267, C268, C269, C270, C271, C272, C273, C274, C275, C276, C277, C278, C279, C280, C281, C282, C283, C284, C285, C286, C287, C288, C289, C290, C291, C292, C293, C294, C295, C296, C297, C298, C299, C300, C301, C302, C303, C304, C305, C306, C307, C308, C309, C310, C311, C312, C313, C314, C315, C316, C317, C318, C319, C320, C321, C322, C323, C324, C325, C326, C327, C328, C329, C330, C331, C332, C333, C334, C335, C336, C337, C338, C339, C340, C341, C342, C343, C344, C345, C346, C347, C348, C349, C350, C351, C352, C353, C354, C355, C356, C357, C358, C359, C360, C361, C362, C363, C364, C365, C366, C367, C368, C369, C370, C371, C372, C373, C374, C375, C376, C377, C378, C379, C380, C381, C382, C383, C384, C385, C386, C387, C388, C389, C390, C391, C392, C393, C394, C395, C396, C397, C398, C399, C400, C401, C402, C403, C404, C405, C406, C407, C408, C409, C410, C411, C412, C413, C414, C415, C416, C417, C418, C419, C420, C421, C422, C423, C424, C425, C426, C427, C428, C429, C430, C431, C432, C433, C434, C435, C436, C437, C438, C439, C440, C441, C442, C443, C444, C445, C446, C447, C448, C449, C450, C451, C452, C453, C454, C455, C456, C457, C458, C459, C460, C461, C462, C463, C464, C465, C466, C467, C468, C469, C470, C471, C472, C473, C474, C475, C476, C477, C478, C479, C480, C481, C482, C483, C484, C485, C486, C487, C488, C489, C490, C491, C492, C493, C494, C495, C496, C497, C498, C499, C500, C501, C502, C503, C504, C505, C506, C507, C508, C509, C510, C511, C512, C513, C514, C515, C516, C517, C518, C519, C520, C521, C522, C523, C524, C525, C526, C527, C528, C529, C530, C531, C532, C533, C534, C535, C536, C537, C538, C539, C540, C541, C542, C543, C544, C545, C546, C547, C548, C549, C550, C551, C552, C553, C554, C555, C556, C557, C558, C559, C560, C561, C562, C563, C564, C565, C566, C567, C568, C569, C570, C571, C572, C573, C574, C575, C576, C577, C578, C579, C580, C581, C582, C583, C584, C585, C586, C587, C588, C589, C590, C591, C592, C593, C594, C595, C596, C597, C598, C599, C600, C601, C602, C603, C604, C605, C606, C607, C608, C609, C610, C611, C612, C613, C614, C615, C616, C617, C618, C619, C620, C621, C622, C623, C624, C625, C626, C627, C628, C629, C630, C631, C632, C633, C634, C635, C636, C637, C638, C639, C640, C641, C642, C643, C644, C645, C646, C647, C648, C649, C650, C651, C652, C653, C654, C655, C656, C657, C658, C659, C660, C661, C662, C663, C664, C665, C666, C667, C668, C669, C670, C671, C672, C673, C674, C675, C676, C677, C678, C679, C680, C681, C682, C683, C684, C685, C686, C687, C688, C689, C690, C691, C692, C693, C694, C695, C696, C697, C698, C699, C700, C701, C702, C703, C704, C705, C706, C707, C708, C709, C710, C711, C712, C713, C714, C715, C716, C717, C718, C719, C720, C721, C722, C723, C724, C725, C726, C727, C728, C729, C730, C731, C732, C733, C734, C735, C736, C737, C738, C739, C740, C741, C742, C743, C744, C745, C746, C747, C748, C749, C750, C751, C752, C753, C754, C755, C756, C757, C758, C759, C760, C761, C762, C763, C764, C765, C766, C767, C768, C769, C770, C771, C772, C773, C774, C775, C776, C777, C778, C779, C780, C781, C782, C783, C784, C785, C786, C787, C788, C789, C790, C791, C792, C793, C794, C795, C796, C797, C798, C799, C800, C801, C802, C803, C804, C805, C806, C807, C808, C809, C810, C811, C812, C813, C814, C815, C816, C817, C818, C819, C820,

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 6-[(3,4-dichlorophenyl)methylsulfanyl]-1,3-benzothiazol-2-amine (CCD ID: EUK) (formula: C₁₄H₁₀Cl₂N₂S₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	S	0	1
			40	28	4	4	4		
3	B	1	Total	C	Cl	N	S	0	0
			20	14	2	2	2		
3	C	1	Total	C	Cl	N	S	0	1
			40	28	4	4	4		
3	D	1	Total	C	Cl	N	S	0	1
			40	28	4	4	4		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		



- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	209	Total	O	0	4
			213	213		
6	B	238	Total	O	0	8
			246	246		
6	C	201	Total	O	0	4
			204	204		
6	D	208	Total	O	0	7
			213	213		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Pteridine reductase





• Molecule 1: Pteridine reductase



• Molecule 1: Pteridine reductase



• Molecule 1: Pteridine reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.87Å 90.37Å 82.93Å 90.00° 115.68° 90.00°	Depositor
Resolution (Å)	67.48 – 1.52 67.48 – 1.52	Depositor EDS
% Data completeness (in resolution range)	97.7 (67.48-1.52) 97.7 (67.48-1.52)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 1.52Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.166 , 0.193 0.167 , 0.193	Depositor DCC
R_{free} test set	7581 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	15.4	Xtriage
Anisotropy	0.151	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.007 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8831	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.61 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.7829e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, EUK, NAP, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	2/1934 (0.1%)	1.06	0/2626
1	B	1.07	3/1941 (0.2%)	1.08	4/2636 (0.2%)
1	C	1.08	2/1936 (0.1%)	1.04	2/2631 (0.1%)
1	D	1.07	1/1984 (0.1%)	1.01	1/2692 (0.0%)
All	All	1.08	8/7795 (0.1%)	1.05	7/10585 (0.1%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	225	VAL	N-CA	7.15	1.51	1.46
1	C	130	ALA	N-CA	6.15	1.52	1.46
1	B	69	LEU	N-CA	6.02	1.52	1.46
1	B	33	HIS	CE1-NE2	5.64	1.38	1.32
1	D	12	ALA	N-CA	5.61	1.53	1.46
1	B	261	GLY	N-CA	5.56	1.53	1.45
1	C	261	GLY	N-CA	5.14	1.52	1.45
1	A	267	HIS	N-CA	5.12	1.52	1.45

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	3	ALA	CA-C-N	-6.66	113.82	120.21
1	C	3	ALA	C-N-CA	-6.66	113.82	120.21
1	B	3	ALA	CA-C-N	-5.57	114.87	120.21
1	B	3	ALA	C-N-CA	-5.57	114.87	120.21
1	D	235	GLU	CB-CG-CD	5.44	121.85	112.60
1	B	117	GLU	CB-CG-CD	5.41	121.79	112.60
1	B	216	GLU	CB-CG-CD	5.29	121.59	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1892	0	1912	15	0
1	B	1893	0	1917	18	0
1	C	1885	0	1900	18	0
1	D	1921	0	1961	18	0
2	A	48	0	25	0	0
2	B	48	0	25	2	0
2	C	48	0	25	0	0
2	D	48	0	25	1	0
3	A	40	0	0	1	0
3	B	20	0	0	1	0
3	C	40	0	0	2	0
3	D	40	0	0	2	0
4	A	6	0	8	0	0
4	B	12	0	16	1	0
4	C	6	0	8	0	0
5	B	8	0	6	1	0
6	A	213	0	0	0	0
6	B	246	0	0	1	0
6	C	204	0	0	1	0
6	D	213	0	0	1	0
All	All	8831	0	7828	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140[B]:GLN:NE2	1:C:104:GLN:H	1.82	0.77
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.19	0.76
1:C:210:PRO:HG2	3:C:302[A]:EUK:CLS	2.30	0.68
1:D:210:PRO:HG2	3:D:302[A]:EUK:CLS	2.32	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:164:VAL:HG22	1:C:179:HIS:CD2	2.31	0.66
1:C:236:GLN:HE21	1:D:250[B]:GLN:CG	2.09	0.65
1:C:236:GLN:HE21	1:D:250[B]:GLN:CD	2.05	0.64
1:A:210:PRO:HG2	3:A:302[A]:EUK:CLS	2.37	0.61
1:A:265:LEU:HB2	1:B:190[B]:LEU:HD21	1.84	0.60
1:A:250:GLN:CD	1:B:236:GLN:HE21	2.10	0.59
1:A:206[B]:VAL:HG23	1:A:263:LEU:HD22	1.85	0.57
1:D:213:MET:HE3	3:D:302[A]:EUK:CLS	2.42	0.56
1:A:140[B]:GLN:HE22	1:C:104:GLN:H	1.53	0.56
1:B:210:PRO:HG2	3:B:302:EUK:CLS	2.42	0.56
1:B:179:HIS:ND1	6:B:404:HOH:O	2.33	0.55
1:A:2:GLU:HG2	1:A:86:ARG:HH11	1.73	0.53
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.90	0.52
1:D:206[A]:VAL:HG23	1:D:263:LEU:HD22	1.91	0.52
1:B:103:VAL:HG22	6:D:405:HOH:O	2.10	0.51
1:D:22[B]:LYS:HG2	1:D:242:ILE:HG13	1.92	0.51
1:C:228:GLY:HA3	1:C:230:ARG:NH1	2.25	0.51
1:B:136[B]:MET:HE1	1:D:116:VAL:HG21	1.93	0.50
1:D:219:ASP:HB3	1:D:223:ARG:NH1	2.26	0.50
1:C:9:THR:HA	1:C:33:HIS:HB3	1.94	0.50
1:C:247:GLY:HA2	1:C:250:GLN:HG3	1.93	0.49
1:C:179:HIS:ND1	6:C:403:HOH:O	2.35	0.49
1:A:9:THR:HA	1:A:33:HIS:HB3	1.94	0.49
1:B:15:ILE:HB	2:B:301:NAP:H51N	1.96	0.48
1:C:236:GLN:NE2	1:D:250[B]:GLN:CG	2.77	0.48
1:A:250:GLN:CG	1:B:236:GLN:HE21	2.28	0.46
1:B:102:LEU:O	1:D:136[B]:MET:HG3	2.16	0.46
1:B:138:PHE:O	1:B:142:GLN:HG2	2.16	0.46
1:C:206[A]:VAL:HG23	1:C:209:LEU:CD1	2.45	0.46
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.98	0.46
1:B:25:GLN:HG3	4:B:305:GOL:H32	1.98	0.45
1:C:265:LEU:HD11	1:D:254:GLY:HA3	1.98	0.45
1:B:116:VAL:HG21	1:D:136[B]:MET:HE1	1.98	0.45
1:D:35:HIS:HB2	2:D:301:NAP:C2A	2.47	0.44
1:C:65:ASN:HA	1:C:69:LEU:HD22	1.98	0.44
1:A:2:GLU:HG2	1:A:86:ARG:NH1	2.33	0.44
1:A:136:MET:HE2	1:A:136:MET:HB3	1.89	0.44
1:B:9:THR:HA	1:B:33:HIS:HB3	2.00	0.43
1:D:65:ASN:HA	1:D:69:LEU:HD22	1.99	0.43
1:B:65:ASN:HA	1:B:69:LEU:HD22	2.01	0.42
1:B:104:GLN:H	1:D:140:GLN:HE22	1.66	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:206[A]:VAL:HG23	1:C:209:LEU:HD11	2.02	0.42
1:B:35:HIS:HB2	2:B:301:NAP:C2A	2.49	0.42
1:B:206[A]:VAL:CG2	1:B:209:LEU:HD21	2.50	0.42
1:A:120:VAL:HG11	1:C:129[B]:ILE:HD13	2.02	0.41
1:D:247:GLY:HA2	1:D:250[A]:GLN:HG3	2.01	0.41
1:A:116:VAL:HG21	1:C:136[B]:MET:HE1	2.03	0.41
1:D:115:THR:OG1	1:D:117[B]:GLU:HG2	2.21	0.41
1:C:213:MET:HE3	3:C:302[A]:EUK:CLS	2.58	0.40
1:B:214:GLY:HA2	5:B:304:ACT:H1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/288 (88%)	243 (96%)	9 (4%)	0	100	100
1	B	254/288 (88%)	246 (97%)	8 (3%)	0	100	100
1	C	255/288 (88%)	245 (96%)	10 (4%)	0	100	100
1	D	258/288 (90%)	249 (96%)	9 (4%)	0	100	100
All	All	1019/1152 (88%)	983 (96%)	36 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	200/231 (87%)	195 (98%)	5 (2%)	42	13
1	B	200/231 (87%)	198 (99%)	2 (1%)	68	44
1	C	199/231 (86%)	195 (98%)	4 (2%)	48	19
1	D	206/231 (89%)	205 (100%)	1 (0%)	81	66
All	All	805/924 (87%)	793 (98%)	12 (2%)	55	29

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	53	SER
1	A	141	ARG
1	A	164	VAL
1	A	209	LEU
1	B	164	VAL
1	B	210	PRO
1	C	131	PRO
1	C	141	ARG
1	C	209	LEU
1	C	215	GLU
1	D	2	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	92	ASN
1	A	250	GLN
1	B	92	ASN
1	B	119	GLN
1	B	236	GLN
1	C	54	ASN
1	C	92	ASN
1	C	236	GLN
1	D	65	ASN
1	D	92	ASN
1	D	127	ASN
1	D	179	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAP	D	301	-	50,52,52	1.70	11 (22%)	71,80,80	1.96	17 (23%)
3	EUK	A	302[B]	-	22,22,22	2.02	7 (31%)	31,31,31	3.40	8 (25%)
3	EUK	D	302[B]	-	22,22,22	2.12	6 (27%)	31,31,31	4.09	6 (19%)
5	ACT	B	304	-	3,3,3	1.01	0	3,3,3	0.45	0
4	GOL	A	303	-	5,5,5	0.52	0	5,5,5	0.38	0
5	ACT	B	303	-	3,3,3	0.89	0	3,3,3	0.92	0
3	EUK	D	302[A]	-	22,22,22	2.02	7 (31%)	31,31,31	4.45	9 (29%)
3	EUK	A	302[A]	-	22,22,22	2.11	8 (36%)	31,31,31	3.61	10 (32%)
2	NAP	A	301	-	50,52,52	1.82	11 (22%)	71,80,80	1.83	17 (23%)
3	EUK	B	302	-	22,22,22	2.39	8 (36%)	31,31,31	3.36	11 (35%)
2	NAP	B	301	-	50,52,52	1.82	7 (14%)	71,80,80	1.77	17 (23%)
4	GOL	B	305	-	5,5,5	0.46	0	5,5,5	0.85	0
2	NAP	C	301	-	50,52,52	1.64	9 (18%)	71,80,80	1.90	18 (25%)
3	EUK	C	302[B]	-	22,22,22	1.98	6 (27%)	31,31,31	3.11	6 (19%)
4	GOL	B	306	-	5,5,5	0.43	0	5,5,5	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EUK	C	302[A]	-	22,22,22	2.22	8 (36%)	31,31,31	3.08	8 (25%)
4	GOL	C	303	-	5,5,5	1.52	1 (20%)	5,5,5	1.83	2 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	D	301	-	-	0/35/67/67	0/5/5/5
3	EUK	A	302[B]	-	-	4/5/5/5	0/3/3/3
3	EUK	D	302[B]	-	-	4/5/5/5	0/3/3/3
4	GOL	A	303	-	-	0/4/4/4	-
3	EUK	D	302[A]	-	-	4/5/5/5	0/3/3/3
3	EUK	A	302[A]	-	-	4/5/5/5	0/3/3/3
2	NAP	A	301	-	-	0/35/67/67	0/5/5/5
3	EUK	B	302	-	-	4/5/5/5	0/3/3/3
2	NAP	B	301	-	-	0/35/67/67	0/5/5/5
4	GOL	B	305	-	-	0/4/4/4	-
2	NAP	C	301	-	-	0/35/67/67	0/5/5/5
3	EUK	C	302[B]	-	-	4/5/5/5	0/3/3/3
4	GOL	B	306	-	-	2/4/4/4	-
3	EUK	C	302[A]	-	-	2/5/5/5	0/3/3/3
4	GOL	C	303	-	-	2/4/4/4	-

All (89) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	EUK	CAH-SAK	5.92	1.88	1.76
2	C	301	NAP	C5A-C4A	5.89	1.49	1.39
2	B	301	NAP	PA-O3	5.83	1.65	1.59
3	C	302[A]	EUK	CAH-SAK	5.34	1.87	1.76
3	D	302[B]	EUK	CAB-SAC	-5.25	1.70	1.76
2	B	301	NAP	PN-O3	5.15	1.65	1.59
3	A	302[B]	EUK	CAL-CAM	-5.11	1.39	1.51
3	D	302[B]	EUK	CAL-CAM	-5.04	1.39	1.51
2	A	301	NAP	C5A-C4A	4.99	1.48	1.39
3	C	302[B]	EUK	CAL-CAM	-4.91	1.40	1.51
3	B	302	EUK	CAL-CAM	-4.89	1.40	1.51
3	C	302[A]	EUK	CAL-CAM	-4.85	1.40	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	NAP	C5A-C4A	4.80	1.47	1.39
2	B	301	NAP	C5A-C4A	4.79	1.47	1.39
3	A	302[A]	EUK	CAL-CAM	-4.79	1.40	1.51
2	A	301	NAP	PA-O3	4.73	1.64	1.59
3	C	302[B]	EUK	CAH-SAK	4.60	1.86	1.76
3	D	302[A]	EUK	CAL-CAM	-4.48	1.41	1.51
3	A	302[A]	EUK	CAO-CLS	4.35	1.83	1.73
2	D	301	NAP	P2B-O2B	4.27	1.67	1.59
2	A	301	NAP	C2N-N1N	4.06	1.39	1.35
3	D	302[A]	EUK	CAO-CLS	4.04	1.83	1.73
3	B	302	EUK	CAG-CAD	-3.92	1.33	1.39
2	B	301	NAP	C5A-C6A	3.86	1.51	1.41
3	D	302[A]	EUK	CAD-SAC	-3.77	1.66	1.74
2	C	301	NAP	C8A-N7A	3.70	1.38	1.31
3	A	302[B]	EUK	CAP-CLT	3.62	1.82	1.73
2	A	301	NAP	PN-O3	3.59	1.63	1.59
3	C	302[A]	EUK	CAP-CLT	3.50	1.81	1.73
2	A	301	NAP	C5A-C6A	3.49	1.50	1.41
3	D	302[A]	EUK	CAG-CAD	-3.48	1.33	1.39
3	A	302[A]	EUK	CAG-CAD	-3.48	1.33	1.39
2	D	301	NAP	PA-O3	3.39	1.63	1.59
2	C	301	NAP	C5A-C6A	3.34	1.50	1.41
3	B	302	EUK	CAB-NAF	3.27	1.35	1.31
2	A	301	NAP	C8A-N7A	3.26	1.37	1.31
2	B	301	NAP	O4D-C1D	3.21	1.45	1.40
3	D	302[B]	EUK	CAJ-CAE	-3.18	1.35	1.40
3	B	302	EUK	CAO-CLS	3.17	1.81	1.73
2	C	301	NAP	PN-O3	3.17	1.62	1.59
2	D	301	NAP	C2A-N3A	3.12	1.39	1.33
3	D	302[B]	EUK	CAG-CAD	-3.11	1.34	1.39
3	C	302[B]	EUK	CAG-CAD	-3.11	1.34	1.39
3	A	302[A]	EUK	CAB-SAC	-3.10	1.72	1.76
3	A	302[B]	EUK	CAO-CLS	3.05	1.80	1.73
3	A	302[B]	EUK	CAB-NAF	3.04	1.34	1.31
2	A	301	NAP	P2B-O2B	2.99	1.64	1.59
3	C	302[A]	EUK	CAO-CLS	2.97	1.80	1.73
2	D	301	NAP	C7N-N7N	2.95	1.38	1.33
3	A	302[B]	EUK	CAG-CAD	-2.92	1.34	1.39
3	C	302[A]	EUK	CAG-CAD	-2.90	1.34	1.39
2	A	301	NAP	C2A-N3A	2.84	1.39	1.33
3	C	302[A]	EUK	CAB-NAF	2.78	1.34	1.31
2	D	301	NAP	C4A-N9A	-2.76	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302[B]	EUK	CAJ-CAE	-2.74	1.35	1.40
2	D	301	NAP	O4D-C1D	2.73	1.44	1.40
3	C	302[B]	EUK	CAB-NAF	2.66	1.34	1.31
3	D	302[A]	EUK	CAJ-CAE	-2.65	1.35	1.40
2	C	301	NAP	PA-O3	2.63	1.62	1.59
3	A	302[A]	EUK	CAJ-CAE	-2.60	1.35	1.40
2	D	301	NAP	C8A-N7A	2.56	1.36	1.31
3	A	302[A]	EUK	CAB-NAF	2.55	1.34	1.31
2	C	301	NAP	C2A-N3A	2.54	1.38	1.33
3	A	302[B]	EUK	CAH-SAK	2.49	1.81	1.76
2	C	301	NAP	O4D-C1D	2.42	1.44	1.40
4	C	303	GOL	O3-C3	2.41	1.52	1.42
3	A	302[B]	EUK	CAJ-CAE	-2.37	1.36	1.40
3	B	302	EUK	CAN-CAO	2.36	1.42	1.38
2	D	301	NAP	C5A-C6A	2.36	1.47	1.41
3	C	302[A]	EUK	CAJ-CAE	-2.32	1.36	1.40
3	D	302[B]	EUK	CAH-SAK	2.31	1.81	1.76
3	A	302[A]	EUK	CAE-CAD	-2.27	1.36	1.40
2	A	301	NAP	C2A-N1A	2.24	1.37	1.33
3	C	302[B]	EUK	CAE-CAD	-2.24	1.36	1.40
2	D	301	NAP	C2B-C1B	2.24	1.58	1.53
2	D	301	NAP	C2N-N1N	2.23	1.37	1.35
2	A	301	NAP	O4D-C1D	2.23	1.43	1.40
3	B	302	EUK	CAE-NAF	-2.22	1.35	1.39
2	B	301	NAP	C4A-N3A	2.22	1.38	1.34
2	A	301	NAP	C2B-C1B	2.21	1.58	1.53
2	C	301	NAP	P2B-O2B	2.20	1.63	1.59
3	D	302[A]	EUK	CAB-NAF	2.20	1.33	1.31
3	C	302[A]	EUK	CAE-CAD	-2.20	1.36	1.40
3	D	302[B]	EUK	CAB-NAF	2.17	1.33	1.31
2	B	301	NAP	C8A-N7A	2.12	1.35	1.31
3	B	302	EUK	CAD-SAC	-2.08	1.70	1.74
3	A	302[A]	EUK	CAD-SAC	-2.03	1.70	1.74
3	D	302[A]	EUK	CAN-CAO	2.02	1.41	1.38
2	C	301	NAP	C7N-N7N	2.02	1.36	1.33

All (129) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	302[A]	EUK	SAC-CAB-NAF	-15.47	106.12	115.72
3	D	302[B]	EUK	SAC-CAB-NAF	-13.26	107.49	115.72
3	D	302[A]	EUK	CAD-SAC-CAB	12.48	94.79	88.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	302[B]	EUK	CAD-SAC-CAB	12.38	94.74	88.89
3	A	302[A]	EUK	SAC-CAB-NAF	-12.00	108.28	115.72
3	A	302[B]	EUK	SAC-CAB-NAF	-11.94	108.31	115.72
3	B	302	EUK	SAC-CAB-NAF	-11.69	108.47	115.72
3	C	302[B]	EUK	SAC-CAB-NAF	-11.31	108.70	115.72
3	C	302[A]	EUK	SAC-CAB-NAF	-10.61	109.14	115.72
3	D	302[A]	EUK	CAE-NAF-CAB	10.47	116.78	110.57
3	D	302[B]	EUK	CAE-NAF-CAB	10.36	116.72	110.57
3	A	302[B]	EUK	CAE-NAF-CAB	10.31	116.69	110.57
3	A	302[A]	EUK	CAD-SAC-CAB	9.04	93.16	88.89
3	C	302[A]	EUK	CAE-NAF-CAB	8.99	115.90	110.57
3	A	302[A]	EUK	CAE-NAF-CAB	8.93	115.86	110.57
3	B	302	EUK	CAE-NAF-CAB	8.77	115.77	110.57
3	C	302[B]	EUK	CAE-NAF-CAB	7.64	115.10	110.57
3	B	302	EUK	CAD-SAC-CAB	7.50	92.43	88.89
3	D	302[A]	EUK	SAC-CAB-NAA	7.23	127.99	120.13
3	C	302[B]	EUK	CAD-SAC-CAB	7.12	92.26	88.89
3	C	302[A]	EUK	CAD-SAC-CAB	6.89	92.15	88.89
3	A	302[B]	EUK	CAD-SAC-CAB	6.70	92.06	88.89
3	D	302[B]	EUK	SAC-CAB-NAA	6.59	127.29	120.13
2	A	301	NAP	C4A-N9A-C8A	6.28	112.33	105.74
2	D	301	NAP	C4A-N9A-C8A	5.75	111.78	105.74
3	C	302[B]	EUK	SAC-CAB-NAA	5.74	126.36	120.13
2	B	301	NAP	C4A-N9A-C8A	5.53	111.55	105.74
2	C	301	NAP	C2B-C1B-N9A	-5.44	104.80	113.75
3	A	302[A]	EUK	SAC-CAB-NAA	5.37	125.96	120.13
3	A	302[B]	EUK	SAC-CAB-NAA	5.00	125.56	120.13
2	C	301	NAP	C4A-N9A-C8A	4.98	110.97	105.74
2	D	301	NAP	C2B-C1B-N9A	-4.85	105.78	113.75
2	D	301	NAP	N3A-C2A-N1A	-4.62	121.58	128.58
2	A	301	NAP	C2B-C1B-N9A	-4.48	106.37	113.75
2	C	301	NAP	C3N-C7N-N7N	4.39	123.15	117.74
2	D	301	NAP	O7N-C7N-C3N	-4.36	114.26	119.60
3	C	302[A]	EUK	SAC-CAB-NAA	4.33	124.84	120.13
2	A	301	NAP	C4A-N9A-C1B	-4.26	116.66	126.63
2	A	301	NAP	N9A-C8A-N7A	-4.18	108.01	113.94
2	D	301	NAP	N9A-C8A-N7A	-4.11	108.11	113.94
3	A	302[A]	EUK	CAL-CAM-CAN	4.06	126.37	120.36
2	D	301	NAP	C4A-N9A-C1B	-3.93	117.43	126.63
3	B	302	EUK	SAC-CAB-NAA	3.91	124.38	120.13
2	B	301	NAP	C2B-C1B-N9A	-3.90	107.33	113.75
2	C	301	NAP	N3A-C4A-N9A	3.79	133.61	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	NAP	C5A-C4A-N3A	-3.78	121.51	126.72
2	D	301	NAP	O4B-C1B-N9A	3.78	115.34	108.09
3	B	302	EUK	NAA-CAB-NAF	3.74	127.07	124.13
2	B	301	NAP	C5N-C4N-C3N	-3.72	116.71	120.36
2	C	301	NAP	O2B-P2B-O1X	-3.68	96.20	109.33
2	B	301	NAP	O7N-C7N-C3N	-3.59	115.20	119.60
2	A	301	NAP	N3A-C4A-N9A	3.55	133.21	127.17
2	B	301	NAP	N3A-C4A-N9A	3.52	133.15	127.17
2	C	301	NAP	C4A-N9A-C1B	-3.49	118.46	126.63
3	A	302[A]	EUK	CAL-CAM-CAR	-3.46	114.31	120.85
2	B	301	NAP	C3N-C7N-N7N	3.45	121.99	117.74
2	A	301	NAP	C2N-C3N-C4N	3.33	122.13	118.26
2	C	301	NAP	O7N-C7N-C3N	-3.25	115.62	119.60
3	B	302	EUK	CAN-CAO-CLS	3.24	123.75	118.45
3	D	302[A]	EUK	CAL-CAM-CAN	3.23	125.15	120.36
2	C	301	NAP	N3A-C2A-N1A	-3.22	123.70	128.58
2	B	301	NAP	C4A-N9A-C1B	-3.18	119.19	126.63
2	A	301	NAP	N3A-C2A-N1A	-3.12	123.85	128.58
3	A	302[A]	EUK	CAN-CAO-CLS	3.08	123.50	118.45
2	A	301	NAP	O2B-P2B-O1X	-3.04	98.51	109.33
2	D	301	NAP	C2A-N1A-C6A	3.03	123.70	118.73
2	D	301	NAP	N3A-C4A-N9A	2.96	132.20	127.17
2	B	301	NAP	N9A-C8A-N7A	-2.95	109.75	113.94
2	D	301	NAP	C4A-C5A-N7A	-2.95	107.21	110.58
2	D	301	NAP	C5A-N7A-C8A	2.93	108.06	103.45
2	B	301	NAP	C4B-O4B-C1B	-2.93	102.99	109.47
2	C	301	NAP	N9A-C8A-N7A	-2.93	109.78	113.94
2	D	301	NAP	C6A-C5A-N7A	2.88	137.64	132.09
2	B	301	NAP	C5A-C4A-N3A	-2.86	122.78	126.72
2	D	301	NAP	C5A-C4A-N3A	-2.79	122.88	126.72
4	C	303	GOL	O3-C3-C2	2.78	122.90	110.38
2	B	301	NAP	O2A-PA-O1A	2.77	125.34	112.44
3	B	302	EUK	CAL-CAM-CAN	2.74	124.42	120.36
2	B	301	NAP	C2A-N1A-C6A	2.73	123.22	118.73
2	C	301	NAP	C2A-N1A-C6A	2.72	123.20	118.73
2	A	301	NAP	C5A-C4A-N3A	-2.70	123.00	126.72
3	C	302[B]	EUK	CAJ-CAI-CAH	-2.68	117.40	120.48
2	A	301	NAP	C5N-C4N-C3N	-2.67	117.74	120.36
2	C	301	NAP	C5N-C6N-N1N	-2.67	116.75	120.38
2	C	301	NAP	O4B-C1B-N9A	2.66	113.21	108.09
3	A	302[A]	EUK	CAJ-CAI-CAH	-2.64	117.44	120.48
2	A	301	NAP	C5A-N7A-C8A	2.63	107.59	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	NAP	O4B-C1B-N9A	2.62	113.12	108.09
2	A	301	NAP	C6A-C5A-N7A	2.61	137.13	132.09
3	D	302[A]	EUK	CAJ-CAI-CAH	-2.55	117.54	120.48
3	C	302[A]	EUK	CAL-CAM-CAN	2.53	124.11	120.36
3	A	302[B]	EUK	NAA-CAB-NAF	2.53	126.12	124.13
2	C	301	NAP	C2A-N3A-C4A	2.53	118.02	111.83
3	D	302[A]	EUK	CAN-CAO-CLS	2.52	122.58	118.45
2	D	301	NAP	C2A-N3A-C4A	2.50	117.93	111.83
3	D	302[B]	EUK	CAJ-CAI-CAH	-2.49	117.61	120.48
2	A	301	NAP	C2A-N3A-C4A	2.48	117.89	111.83
2	D	301	NAP	O2B-P2B-O1X	-2.44	100.65	109.33
2	B	301	NAP	C6N-C5N-C4N	2.41	122.93	119.45
2	B	301	NAP	N3A-C2A-N1A	-2.41	124.94	128.58
3	C	302[A]	EUK	NAA-CAB-NAF	2.39	126.01	124.13
2	C	301	NAP	N6A-C6A-N1A	2.36	123.64	118.38
2	D	301	NAP	O7N-C7N-N7N	2.35	126.02	122.62
3	C	302[B]	EUK	CAN-CAO-CLS	2.28	122.18	118.45
3	C	302[A]	EUK	CAL-CAM-CAR	-2.26	116.58	120.85
3	B	302	EUK	CAP-CAO-CLS	-2.24	115.60	120.84
3	A	302[A]	EUK	CAM-CAL-SAK	2.23	119.51	110.67
3	A	302[B]	EUK	CAO-CAN-CAM	2.22	121.90	120.46
3	D	302[A]	EUK	NAA-CAB-NAF	2.22	125.88	124.13
3	B	302	EUK	CAL-CAM-CAR	-2.22	116.67	120.85
3	D	302[A]	EUK	CAL-CAM-CAR	-2.20	116.70	120.85
4	C	303	GOL	O2-C2-C1	-2.16	100.25	109.18
2	D	301	NAP	O2A-PA-O1A	2.14	122.41	112.44
2	A	301	NAP	O2X-P2B-O1X	2.13	119.15	110.83
3	C	302[A]	EUK	CAJ-CAI-CAH	-2.13	118.02	120.48
2	B	301	NAP	C4A-C5A-N7A	-2.11	108.17	110.58
3	A	302[B]	EUK	CAL-SAK-CAH	2.11	107.27	103.08
2	B	301	NAP	C6A-C5A-N7A	2.10	136.13	132.09
2	B	301	NAP	O2B-P2B-O1X	-2.10	101.87	109.33
3	A	302[A]	EUK	NAA-CAB-NAF	2.07	125.76	124.13
2	C	301	NAP	C4A-C5A-N7A	-2.05	108.24	110.58
3	B	302	EUK	CAO-CAN-CAM	-2.03	119.15	120.46
3	A	302[B]	EUK	CAJ-CAI-CAH	-2.03	118.14	120.48
2	A	301	NAP	C4A-C5A-N7A	-2.03	108.26	110.58
2	A	301	NAP	O2A-PA-O1A	2.03	121.88	112.44
3	D	302[B]	EUK	CAG-CAD-SAC	2.02	131.12	126.07
2	C	301	NAP	O3X-P2B-O2X	2.02	115.39	107.80
3	B	302	EUK	CAJ-CAI-CAH	-2.01	118.16	120.48
2	C	301	NAP	C6A-C5A-N7A	2.00	135.95	132.09

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	303	GOL	C1-C2-C3-O3
4	C	303	GOL	O2-C2-C3-O3
4	B	306	GOL	C1-C2-C3-O3
4	B	306	GOL	O2-C2-C3-O3
3	C	302[B]	EUK	SAK-CAL-CAM-CAR
3	D	302[B]	EUK	SAK-CAL-CAM-CAR
3	D	302[A]	EUK	SAK-CAL-CAM-CAN
3	A	302[B]	EUK	SAK-CAL-CAM-CAR
3	C	302[A]	EUK	SAK-CAL-CAM-CAN
3	D	302[B]	EUK	SAK-CAL-CAM-CAN
3	C	302[B]	EUK	SAK-CAL-CAM-CAN
3	D	302[A]	EUK	SAK-CAL-CAM-CAR
3	A	302[B]	EUK	SAK-CAL-CAM-CAN
3	C	302[A]	EUK	SAK-CAL-CAM-CAR
3	B	302	EUK	SAK-CAL-CAM-CAN
3	A	302[A]	EUK	SAK-CAL-CAM-CAN
3	B	302	EUK	SAK-CAL-CAM-CAR
3	A	302[A]	EUK	SAK-CAL-CAM-CAR
3	A	302[B]	EUK	CAI-CAH-SAK-CAL
3	C	302[B]	EUK	CAI-CAH-SAK-CAL
3	D	302[A]	EUK	CAI-CAH-SAK-CAL
3	D	302[A]	EUK	CAG-CAH-SAK-CAL
3	A	302[B]	EUK	CAG-CAH-SAK-CAL
3	B	302	EUK	CAI-CAH-SAK-CAL
3	B	302	EUK	CAG-CAH-SAK-CAL
3	C	302[B]	EUK	CAG-CAH-SAK-CAL
3	A	302[A]	EUK	CAI-CAH-SAK-CAL
3	A	302[A]	EUK	CAG-CAH-SAK-CAL
3	D	302[B]	EUK	CAG-CAH-SAK-CAL
3	D	302[B]	EUK	CAI-CAH-SAK-CAL

There are no ring outliers.

8 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	301	NAP	1	0
5	B	304	ACT	1	0
3	D	302[A]	EUK	2	0
3	A	302[A]	EUK	1	0
3	B	302	EUK	1	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	NAP	2	0
4	B	305	GOL	1	0
3	C	302[A]	EUK	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand EUK D 302 (B)








Ligand EUK A 302 (A)

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	251/288 (87%)	-0.07	7 (2%)	55	61	7, 17, 33, 56	14 (5%)
1	B	252/288 (87%)	-0.26	7 (2%)	55	61	7, 15, 32, 53	9 (3%)
1	C	251/288 (87%)	-0.07	8 (3%)	50	56	6, 17, 38, 60	13 (5%)
1	D	250/288 (86%)	-0.15	5 (2%)	65	71	7, 16, 32, 50	19 (7%)
All	All	1004/1152 (87%)	-0.14	27 (2%)	56	62	6, 17, 34, 60	55 (5%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	211	VAL	5.3
1	B	212	ALA	5.0
1	C	151	SER	4.2
1	B	210	PRO	4.0
1	C	212	ALA	3.3
1	D	2	GLU	3.0
1	C	113	GLY	2.8
1	C	2	GLU	2.8
1	D	104	GLN	2.7
1	C	104	GLN	2.7
1	A	143	LYS	2.6
1	B	104	GLN	2.6
1	C	221	TRP	2.6
1	A	113	GLY	2.6
1	B	2	GLU	2.4
1	D	211	VAL	2.4
1	B	151	SER	2.4
1	A	104	GLN	2.2
1	D	113	GLY	2.2
1	A	212	ALA	2.1
1	A	53	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	152	SER	2.1
1	C	103	VAL	2.1
1	D	195	TYR	2.1
1	A	152	SER	2.0
1	B	113	GLY	2.0
1	A	195	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	B	306	6/6	0.80	0.18	39,46,49,51	0
4	GOL	C	303	6/6	0.84	0.15	26,36,40,46	0
3	EUK	A	302[A]	20/20	0.85	0.14	30,35,46,50	20
3	EUK	A	302[B]	20/20	0.85	0.14	18,24,51,56	20
4	GOL	A	303	6/6	0.87	0.13	30,35,40,42	0
4	GOL	B	305	6/6	0.91	0.11	28,43,48,53	0
3	EUK	C	302[A]	20/20	0.92	0.11	21,24,48,52	20
3	EUK	C	302[B]	20/20	0.92	0.11	29,31,49,51	20
3	EUK	D	302[A]	20/20	0.94	0.10	18,25,42,43	20
3	EUK	D	302[B]	20/20	0.94	0.10	22,29,53,56	20
3	EUK	B	302	20/20	0.94	0.11	20,29,65,74	0
5	ACT	B	304	4/4	0.94	0.14	28,28,28,30	0
5	ACT	B	303	4/4	0.96	0.07	21,21,22,23	0
2	NAP	C	301	48/48	0.96	0.07	16,20,22,25	0
2	NAP	A	301	48/48	0.97	0.06	15,18,20,22	0
2	NAP	D	301	48/48	0.98	0.05	12,17,20,22	0
2	NAP	B	301	48/48	0.98	0.05	12,16,19,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around EUK A 302 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EUK C 302 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EUK C 302 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EUK D 302 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EUK D 302 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EUK B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.