



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:25 PM UTC

PDB ID : 8GEQ / pdb_00008geq
Title : E. eligens beta-glucuronidase bound to ceritinib-glucuronide
Authors : Simpson, J.B.; Kowalewski, M.K.; Redinbo, M.R.
Deposited on : 2023-03-07
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	614	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4785 atoms, of which 33 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Beta-glucuronidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	591	Total	C	N	O	S	0	0	0
			4702	2994	782	905	21			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP A0A174ZZA3
A	-1	ASN	-	expression tag	UNP A0A174ZZA3
A	0	ALA	-	expression tag	UNP A0A174ZZA3
A	120	ASP	HIS	conflict	UNP A0A174ZZA3

- Molecule 2 is 4-amino-5-chloro-2-{4-(1-beta-D-glucopyranuronosyl)piperidin-4-yl)-5-methyl-2-[(propan-2-yl)oxy]anilino}pyrimidine (CCD ID: ZFW) (formula: C₂₅H₃₄ClN₅O₇) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	H	N	O	0	0
			71	25	1	33	5	7		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	12	Total	O	0	0
			12	12		

4 Data and refinement statistics

Property	Value	Source
Space group	P 64 2 2	Depositor
Cell constants a, b, c, α , β , γ	179.73Å 179.73Å 134.54Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.93 – 2.75 44.93 – 2.75	Depositor EDS
% Data completeness (in resolution range)	100.0 (44.93-2.75) 99.9 (44.93-2.75)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.00 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158, PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.215 , 0.253 0.215 , 0.253	Depositor DCC
R_{free} test set	2000 reflections (5.92%)	wwPDB-VP
Wilson B-factor (Å ²)	69.1	Xtriage
Anisotropy	0.329	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 38.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4785	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZFW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/4822	0.59	0/6549

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4702	0	4442	176	0
2	A	38	33	0	0	0
3	A	12	0	0	1	0
All	All	4752	33	4442	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:419:MET:HE1	1:A:475:VAL:HB	1.37	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ARG:HE	1:A:188:THR:HG22	1.29	0.97
1:A:65:TRP:CH2	1:A:95:MET:HE2	2.03	0.94
1:A:419:MET:HE2	1:A:455:THR:HB	1.56	0.85
1:A:27:LYS:O	1:A:31:GLU:HG3	1.84	0.76
1:A:231:VAL:HG22	1:A:251:PHE:HZ	1.49	0.76
1:A:438:LYS:HE3	1:A:442:ASP:OD2	1.85	0.76
1:A:215:TYR:CE2	1:A:231:VAL:HG11	2.24	0.73
1:A:364:GLU:HB2	1:A:421:SER:HB3	1.74	0.70
1:A:447:LEU:O	1:A:449:PRO:HD3	1.92	0.70
1:A:522:VAL:HB	1:A:525:LEU:HD12	1.74	0.69
1:A:192:TYR:HE1	1:A:194:ASN:HB2	1.58	0.69
1:A:448:ASP:OD2	1:A:452:ARG:HB2	1.93	0.69
1:A:35:GLU:HG3	1:A:100:GLY:HA3	1.74	0.68
1:A:82:ARG:C	1:A:83:ILE:HD13	2.21	0.65
1:A:7:THR:HG23	1:A:10:ARG:H	1.61	0.65
1:A:192:TYR:O	1:A:219:ILE:HG23	1.98	0.64
1:A:90:VAL:HG11	1:A:94:ALA:HB2	1.80	0.63
1:A:11:LEU:HD12	1:A:187:THR:OG1	1.98	0.63
1:A:192:TYR:CE1	1:A:194:ASN:HB2	2.33	0.63
1:A:419:MET:HE1	1:A:475:VAL:CB	2.23	0.62
1:A:38:LEU:CD1	1:A:69:GLN:HB2	2.29	0.62
1:A:456:LEU:HD12	1:A:456:LEU:C	2.24	0.62
1:A:235:ASP:HB2	1:A:265:TYR:OH	2.00	0.61
1:A:1:MET:HE1	1:A:114:GLU:HG2	1.80	0.61
1:A:90:VAL:O	1:A:109:GLY:HA2	2.01	0.61
1:A:419:MET:CE	1:A:475:VAL:HB	2.24	0.60
1:A:236:GLU:HG2	1:A:265:TYR:CZ	2.36	0.60
1:A:38:LEU:HD11	1:A:69:GLN:HB2	1.83	0.60
1:A:434:TYR:CE2	1:A:472:LEU:HD21	2.37	0.60
1:A:122:GLN:HG2	1:A:122:GLN:O	2.02	0.59
1:A:230:LYS:HE3	1:A:243:GLU:OE2	2.01	0.59
1:A:443:LEU:HD12	1:A:443:LEU:O	2.03	0.59
1:A:7:THR:HG22	1:A:10:ARG:HB2	1.84	0.58
1:A:215:TYR:CZ	1:A:231:VAL:HG11	2.37	0.58
1:A:128:LEU:HD12	1:A:129:THR:N	2.19	0.57
1:A:169:PRO:HB3	1:A:171:PHE:CZ	2.39	0.57
1:A:319:ILE:HD11	1:A:321:LEU:HD11	1.86	0.57
1:A:371:ASN:HA	1:A:427:ASP:HB2	1.85	0.57
1:A:93:TYR:OH	1:A:105:GLU:OE1	2.22	0.57
1:A:334:GLN:HA	1:A:597:ARG:HG3	1.85	0.57
1:A:422:ILE:HG12	1:A:455:THR:O	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:PRO:HA	1:A:69:GLN:OE1	2.05	0.56
1:A:522:VAL:HB	1:A:525:LEU:CD1	2.36	0.55
1:A:38:LEU:N	1:A:69:GLN:OE1	2.37	0.55
1:A:219:ILE:HG22	1:A:220:LYS:H	1.70	0.55
1:A:351:MET:HA	1:A:351:MET:HE2	1.89	0.55
1:A:340:ARG:NH1	1:A:364:GLU:OE1	2.35	0.54
1:A:203:ASP:OD1	1:A:205:THR:OG1	2.25	0.54
1:A:445:ARG:O	1:A:451:LYS:HE3	2.07	0.54
1:A:47:PRO:O	1:A:48:ALA:HB2	2.08	0.54
1:A:181:ARG:HB3	1:A:182:PRO:CD	2.38	0.54
1:A:189:PRO:HG3	1:A:275:GLN:O	2.08	0.54
1:A:332:LYS:HE3	1:A:357:GLU:OE1	2.08	0.53
1:A:10:ARG:NE	1:A:188:THR:HG22	2.11	0.53
1:A:25:ASN:ND2	1:A:27:LYS:HG3	2.24	0.53
1:A:419:MET:HE2	1:A:455:THR:CB	2.34	0.53
1:A:385:ILE:HG22	1:A:386:GLY:O	2.09	0.53
1:A:7:THR:HG23	1:A:10:ARG:N	2.24	0.52
1:A:84:VAL:CG2	1:A:186:TYR:HE1	2.22	0.52
1:A:101:LYS:O	1:A:103:ILE:HG23	2.08	0.52
1:A:98:LEU:HD11	1:A:126:ASN:HB3	1.90	0.52
1:A:88:ALA:O	1:A:89:ALA:HB2	2.09	0.52
1:A:521:THR:OG1	1:A:538:GLN:HB2	2.10	0.52
1:A:241:LEU:HD22	1:A:241:LEU:N	2.25	0.52
1:A:69:GLN:HG2	1:A:127:LEU:HD11	1.91	0.51
1:A:532:MET:O	1:A:533:TYR:HB2	2.10	0.51
1:A:370:VAL:O	1:A:387:THR:HG23	2.10	0.51
1:A:84:VAL:HG21	1:A:114:GLU:OE1	2.11	0.51
1:A:69:GLN:O	1:A:70:ARG:HB2	2.09	0.51
1:A:338:SER:HA	1:A:360:VAL:O	2.10	0.51
1:A:7:THR:HG23	1:A:9:SER:H	1.76	0.50
1:A:271:VAL:HG12	1:A:271:VAL:O	2.10	0.50
1:A:212:VAL:HG23	1:A:251:PHE:O	2.11	0.50
1:A:10:ARG:NH1	1:A:278:TYR:HD2	2.10	0.49
1:A:54:LYS:HG3	1:A:59:PHE:CZ	2.47	0.49
1:A:373:GLN:HA	1:A:384:ARG:HH22	1.77	0.48
1:A:90:VAL:CG1	1:A:94:ALA:HB2	2.43	0.48
1:A:10:ARG:HH11	1:A:278:TYR:HD2	1.62	0.48
1:A:479:ASN:CG	1:A:516:GLU:HB2	2.39	0.48
1:A:484:TRP:CZ2	1:A:520:ASP:HB2	2.48	0.48
1:A:195:ASP:O	1:A:196:ILE:HG13	2.14	0.48
1:A:352:ARG:NH1	3:A:801:HOH:O	2.47	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:HIS:ND1	1:A:113:PHE:HB3	2.29	0.48
1:A:219:ILE:HG22	1:A:220:LYS:N	2.28	0.48
1:A:83:ILE:HD12	1:A:187:THR:HG22	1.96	0.47
1:A:305:GLY:HA3	1:A:338:SER:O	2.13	0.47
1:A:561:TRP:HA	1:A:562:ASN:HA	1.69	0.47
1:A:83:ILE:HD13	1:A:83:ILE:N	2.30	0.47
1:A:102:LEU:C	1:A:102:LEU:HD23	2.39	0.47
1:A:84:VAL:CG2	1:A:186:TYR:CE1	2.98	0.47
1:A:85:LEU:HD11	1:A:183:VAL:HG13	1.97	0.47
1:A:457:VAL:HG13	1:A:515:THR:OG1	2.15	0.46
1:A:352:ARG:NH1	1:A:352:ARG:HG2	2.29	0.46
1:A:371:ASN:OD1	1:A:373:GLN:HG3	2.16	0.46
1:A:562:ASN:OD1	1:A:563:PHE:N	2.48	0.46
1:A:7:THR:CG2	1:A:10:ARG:H	2.26	0.46
1:A:11:LEU:HD12	1:A:11:LEU:H	1.81	0.46
1:A:272:THR:HG23	1:A:277:VAL:HG22	1.98	0.46
1:A:295:LEU:HA	1:A:299:LYS:O	2.15	0.45
1:A:15:LEU:HD12	1:A:183:VAL:HG12	1.97	0.45
1:A:91:THR:HA	1:A:92:HIS:HA	1.72	0.45
1:A:215:TYR:HD1	1:A:216:ASN:N	2.14	0.45
1:A:44:MET:HB2	1:A:44:MET:HE2	1.73	0.45
1:A:122:GLN:O	1:A:123:ASP:C	2.59	0.45
1:A:38:LEU:HG	1:A:69:GLN:CD	2.42	0.45
1:A:10:ARG:NH1	1:A:278:TYR:CD2	2.85	0.45
1:A:107:LYS:NZ	1:A:139:THR:O	2.39	0.45
1:A:303:PHE:HB2	1:A:557:GLY:HA3	1.98	0.45
1:A:397:GLN:NE2	1:A:436:TYR:O	2.46	0.45
1:A:278:TYR:CE1	1:A:279:THR:O	2.70	0.44
1:A:381:GLY:C	1:A:383:GLU:H	2.25	0.44
1:A:521:THR:HG21	1:A:535:GLU:HA	2.00	0.44
1:A:70:ARG:HG2	1:A:71:ASN:N	2.32	0.44
1:A:10:ARG:HE	1:A:188:THR:CG2	2.13	0.44
1:A:195:ASP:C	1:A:196:ILE:HG13	2.42	0.44
1:A:312:THR:HG21	1:A:323:MET:HG2	2.00	0.44
1:A:181:ARG:HB3	1:A:182:PRO:HD3	2.00	0.44
1:A:288:ARG:O	1:A:295:LEU:HB2	2.16	0.44
1:A:207:GLU:O	1:A:209:PRO:HD3	2.18	0.44
1:A:268:LYS:HB2	1:A:268:LYS:HE3	1.88	0.44
1:A:334:GLN:HG3	1:A:597:ARG:HB2	1.99	0.44
1:A:111:LEU:HD23	1:A:111:LEU:HA	1.60	0.43
1:A:258:LEU:HD23	1:A:258:LEU:HA	1.80	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:GLN:O	1:A:398:GLU:C	2.62	0.43
1:A:370:VAL:O	1:A:387:THR:CG2	2.66	0.43
1:A:128:LEU:HD12	1:A:128:LEU:C	2.43	0.43
1:A:230:LYS:HB3	1:A:272:THR:HB	2.00	0.43
1:A:313:PHE:HA	1:A:314:PRO:HA	1.82	0.43
1:A:215:TYR:CE2	1:A:249:GLY:HA3	2.53	0.43
1:A:296:ILE:HD12	1:A:301:PHE:CG	2.54	0.43
1:A:15:LEU:HB2	1:A:183:VAL:O	2.18	0.43
1:A:81:GLN:OE1	1:A:189:PRO:HA	2.19	0.43
1:A:212:VAL:O	1:A:212:VAL:HG13	2.18	0.43
1:A:341:THR:HA	1:A:346:TYR:CZ	2.54	0.43
1:A:25:ASN:HD21	1:A:27:LYS:HG3	1.83	0.42
1:A:3:TYR:CD2	1:A:352:ARG:HD2	2.54	0.42
1:A:231:VAL:HG22	1:A:251:PHE:CZ	2.40	0.42
1:A:304:LYS:HG2	1:A:600:TRP:CD1	2.54	0.42
1:A:65:TRP:CZ3	1:A:95:MET:HE2	2.51	0.42
1:A:334:GLN:O	1:A:335:HIS:HB2	2.18	0.42
1:A:193:ILE:HD12	1:A:276:ASP:OD2	2.20	0.42
1:A:215:TYR:CD1	1:A:216:ASN:N	2.87	0.42
1:A:371:ASN:HB3	1:A:374:PHE:CE2	2.54	0.42
1:A:400:HIS:O	1:A:400:HIS:HD2	2.02	0.42
1:A:526:HIS:HA	1:A:536:GLU:OE1	2.20	0.42
1:A:574:ARG:HD3	1:A:574:ARG:HA	1.89	0.42
1:A:82:ARG:CZ	1:A:192:TYR:CE2	3.03	0.42
1:A:261:PRO:O	1:A:262:LEU:HB2	2.20	0.42
1:A:117:LEU:O	1:A:118:ASN:C	2.62	0.42
1:A:304:LYS:HE3	1:A:304:LYS:HB2	1.74	0.42
1:A:456:LEU:HD12	1:A:456:LEU:O	2.20	0.42
1:A:459:VAL:HG22	1:A:460:GLN:N	2.35	0.42
1:A:53:LEU:C	1:A:54:LYS:HG2	2.44	0.42
1:A:88:ALA:CB	1:A:182:PRO:HD2	2.49	0.42
1:A:250:THR:CG2	1:A:251:PHE:N	2.83	0.42
1:A:84:VAL:HG13	1:A:186:TYR:CD1	2.55	0.41
1:A:230:LYS:N	1:A:272:THR:O	2.50	0.41
1:A:352:ARG:O	1:A:355:ASP:HB2	2.20	0.41
1:A:512:VAL:O	1:A:555:VAL:HA	2.21	0.41
1:A:10:ARG:HB3	1:A:187:THR:O	2.21	0.41
1:A:14:ASP:HA	1:A:184:LYS:HG2	2.02	0.41
1:A:0:ALA:C	1:A:1:MET:HG2	2.46	0.41
1:A:7:THR:HG21	1:A:10:ARG:CD	2.50	0.41
1:A:15:LEU:HD12	1:A:183:VAL:CG1	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:319:ILE:HG12	1:A:321:LEU:CD1	2.50	0.41
1:A:353:LEU:HD23	1:A:357:GLU:HG2	2.02	0.41
1:A:202:ILE:HG21	1:A:204:PHE:CZ	2.56	0.41
1:A:84:VAL:HG22	1:A:186:TYR:HE1	1.86	0.41
1:A:456:LEU:C	1:A:456:LEU:CD1	2.92	0.41
1:A:609:LYS:H	1:A:609:LYS:HG3	1.69	0.41
1:A:77:TYR:CD1	1:A:77:TYR:C	2.99	0.41
1:A:342:SER:HB3	1:A:343:HIS:CE1	2.55	0.41
1:A:234:PHE:HA	1:A:241:LEU:CD2	2.51	0.41
1:A:84:VAL:HG21	1:A:186:TYR:HE1	1.85	0.40
1:A:7:THR:CG2	1:A:10:ARG:N	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	585/614 (95%)	535 (92%)	45 (8%)	5 (1%)	14	28

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	48	ALA
1	A	89	ALA
1	A	123	ASP
1	A	216	ASN
1	A	227	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	502/533 (94%)	482 (96%)	20 (4%)	28 50

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	SER
1	A	84	VAL
1	A	125	ASP
1	A	139	THR
1	A	231	VAL
1	A	232	GLU
1	A	239	THR
1	A	245	GLU
1	A	272	THR
1	A	277	VAL
1	A	280	LEU
1	A	306	TYR
1	A	342	SER
1	A	370	VAL
1	A	384	ARG
1	A	404	ILE
1	A	445	ARG
1	A	456	LEU
1	A	517	TYR
1	A	609	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	335	HIS
1	A	395	GLN
1	A	424	ASN
1	A	538	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ZFW	A	701	-	40,41,41	2.84	16 (40%)	54,60,60	4.46	28 (51%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZFW	A	701	-	-	7/20/50/50	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	ZFW	C08-C10	9.35	1.51	1.40
2	A	701	ZFW	C04-N05	6.24	1.49	1.36
2	A	701	ZFW	C02-N01	5.10	1.47	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	ZFW	C09-C08	4.96	1.60	1.51
2	A	701	ZFW	O18-C19	4.25	1.51	1.43
2	A	701	ZFW	O31-C30	4.17	1.44	1.37
2	A	701	ZFW	O18-C17	3.72	1.50	1.42
2	A	701	ZFW	C06-N05	3.27	1.48	1.39
2	A	701	ZFW	C16-C15	3.27	1.61	1.52
2	A	701	ZFW	C13-N14	2.99	1.52	1.47
2	A	701	ZFW	C15-N14	2.99	1.52	1.47
2	A	701	ZFW	C37-CL38	2.93	1.80	1.73
2	A	701	ZFW	C12-C13	2.88	1.60	1.52
2	A	701	ZFW	C21-C20	-2.83	1.45	1.52
2	A	701	ZFW	C16-C11	-2.58	1.46	1.53
2	A	701	ZFW	O27-C26	2.04	1.28	1.22

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	ZFW	C16-C11-C10	-20.82	72.10	112.25
2	A	701	ZFW	C08-C10-C11	-13.55	108.88	121.15
2	A	701	ZFW	C21-C22-C17	8.74	122.89	108.94
2	A	701	ZFW	C29-C10-C11	6.16	131.53	120.42
2	A	701	ZFW	C04-N03-C02	5.68	121.20	116.59
2	A	701	ZFW	N35-C04-N03	-5.64	120.97	126.42
2	A	701	ZFW	O31-C30-C06	5.28	120.49	114.51
2	A	701	ZFW	C29-C10-C08	-5.11	114.75	119.01
2	A	701	ZFW	O23-C22-C21	-5.03	98.52	110.38
2	A	701	ZFW	C02-C37-CL38	4.56	122.78	119.70
2	A	701	ZFW	O18-C19-C20	3.81	117.00	109.48
2	A	701	ZFW	C15-N14-C13	3.64	116.06	109.13
2	A	701	ZFW	C36-N35-C04	3.58	120.72	115.81
2	A	701	ZFW	C09-C08-C07	-3.38	113.61	119.57
2	A	701	ZFW	O24-C21-C22	-3.26	102.70	110.38
2	A	701	ZFW	C06-N05-C04	-3.05	119.90	129.22
2	A	701	ZFW	C16-C15-N14	3.04	116.11	111.42
2	A	701	ZFW	C37-C36-N35	-3.03	120.45	122.78
2	A	701	ZFW	C13-C12-C11	-2.95	107.55	111.00
2	A	701	ZFW	C16-C11-C12	2.90	115.98	109.68
2	A	701	ZFW	C36-C37-C02	-2.78	117.00	119.84
2	A	701	ZFW	O25-C20-C19	-2.57	103.88	109.76
2	A	701	ZFW	C15-C16-C11	-2.57	107.99	111.00
2	A	701	ZFW	O31-C30-C29	-2.50	118.26	123.87
2	A	701	ZFW	C21-C20-C19	-2.36	105.25	109.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	ZFW	C09-C08-C10	2.34	125.58	122.40
2	A	701	ZFW	C07-C08-C10	2.16	120.28	118.82
2	A	701	ZFW	C12-C13-N14	2.10	114.66	111.42

There are no chirality outliers.


All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	ZFW	C22-C17-N14-C13
2	A	701	ZFW	O18-C17-N14-C13
2	A	701	ZFW	C06-C30-O31-C32
2	A	701	ZFW	C33-C32-O31-C30
2	A	701	ZFW	C29-C10-C11-C12
2	A	701	ZFW	C29-C30-O31-C32
2	A	701	ZFW	C29-C10-C11-C16

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	591/614 (96%)	0.45	41 (6%) 23 22	35, 67, 105, 124	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	147	ALA	5.2
1	A	224	TYR	5.0
1	A	165	PRO	4.9
1	A	609	LYS	4.9
1	A	275	GLN	4.3
1	A	76	GLU	3.4
1	A	220	LYS	3.4
1	A	77	TYR	3.3
1	A	207	GLU	3.2
1	A	11	LEU	3.1
1	A	378	ALA	3.1
1	A	-1	ASN	3.0
1	A	116	GLU	2.9
1	A	126	ASN	2.9
1	A	39	LYS	2.9
1	A	78	VAL	2.8
1	A	13	SER	2.7
1	A	195	ASP	2.7
1	A	228	THR	2.6
1	A	102	LEU	2.5
1	A	376	GLY	2.5
1	A	36	LYS	2.5
1	A	8	GLN	2.4
1	A	370	VAL	2.4
1	A	380	PHE	2.4
1	A	225	ASN	2.4
1	A	124	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	253	ILE	2.2
1	A	191	THR	2.2
1	A	237	GLU	2.2
1	A	125	ASP	2.2
1	A	196	ILE	2.2
1	A	79	LYS	2.2
1	A	6	LEU	2.2
1	A	252	GLU	2.1
1	A	73	SER	2.1
1	A	375	GLY	2.1
1	A	59	PHE	2.1
1	A	9	SER	2.1
1	A	247	SER	2.0
1	A	385	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZFW	A	701	38/38	0.81	0.17	49,87,126,144	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.