



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:20 AM UTC

PDB ID : 1GFY / pdb_00001gfy
Title : RESIDUE 259 IS A KEY DETERMINANT OF SUBSTRATE SPECIFICITY
OF PROTEIN-TYROSINE PHOSPHATASE 1B AND ALPHA
Authors : Iversen, L.F.
Deposited on : 2000-06-26
Resolution : 2.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	298	 56% 34% 8% ..

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2644 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN (PROTEIN-TYROSINE PHOSPHATASE 1B).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	0	0
			2417	1530	416	455	16			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	VAL	ARG	engineered mutation	UNP P18031
A	48	ASN	ASP	engineered mutation	UNP P18031
A	151	THR	SER	conflict	UNP P18031
A	252	ASP	GLU	conflict	UNP P18031
A	258	CYS	MET	engineered mutation	UNP P18031
A	259	GLN	GLY	engineered mutation	UNP P18031

- Molecule 2 is 2-(OXALYL-AMINO)-4,7-DIHYDRO-5H-THIENO[2,3-C]THIOPYRAN-3-CARBOXYLIC ACID (CCD ID: COL) (formula: C₁₀H₉NO₅S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			18	10	1	5	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	209	Total	O	0	0
			209	209		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PROTEIN (PROTEIN-TYROSINE PHOSPHATASE 1B)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	88.19Å 88.19Å 103.73Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	6.00 – 2.13	Depositor
% Data completeness (in resolution range)	100.0 (6.00-2.13)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.191 , 0.250	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2644	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: COL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.78	35/2472 (1.4%)	2.14	86/3334 (2.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	205	SER	CB-OG	9.38	1.60	1.42
1	A	25	HIS	CG-CD2	7.71	1.44	1.35
1	A	125	TRP	C-N	7.38	1.42	1.33
1	A	292	LYS	CA-C	7.21	1.61	1.52
1	A	212	VAL	CA-C	6.88	1.60	1.53
1	A	194	PHE	CA-C	6.66	1.61	1.52
1	A	152	TYR	CA-C	6.56	1.61	1.52
1	A	25	HIS	CE1-NE2	6.51	1.39	1.32
1	A	94	HIS	CG-ND1	-6.38	1.31	1.38
1	A	21	GLN	CG-CD	6.29	1.67	1.52
1	A	37	LEU	CA-C	6.26	1.59	1.53
1	A	281	ILE	CA-C	6.14	1.60	1.52
1	A	51	PRO	CA-CB	6.13	1.61	1.53
1	A	130	GLU	CA-C	6.11	1.61	1.52
1	A	39	LYS	CA-C	6.10	1.61	1.52
1	A	27	ALA	CA-C	5.99	1.60	1.52
1	A	75	GLU	CA-C	5.72	1.60	1.52
1	A	285	SER	CB-OG	5.66	1.53	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	78	GLN	CA-C	5.63	1.60	1.53
1	A	99	VAL	CA-C	5.62	1.59	1.52
1	A	297	GLU	CA-C	5.58	1.60	1.52
1	A	161	GLU	CA-C	5.57	1.59	1.52
1	A	23	ILE	CA-C	5.54	1.59	1.52
1	A	156	ARG	CD-NE	5.46	1.53	1.46
1	A	232	LEU	CA-C	5.42	1.60	1.52
1	A	277	GLY	CA-C	5.41	1.58	1.52
1	A	214	HIS	CA-C	5.36	1.59	1.52
1	A	130	GLU	N-CA	5.33	1.53	1.46
1	A	228	ALA	CA-C	5.33	1.59	1.52
1	A	131	LYS	CA-C	5.31	1.60	1.53
1	A	184	VAL	CA-C	-5.22	1.48	1.52
1	A	296	HIS	CG-CD2	5.20	1.41	1.35
1	A	246	ILE	N-CA	5.16	1.52	1.46
1	A	171	ILE	CA-CB	5.10	1.60	1.54
1	A	72	ILE	CA-C	5.08	1.58	1.53

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	25	HIS	CA-CB-CG	-11.58	102.22	113.80
1	A	238	ARG	NE-CZ-NH2	-10.64	109.62	119.20
1	A	205	SER	CB-CA-C	10.38	123.81	108.86
1	A	56	ARG	NE-CZ-NH2	-10.17	110.05	119.20
1	A	182	PHE	CA-CB-CG	-9.45	104.35	113.80
1	A	56	ARG	NE-CZ-NH1	8.92	130.42	121.50
1	A	91	THR	CA-CB-OG1	-8.50	96.85	109.60
1	A	21	GLN	CB-CG-CD	8.20	126.54	112.60
1	A	118	SER	CA-CB-OG	-8.09	94.91	111.10
1	A	208	HIS	CA-CB-CG	-8.01	105.79	113.80
1	A	257	ARG	CD-NE-CZ	8.00	135.60	124.40
1	A	151	THR	CB-CA-C	-7.90	93.79	109.67
1	A	162	ASN	CB-CA-C	7.83	123.84	110.77
1	A	120	LYS	CG-CD-CE	7.67	128.94	111.30
1	A	78	GLN	CB-CG-CD	-7.43	99.97	112.60
1	A	279	LYS	CA-C-O	7.37	128.36	120.55
1	A	17	ALA	CA-C-O	7.22	128.27	119.97
1	A	49	VAL	CA-C-O	7.21	127.38	120.31
1	A	75	GLU	CA-C-O	7.09	128.00	120.70
1	A	243	SER	CB-CA-C	-7.06	97.81	110.37
1	A	161	GLU	CA-C-O	7.03	127.88	120.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	244	VAL	N-CA-CB	7.03	119.43	111.21
1	A	268	ARG	NE-CZ-NH2	-6.97	112.93	119.20
1	A	125	TRP	CB-CA-C	6.92	119.60	108.87
1	A	49	VAL	CA-CB-CG1	6.92	122.16	110.40
1	A	131	LYS	CG-CD-CE	6.89	127.16	111.30
1	A	237	LYS	N-CA-CB	6.79	120.21	110.16
1	A	178	THR	N-CA-CB	-6.75	101.76	111.54
1	A	238	ARG	NE-CZ-NH1	6.72	128.22	121.50
1	A	222	SER	N-CA-C	6.68	118.57	111.28
1	A	165	THR	N-CA-CB	-6.59	101.52	110.67
1	A	249	VAL	N-CA-CB	6.58	120.45	110.58
1	A	237	LYS	CA-CB-CG	6.53	127.16	114.10
1	A	18	ALA	CB-CA-C	-6.46	100.69	110.90
1	A	84	THR	OG1-CB-CG2	6.46	122.23	109.30
1	A	85	GLN	CA-C-N	-6.40	111.83	121.87
1	A	85	GLN	C-N-CA	-6.40	111.83	121.87
1	A	177	THR	CA-CB-OG1	-6.36	100.06	109.60
1	A	151	THR	N-CA-CB	-6.35	100.80	110.33
1	A	296	HIS	CA-CB-CG	-6.33	107.47	113.80
1	A	72	ILE	CA-CB-CG1	6.31	121.13	110.40
1	A	40	ASN	CA-CB-CG	-6.28	106.32	112.60
1	A	289	ASP	CB-CA-C	6.19	122.94	109.99
1	A	11	ASP	CA-CB-CG	6.19	118.79	112.60
1	A	168	THR	OG1-CB-CG2	6.15	121.60	109.30
1	A	9	GLN	CB-CG-CD	-6.11	102.22	112.60
1	A	252	ASP	CA-CB-CG	-6.07	106.53	112.60
1	A	148	ASP	N-CA-CB	-6.07	100.68	110.69
1	A	9	GLN	N-CA-CB	-6.05	100.90	110.22
1	A	174	PHE	CA-CB-CG	-5.95	107.85	113.80
1	A	292	LYS	CA-CB-CG	-5.89	102.32	114.10
1	A	64	ASN	CB-CG-ND2	5.79	125.08	116.40
1	A	229	ASP	CA-CB-CG	-5.74	106.86	112.60
1	A	272	LEU	CA-C-O	5.63	126.93	120.90
1	A	181	ASP	CA-C-O	-5.62	114.97	121.15
1	A	154	THR	CA-CB-OG1	-5.60	101.20	109.60
1	A	29	ASP	N-CA-CB	-5.56	101.42	110.59
1	A	242	SER	CA-C-N	-5.55	113.01	122.56
1	A	242	SER	C-N-CA	-5.55	113.01	122.56
1	A	46	TYR	CA-C-O	5.55	126.48	120.32
1	A	128	LYS	N-CA-C	5.54	117.69	108.99
1	A	130	GLU	CB-CA-C	-5.48	98.75	110.32
1	A	169	ARG	CD-NE-CZ	-5.48	116.72	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	244	VAL	CA-CB-CG1	5.47	119.70	110.40
1	A	150	LYS	N-CA-C	-5.46	101.33	109.96
1	A	12	LYS	N-CA-CB	5.44	118.12	110.12
1	A	57	ILE	CA-C-N	-5.41	114.56	122.19
1	A	57	ILE	C-N-CA	-5.41	114.56	122.19
1	A	249	VAL	CA-CB-CG2	5.39	119.56	110.40
1	A	132	GLU	CB-CA-C	-5.37	99.74	110.42
1	A	64	ASN	CA-CB-CG	-5.23	107.37	112.60
1	A	40	ASN	OD1-CG-ND2	5.22	127.82	122.60
1	A	44	ASN	CA-CB-CG	-5.22	107.38	112.60
1	A	128	LYS	CB-CG-CD	-5.21	99.31	111.30
1	A	284	ASP	CA-C-O	5.21	128.02	122.13
1	A	133	MET	CA-C-N	-5.20	116.75	123.19
1	A	133	MET	C-N-CA	-5.20	116.75	123.19
1	A	267	LEU	CB-CA-C	-5.19	102.73	110.88
1	A	297	GLU	N-CA-CB	5.17	118.98	110.39
1	A	164	THR	CA-CB-OG1	5.12	117.28	109.60
1	A	49	VAL	N-CA-CB	5.11	118.64	112.10
1	A	233	LEU	CA-C-O	5.10	125.95	120.70
1	A	263	THR	OG1-CB-CG2	-5.09	99.12	109.30
1	A	248	LYS	N-CA-C	5.08	116.90	111.36
1	A	12	LYS	N-CA-C	-5.04	105.78	111.28
1	A	113	VAL	CA-CB-CG1	5.03	118.94	110.40

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	105	ARG	Sidechain
1	A	112	ARG	Sidechain
1	A	153	TYR	Sidechain
1	A	254	ARG	Sidechain
1	A	33	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2417	0	2374	24	0
2	A	18	0	8	1	0
3	A	209	0	0	4	0
All	All	2644	0	2382	25	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (25) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:PHE:CZ	1:A:272:LEU:HD13	2.35	0.61
1:A:227:LEU:CD1	1:A:249:VAL:HG22	2.33	0.59
1:A:133:MET:HE2	1:A:135:PHE:CE1	2.44	0.52
1:A:227:LEU:HD12	1:A:249:VAL:HG22	1.91	0.52
1:A:68:ASN:HB2	3:A:310:HOH:O	2.10	0.52
1:A:45:ARG:H	1:A:85:GLN:HE22	1.58	0.51
1:A:133:MET:HE2	1:A:135:PHE:CZ	2.47	0.50
1:A:7:PHE:CE1	1:A:272:LEU:HD13	2.47	0.50
1:A:280:PHE:CD1	1:A:285:SER:HA	2.47	0.49
1:A:7:PHE:CZ	1:A:272:LEU:CD1	2.97	0.48
1:A:17:ALA:O	1:A:21:GLN:CG	2.62	0.48
1:A:103:LYS:NZ	3:A:342:HOH:O	2.48	0.45
1:A:237:LYS:NZ	3:A:340:HOH:O	2.48	0.45
1:A:238:ARG:H	1:A:238:ARG:HG2	1.65	0.45
1:A:219:ILE:HG21	1:A:219:ILE:HD13	1.79	0.44
1:A:31:PRO:HG3	1:A:33:ARG:HH21	1.84	0.43
1:A:59:LEU:HB3	1:A:61:GLN:HG2	2.00	0.43
2:A:301:COL:O24	2:A:301:COL:S13	2.76	0.43
1:A:145:ILE:O	1:A:146:SER:HB3	2.18	0.43
1:A:280:PHE:CE1	1:A:285:SER:HA	2.54	0.42
1:A:17:ALA:O	1:A:21:GLN:HG3	2.19	0.42
1:A:73:LYS:NZ	3:A:349:HOH:O	2.50	0.42
1:A:165:THR:O	1:A:166:GLN:HB2	2.20	0.41
1:A:165:THR:O	1:A:166:GLN:CB	2.64	0.41
1:A:45:ARG:H	1:A:85:GLN:NE2	2.19	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	294/298 (99%)	281 (96%)	11 (4%)	2 (1%)	18 13

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	63	ASP
1	A	261	ILE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	270/272 (99%)	234 (87%)	36 (13%)	4 1

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	11	ASP
1	A	12	LYS
1	A	15	SER
1	A	34	VAL
1	A	49	VAL
1	A	59	LEU
1	A	71	LEU
1	A	72	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	88	LEU
1	A	114	MET
1	A	128	LYS
1	A	131	LYS
1	A	132	GLU
1	A	140	LEU
1	A	158	LEU
1	A	160	LEU
1	A	162	ASN
1	A	163	LEU
1	A	166	GLN
1	A	168	THR
1	A	172	LEU
1	A	186	GLU
1	A	190	SER
1	A	233	LEU
1	A	234	LEU
1	A	237	LYS
1	A	244	VAL
1	A	248	LYS
1	A	249	VAL
1	A	251	LEU
1	A	252	ASP
1	A	259	GLN
1	A	261	ILE
1	A	272	LEU
1	A	294	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	GLN
1	A	111	ASN
1	A	123	GLN
1	A	175	HIS
1	A	193	ASN
1	A	288	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	COL	A	301	-	19,19,19	2.49	7 (36%)	22,27,27	3.56	11 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COL	A	301	-	-	3/11/19/19	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	COL	C14-N19	5.31	1.45	1.38
2	A	301	COL	C14-S13	-4.68	1.67	1.73
2	A	301	COL	C15-C14	-4.32	1.32	1.39
2	A	301	COL	O17-C16	-3.79	1.20	1.30
2	A	301	COL	C15-C16	2.89	1.54	1.48
2	A	301	COL	O22-C21	2.62	1.37	1.30
2	A	301	COL	O18-C16	2.16	1.27	1.22

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	COL	C5-C4-C3	8.73	130.53	121.39
2	A	301	COL	C5-C4-C15	-6.11	117.42	127.16
2	A	301	COL	C6-C5-C4	-6.00	102.70	111.91
2	A	301	COL	C14-C15-C4	-5.74	108.79	111.75
2	A	301	COL	C15-C14-N19	-4.20	120.42	124.61
2	A	301	COL	C15-C14-S13	3.77	117.58	112.62
2	A	301	COL	O18-C16-C15	-3.64	113.35	121.64
2	A	301	COL	O17-C16-C15	3.42	125.32	116.58
2	A	301	COL	C20-N19-C14	-3.13	122.79	125.26
2	A	301	COL	C3-S13-C14	-3.07	89.57	91.14
2	A	301	COL	O22-C21-O23	-2.61	117.69	123.90

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	301	COL	O24-C20-C21-O22
2	A	301	COL	O24-C20-C21-O23
2	A	301	COL	N19-C20-C21-O23

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	COL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.