



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:10 AM UTC

PDB ID : 2GF2 / pdb_00002gf2
Title : Crystal structure of human hydroxyisobutyrate dehydrogenase
Authors : Papagrigoriou, E.; Salah, E.; Turnbull, A.P.; Smee, C.; Burgess, N.; Gileadi, O.; von Delft, F.; Gorrec, F.; Arrowsmith, C.H.; Weigelt, J.; Sundstrom, M.; Edwards, A.M.; Oppermann, U.; Structural Genomics Consortium (SGC)
Deposited on : 2006-03-21
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	 7% 85% 14% .
1	B	296	 5% 85% 13% ..
1	C	296	 32% 84% 14% .
1	D	296	 32% 85% 12% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8774 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-hydroxyisobutyrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	1	0
			2152	1353	359	418	22			
1	B	293	Total	C	N	O	S	0	0	0
			2116	1339	351	404	22			
1	C	291	Total	C	N	O	S	0	0	0
			2093	1325	349	397	22			
1	D	294	Total	C	N	O	S	0	1	0
			2130	1347	354	406	23			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	40	MET	-	initiating methionine	UNP P31937
B	40	MET	-	initiating methionine	UNP P31937
C	40	MET	-	initiating methionine	UNP P31937
D	40	MET	-	initiating methionine	UNP P31937


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	77	Total	O	0	1
			78	78		
2	B	73	Total	O	0	5
			79	79		
2	C	62	Total	O	0	2
			64	64		
2	D	61	Total	O	0	1
			62	62		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-hydroxyisobutyrate dehydrogenase





- Molecule 1: 3-hydroxyisobutyrate dehydrogenase



- Molecule 1: 3-hydroxyisobutyrate dehydrogenase



- Molecule 1: 3-hydroxyisobutyrate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.05Å 122.75Å 200.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.56 – 2.38 48.56 – 2.38	Depositor EDS
% Data completeness (in resolution range)	99.4 (48.56-2.38) 99.4 (48.56-2.38)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.37Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.205 , 0.247 0.229 , 0.258	Depositor DCC
R_{free} test set	2625 reflections (5.19%)	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.251	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8774	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	2/2187 (0.1%)	0.93	0/2954
1	B	0.62	2/2150 (0.1%)	0.91	0/2904
1	C	0.54	2/2127 (0.1%)	0.85	0/2871
1	D	0.60	3/2167 (0.1%)	0.87	0/2926
All	All	0.60	9/8631 (0.1%)	0.89	0/11655

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	119	ILE	C-N	-8.53	1.22	1.33
1	B	120	LEU	C-N	-6.86	1.24	1.34
1	D	239	LEU	C-N	-6.64	1.25	1.33
1	D	267	VAL	C-N	-6.40	1.24	1.33
1	C	259	PRO	C-N	-6.35	1.27	1.33
1	D	240	LEU	C-N	-6.05	1.26	1.33
1	A	146	GLU	C-N	-5.88	1.26	1.33
1	A	147	VAL	C-N	-5.81	1.26	1.33
1	C	293	ALA	C-N	-5.11	1.27	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2152	0	2135	38	0
1	B	2116	0	2116	32	0
1	C	2093	0	2097	33	0
1	D	2130	0	2135	30	0
2	A	78	0	0	4	0
2	B	79	0	0	1	0
2	C	64	0	0	1	0
2	D	62	0	0	1	0
All	All	8774	0	8483	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:MET:HE1	1:C:197:VAL:HG21	1.20	1.14
1:A:174:MET:HE2	2:A:382:HOH:O	1.65	0.95
1:A:246:MET:HE1	1:D:197:VAL:HG21	1.45	0.95
1:B:309:ILE:HG22	1:B:313:MET:HE2	1.52	0.91
1:D:331:ARG:HH21	1:D:331:ARG:HG3	1.37	0.89
1:C:153:VAL:HG21	1:C:181:GLU:HG3	1.60	0.82
1:D:147:VAL:HG21	1:D:154:PHE:HB2	1.64	0.77
1:B:216:LEU:HD13	1:B:282:MET:HE1	1.67	0.75
1:D:331:ARG:HH21	1:D:331:ARG:CG	1.99	0.75
1:B:309:ILE:HG22	1:B:313:MET:CE	2.19	0.72
1:A:174:MET:CE	1:A:209:LYS:HB2	2.20	0.72
1:B:246:MET:HE1	1:C:197:VAL:CG2	2.12	0.70
1:B:309:ILE:CG2	1:B:313:MET:HE2	2.23	0.68
1:A:174:MET:CE	2:A:382:HOH:O	2.33	0.68
1:A:301:LEU:HD23	1:C:308:GLN:HB3	1.75	0.67
1:B:163:VAL:O	1:B:167:ARG:HG3	1.94	0.67
1:A:98:ARG:HH21	1:A:98:ARG:HG2	1.62	0.65
1:A:174:MET:HE3	1:A:209:LYS:HB2	1.80	0.64
1:A:179:GLU:HB3	1:A:198:TYR:CZ	2.35	0.62
1:D:47:LEU:HD11	1:D:67:ILE:CG2	2.29	0.62
1:B:56:LYS:HA	1:B:59:MET:HE2	1.84	0.60
1:A:47:LEU:HD11	1:A:67:ILE:CG2	2.31	0.60
1:B:47:LEU:HD11	1:B:67:ILE:CG2	2.32	0.60
1:D:312:MET:O	1:D:316:LYS:HG2	2.01	0.60
1:B:136:ASP:HB3	1:B:139:VAL:HG23	1.83	0.59
1:C:47:LEU:HD11	1:C:67:ILE:CG2	2.31	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:LYS:HA	1:C:59:MET:HE2	1.84	0.59
1:A:246:MET:HE1	1:D:197:VAL:CG2	2.26	0.59
1:C:155:MET:HE2	1:C:177:GLY:HA3	1.85	0.59
1:C:147:VAL:HG21	1:C:154:PHE:HB2	1.85	0.58
1:D:56:LYS:HA	1:D:59:MET:HE2	1.84	0.58
1:B:310:TYR:HA	1:B:313:MET:HE3	1.84	0.58
1:A:56:LYS:HA	1:A:59:MET:HE2	1.85	0.58
1:A:174:MET:HE1	1:A:209:LYS:HB2	1.86	0.57
1:A:136:ASP:HB3	1:A:139:VAL:HG23	1.87	0.56
1:A:153:VAL:HG11	1:A:181:GLU:HG3	1.86	0.56
1:B:105:THR:HG22	1:B:106:SER:N	2.20	0.56
1:A:301:LEU:HD23	1:C:308:GLN:CB	2.35	0.55
1:B:199:CYS:HA	1:C:239:LEU:CD2	2.36	0.55
1:A:199:CYS:HA	1:D:239:LEU:HD21	1.88	0.55
1:D:47:LEU:HD11	1:D:67:ILE:HG23	1.89	0.54
1:A:98:ARG:HH21	1:A:98:ARG:CG	2.19	0.54
1:B:199:CYS:HA	1:C:239:LEU:HD21	1.89	0.54
1:D:311:ARG:HD2	2:D:340:HOH:O	2.07	0.54
1:B:47:LEU:HD11	1:B:67:ILE:HG23	1.90	0.54
1:A:47:LEU:HD11	1:A:67:ILE:HG23	1.90	0.53
1:C:134:THR:OG1	1:C:209:LYS:NZ	2.40	0.53
1:C:329:PHE:O	1:D:316:LYS:NZ	2.39	0.53
1:A:77:GLU:HB2	2:A:353:HOH:O	2.08	0.53
1:C:47:LEU:HD11	1:C:67:ILE:HG23	1.91	0.52
1:C:179:GLU:HB3	1:C:198:TYR:CZ	2.44	0.52
1:D:120:LEU:HD11	1:D:147:VAL:HG12	1.93	0.51
1:C:227:MET:HE3	1:C:258:ASN:OD1	2.11	0.51
1:A:301:LEU:HD12	1:D:309:ILE:HD11	1.93	0.51
1:A:245:ASN:HB3	1:A:250[A]:ARG:HH11	1.76	0.51
1:D:153:VAL:HG21	1:D:181:GLU:HG3	1.93	0.50
1:D:93:ALA:HA	1:D:99:ILE:HD11	1.92	0.50
1:D:331:ARG:CG	1:D:331:ARG:NH2	2.65	0.50
1:B:199:CYS:SG	1:C:243:ILE:HD11	2.52	0.49
1:A:105:THR:HG22	1:A:106:SER:N	2.28	0.49
1:B:273:TYR:HB2	1:B:321:LYS:HE3	1.94	0.49
1:D:147:VAL:CG2	1:D:154:PHE:HB2	2.41	0.49
1:C:93:ALA:HA	1:C:99:ILE:HD11	1.94	0.49
1:A:93:ALA:HA	1:A:99:ILE:HD11	1.94	0.49
1:B:248:SER:OG	1:C:216:LEU:HD22	2.12	0.49
1:A:258:ASN:HD22	1:A:260:VAL:H	1.60	0.48
1:D:163:VAL:HG12	1:D:167:ARG:HH11	1.79	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:ALA:O	1:A:59:MET:HG3	2.14	0.48
1:D:238:LYS:HE2	1:D:263:VAL:O	2.13	0.47
1:A:301:LEU:CD2	1:C:308:GLN:CB	2.92	0.47
1:B:93:ALA:HA	1:B:99:ILE:HD11	1.95	0.47
1:A:230:GLY:HA3	1:A:240:LEU:HD22	1.95	0.47
1:C:258:ASN:HD22	1:C:260:VAL:H	1.61	0.47
1:D:53:PRO:HB3	1:D:167:ARG:HG3	1.97	0.47
1:B:120:LEU:HD21	1:B:147:VAL:HG22	1.97	0.47
1:B:321:LYS:HE2	2:B:366:HOH:O	2.14	0.47
1:A:65:LEU:HD23	1:A:67:ILE:HD11	1.97	0.46
1:C:311:ARG:HD2	2:C:345:HOH:O	2.16	0.46
1:B:53:PRO:HB3	1:B:167:ARG:HG2	1.97	0.46
1:A:311:ARG:HD2	2:A:405:HOH:O	2.16	0.45
1:C:103:LEU:HD13	1:C:109:ALA:HA	1.98	0.45
1:A:98:ARG:CG	1:A:98:ARG:NH2	2.78	0.45
1:B:103:LEU:HD13	1:B:109:ALA:HA	1.99	0.45
1:B:280:THR:OG1	1:B:319:SER:HB2	2.16	0.45
1:B:66:ILE:HD12	1:B:96:ALA:HB2	1.99	0.45
1:A:271:ASN:O	1:A:274:GLN:HG2	2.17	0.44
1:B:304:SER:HB3	1:D:304:SER:HB3	1.99	0.44
1:D:55:ALA:O	1:D:59:MET:HG3	2.18	0.44
1:B:239:LEU:O	1:B:239:LEU:HG	2.09	0.44
1:C:65:LEU:HD23	1:C:67:ILE:HD11	2.00	0.44
1:C:304:SER:O	1:C:308:GLN:HG2	2.16	0.44
1:D:228:ASN:O	1:D:232:ARG:HG3	2.17	0.44
1:A:304:SER:HB3	1:C:304:SER:HB3	1.99	0.44
1:C:55:ALA:O	1:C:59:MET:HG3	2.18	0.44
1:C:155:MET:CE	1:C:177:GLY:HA3	2.48	0.44
1:D:238:LYS:CE	1:D:263:VAL:O	2.66	0.44
1:D:105:THR:HG22	1:D:106:SER:N	2.33	0.43
1:A:301:LEU:CD2	1:C:308:GLN:HB2	2.48	0.43
1:D:65:LEU:HD23	1:D:67:ILE:HD11	1.99	0.43
1:A:301:LEU:CD2	1:C:308:GLN:HB3	2.45	0.43
1:B:55:ALA:O	1:B:59:MET:HG3	2.19	0.43
1:B:301:LEU:HD22	1:D:305:LEU:CD1	2.49	0.42
1:D:179:GLU:HB3	1:D:198:TYR:CZ	2.55	0.42
1:D:66:ILE:HD12	1:D:96:ALA:HB2	2.01	0.42
1:A:66:ILE:HD12	1:A:96:ALA:HB2	2.02	0.41
1:B:105:THR:CG2	1:B:106:SER:N	2.83	0.41
1:B:230:GLY:HA3	1:B:240:LEU:HD22	2.03	0.41
1:A:308:GLN:HB2	1:C:301:LEU:HD23	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:143:LEU:O	1:C:147:VAL:HG13	2.20	0.41
1:C:45:ILE:HB	1:C:101:THR:HG22	2.03	0.40
1:A:321:LYS:HE2	1:A:328:GLN:OE1	2.20	0.40
1:B:71:PHE:HA	1:B:72:PRO:HD2	1.99	0.40
1:A:268:PRO:HG2	1:A:322:ASP:CG	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/296 (100%)	288 (98%)	7 (2%)	0	100	100
1	B	291/296 (98%)	284 (98%)	7 (2%)	0	100	100
1	C	289/296 (98%)	283 (98%)	6 (2%)	0	100	100
1	D	293/296 (99%)	288 (98%)	5 (2%)	0	100	100
All	All	1168/1184 (99%)	1143 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/232 (97%)	219 (97%)	6 (3%)	39	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	219/232 (94%)	216 (99%)	3 (1%)	59	77
1	C	216/232 (93%)	211 (98%)	5 (2%)	44	64
1	D	222/232 (96%)	215 (97%)	7 (3%)	34	53
All	All	882/928 (95%)	861 (98%)	21 (2%)	44	63

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ARG
1	A	148	GLU
1	A	209	LYS
1	A	238	LYS
1	A	250[A]	ARG
1	A	250[B]	ARG
1	B	107	ILE
1	B	216	LEU
1	B	239	LEU
1	C	120	LEU
1	C	128	LEU
1	C	147	VAL
1	C	238	LYS
1	C	331	ARG
1	D	49	ASN
1	D	143	LEU
1	D	186	GLN
1	D	238	LYS
1	D	246	MET
1	D	305	LEU
1	D	331	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	ASN
1	B	84	GLN
1	C	108	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	296/296 (100%)	0.73	22 (7%)	20 19	14, 33, 49, 56	1 (0%)
1	B	293/296 (98%)	0.58	14 (4%)	35 35	21, 33, 50, 57	0
1	C	291/296 (98%)	1.32	94 (32%)	1 1	21, 38, 54, 56	0
1	D	294/296 (99%)	1.26	96 (32%)	1 1	14, 38, 55, 57	1 (0%)
All	All	1174/1184 (99%)	0.97	226 (19%)	3 3	14, 34, 54, 57	2 (0%)

All (226) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	74	ALA	6.5
1	C	78	PHE	6.4
1	C	75	CYS	5.3
1	D	107	ILE	5.2
1	C	85	VAL	4.9
1	C	166	ALA	4.8
1	C	49	ASN	4.7
1	C	194	SER	4.6
1	C	162	GLY	4.6
1	C	160	SER	4.6
1	D	120	LEU	4.6
1	C	107	ILE	4.5
1	D	81	ALA	4.4
1	C	69	ASP	4.4
1	D	71	PHE	4.4
1	D	74	ALA	4.2
1	C	72	PRO	4.2
1	C	71	PHE	4.2
1	D	161	GLY	4.2
1	D	75	CYS	4.1
1	D	160	SER	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	86	VAL	4.0
1	C	41	PRO	4.0
1	C	68	TYR	4.0
1	C	165	ALA	4.0
1	D	162	GLY	4.0
1	A	40	MET	3.9
1	D	70	VAL	3.9
1	C	45	ILE	3.9
1	D	40	MET	3.9
1	C	105	THR	3.9
1	C	88	SER	3.8
1	C	92	VAL	3.8
1	C	81	ALA	3.8
1	C	44	PHE	3.8
1	D	121	LYS	3.7
1	D	110	ILE	3.7
1	C	106	SER	3.7
1	D	168	SER	3.7
1	C	58	LEU	3.7
1	D	82	GLY	3.7
1	C	116	ALA	3.6
1	D	124	LYS	3.6
1	C	66	ILE	3.6
1	C	83	GLU	3.6
1	D	170	ASN	3.6
1	A	71	PHE	3.5
1	C	57	ASN	3.5
1	C	97	ASP	3.5
1	A	107	ILE	3.5
1	D	59	MET	3.4
1	D	92	VAL	3.4
1	B	116	ALA	3.4
1	C	65	LEU	3.4
1	D	41	PRO	3.4
1	D	123	VAL	3.4
1	B	71	PHE	3.4
1	D	72	PRO	3.4
1	D	78	PHE	3.4
1	C	191	CYS	3.4
1	C	52	ASN	3.4
1	D	84	GLN	3.3
1	B	40	MET	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	82	GLY	3.3
1	D	188	LEU	3.3
1	C	79	GLN	3.3
1	C	87	SER	3.3
1	C	90	ALA	3.2
1	D	47	LEU	3.2
1	C	76	LYS	3.2
1	C	84	GLN	3.2
1	D	79	GLN	3.2
1	A	77	GLU	3.2
1	D	83	GLU	3.2
1	C	89	PRO	3.2
1	C	170	ASN	3.2
1	C	73	ASP	3.1
1	D	97	ASP	3.1
1	D	163	VAL	3.1
1	A	110	ILE	3.1
1	D	55	ALA	3.1
1	C	117	ASN	3.1
1	C	152	ALA	3.1
1	C	70	VAL	3.1
1	C	94	GLU	3.0
1	C	64	PRO	3.0
1	D	85	VAL	3.0
1	D	127	SER	3.0
1	A	335	THR	3.0
1	B	76	LYS	3.0
1	D	95	LYS	3.0
1	D	117	ASN	3.0
1	D	166	ALA	3.0
1	B	97	ASP	3.0
1	D	164	GLY	3.0
1	D	65	LEU	2.9
1	D	73	ASP	2.9
1	D	111	GLU	2.9
1	C	96	ALA	2.9
1	C	61	HIS	2.9
1	D	103	LEU	2.9
1	A	85	VAL	2.9
1	D	147	VAL	2.9
1	B	110	ILE	2.9
1	D	62	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	55	ALA	2.9
1	D	112	ALA	2.9
1	C	123	VAL	2.9
1	C	163	VAL	2.9
1	C	77	GLU	2.9
1	A	115	GLY	2.9
1	D	109	ALA	2.9
1	C	193	GLY	2.8
1	C	104	PRO	2.8
1	B	163	VAL	2.8
1	A	105	THR	2.8
1	C	190	GLY	2.8
1	C	54	MET	2.8
1	C	60	LYS	2.8
1	C	122	LYS	2.8
1	C	108	ASN	2.8
1	D	105	THR	2.7
1	C	67	ILE	2.7
1	D	66	ILE	2.7
1	C	168	SER	2.7
1	C	80	ASP	2.7
1	D	106	SER	2.7
1	C	95	LYS	2.7
1	B	266	GLY	2.7
1	D	151	GLY	2.7
1	D	87	SER	2.7
1	D	94	GLU	2.6
1	A	161	GLY	2.6
1	C	47	LEU	2.6
1	D	145	LYS	2.6
1	D	116	ALA	2.6
1	D	118	GLY	2.6
1	C	110	ILE	2.6
1	C	56	LYS	2.6
1	C	146	GLU	2.6
1	C	42	VAL	2.6
1	D	64	PRO	2.6
1	D	45	ILE	2.6
1	D	61	HIS	2.6
1	A	65	LEU	2.5
1	C	91	ASP	2.5
1	A	73	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	93	ALA	2.5
1	D	165	ALA	2.5
1	C	164	GLY	2.5
1	D	42	VAL	2.5
1	C	63	TYR	2.5
1	C	167	ARG	2.5
1	C	124	LYS	2.5
1	D	193	GLY	2.5
1	D	67	ILE	2.5
1	D	60	LYS	2.5
1	C	118	GLY	2.5
1	D	130	ILE	2.4
1	D	91	ASP	2.4
1	D	187	GLU	2.4
1	C	119	ILE	2.4
1	D	86	VAL	2.4
1	D	128	LEU	2.4
1	D	108	ASN	2.4
1	A	280	THR	2.4
1	C	59	MET	2.4
1	D	99	ILE	2.4
1	D	98	ARG	2.4
1	D	146	GLU	2.4
1	A	49	ASN	2.3
1	D	46	GLY	2.3
1	C	48	GLY	2.3
1	C	120	LEU	2.3
1	A	180	ASP	2.3
1	A	100	ILE	2.3
1	D	44	PHE	2.3
1	B	120	LEU	2.3
1	C	171	LEU	2.3
1	C	109	ALA	2.3
1	D	90	ALA	2.3
1	D	144	ALA	2.3
1	D	183	ALA	2.3
1	C	111	GLU	2.3
1	D	58	LEU	2.2
1	D	80	ASP	2.2
1	D	152	ALA	2.2
1	D	185	ALA	2.2
1	D	171	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	237	PRO	2.2
1	D	250[A]	ARG	2.2
1	A	116	ALA	2.2
1	D	184	ALA	2.2
1	D	63	TYR	2.2
1	A	80	ASP	2.2
1	D	57	ASN	2.2
1	D	93	ALA	2.2
1	C	129	LEU	2.2
1	C	150	MET	2.2
1	C	121	LYS	2.2
1	C	43	GLY	2.2
1	D	167	ARG	2.1
1	C	103	LEU	2.1
1	B	161	GLY	2.1
1	C	62	GLY	2.1
1	D	48	GLY	2.1
1	B	105	THR	2.1
1	D	96	ALA	2.1
1	D	76	LYS	2.1
1	D	122	LYS	2.1
1	C	187	GLU	2.1
1	B	107	ILE	2.1
1	C	99	ILE	2.1
1	C	188	LEU	2.1
1	A	262	GLY	2.1
1	C	51	GLY	2.1
1	D	150	MET	2.1
1	D	129	LEU	2.1
1	D	104	PRO	2.1
1	A	126	GLY	2.1
1	C	115	GLY	2.1
1	D	115	GLY	2.1
1	B	126	GLY	2.0
1	B	152	ALA	2.0
1	A	47	LEU	2.0
1	D	52	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.