



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:46 AM UTC

PDB ID : 6GFI / pdb_00006gfi
Title : Structure of Human Mesotrypsin in complex with APPI variant
T11V/M17R/I18F/F34V
Authors : Shahar, A.; Cohen, I.; Radisky, E.; Papo, N.; Naftaly, S.
Deposited on : 2018-04-30
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	 69% 30% .
1	B	224	 66% 33% .
2	C	81	 % 59% 9% . 31%
2	E	81	 % 63% 6% 31%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4273 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PRSS3 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	224	Total	C	N	O	S	0	1	0
			1706	1073	295	326	12			
1	B	224	Total	C	N	O	S	0	0	0
			1700	1070	294	324	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	195	ALA	SER	conflict	UNP Q8N2U3
B	195	ALA	SER	conflict	UNP Q8N2U3

- Molecule 2 is a protein called Amyloid-beta A4 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	56	Total	C	N	O	S	0	0	0
			425	263	74	81	7			
2	C	56	Total	C	N	O	S	0	0	0
			426	263	74	82	7			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-9	TYR	-	expression tag	UNP P05067
E	-8	VAL	-	expression tag	UNP P05067
E	-7	ASP	-	expression tag	UNP P05067
E	-6	TYR	-	expression tag	UNP P05067
E	-5	LYS	-	expression tag	UNP P05067
E	-4	ASP	-	expression tag	UNP P05067
E	-3	ASP	-	expression tag	UNP P05067
E	-2	ASP	-	expression tag	UNP P05067
E	-1	ASP	-	expression tag	UNP P05067
E	0	LYS	-	expression tag	UNP P05067

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	1	GLU	-	expression tag	UNP P05067
E	2	VAL	-	expression tag	UNP P05067
E	3	GLU	-	expression tag	UNP P05067
E	4	VAL	-	expression tag	UNP P05067
E	5	CYS	-	expression tag	UNP P05067
E	6	SER	-	expression tag	UNP P05067
E	7	GLU	-	expression tag	UNP P05067
E	11	VAL	THR	engineered mutation	UNP P05067
E	17	ARG	MET	conflict	UNP P05067
E	18	PHE	ILE	conflict	UNP P05067
E	34	VAL	PHE	conflict	UNP P05067
E	61	ARG	-	expression tag	UNP P05067
E	62	HIS	-	expression tag	UNP P05067
E	63	HIS	-	expression tag	UNP P05067
E	64	HIS	-	expression tag	UNP P05067
E	65	HIS	-	expression tag	UNP P05067
E	66	HIS	-	expression tag	UNP P05067
E	67	HIS	-	expression tag	UNP P05067
E	68	ALA	-	expression tag	UNP P05067
E	69	ALA	-	expression tag	UNP P05067
E	70	ALA	-	expression tag	UNP P05067
E	71	ASN	-	expression tag	UNP P05067
C	-9	TYR	-	expression tag	UNP P05067
C	-8	VAL	-	expression tag	UNP P05067
C	-7	ASP	-	expression tag	UNP P05067
C	-6	TYR	-	expression tag	UNP P05067
C	-5	LYS	-	expression tag	UNP P05067
C	-4	ASP	-	expression tag	UNP P05067
C	-3	ASP	-	expression tag	UNP P05067
C	-2	ASP	-	expression tag	UNP P05067
C	-1	ASP	-	expression tag	UNP P05067
C	0	LYS	-	expression tag	UNP P05067
C	1	GLU	-	expression tag	UNP P05067
C	2	VAL	-	expression tag	UNP P05067
C	3	GLU	-	expression tag	UNP P05067
C	4	VAL	-	expression tag	UNP P05067
C	5	CYS	-	expression tag	UNP P05067
C	6	SER	-	expression tag	UNP P05067
C	7	GLU	-	expression tag	UNP P05067
C	11	VAL	THR	engineered mutation	UNP P05067
C	17	ARG	MET	conflict	UNP P05067
C	18	PHE	ILE	conflict	UNP P05067

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	34	VAL	PHE	conflict	UNP P05067
C	61	ARG	-	expression tag	UNP P05067
C	62	HIS	-	expression tag	UNP P05067
C	63	HIS	-	expression tag	UNP P05067
C	64	HIS	-	expression tag	UNP P05067
C	65	HIS	-	expression tag	UNP P05067
C	66	HIS	-	expression tag	UNP P05067
C	67	HIS	-	expression tag	UNP P05067
C	68	ALA	-	expression tag	UNP P05067
C	69	ALA	-	expression tag	UNP P05067
C	70	ALA	-	expression tag	UNP P05067
C	71	ASN	-	expression tag	UNP P05067

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		
4	E	1	Total	O	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	8	Total	O	0	0
			8	8		
4	C	2	Total	O	0	0
			2	2		

- Molecule 1: PRSS3 protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	53.22Å 53.22Å 237.16Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.09 – 2.30 46.09 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.0 (46.09-2.30) 92.6 (46.09-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.07 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, R_{free}	0.245 , 0.301 0.249 , 0.303	Depositor DCC
R_{free} test set	1982 reflections (5.95%)	wwPDB-VP
Wilson B-factor (Å ²)	55.1	Xtriage
Anisotropy	0.501	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.069 for -h,-k,l 0.449 for h,-h-k,-l 0.075 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4273	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/1745	0.72	0/2373
1	B	0.39	0/1739	0.72	0/2365
2	C	0.43	0/436	0.70	0/588
2	E	0.44	0/435	0.69	0/587
All	All	0.41	0/4355	0.72	0/5913

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	24	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1706	0	1656	62	0
1	B	1700	0	1652	62	0
2	C	426	0	374	9	0
2	E	425	0	373	5	0
3	A	4	0	6	0	0
4	A	1	0	0	0	0
4	B	8	0	0	1	0
4	C	2	0	0	0	0
4	E	1	0	0	0	0
All	All	4273	0	4061	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:ILE:HD12	1:A:209:LEU:HB2	1.34	1.08
1:A:202:ASN:HD21	1:B:135:GLU:H	1.05	0.93
1:B:224:ARG:NH1	4:B:301:HOH:O	2.03	0.91
2:E:23:PHE:H	2:E:43:ASN:HD21	1.18	0.89
1:B:177:THR:HG23	1:B:179:SER:H	1.46	0.80
1:A:202:ASN:ND2	1:B:135:GLU:H	1.85	0.72
1:A:124:PRO:HG3	1:A:231:VAL:HG13	1.74	0.70
1:A:202:ASN:HD21	1:B:135:GLU:N	1.86	0.69
1:A:121:ILE:HD11	1:A:209:LEU:HD22	1.74	0.69
1:B:61:THR:HG23	1:B:62:ARG:HB2	1.75	0.67
1:B:66:ARG:HG3	1:B:70:GLU:OE2	1.94	0.67
1:A:177:THR:H	1:A:180:MET:HE3	1.61	0.66
1:B:213:VAL:HG22	1:B:228:TYR:HE2	1.61	0.66
1:B:87:LYS:HE3	1:B:88:ILE:H	1.59	0.66
1:B:142:GLY:HA2	1:B:193:ARG:HB3	1.77	0.65
1:A:121:ILE:HD12	1:A:209:LEU:CB	2.19	0.64
1:A:47:ILE:HD13	1:A:238:ILE:HD11	1.80	0.63
1:A:66:ARG:NH1	1:A:82:PHE:CE2	2.68	0.62
1:B:101:ASN:OD1	1:B:234:TYR:OH	2.15	0.62
1:B:46:LEU:HG	1:B:120:THR:HG22	1.82	0.62
1:A:190[B]:SER:O	2:E:15:ARG:NH1	2.34	0.61
1:B:179:SER:OG	1:B:234:TYR:OH	2.18	0.61
1:B:86:ALA:HB2	1:B:109:SER:HA	1.82	0.61
1:A:46:LEU:HD22	1:A:67:LEU:HD23	1.83	0.60
1:A:195:ALA:HA	1:A:213:VAL:HG13	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:GLY:HA2	1:A:193:ARG:HB3	1.83	0.60
1:A:51:TRP:CE2	1:A:242:ILE:HG12	2.36	0.59
1:A:121:ILE:CD1	1:A:209:LEU:HB2	2.23	0.59
1:A:26:SER:O	1:A:27:LEU:HD23	2.02	0.59
1:A:29:TYR:CB	1:A:121:ILE:HG23	2.33	0.59
1:A:101:ASN:OD1	1:A:234:TYR:OH	2.17	0.59
1:B:221(A):TRP:HB2	1:B:224:ARG:HG3	1.84	0.58
1:A:29:TYR:HB3	1:A:121:ILE:HG23	1.85	0.58
1:B:80:GLU:N	1:B:80:GLU:OE1	2.34	0.58
1:B:177:THR:HG22	1:B:180:MET:HG3	1.86	0.57
1:A:164:THR:OG1	1:A:167:GLU:HG3	2.04	0.57
1:A:213:VAL:HA	1:A:228:TYR:CD2	2.40	0.57
1:A:163:LEU:HD11	1:A:184:GLY:O	2.05	0.55
1:B:99:LEU:HD12	1:B:175:LYS:NZ	2.20	0.55
1:A:28:PRO:HB2	1:A:119:SER:HB3	1.87	0.55
1:A:210:GLN:C	1:A:231:VAL:HG12	2.32	0.55
1:A:24:GLU:O	1:A:25:ASN:HB3	2.07	0.54
1:B:145:LEU:CD1	1:B:150:ASP:HB3	2.37	0.54
1:B:63:ILE:HD13	1:B:88:ILE:HG12	1.89	0.54
1:A:151:TYR:HB3	1:A:193:ARG:NH2	2.23	0.53
1:B:86:ALA:HB3	1:B:107:LYS:HE3	1.89	0.53
1:A:138:ILE:HG23	1:A:199:VAL:HG12	1.89	0.53
1:A:138:ILE:HG12	1:A:199:VAL:HG12	1.90	0.53
2:E:23:PHE:H	2:E:43:ASN:ND2	1.98	0.53
1:B:96:ARG:H	1:B:96:ARG:HD2	1.73	0.53
1:B:196:GLY:HA2	1:B:212:VAL:HG13	1.89	0.52
1:A:83:ILE:HD12	1:A:108:LEU:HD23	1.91	0.52
1:B:215:TRP:O	2:C:15:ARG:NH1	2.43	0.52
1:B:216:GLY:HA3	2:C:15:ARG:HH12	1.74	0.52
1:B:184(A):PHE:CE1	1:B:188(A):LYS:HD3	2.45	0.51
1:A:169:LYS:HE3	1:A:174:GLY:H	1.76	0.51
1:B:60:LYS:C	1:B:62:ARG:H	2.19	0.51
1:B:56:ALA:HB1	1:B:90:ARG:HG2	1.91	0.51
2:C:49:GLU:OE1	2:C:49:GLU:N	2.44	0.50
1:A:196:GLY:HA2	1:A:212:VAL:HG13	1.92	0.50
1:B:99:LEU:HD12	1:B:175:LYS:HZ3	1.77	0.49
1:B:216:GLY:HA3	2:C:15:ARG:NH1	2.28	0.49
1:A:34:ASN:HD21	1:A:40:HIS:CE1	2.30	0.48
1:A:168:CYS:C	1:A:176:ILE:HD11	2.38	0.48
1:A:195:ALA:HB2	2:E:15:ARG:HB2	1.95	0.48
1:A:29:TYR:CG	1:A:121:ILE:CG2	2.97	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:THR:N	1:A:180:MET:HE3	2.28	0.48
1:A:235:VAL:HA	1:A:238:ILE:HG22	1.95	0.48
1:B:215:TRP:C	2:C:15:ARG:HH11	2.21	0.47
1:A:29:TYR:CG	1:A:121:ILE:HG23	2.50	0.47
1:B:60:LYS:O	1:B:62:ARG:N	2.47	0.47
1:A:31:VAL:O	1:A:44:GLY:N	2.47	0.47
1:B:130:ALA:O	1:B:134:THR:OG1	2.32	0.47
2:C:13:PRO:HD2	2:C:38:CYS:SG	2.55	0.47
1:B:16:ILE:HD13	1:B:194:ASP:OD2	2.14	0.47
1:A:45:SER:OG	1:A:198:PRO:HB3	2.14	0.46
1:A:47:ILE:CD1	1:A:238:ILE:HD11	2.44	0.46
1:B:73:ILE:HG12	1:B:153:ASP:HA	1.96	0.46
1:B:34:ASN:HD21	1:B:66:ARG:HD2	1.79	0.46
1:B:16:ILE:N	1:B:194:ASP:OD2	2.48	0.46
1:B:32:SER:OG	1:B:66:ARG:HG3	2.15	0.46
1:B:66:ARG:HA	1:B:81:GLN:O	2.16	0.45
1:A:52:VAL:HG23	1:A:108:LEU:HD11	1.99	0.45
1:B:20:TYR:O	1:B:157:CYS:N	2.36	0.45
1:B:189:ASP:OD1	1:B:190:SER:N	2.46	0.45
1:B:63:ILE:CD1	1:B:88:ILE:HG12	2.46	0.45
1:A:209:LEU:O	1:A:231:VAL:HG11	2.17	0.45
1:A:26:SER:C	1:A:27:LEU:HD23	2.42	0.44
1:B:87:LYS:HE3	1:B:88:ILE:N	2.29	0.44
1:A:89:ILE:O	1:A:104:MET:HG3	2.17	0.44
1:B:77:GLU:HB2	1:B:79:ASN:ND2	2.33	0.44
1:B:105:LEU:HD21	1:B:238:ILE:HG23	2.00	0.44
1:B:222:LYS:O	1:B:224:ARG:HG2	2.17	0.44
1:A:31:VAL:CG2	1:A:67:LEU:HG	2.48	0.44
2:C:4:VAL:HG11	2:C:42:ARG:HB2	1.98	0.44
1:B:125:THR:HG22	1:B:204:GLN:HE22	1.81	0.44
1:A:91:HIS:CD2	1:A:93:LYS:HB2	2.52	0.43
1:A:87:LYS:HA	1:A:87:LYS:HD3	1.66	0.43
1:B:71:HIS:O	1:B:154:GLU:HA	2.19	0.43
1:B:172:TYR:HB2	1:B:176:ILE:HD11	2.00	0.43
1:A:121:ILE:CD1	1:A:209:LEU:HD22	2.46	0.43
1:B:60:LYS:C	1:B:62:ARG:N	2.76	0.43
1:A:175:LYS:O	1:A:180:MET:HE1	2.18	0.43
1:B:25:ASN:HB2	1:B:117:ARG:HH12	1.84	0.43
1:A:47:ILE:HD13	1:A:53:VAL:HG23	2.00	0.42
1:A:121:ILE:CD1	1:A:209:LEU:HD13	2.49	0.42
1:A:149:ALA:HB1	1:A:151:TYR:CE1	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:9:ALA:HB2	2:E:22:TYR:CG	2.55	0.42
1:A:81:GLN:OE1	1:A:112:ALA:HA	2.20	0.42
1:A:83:ILE:HG21	1:A:108:LEU:HB3	2.01	0.42
1:B:194:ASP:O	1:B:195:ALA:C	2.63	0.41
1:A:114:ILE:HG23	1:A:119:SER:HA	2.02	0.41
1:B:30:GLN:HE21	1:B:155:LEU:HD11	1.84	0.41
1:B:56:ALA:HA	1:B:104:MET:HB3	2.02	0.41
1:B:134:THR:O	1:B:161:PRO:HA	2.21	0.41
1:B:213:VAL:HA	1:B:228:TYR:CD2	2.55	0.41
1:A:196:GLY:N	1:A:213:VAL:HG13	2.36	0.41
1:B:45:SER:OG	1:B:198:PRO:HB3	2.20	0.41
1:B:62:ARG:HE	1:B:62:ARG:HB3	1.41	0.41
1:A:189:ASP:OD1	1:A:190[B]:SER:N	2.54	0.41
1:B:50:GLN:OE1	1:B:111:PRO:HG3	2.20	0.41
1:B:195:ALA:HB2	2:C:15:ARG:C	2.46	0.41
1:A:91:HIS:CD2	1:A:93:LYS:H	2.39	0.40
1:A:95:ASN:CG	1:A:98:THR:HG22	2.46	0.40
1:B:86:ALA:N	1:B:107:LYS:O	2.34	0.40
1:B:107:LYS:NZ	1:B:108:LEU:O	2.41	0.40
2:C:21:TRP:N	2:C:45:PHE:O	2.51	0.40
1:A:138:ILE:HD11	1:A:183:VAL:HG11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	223/224 (100%)	211 (95%)	12 (5%)	0	100	100
1	B	222/224 (99%)	207 (93%)	13 (6%)	2 (1%)	14	17
2	C	54/81 (67%)	52 (96%)	2 (4%)	0	100	100
2	E	54/81 (67%)	51 (94%)	3 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	553/610 (91%)	521 (94%)	30 (5%)	2 (0%)	30	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	25	ASN
1	B	61	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/185 (100%)	182 (98%)	4 (2%)	45	65
1	B	185/185 (100%)	185 (100%)	0	100	100
2	C	44/66 (67%)	43 (98%)	1 (2%)	44	63
2	E	43/66 (65%)	43 (100%)	0	100	100
All	All	458/502 (91%)	453 (99%)	5 (1%)	70	81

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	VAL
1	A	113	VAL
1	A	190[A]	SER
1	A	190[B]	SER
2	C	38	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	84	ASN
1	A	91	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	165	GLN
1	A	202	ASN
2	E	43	ASN
1	B	25	ASN
1	B	30	GLN
1	B	34	ASN
1	B	40	HIS
1	B	204	GLN
1	B	217	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	301	-	3,3,3	0.54	0	2,2,2	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	301	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	224/224 (100%)	-0.87	0 100 100	31, 81, 106, 112	1 (0%)
1	B	224/224 (100%)	-0.86	0 100 100	57, 82, 104, 123	0
2	C	56/81 (69%)	-0.83	1 (1%) 67 69	56, 75, 102, 126	0
2	E	56/81 (69%)	-0.86	1 (1%) 67 69	60, 77, 102, 126	0
All	All	560/610 (91%)	-0.86	2 (0%) 88 89	31, 81, 105, 126	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	2	VAL	2.5
2	C	2	VAL	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	301	4/4	0.97	0.11	76,78,80,81	0

6.5 Other polymers [i](#)

There are no such residues in this entry.