



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:15 PM UTC

PDB ID : 1GGG / pdb_00001ggg
Title : GLUTAMINE BINDING PROTEIN OPEN LIGAND-FREE STRUCTURE
Authors : Hsiao, C.-D.; Sun, Y.-J.; Rose, J.; Wang, B.-C.
Deposited on : 1996-06-25
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	226	 58% 31% 7% . .
1	B	226	 62% 21% 12% . .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3587 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTAMINE BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	220	Total	C	N	O	S	0	0	0
			1714	1098	281	332	3			
1	B	220	Total	C	N	O	S	0	0	0
			1714	1098	281	332	3			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	LEU	LYS	conflict	UNP P10344
B	23	LEU	LYS	conflict	UNP P10344

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	80	Total	O	0	0
			80	80		
2	B	79	Total	O	0	0
			79	79		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: GLUTAMINE BINDING PROTEIN

Chain A: 



• Molecule 1: GLUTAMINE BINDING PROTEIN

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.30Å 86.30Å 81.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.30	Depositor
% Data completeness (in resolution range)	81.0 (10.00-2.30)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.203 , 0.289	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3587	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	1/1745 (0.1%)	1.00	5/2358 (0.2%)
1	B	1.40	6/1745 (0.3%)	1.39	18/2358 (0.8%)
All	All	1.13	7/3490 (0.2%)	1.21	23/4716 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
1	B	0	7
All	All	0	13

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	101	VAL	C-N	-39.11	0.96	1.33
1	B	150	ARG	C-N	17.26	1.58	1.33
1	B	100	ASP	C-N	16.39	1.55	1.33
1	B	104	VAL	C-N	-13.91	1.17	1.33
1	B	104	VAL	N-CA	7.50	1.55	1.46
1	B	146	LEU	C-N	-5.86	1.24	1.33
1	A	48	MET	SD-CE	-5.06	1.67	1.79

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	101	VAL	O-C-N	-22.52	94.42	122.57
1	B	101	VAL	CA-C-N	21.07	160.85	122.08
1	B	101	VAL	C-N-CA	21.07	160.85	122.08
1	B	150	ARG	O-C-N	-11.88	107.99	122.25
1	B	146	LEU	CA-C-N	10.83	133.78	120.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	146	LEU	C-N-CA	10.83	133.78	120.13
1	B	104	VAL	CB-CA-C	-8.04	98.10	111.29
1	B	100	ASP	CA-C-N	-8.02	107.53	121.97
1	B	100	ASP	C-N-CA	-8.02	107.53	121.97
1	B	104	VAL	CA-C-N	8.00	136.86	122.62
1	B	104	VAL	C-N-CA	8.00	136.86	122.62
1	A	66	LEU	CB-CA-C	-7.93	98.35	111.51
1	B	148	THR	CB-CA-C	-7.48	98.58	110.85
1	B	146	LEU	O-C-N	-6.74	113.16	122.46
1	A	67	ALA	O-C-N	-6.57	113.74	122.28
1	A	110	LYS	N-CA-C	6.40	119.33	108.90
1	B	178	ASP	N-CA-C	-6.25	99.99	108.24
1	B	110	LYS	N-CA-C	5.98	123.53	110.80
1	A	131	LYS	N-CA-C	-5.87	104.79	111.07
1	A	139	ILE	CB-CA-C	-5.70	104.35	112.22
1	B	131	LYS	N-CA-C	-5.64	104.82	110.97
1	B	149	ASN	O-C-N	-5.48	115.30	122.59
1	B	150	ARG	NE-CZ-NH2	5.34	124.01	119.20

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	123	TYR	Sidechain
1	A	131	LYS	Mainchain
1	A	134	ARG	Sidechain
1	A	136	PHE	Sidechain
1	A	171	GLY	Peptide
1	A	75	ARG	Sidechain
1	B	101	VAL	Mainchain
1	B	123	TYR	Sidechain
1	B	149	ASN	Mainchain
1	B	150	ARG	Mainchain
1	B	197	ARG	Sidechain
1	B	99	ASN	Peptide,Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1714	0	1713	59	0
1	B	1714	0	1711	71	0
2	A	80	0	0	5	0
2	B	79	0	0	2	0
All	All	3587	0	3424	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:LYS:HG2	1:B:103:SER:H	1.10	1.16
1:B:105:LYS:HE2	1:B:153:ALA:HB3	1.38	1.02
1:B:102:LYS:HG2	1:B:103:SER:N	1.70	0.95
1:B:110:LYS:HD3	1:B:131:LYS:H	1.32	0.95
1:B:110:LYS:HB2	1:B:130:THR:OG1	1.76	0.85
1:B:94:VAL:HG12	1:B:153:ALA:HB2	1.61	0.82
1:B:141:ASN:HA	1:B:144:MET:HE2	1.63	0.80
1:B:57:LEU:HD12	1:B:190:PRO:HD3	1.67	0.77
1:A:13:PHE:HE2	1:A:68:GLY:HA3	1.51	0.76
1:B:102:LYS:CG	1:B:103:SER:N	2.47	0.76
1:B:105:LYS:CE	1:B:153:ALA:HB3	2.16	0.75
1:B:109:GLY:O	1:B:110:LYS:HD2	1.84	0.75
1:B:107:LEU:HA	2:B:327:HOH:O	1.87	0.75
1:B:110:LYS:HD3	1:B:131:LYS:N	2.03	0.74
1:A:34:ALA:O	1:A:37:LYS:HD3	1.88	0.72
1:A:107:LEU:HG	1:A:129:LYS:HZ2	1.54	0.71
1:A:214:ASN:O	1:A:218:LYS:HG2	1.89	0.70
1:B:102:LYS:NZ	1:B:102:LYS:HB3	2.08	0.69
1:B:102:LYS:NZ	1:B:104:VAL:HG13	2.08	0.68
1:A:109:GLY:HA2	1:A:131:LYS:HG2	1.76	0.67
1:A:141:ASN:HA	1:A:144:MET:HE2	1.77	0.66
1:A:223:THR:HG22	1:A:224:GLU:H	1.62	0.65
1:B:111:VAL:HG13	1:B:132:ASP:HB2	1.79	0.65
1:A:107:LEU:HD12	1:A:107:LEU:H	1.61	0.64
1:A:13:PHE:CE2	1:A:68:GLY:HA3	2.33	0.64
1:A:8:ALA:HB1	1:A:48:MET:HE3	1.79	0.63
1:A:106:ASP:HB2	1:A:129:LYS:HB3	1.80	0.63
1:B:23:LEU:H	1:B:23:LEU:HD23	1.63	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:THR:HG22	1:A:66:LEU:O	1.98	0.63
1:B:102:LYS:HZ3	1:B:104:VAL:HG13	1.63	0.61
1:B:106:ASP:O	1:B:110:LYS:HG3	2.01	0.61
1:B:110:LYS:NZ	1:B:130:THR:HA	2.15	0.61
1:A:148:THR:HG22	1:A:149:ASN:H	1.66	0.60
1:A:8:ALA:CB	1:A:48:MET:HE3	2.31	0.60
1:A:101:VAL:O	1:A:102:LYS:HD3	2.02	0.59
1:B:57:LEU:O	1:B:190:PRO:HB3	2.01	0.59
1:A:161:ILE:HG13	1:A:162:LEU:N	2.18	0.58
1:A:37:LYS:O	1:A:40:LYS:HE3	2.04	0.57
1:B:124:ALA:HA	1:B:128:ILE:HG12	1.85	0.57
1:B:105:LYS:C	1:B:110:LYS:HB3	2.30	0.56
1:B:118:THR:HG22	1:B:120:SER:H	1.69	0.56
1:A:92:VAL:HG23	2:A:289:HOH:O	2.06	0.56
1:A:214:ASN:OD1	1:A:218:LYS:NZ	2.33	0.56
1:B:105:LYS:O	1:B:110:LYS:HB3	2.06	0.56
1:B:196:LEU:O	1:B:200:VAL:HG23	2.06	0.56
1:A:158:THR:HB	1:A:159:PRO:HD3	1.87	0.55
1:B:158:THR:O	1:B:162:LEU:HD22	2.07	0.55
1:B:100:ASP:OD1	1:B:101:VAL:N	2.40	0.55
1:A:158:THR:O	1:A:162:LEU:HB2	2.06	0.54
1:B:8:ALA:HB2	1:B:48:MET:HE3	1.89	0.54
1:B:102:LYS:HB3	1:B:102:LYS:HZ3	1.72	0.54
1:A:91:LEU:HD13	1:A:161:ILE:HD11	1.89	0.54
1:B:111:VAL:HG13	1:B:132:ASP:CB	2.36	0.54
1:A:37:LYS:NZ	1:A:38:GLU:HG2	2.22	0.54
1:B:218:LYS:HZ2	1:B:218:LYS:HB2	1.73	0.54
1:A:109:GLY:O	1:A:110:LYS:HD3	2.07	0.53
1:A:129:LYS:HD2	1:A:129:LYS:C	2.34	0.53
1:B:57:LEU:HD13	1:B:62:VAL:HG12	1.91	0.52
1:B:110:LYS:HZ2	1:B:130:THR:HA	1.75	0.51
1:B:110:LYS:HB2	1:B:130:THR:CB	2.40	0.51
1:A:126:ALA:HB3	1:A:127:ASN:OD1	2.11	0.50
1:A:105:LYS:HA	1:A:110:LYS:HG3	1.93	0.50
1:A:40:LYS:N	1:A:40:LYS:HD2	2.26	0.50
1:B:113:ALA:HB3	1:B:154:VAL:HG22	1.93	0.50
1:A:37:LYS:HZ3	1:A:38:GLU:HG2	1.76	0.50
1:B:94:VAL:HG23	1:B:95:LYS:O	2.11	0.50
1:A:91:LEU:HD23	2:A:289:HOH:O	2.12	0.49
1:A:105:LYS:CA	1:A:110:LYS:HG3	2.41	0.49
1:B:123:TYR:HE1	1:B:128:ILE:HD11	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:ALA:CB	1:B:48:MET:HE3	2.41	0.49
1:B:109:GLY:C	1:B:110:LYS:HG3	2.38	0.49
1:A:93:MET:HE2	1:A:173:PHE:CB	2.43	0.49
1:B:88:SER:O	1:B:182:ALA:HA	2.13	0.48
1:A:59:THR:OG1	1:A:61:ASN:ND2	2.46	0.47
1:A:23:LEU:HD13	1:A:25:VAL:HG23	1.95	0.47
1:B:39:LEU:HD23	2:B:333:HOH:O	2.13	0.47
1:A:80:ASP:OD1	1:A:191:LYS:NZ	2.47	0.47
1:B:178:ASP:CG	1:B:179:SER:H	2.22	0.47
1:A:214:ASN:HB2	2:A:235:HOH:O	2.15	0.47
1:A:121:VAL:O	1:A:122:ASP:C	2.58	0.46
1:A:134:ARG:NH1	1:A:145:GLU:OE1	2.49	0.46
1:A:141:ASN:HA	1:A:144:MET:CE	2.45	0.46
1:A:94:VAL:HG12	1:A:153:ALA:HB2	1.98	0.46
1:A:16:PHE:CZ	1:A:185:TYR:HE2	2.33	0.46
1:A:88:SER:O	1:A:182:ALA:HA	2.16	0.46
1:A:112:VAL:HG23	1:A:130:THR:HG22	1.98	0.46
1:B:130:THR:OG1	1:B:131:LYS:N	2.49	0.46
1:B:106:ASP:O	1:B:110:LYS:CG	2.63	0.45
1:B:84:GLY:HA2	1:B:185:TYR:O	2.17	0.45
1:A:139:ILE:HG12	1:A:156:HIS:CE1	2.51	0.45
1:B:218:LYS:NZ	1:B:224:GLU:OE2	2.48	0.45
1:B:110:LYS:O	1:B:131:LYS:HD2	2.17	0.45
1:B:9:THR:HG22	1:B:66:LEU:O	2.17	0.45
1:A:101:VAL:HG12	1:A:102:LYS:N	2.31	0.45
1:A:106:ASP:CB	1:A:129:LYS:HB3	2.46	0.45
1:B:120:SER:CB	1:B:155:LEU:HB3	2.47	0.44
1:B:110:LYS:HZ3	1:B:110:LYS:HG2	1.55	0.44
1:A:172:GLN:OE1	1:A:172:GLN:CA	2.66	0.44
1:A:25:VAL:HG12	1:A:220:TRP:CH2	2.53	0.43
1:B:87:LYS:HE2	1:B:87:LYS:HB3	1.95	0.43
1:B:101:VAL:HG22	1:B:101:VAL:O	2.18	0.43
1:B:110:LYS:NZ	1:B:129:LYS:O	2.51	0.43
1:B:17:GLU:HA	1:B:25:VAL:O	2.18	0.43
1:B:124:ALA:O	1:B:125:LYS:C	2.61	0.43
1:B:122:ASP:N	1:B:122:ASP:OD1	2.52	0.43
1:B:138:ASN:O	1:B:141:ASN:HB2	2.18	0.43
1:A:93:MET:HE2	1:A:173:PHE:HB3	2.00	0.43
1:A:127:ASN:O	1:A:128:ILE:HG13	2.18	0.43
1:A:127:ASN:C	1:A:128:ILE:HG13	2.43	0.43
1:A:139:ILE:H	1:A:139:ILE:HD12	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:LYS:CE	1:B:104:VAL:HG13	2.49	0.42
1:A:138:ASN:HD21	1:A:141:ASN:ND2	2.18	0.42
1:A:146:LEU:HD13	1:A:173:PHE:CD1	2.55	0.42
1:B:90:LEU:HD23	1:B:155:LEU:HD13	2.01	0.42
1:B:124:ALA:HA	1:B:128:ILE:CG1	2.49	0.42
1:A:105:LYS:O	1:A:105:LYS:HG3	2.19	0.42
1:B:124:ALA:CB	1:B:133:LEU:HD21	2.51	0.41
1:A:120:SER:HB3	2:A:261:HOH:O	2.20	0.41
1:B:39:LEU:HB2	1:B:41:LEU:HD22	2.02	0.41
1:B:168:ALA:C	1:B:170:ASN:H	2.27	0.41
1:B:23:LEU:HD23	1:B:23:LEU:N	2.32	0.41
1:B:109:GLY:C	1:B:110:LYS:CG	2.94	0.41
1:B:102:LYS:NZ	1:B:104:VAL:CG1	2.82	0.41
1:B:128:ILE:HG12	1:B:128:ILE:H	1.48	0.41
1:B:146:LEU:HD23	1:B:173:PHE:CE1	2.56	0.40
1:A:77:LYS:NZ	2:A:294:HOH:O	2.54	0.40
1:B:105:LYS:HB3	1:B:105:LYS:HE3	1.52	0.40
1:A:127:ASN:OD1	1:A:127:ASN:N	2.54	0.40
1:A:131:LYS:HA	1:A:131:LYS:HD2	1.41	0.40
1:B:158:THR:HG22	1:B:162:LEU:CD2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	218/226 (96%)	191 (88%)	25 (12%)	2 (1%)	14	17
1	B	218/226 (96%)	194 (89%)	20 (9%)	4 (2%)	6	6
All	All	436/452 (96%)	385 (88%)	45 (10%)	6 (1%)	9	9

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	107	LEU
1	B	101	VAL
1	B	109	GLY
1	B	110	LYS
1	A	102	LYS
1	A	55	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/186 (97%)	147 (81%)	34 (19%)	1	1
1	B	181/186 (97%)	147 (81%)	34 (19%)	1	1
All	All	362/372 (97%)	294 (81%)	68 (19%)	1	1

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	VAL
1	A	11	THR
1	A	19	LYS
1	A	22	ASP
1	A	37	LYS
1	A	40	LYS
1	A	45	LEU
1	A	46	LYS
1	A	49	ASP
1	A	59	THR
1	A	60	LYS
1	A	62	VAL
1	A	64	LEU
1	A	74	GLU
1	A	90	LEU
1	A	91	LEU
1	A	95	LYS
1	A	99	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	102	LYS
1	A	106	ASP
1	A	107	LEU
1	A	129	LYS
1	A	131	LYS
1	A	138	ASN
1	A	139	ILE
1	A	146	LEU
1	A	161	ILE
1	A	162	LEU
1	A	172	GLN
1	A	180	LEU
1	A	183	GLN
1	A	195	GLU
1	A	196	LEU
1	A	204	LEU
1	B	9	THR
1	B	41	LEU
1	B	45	LEU
1	B	48	MET
1	B	51	SER
1	B	57	LEU
1	B	62	VAL
1	B	64	LEU
1	B	91	LEU
1	B	93	MET
1	B	95	LYS
1	B	97	ASN
1	B	102	LYS
1	B	103	SER
1	B	106	ASP
1	B	107	LEU
1	B	110	LYS
1	B	120	SER
1	B	128	ILE
1	B	129	LYS
1	B	132	ASP
1	B	133	LEU
1	B	139	ILE
1	B	150	ARG
1	B	155	LEU
1	B	162	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	170	ASN
1	B	176	VAL
1	B	180	LEU
1	B	181	GLU
1	B	196	LEU
1	B	207	LEU
1	B	218	LYS
1	B	223	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	ASN
1	A	99	ASN
1	A	138	ASN
1	A	141	ASN
1	B	97	ASN
1	B	160	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	104:VAL	C	105:LYS	N	1.17
1	B	101:VAL	C	102:LYS	N	0.96

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.