



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 15, 2026 – 12:46 AM UTC

PDB ID : 3GG4 / pdb_00003gg4
Title : The crystal structure of glycerol kinase from Yersinia pseudotuberculosis
Authors : Zhang, Z.; Swaminathan, S.; Burley, S.K.; New York SGX Research Center
for Structural Genomics (NYSGXRC)
Deposited on : 2009-02-27
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	554	 3% 75% 19% . .
1	B	554	 2% 81% 15% . .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9004 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called glycerol kinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	537	Total	C	N	O	S	Se	0	0	0
			4095	2584	718	763	6	24			
1	B	533	Total	C	N	O	S	Se	0	0	0
			4086	2580	715	761	6	24			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MSE	-	expression tag	UNP Q665C6
A	0	SER	-	expression tag	UNP Q665C6
A	1	LEU	-	expression tag	UNP Q665C6
A	545	GLU	-	expression tag	UNP Q665C6
A	546	GLY	-	expression tag	UNP Q665C6
A	547	HIS	-	expression tag	UNP Q665C6
A	548	HIS	-	expression tag	UNP Q665C6
A	549	HIS	-	expression tag	UNP Q665C6
A	550	HIS	-	expression tag	UNP Q665C6
A	551	HIS	-	expression tag	UNP Q665C6
A	552	HIS	-	expression tag	UNP Q665C6
B	-1	MSE	-	expression tag	UNP Q665C6
B	0	SER	-	expression tag	UNP Q665C6
B	1	LEU	-	expression tag	UNP Q665C6
B	545	GLU	-	expression tag	UNP Q665C6
B	546	GLY	-	expression tag	UNP Q665C6
B	547	HIS	-	expression tag	UNP Q665C6
B	548	HIS	-	expression tag	UNP Q665C6
B	549	HIS	-	expression tag	UNP Q665C6
B	550	HIS	-	expression tag	UNP Q665C6
B	551	HIS	-	expression tag	UNP Q665C6
B	552	HIS	-	expression tag	UNP Q665C6

- Molecule 2 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (CCD ID: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	374	Total	O	0	0
			374	374		
3	B	435	Total	O	0	0
			435	435		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: glycerol kinase



• Molecule 1: glycerol kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	60.79Å 110.39Å 80.95Å 90.00° 99.13° 90.00°	Depositor
Resolution (Å)	36.00 – 2.00 36.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (36.00-2.00) 98.3 (36.00-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 1.80Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.198 , 0.245 0.198 , 0.203	Depositor DCC
R_{free} test set	4542 reflections (4.66%)	wwPDB-VP
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.765	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9004	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	2/4162 (0.0%)	0.76	5/5611 (0.1%)
1	B	0.46	1/4154 (0.0%)	0.76	0/5600
All	All	0.46	3/8316 (0.0%)	0.76	5/11211 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	541	MSE	SE-CE	-5.38	1.79	1.95
1	A	499	MSE	SE-CE	-5.22	1.79	1.95
1	B	286	THR	C-O	-5.21	1.17	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	38	LYS	CA-C-N	5.48	125.31	119.28
1	A	38	LYS	C-N-CA	5.48	125.31	119.28
1	A	141	GLN	N-CA-C	5.23	116.79	111.14
1	A	126	HIS	CA-C-N	5.19	124.63	119.24
1	A	126	HIS	C-N-CA	5.19	124.63	119.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4095	0	4029	107	0
1	B	4086	0	4040	76	0
2	B	14	0	17	1	0
3	A	374	0	0	8	0
3	B	435	0	0	6	0
All	All	9004	0	8086	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:MSE:HE2	1:B:317:LEU:HD11	1.42	0.99
1:A:253:ILE:HD12	1:A:484:MSE:HE1	1.51	0.91
1:B:253:ILE:HD12	1:B:484:MSE:HE1	1.53	0.89
1:B:101:ARG:HH21	1:B:104:GLN:HE21	1.22	0.87
1:B:291:MSE:HE1	1:B:317:LEU:HD21	1.58	0.85
1:A:336:HIS:HD2	1:A:338:CYS:H	1.21	0.84
1:A:261:ILE:HD12	1:A:484:MSE:HE3	1.59	0.83
1:B:261:ILE:HD12	1:B:484:MSE:HE3	1.61	0.81
1:A:445:MSE:HE3	3:A:723:HOH:O	1.82	0.79
1:B:278:ARG:HG3	1:B:279:ARG:HG3	1.65	0.77
1:A:253:ILE:HD12	1:A:484:MSE:CE	2.14	0.77
1:A:215:ALA:HB2	1:A:220:ALA:HB3	1.66	0.77
1:A:154:ASN:H	1:A:154:ASN:ND2	1.83	0.76
1:B:336:HIS:HD2	1:B:338:CYS:H	1.36	0.73
1:A:225:MSE:HG2	1:A:484:MSE:CE	2.19	0.72
1:B:291:MSE:CE	1:B:317:LEU:HD21	2.18	0.72
1:A:154:ASN:H	1:A:154:ASN:HD22	1.37	0.71
1:A:147:TRP:HH2	1:A:152:MSE:HE3	1.56	0.71
1:A:225:MSE:HG2	1:A:484:MSE:HE1	1.73	0.70
1:A:281:ALA:HB3	1:A:291:MSE:HB2	1.71	0.70
1:A:96:VAL:HG23	1:A:148:LEU:HD21	1.73	0.70
1:B:261:ILE:HD12	1:B:484:MSE:CE	2.22	0.69
1:B:18:GLY:HA3	1:B:26:MSE:HE3	1.74	0.69
1:A:237:ALA:O	1:A:241:MSE:HG3	1.94	0.68
1:B:457:VAL:HG13	1:B:468:MSE:HE2	1.76	0.67
1:A:336:HIS:CD2	1:A:338:CYS:H	2.09	0.67
1:B:292:ALA:HB3	1:B:434:MSE:HE1	1.77	0.67
1:A:453:ASN:C	1:A:453:ASN:HD22	2.03	0.67
1:A:215:ALA:CB	1:A:220:ALA:HB3	2.24	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:LEU:HD11	1:A:251:VAL:HA	1.76	0.66
1:B:452:LYS:HE2	3:B:942:HOH:O	1.94	0.66
1:A:147:TRP:CH2	1:A:152:MSE:HE3	2.30	0.66
1:A:126:HIS:CG	1:A:127:PRO:HD2	2.30	0.66
1:B:120:ARG:NH1	1:B:146:LEU:HD21	2.11	0.65
1:A:444:MSE:HE2	1:A:466:CYS:HB2	1.78	0.64
1:B:225:MSE:HG2	1:B:484:MSE:CE	2.27	0.64
1:A:174:THR:O	1:A:175:LYS:HB2	1.98	0.64
1:A:279:ARG:NH2	1:A:445:MSE:HE2	2.13	0.63
1:B:55:VAL:O	1:B:59:VAL:HG13	1.98	0.63
1:B:291:MSE:HE3	1:B:319:GLU:HB2	1.78	0.63
1:A:59:VAL:HG21	1:A:241:MSE:HE2	1.81	0.62
1:B:253:ILE:HD12	1:B:484:MSE:CE	2.28	0.62
1:B:225:MSE:HG2	1:B:484:MSE:HE1	1.82	0.62
1:A:132:VAL:HG11	1:A:140:MSE:HE1	1.82	0.61
1:B:457:VAL:HG22	1:B:468:MSE:CE	2.31	0.60
1:B:453:ASN:C	1:B:453:ASN:HD22	2.08	0.60
1:A:471:PRO:HD2	3:A:849:HOH:O	2.02	0.59
1:A:451:THR:C	1:A:452:LYS:HE2	2.28	0.59
1:A:225:MSE:H	1:A:225:MSE:HE3	1.66	0.59
1:A:196:ARG:HD2	1:A:197:TRP:O	2.03	0.58
1:A:536:ARG:NH1	3:A:902:HOH:O	2.36	0.58
1:A:101:ARG:HH21	1:A:104:GLN:HE21	1.51	0.58
1:B:473:GLU:HG2	3:B:951:HOH:O	2.03	0.58
1:A:96:VAL:CG2	1:A:148:LEU:HD21	2.32	0.58
1:A:483:MSE:HE2	1:A:502:MSE:HB2	1.86	0.57
1:B:428:ARG:HD2	1:B:463:ALA:O	2.04	0.57
1:B:336:HIS:CD2	1:B:338:CYS:H	2.19	0.57
1:B:225:MSE:HE3	1:B:225:MSE:H	1.67	0.57
1:B:524:TYR:CZ	1:B:528:HIS:HE1	2.22	0.57
1:B:18:GLY:HA3	1:B:26:MSE:CE	2.34	0.57
1:B:29:GLN:HG2	3:B:835:HOH:O	2.05	0.57
1:B:225:MSE:HE3	1:B:225:MSE:N	2.21	0.56
1:A:253:ILE:CD1	1:A:484:MSE:HE1	2.31	0.56
1:A:283:ILE:HG22	1:A:477:MSE:HE2	1.88	0.56
1:A:213:ASN:O	1:A:215:ALA:N	2.40	0.55
1:B:126:HIS:CG	1:B:127:PRO:HD2	2.42	0.55
1:A:472:GLU:OE1	1:A:504:ARG:HD2	2.06	0.55
1:A:261:ILE:CD1	1:A:484:MSE:HE3	2.33	0.55
1:A:225:MSE:HE3	1:A:225:MSE:N	2.21	0.54
1:A:295:ARG:HG3	3:A:592:HOH:O	2.06	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:TYR:O	1:A:205:VAL:HB	2.08	0.54
1:B:486:THR:HG21	1:B:502:MSE:SE	2.57	0.54
1:A:524:TYR:CZ	1:A:528:HIS:HE1	2.25	0.54
1:A:493:GLU:HB2	1:A:497:GLU:OE2	2.08	0.54
1:A:211:LEU:HD22	1:A:211:LEU:O	2.08	0.53
1:A:196:ARG:NH1	1:A:199:PRO:HD2	2.24	0.53
1:B:59:VAL:HG21	1:B:241:MSE:HE2	1.91	0.53
1:B:253:ILE:CD1	1:B:484:MSE:HE1	2.32	0.52
1:B:342:LEU:HD22	1:B:412:MSE:HE3	1.90	0.52
1:A:452:LYS:HA	1:A:452:LYS:CE	2.39	0.52
1:A:358:ASN:HD21	1:A:453:ASN:ND2	2.07	0.52
1:A:429:HIS:HD2	3:A:586:HOH:O	1.92	0.52
1:B:358:ASN:HD21	1:B:453:ASN:ND2	2.08	0.51
1:B:82:CYS:SG	2:B:600:BTB:H61	2.49	0.51
1:B:306:PRO:HB2	1:B:316:TRP:HE3	1.74	0.51
1:A:69:ASN:O	1:A:72:GLN:HB2	2.10	0.51
1:B:457:VAL:HG22	1:B:468:MSE:HE1	1.90	0.51
1:A:312:LEU:HD22	1:A:315:TYR:CD2	2.46	0.51
1:A:186:CYS:HA	1:A:307:TYR:CE2	2.45	0.51
3:A:712:HOH:O	1:B:69:ASN:HB3	2.10	0.50
1:A:127:PRO:O	1:A:130:GLU:OE2	2.28	0.50
1:B:85:VAL:HG22	1:B:106:VAL:HG22	1.91	0.50
1:A:339:TYR:HB3	1:A:340:PRO:HD3	1.93	0.50
1:A:170:THR:HG23	1:A:229:LEU:HD13	1.94	0.50
1:A:101:ARG:NH2	1:A:104:GLN:HE21	2.10	0.49
1:A:517:LYS:HG2	3:A:637:HOH:O	2.11	0.49
1:A:151:HIS:C	1:A:153:PRO:HD3	2.37	0.49
1:B:225:MSE:HG2	1:B:484:MSE:SE	2.62	0.49
1:B:524:TYR:CZ	1:B:528:HIS:CE1	3.01	0.49
1:B:5:PHE:HZ	1:B:491:VAL:HG21	1.77	0.48
1:B:332:ILE:CG2	1:B:415:ARG:HG2	2.43	0.48
1:A:180:SER:OG	1:A:225:MSE:HE2	2.12	0.48
1:A:260:THR:OG1	1:A:291:MSE:HG3	2.13	0.48
1:A:293:MSE:HE1	1:A:312:LEU:HD13	1.96	0.48
1:A:197:TRP:O	1:A:199:PRO:HD3	2.13	0.48
1:A:283:ILE:CG2	1:A:477:MSE:HE2	2.44	0.48
1:B:261:ILE:CD1	1:B:484:MSE:CE	2.92	0.48
1:B:126:HIS:ND1	1:B:127:PRO:HD2	2.28	0.48
1:A:170:THR:CG2	1:A:229:LEU:HD13	2.43	0.47
1:B:120:ARG:HH12	1:B:150:GLN:NE2	2.13	0.47
1:A:141:GLN:HG3	1:A:188:TRP:NE1	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:GLY:O	1:A:269:VAL:CB	2.62	0.47
1:B:339:TYR:HB3	1:B:340:PRO:HD3	1.97	0.47
1:A:94:LEU:HG	1:A:155:THR:HG23	1.97	0.47
1:B:306:PRO:HB2	1:B:316:TRP:CE3	2.49	0.47
1:B:406:SER:HB2	3:B:581:HOH:O	2.15	0.47
1:B:300:ILE:HG12	1:B:437:ASN:HB3	1.96	0.47
1:A:59:VAL:HG21	1:A:241:MSE:CE	2.44	0.47
1:A:280:ILE:HD12	1:A:434:MSE:SE	2.65	0.47
1:B:101:ARG:NH2	1:B:104:GLN:HE21	2.02	0.46
1:A:211:LEU:C	1:A:211:LEU:HD13	2.40	0.46
1:B:524:TYR:OH	1:B:528:HIS:HE1	1.97	0.46
1:B:504:ARG:HD3	3:B:928:HOH:O	2.15	0.46
1:A:295:ARG:NH2	1:A:315:TYR:CE2	2.84	0.46
1:A:332:ILE:HG23	1:A:415:ARG:HD3	1.98	0.46
1:B:237:ALA:O	1:B:241:MSE:HG3	2.16	0.46
1:A:21:ASP:OD1	1:A:21:ASP:C	2.59	0.46
1:A:82:CYS:HB3	1:A:254:ILE:HD13	1.98	0.46
1:A:141:GLN:HA	1:A:141:GLN:OE1	2.16	0.46
1:A:193:HIS:CD2	1:A:194:GLU:HG3	2.50	0.46
1:A:261:ILE:HA	1:A:499:MSE:HE3	1.98	0.46
1:A:171:TRP:CE3	1:A:172:ARG:HG2	2.51	0.46
1:B:41:ALA:O	1:B:42:ASP:HB2	2.15	0.46
1:B:120:ARG:NH1	1:B:150:GLN:HE22	2.13	0.46
1:A:223:LYS:HB3	1:A:224:PRO:HD2	1.98	0.45
1:A:181:LEU:HB2	1:A:225:MSE:HE1	1.99	0.45
1:A:312:LEU:CD2	3:A:600:HOH:O	2.64	0.45
1:B:302:GLY:HA3	1:B:390:PRO:O	2.16	0.45
1:B:457:VAL:HG22	1:B:468:MSE:HE2	1.98	0.45
1:A:121:ILE:HG12	1:A:205:VAL:HG22	1.99	0.45
1:A:457:VAL:HG13	1:A:468:MSE:HG2	1.98	0.45
1:A:155:THR:O	1:A:159:VAL:HG23	2.16	0.45
1:A:453:ASN:C	1:A:453:ASN:ND2	2.71	0.44
1:A:152:MSE:N	1:A:153:PRO:HD3	2.33	0.44
1:A:333:ILE:HG23	1:A:412:MSE:CE	2.48	0.44
1:B:6:ILE:HG12	1:B:19:VAL:HG22	1.98	0.44
1:A:126:HIS:O	1:A:129:LEU:HB2	2.17	0.44
1:A:254:ILE:HB	1:A:257:HIS:ND1	2.32	0.43
1:B:409:PRO:HA	1:B:412:MSE:HE2	1.99	0.43
1:A:291:MSE:SE	1:A:319:GLU:HG3	2.68	0.43
1:A:2:ALA:O	1:A:72:GLN:CG	2.67	0.43
1:B:358:ASN:HD21	1:B:453:ASN:HD21	1.64	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:451:THR:O	1:A:452:LYS:HE2	2.19	0.42
1:A:79:ASP:HA	1:A:253:ILE:O	2.19	0.42
1:A:116:THR:HG22	1:A:117:GLN:OE1	2.19	0.42
1:A:148:LEU:HD23	1:A:148:LEU:HA	1.87	0.42
1:A:399:ILE:HB	1:A:530:MSE:HE2	2.01	0.42
1:B:280:ILE:HD11	1:B:290:HIS:HB3	2.00	0.42
1:A:287:SER:HB3	1:A:323:SER:O	2.19	0.42
1:B:203:LYS:HA	1:B:208:ALA:HB2	2.02	0.42
1:B:483:MSE:HE1	1:B:503:SER:HB3	2.01	0.42
1:B:483:MSE:HE2	1:B:502:MSE:HB2	2.00	0.42
1:B:429:HIS:HD2	3:B:771:HOH:O	2.01	0.42
1:A:268:GLY:HA2	1:A:505:ILE:HD12	2.02	0.42
1:A:452:LYS:HE2	1:A:452:LYS:CA	2.50	0.42
1:B:174:THR:O	1:B:175:LYS:HB2	2.20	0.42
1:B:358:ASN:O	1:B:362:ARG:HG3	2.20	0.42
1:B:407:THR:O	1:B:407:THR:HG22	2.20	0.41
1:A:361:LEU:HD13	1:A:413:ALA:HB1	2.02	0.41
1:A:428:ARG:HD2	1:A:463:ALA:O	2.21	0.41
1:A:253:ILE:HG12	1:A:254:ILE:N	2.36	0.41
1:A:358:ASN:HD21	1:A:453:ASN:HD21	1.68	0.41
1:B:342:LEU:HD22	1:B:412:MSE:CE	2.51	0.41
1:B:334:GLN:HG2	1:B:339:TYR:CZ	2.56	0.41
1:A:126:HIS:ND1	1:A:127:PRO:HD2	2.36	0.41
1:B:27:VAL:O	1:B:66:ALA:HA	2.21	0.41
1:B:473:GLU:OE1	1:B:475:GLU:N	2.52	0.41
1:B:430:ILE:O	1:B:434:MSE:HG3	2.20	0.41
1:B:102:ASN:HD22	1:B:102:ASN:HA	1.77	0.40
1:A:209:ASP:OD1	1:A:209:ASP:N	2.55	0.40
1:A:253:ILE:HB	1:A:484:MSE:HE1	2.04	0.40
1:A:154:ASN:ND2	1:A:154:ASN:N	2.59	0.40
1:A:524:TYR:CZ	1:A:528:HIS:CE1	3.08	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	531/554 (96%)	510 (96%)	20 (4%)	1 (0%)	43	42
1	B	529/554 (96%)	512 (97%)	17 (3%)	0	100	100
All	All	1060/1108 (96%)	1022 (96%)	37 (4%)	1 (0%)	48	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	214	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	428/423 (101%)	408 (95%)	20 (5%)	23	22
1	B	431/423 (102%)	425 (99%)	6 (1%)	59	66
All	All	859/846 (102%)	833 (97%)	26 (3%)	36	38

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	79	ASP
1	A	116	THR
1	A	129	LEU
1	A	154	ASN
1	A	170	THR
1	A	172	ARG
1	A	178	THR
1	A	205	VAL
1	A	210	LEU
1	A	211	LEU
1	A	225	MSE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	286	THR
1	A	295	ARG
1	A	312	LEU
1	A	345	GLN
1	A	361	LEU
1	A	452	LYS
1	A	453	ASN
1	A	468	MSE
1	B	23	GLN
1	B	31	SER
1	B	59	VAL
1	B	225	MSE
1	B	367	GLU
1	B	452	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	GLN
1	A	57	ASN
1	A	104	GLN
1	A	151	HIS
1	A	154	ASN
1	A	298	HIS
1	A	336	HIS
1	A	429	HIS
1	A	453	ASN
1	A	458	GLN
1	A	514	ASN
1	A	528	HIS
1	B	23	GLN
1	B	102	ASN
1	B	104	GLN
1	B	154	ASN
1	B	235	GLN
1	B	298	HIS
1	B	336	HIS
1	B	345	GLN
1	B	421	GLN
1	B	429	HIS
1	B	453	ASN
1	B	514	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	528	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BTB	B	600	-	13,13,13	1.85	2 (15%)	7,16,16	2.30	5 (71%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BTB	B	600	-	-	8/21/21/21	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	600	BTB	O6-C6	-4.43	1.19	1.42
2	B	600	BTB	O8-C8	-4.32	1.20	1.42

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	BTB	O4-C4-C2	3.13	118.77	111.40
2	B	600	BTB	O1-C1-C2	3.07	118.62	111.40
2	B	600	BTB	O8-C8-C7	2.52	121.62	111.22
2	B	600	BTB	O3-C3-C2	2.42	117.09	111.40
2	B	600	BTB	O6-C6-C5	2.01	119.51	111.22

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	600	BTB	C1-C2-C3-O3
2	B	600	BTB	C4-C2-C3-O3
2	B	600	BTB	C3-C2-C4-O4
2	B	600	BTB	N-C2-C4-O4
2	B	600	BTB	N-C2-C3-O3
2	B	600	BTB	C1-C2-N-C5
2	B	600	BTB	C3-C2-N-C5
2	B	600	BTB	C4-C2-N-C5

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	600	BTB	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	513/554 (92%)	0.40	15 (2%) 53 52	13, 29, 43, 55	0
1	B	509/554 (91%)	0.14	13 (2%) 57 56	14, 25, 38, 48	0
All	All	1022/1108 (92%)	0.27	28 (2%) 56 55	13, 27, 41, 55	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	215	ALA	5.3
1	B	130	GLU	3.0
1	A	220	ALA	2.9
1	A	211	LEU	2.9
1	A	238	ALA	2.7
1	B	59	VAL	2.7
1	A	216	ALA	2.7
1	A	197	TRP	2.7
1	B	65	GLN	2.6
1	B	62	ALA	2.6
1	B	363	GLN	2.6
1	A	1	LEU	2.5
1	B	2	ALA	2.5
1	A	312	LEU	2.4
1	A	100	GLY	2.4
1	A	266	ALA	2.3
1	B	471	PRO	2.3
1	B	66	ALA	2.3
1	B	64	ASN	2.3
1	B	1	LEU	2.2
1	A	269	VAL	2.2
1	B	267	SER	2.1
1	A	345	GLN	2.1
1	B	278	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	491	VAL	2.1
1	A	234	SER	2.1
1	A	310	ALA	2.1
1	A	153	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BTB	B	600	14/14	0.89	0.09	24,27,30,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.