



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 05:24 AM UTC

PDB ID : 9GGJ / pdb_00009ggj
Title : Crystal structure of argininosuccinate lyase from Arabidopsis thaliana (AtASL) in complex with biological substrate and products - argininosuccinate, arginine and fumarate
Authors : Nielipinski, M.; Pietrzyk-Brzezinska, A.J.; Krzeszewska, D.; Sekula, B.
Deposited on : 2024-08-13
Resolution : 2.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	465	2% 85% 11% ..
1	B	465	% 88% 9% .
1	C	465	2% 83% 12% ..
1	D	465	% 85% 10% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	465	4% 86% 10%
1	F	465	% 87% 10%
1	G	465	% 87% 8%
1	H	465	3% 83% 12%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 31810 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Argininosuccinate lyase, chloroplastic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	0	8	0
			3572	2252	611	688	21			
1	B	452	Total	C	N	O	S	0	10	0
			3599	2271	616	691	21			
1	C	448	Total	C	N	O	S	0	10	0
			3555	2244	609	681	21			
1	D	448	Total	C	N	O	S	0	6	0
			3540	2235	607	678	20			
1	E	448	Total	C	N	O	S	0	7	0
			3552	2241	606	684	21			
1	F	454	Total	C	N	O	S	0	6	0
			3593	2265	618	690	20			
1	G	448	Total	C	N	O	S	0	8	0
			3548	2241	609	678	20			
1	H	451	Total	C	N	O	S	0	8	0
			3582	2264	610	687	21			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	53	SER	-	expression tag	UNP Q9LEU8
A	54	ASN	-	expression tag	UNP Q9LEU8
A	55	ALA	-	expression tag	UNP Q9LEU8
B	53	SER	-	expression tag	UNP Q9LEU8
B	54	ASN	-	expression tag	UNP Q9LEU8
B	55	ALA	-	expression tag	UNP Q9LEU8
C	53	SER	-	expression tag	UNP Q9LEU8
C	54	ASN	-	expression tag	UNP Q9LEU8
C	55	ALA	-	expression tag	UNP Q9LEU8
D	53	SER	-	expression tag	UNP Q9LEU8
D	54	ASN	-	expression tag	UNP Q9LEU8
D	55	ALA	-	expression tag	UNP Q9LEU8
E	53	SER	-	expression tag	UNP Q9LEU8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	54	ASN	-	expression tag	UNP Q9LEU8
E	55	ALA	-	expression tag	UNP Q9LEU8
F	53	SER	-	expression tag	UNP Q9LEU8
F	54	ASN	-	expression tag	UNP Q9LEU8
F	55	ALA	-	expression tag	UNP Q9LEU8
G	53	SER	-	expression tag	UNP Q9LEU8
G	54	ASN	-	expression tag	UNP Q9LEU8
G	55	ALA	-	expression tag	UNP Q9LEU8
H	53	SER	-	expression tag	UNP Q9LEU8
H	54	ASN	-	expression tag	UNP Q9LEU8
H	55	ALA	-	expression tag	UNP Q9LEU8

- Molecule 2 is ARGININOSUCCINATE (CCD ID: AS1) (formula: $C_{10}H_{18}N_4O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			20	10	4	6		
2	D	1	Total	C	N	O	0	0
			20	10	4	6		
2	E	1	Total	C	N	O	0	0
			20	10	4	6		
2	G	1	Total	C	N	O	0	0
			20	10	4	6		
2	H	1	Total	C	N	O	0	0
			20	10	4	6		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Cl	0	0
			2	2		
4	C	3	Total	Cl	0	0
			3	3		
4	E	1	Total	Cl	0	0
			1	1		
4	G	1	Total	Cl	0	0
			1	1		

- Molecule 5 is FUMARIC ACID (CCD ID: FUM) (formula: C₄H₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			8	4	4		
5	E	1	Total	C	O	0	0
			8	4	4		

- Molecule 6 is ARGinine (CCD ID: ARG) (formula: $C_6H_{15}N_4O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			12	6	4	2		
6	C	1	Total	C	N	O	0	0
			12	6	4	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	F	1	Total	C	N	O	0	0
			12	6	4	2		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			6	3	3		
7	G	1	Total	C	O	0	0
			6	3	3		
7	G	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	353	Total	O	0	0
			353	353		
8	B	344	Total	O	0	0
			344	344		
8	C	376	Total	O	0	0
			376	376		
8	D	400	Total	O	0	0
			400	400		
8	E	331	Total	O	0	0
			331	331		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	F	360	Total 360	O 360	0	0
8	G	407	Total 407	O 407	0	0
8	H	386	Total 386	O 386	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Argininosuccinate lyase, chloroplactic




- Molecule 1: Argininosuccinate lyase, chloroplactic




- Molecule 1: Argininosuccinate lyase, chloroplactic




- Molecule 1: Argininosuccinate lyase, chloroplastic




- Molecule 1: Argininosuccinate lyase, chloroplastic




- Molecule 1: Argininosuccinate lyase, chloroplastic




- Molecule 1: Argininosuccinate lyase, chloroplastic



- Molecule 1: Argininosuccinate lyase, chloroplastic





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	106.59Å 230.85Å 112.53Å 90.00° 89.48° 90.00°	Depositor
Resolution (Å)	49.57 – 2.00 49.57 – 2.00	Depositor EDS
% Data completeness (in resolution range)	71.6 (49.57-2.00) 71.6 (49.57-2.00)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.92 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.175 , 0.227 0.186 , 0.232	Depositor DCC
R_{free} test set	1974 reflections (0.54%)	wwPDB-VP
Wilson B-factor (Å ²)	21.0	Xtriage
Anisotropy	0.356	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	31810	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, FUM, CL, SO4, AS1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	0/3659	1.17	9/4946 (0.2%)
1	B	0.67	0/3693	1.16	11/4992 (0.2%)
1	C	0.71	0/3648	1.19	17/4932 (0.3%)
1	D	0.69	0/3621	1.21	8/4896 (0.2%)
1	E	0.67	0/3632	1.17	9/4910 (0.2%)
1	F	0.71	0/3675	1.19	14/4965 (0.3%)
1	G	0.71	0/3635	1.19	11/4913 (0.2%)
1	H	0.69	0/3670	1.19	15/4960 (0.3%)
All	All	0.69	0/29233	1.19	94/39514 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	H	0	1
All	All	0	2

There are no bond length outliers.

The worst 5 of 94 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	246	LEU	N-CA-CB	-8.78	96.19	110.42
1	E	145	GLU	CB-CG-CD	7.12	124.70	112.60
1	G	294	PHE	CA-CB-CG	6.87	120.67	113.80
1	C	183	THR	CA-CB-OG1	-6.76	99.45	109.60
1	B	496	THR	CA-CB-OG1	-6.75	99.48	109.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	438	ARG	Sidechain
1	H	411	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3572	0	3576	38	0
1	B	3599	0	3605	33	0
1	C	3555	0	3573	42	0
1	D	3540	0	3550	34	0
1	E	3552	0	3550	32	0
1	F	3593	0	3589	31	0
1	G	3548	0	3568	26	0
1	H	3582	0	3590	39	0
2	A	20	0	14	1	0
2	D	20	0	14	0	0
2	E	20	0	14	1	0
2	G	20	0	14	0	0
2	H	20	0	14	1	0
3	A	25	0	0	1	0
3	B	20	0	0	1	0
3	C	15	0	0	0	0
3	D	10	0	0	1	0
3	E	20	0	0	0	0
3	F	20	0	0	2	0
3	G	5	0	0	0	0
3	H	20	0	0	0	0
4	A	2	0	0	0	0
4	C	3	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	0	0
5	A	8	0	1	0	0
5	E	8	0	1	0	0
6	B	12	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	C	12	0	12	1	0
6	F	12	0	12	0	0
7	D	6	0	8	0	0
7	G	12	0	16	1	0
8	A	353	0	0	11	0
8	B	344	0	0	10	0
8	C	376	0	0	18	0
8	D	400	0	0	11	0
8	E	331	0	0	9	0
8	F	360	0	0	8	0
8	G	407	0	0	5	0
8	H	386	0	0	9	0
All	All	31810	0	28733	253	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 253 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:435:MET:HE2	1:C:435:MET:HA	1.54	0.89
1:A:364[B]:THR:HG22	1:C:364[B]:THR:HG22	1.54	0.88
1:G:92:MET:HE1	8:G:717:HOH:O	1.75	0.86
1:H:318:GLU:HB2	8:H:855:HOH:O	1.77	0.85
1:A:190:ASN:HB2	8:A:900:HOH:O	1.79	0.81

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	457/465 (98%)	445 (97%)	11 (2%)	1 (0%)	43	42
1	B	460/465 (99%)	452 (98%)	7 (2%)	1 (0%)	43	42
1	C	456/465 (98%)	443 (97%)	12 (3%)	1 (0%)	43	42
1	D	452/465 (97%)	444 (98%)	7 (2%)	1 (0%)	43	42
1	E	451/465 (97%)	439 (97%)	10 (2%)	2 (0%)	30	27
1	F	458/465 (98%)	447 (98%)	10 (2%)	1 (0%)	43	42
1	G	454/465 (98%)	445 (98%)	8 (2%)	1 (0%)	43	42
1	H	457/465 (98%)	442 (97%)	12 (3%)	3 (1%)	18	14
All	All	3645/3720 (98%)	3557 (98%)	77 (2%)	11 (0%)	36	35

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	256	LEU
1	B	256	LEU
1	E	256	LEU
1	C	256	LEU
1	D	256	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/402 (99%)	390 (98%)	9 (2%)	44	49
1	B	402/402 (100%)	401 (100%)	1 (0%)	87	92
1	C	398/402 (99%)	395 (99%)	3 (1%)	73	80
1	D	394/402 (98%)	387 (98%)	7 (2%)	51	58
1	E	396/402 (98%)	394 (100%)	2 (0%)	81	87
1	F	398/402 (99%)	394 (99%)	4 (1%)	68	75
1	G	396/402 (98%)	389 (98%)	7 (2%)	51	58
1	H	399/402 (99%)	391 (98%)	8 (2%)	48	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3182/3216 (99%)	3141 (99%)	41 (1%)	61 68

5 of 41 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	347	LEU
1	H	160	HIS
1	G	376	ASP
1	G	472	VAL
1	H	411	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 23 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	231	GLN
1	G	459	GLN
1	F	485	ASN
1	H	103	HIS
1	C	460	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 47 ligands modelled in this entry, 7 are monoatomic - leaving 40 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	E	606	-	4,4,4	0.25	0	6,6,6	0.17	0
3	SO4	A	606	-	4,4,4	0.31	0	6,6,6	0.17	0
3	SO4	F	703	-	4,4,4	0.29	0	6,6,6	0.14	0
2	AS1	E	601	-	18,19,19	1.02	2 (11%)	19,24,24	1.15	2 (10%)
3	SO4	D	604	-	4,4,4	0.23	0	6,6,6	0.19	0
3	SO4	F	704	-	4,4,4	0.29	0	6,6,6	0.23	0
3	SO4	G	604	-	4,4,4	0.28	0	6,6,6	0.19	0
3	SO4	B	601	-	4,4,4	0.38	0	6,6,6	0.21	0
3	SO4	B	603	-	4,4,4	0.28	0	6,6,6	0.28	0
3	SO4	C	701	-	4,4,4	0.34	0	6,6,6	0.27	0
5	FUM	E	602	-	7,7,7	1.81	2 (28%)	8,8,8	0.42	0
3	SO4	E	603	-	4,4,4	0.32	0	6,6,6	0.08	0
7	GOL	G	603	-	5,5,5	0.21	0	5,5,5	0.44	0
3	SO4	H	604	-	4,4,4	0.33	0	6,6,6	0.10	0
3	SO4	E	604	-	4,4,4	0.30	0	6,6,6	0.30	0
3	SO4	C	703	-	4,4,4	0.30	0	6,6,6	0.19	0
3	SO4	B	602	-	4,4,4	0.36	0	6,6,6	0.17	0
6	ARG	F	705	-	10,11,11	0.80	1 (10%)	9,13,13	0.97	0
3	SO4	H	605	-	4,4,4	0.37	0	6,6,6	0.07	0
2	AS1	G	601	-	18,19,19	1.16	3 (16%)	19,24,24	1.17	2 (10%)
7	GOL	G	602	-	5,5,5	0.07	0	5,5,5	0.35	0
3	SO4	A	603	-	4,4,4	0.25	0	6,6,6	0.13	0
2	AS1	H	601	-	18,19,19	1.08	1 (5%)	19,24,24	1.20	2 (10%)
2	AS1	A	601	-	18,19,19	1.11	1 (5%)	19,24,24	1.14	0
3	SO4	A	602	-	4,4,4	0.40	0	6,6,6	0.29	0
3	SO4	H	603	-	4,4,4	0.45	0	6,6,6	0.22	0
5	FUM	A	609	-	7,7,7	1.90	2 (28%)	8,8,8	0.36	0
3	SO4	H	602	-	4,4,4	0.35	0	6,6,6	0.22	0
3	SO4	B	604	-	4,4,4	0.30	0	6,6,6	0.12	0
3	SO4	F	702	-	4,4,4	0.25	0	6,6,6	0.29	0
3	SO4	F	701	-	4,4,4	0.33	0	6,6,6	0.15	0
3	SO4	A	604	-	4,4,4	0.35	0	6,6,6	0.38	0
3	SO4	E	605	-	4,4,4	0.18	0	6,6,6	0.33	0
3	SO4	C	702	-	4,4,4	0.32	0	6,6,6	0.15	0
2	AS1	D	601	-	18,19,19	1.16	3 (16%)	19,24,24	1.13	1 (5%)
3	SO4	D	603	-	4,4,4	0.33	0	6,6,6	0.27	0
6	ARG	B	605	-	10,11,11	0.67	0	9,13,13	0.60	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	GOL	D	602	-	5,5,5	0.18	0	5,5,5	0.43	0
6	ARG	C	707	-	10,11,11	0.62	0	9,13,13	0.75	0
3	SO4	A	605	-	4,4,4	0.28	0	6,6,6	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AS1	H	601	-	-	2/21/23/23	-
5	FUM	E	602	-	-	0/5/5/5	-
7	GOL	G	603	-	-	2/4/4/4	-
6	ARG	B	605	-	-	3/11/11/11	-
2	AS1	A	601	-	-	3/21/23/23	-
2	AS1	E	601	-	-	3/21/23/23	-
6	ARG	F	705	-	-	3/11/11/11	-
2	AS1	D	601	-	-	3/21/23/23	-
2	AS1	G	601	-	-	3/21/23/23	-
7	GOL	G	602	-	-	3/4/4/4	-
5	FUM	A	609	-	-	2/5/5/5	-
7	GOL	D	602	-	-	0/4/4/4	-
6	ARG	C	707	-	-	1/11/11/11	-

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	609	FUM	O8-C6	-3.40	1.21	1.30
5	E	602	FUM	OXT-C	-3.20	1.22	1.30
2	D	601	AS1	O51-C5	2.81	1.30	1.22
5	E	602	FUM	O8-C6	-2.76	1.23	1.30
2	E	601	AS1	OD1-CD	-2.40	1.22	1.30

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	601	AS1	C2-C1-N2	2.70	115.46	110.67
2	D	601	AS1	C2-C1-N2	2.50	115.10	110.67
2	G	601	AS1	N1-C-N2	-2.44	119.10	125.00
2	E	601	AS1	N1-C-N2	-2.36	119.27	125.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	601	AS1	C2-C1-N2	2.19	114.55	110.67

There are no chirality outliers.

5 of 28 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	AS1	C2-C3-C4-N4
2	D	601	AS1	N2-C-N1-CA
2	G	601	AS1	N2-C-N1-CA
2	H	601	AS1	N2-C-N1-CA
6	B	605	ARG	N-CA-CB-CG


There are no ring outliers.

11 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	601	AS1	1	0
3	D	604	SO4	1	0
3	F	704	SO4	1	0
3	B	601	SO4	1	0
7	G	602	GOL	1	0
2	H	601	AS1	1	0
2	A	601	AS1	1	0
3	A	602	SO4	1	0
3	F	702	SO4	1	0
6	B	605	ARG	1	0
6	C	707	ARG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand AS1 E 601




Ligand FUM E 602




Ligand AS1 G 601




Ligand AS1 H 601




Ligand AS1 A 601



Ligand FUM A 609





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	451/465 (96%)	-0.17	7 (1%) 70 70	12, 24, 50, 81	8 (1%)
1	B	452/465 (97%)	-0.23	5 (1%) 78 77	11, 24, 45, 83	10 (2%)
1	C	448/465 (96%)	-0.13	9 (2%) 65 64	11, 23, 52, 97	10 (2%)
1	D	448/465 (96%)	-0.22	3 (0%) 84 84	11, 23, 44, 61	6 (1%)
1	E	448/465 (96%)	0.02	19 (4%) 40 39	12, 24, 67, 93	7 (1%)
1	F	454/465 (97%)	-0.17	6 (1%) 75 74	12, 25, 47, 91	6 (1%)
1	G	448/465 (96%)	-0.23	3 (0%) 84 84	10, 22, 46, 81	8 (1%)
1	H	451/465 (96%)	-0.18	12 (2%) 56 55	11, 23, 49, 95	8 (1%)
All	All	3600/3720 (96%)	-0.16	64 (1%) 67 67	10, 24, 51, 97	63 (1%)

The worst 5 of 64 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	452	VAL	5.8
1	E	418	ALA	4.5
1	H	455	GLY	4.4
1	G	337	PRO	4.3
1	A	437	PHE	4.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	E	606	5/5	0.76	0.16	76,77,98,98	0
7	GOL	G	602	6/6	0.77	0.19	42,47,50,52	0
3	SO4	C	703	5/5	0.80	0.15	69,82,87,89	0
3	SO4	B	604	5/5	0.81	0.12	75,82,86,93	0
3	SO4	F	704	5/5	0.82	0.14	73,78,84,87	0
3	SO4	A	605	5/5	0.82	0.12	73,74,80,81	0
3	SO4	H	603	5/5	0.87	0.13	44,46,61,70	0
7	GOL	D	602	6/6	0.87	0.12	49,52,53,54	0
3	SO4	B	602	5/5	0.87	0.12	64,68,82,94	0
5	FUM	E	602	8/8	0.88	0.15	42,55,71,71	0
3	SO4	E	603	5/5	0.88	0.12	81,84,93,96	0
3	SO4	F	703	5/5	0.88	0.08	71,79,81,81	0
7	GOL	G	603	6/6	0.88	0.15	47,53,56,57	0
3	SO4	B	603	5/5	0.89	0.12	53,57,65,85	0
3	SO4	H	604	5/5	0.89	0.12	63,88,91,96	0
2	AS1	H	601	20/20	0.90	0.12	33,50,60,63	0
6	ARG	C	707	12/12	0.90	0.10	23,30,39,45	0
3	SO4	C	702	5/5	0.90	0.12	58,69,76,83	0
3	SO4	A	606	5/5	0.90	0.10	75,75,78,82	0
3	SO4	H	605	5/5	0.90	0.14	69,97,105,111	0
3	SO4	A	602	5/5	0.91	0.10	49,53,56,58	0
6	ARG	F	705	12/12	0.91	0.11	31,38,49,51	0
2	AS1	E	601	20/20	0.91	0.10	31,43,50,51	0
5	FUM	A	609	8/8	0.91	0.13	40,58,62,65	0
3	SO4	F	702	5/5	0.91	0.12	49,58,62,63	0
3	SO4	E	604	5/5	0.92	0.13	47,56,66,81	0
3	SO4	E	605	5/5	0.92	0.13	39,40,52,59	0
3	SO4	A	604	5/5	0.92	0.15	42,43,51,61	0
3	SO4	B	601	5/5	0.92	0.10	55,56,65,71	0
2	AS1	A	601	20/20	0.93	0.10	30,43,56,58	0
3	SO4	H	602	5/5	0.93	0.10	54,56,57,73	0
3	SO4	A	603	5/5	0.93	0.10	41,47,57,63	0
3	SO4	D	603	5/5	0.93	0.11	44,57,63,78	0
3	SO4	D	604	5/5	0.93	0.09	53,54,63,77	0
2	AS1	D	601	20/20	0.93	0.10	22,41,54,55	0
2	AS1	G	601	20/20	0.94	0.09	21,33,45,46	0
6	ARG	B	605	12/12	0.95	0.07	25,33,36,37	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	C	701	5/5	0.96	0.07	50,53,58,60	0
3	SO4	G	604	5/5	0.96	0.12	40,42,50,53	0
3	SO4	F	701	5/5	0.97	0.13	42,43,49,54	0
4	CL	E	607	1/1	0.98	0.05	32,32,32,32	0
4	CL	G	605	1/1	0.98	0.07	23,23,23,23	0
4	CL	A	608	1/1	0.98	0.08	31,31,31,31	0
4	CL	C	705	1/1	0.98	0.05	26,26,26,26	0
4	CL	C	706	1/1	0.98	0.07	22,22,22,22	0
4	CL	A	607	1/1	0.99	0.11	34,34,34,34	0
4	CL	C	704	1/1	0.99	0.05	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around AS1 H 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AS1 E 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FUM A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AS1 A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AS1 D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AS1 G 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.