



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:48 PM UTC

PDB ID : 1GK1 / pdb_00001gk1
Title : Structure-based prediction of modifications in glutarylamidase to allow single-step enzymatic production of 7-aminocephalosporanic acid from cephalosporin C
Authors : Fritz-Wolf, K.; Koller, K.P.; Lange, G.; Liesum, A.; Sauber, K.; Schreuder, H.; Aretz, W.; Kabsch, W.
Deposited on : 2001-08-07
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	3% 87% 10% .
1	C	153	88% 10% .
2	B	522	78% 20% .
2	D	522	% 76% 21% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11321 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CEPHALOSPORIN ACYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	0	0
			1203	765	212	225	1			
1	C	153	Total	C	N	O	S	0	0	0
			1203	765	212	225	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	126	GLU	ASP	conflict	UNP O86089
C	126	GLU	ASP	conflict	UNP O86089

- Molecule 2 is a protein called CEPHALOSPORIN ACYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	522	Total	C	N	O	S	0	0	0
			4122	2606	727	778	11			
2	D	522	Total	C	N	O	S	0	0	0
			4122	2606	727	778	11			

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		



- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	70	Total	O	0	0
			70	70		
4	B	257	Total	O	0	0
			257	257		
4	C	81	Total	O	0	0
			81	81		
4	D	251	Total	O	0	0
			251	251		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: CEPHALOSPORIN ACYLASE




• Molecule 1: CEPHALOSPORIN ACYLASE




• Molecule 2: CEPHALOSPORIN ACYLASE



• Molecule 2: CEPHALOSPORIN ACYLASE





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	230.29Å 70.44Å 114.80Å 90.00° 97.48° 90.00°	Depositor
Resolution (Å)	14.63 – 2.40 14.63 – 2.40	Depositor EDS
% Data completeness (in resolution range)	94.1 (14.63-2.40) 93.7 (14.63-2.40)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.23 (at 2.39Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.180 , 0.219 0.180 , 0.217	Depositor DCC
R_{free} test set	3362 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	17.5	Xtriage
Anisotropy	0.237	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11321	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 70.32 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.1857e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/1242	0.87	4/1698 (0.2%)
1	C	0.38	0/1242	0.86	5/1698 (0.3%)
2	B	0.41	0/4237	0.90	14/5783 (0.2%)
2	D	0.40	0/4237	0.90	18/5783 (0.3%)
All	All	0.40	0/10958	0.89	41/14962 (0.3%)

There are no bond length outliers.

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	437	VAL	N-CA-C	8.11	120.28	108.53
2	B	437	VAL	N-CA-C	7.87	119.94	108.53
1	C	71	GLY	CA-C-N	7.18	128.82	119.84
1	C	71	GLY	C-N-CA	7.18	128.82	119.84
2	D	175	PRO	N-CA-C	7.14	122.82	114.03
1	A	71	GLY	CA-C-N	7.13	128.75	119.84
1	A	71	GLY	C-N-CA	7.13	128.75	119.84
2	B	175	PRO	N-CA-C	6.95	122.58	114.03
2	B	174	VAL	CA-C-N	6.62	126.75	119.87
2	B	174	VAL	C-N-CA	6.62	126.75	119.87
2	D	174	VAL	CA-C-N	6.33	126.45	119.87
2	D	174	VAL	C-N-CA	6.33	126.45	119.87
2	D	442	ASP	N-CA-C	-6.17	101.99	109.83
2	D	178	ASN	N-CA-C	-5.99	99.89	109.96
2	B	178	ASN	N-CA-C	-5.95	99.97	109.96
2	D	419	ASN	CB-CA-C	-5.79	109.35	117.23
1	C	124	SER	CA-C-N	5.68	125.14	119.24
1	C	124	SER	C-N-CA	5.68	125.14	119.24
2	B	513	GLN	N-CA-C	-5.67	107.01	114.04
2	D	47	GLY	N-CA-C	5.66	118.42	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	47	GLY	N-CA-C	5.53	118.23	110.38
2	D	29	ASP	N-CA-C	5.51	117.72	111.11
1	A	124	SER	CA-C-N	5.50	124.95	119.24
1	A	124	SER	C-N-CA	5.50	124.95	119.24
2	D	364	ALA	N-CA-C	5.48	118.02	111.71
2	B	364	ALA	N-CA-C	5.42	117.94	111.71
2	B	374	LYS	CA-C-N	5.36	125.03	119.56
2	B	374	LYS	C-N-CA	5.36	125.03	119.56
2	D	513	GLN	N-CA-C	-5.33	106.71	113.43
2	D	374	LYS	CA-C-N	5.32	124.99	119.56
2	D	374	LYS	C-N-CA	5.32	124.99	119.56
2	B	29	ASP	N-CA-C	5.30	117.47	111.11
2	B	436	ARG	N-CA-C	-5.20	101.49	109.76
2	D	436	ARG	N-CA-C	-5.17	101.55	109.76
1	C	147	ASN	N-CA-C	5.15	118.03	111.69
2	B	452	VAL	N-CA-C	-5.13	107.42	113.42
2	B	98	GLU	N-CA-C	-5.07	100.47	108.73
2	D	319	ASP	CA-C-N	5.06	124.55	119.19
2	D	319	ASP	C-N-CA	5.06	124.55	119.19
2	D	452	VAL	N-CA-C	-5.05	107.52	113.42
2	D	98	GLU	N-CA-C	-5.04	100.52	108.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1203	0	1120	14	0
1	C	1203	0	1120	13	0
2	B	4122	0	3956	94	0
2	D	4122	0	3956	92	0
3	B	6	0	8	1	0
3	D	6	0	8	1	0
4	A	70	0	0	1	0
4	B	257	0	0	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	81	0	0	2	0
4	D	251	0	0	10	0
All	All	11321	0	10168	201	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:280:ARG:HH11	2:B:280:ARG:HB3	1.37	0.87
2:B:294:MET:HA	2:B:460:MET:HE2	1.57	0.87
2:D:294:MET:HA	2:D:460:MET:HE2	1.56	0.86
2:B:294:MET:HG2	2:B:460:MET:HG3	1.63	0.81
2:D:294:MET:HG2	2:D:460:MET:HG3	1.63	0.80
2:B:383:ARG:HH11	2:B:383:ARG:HB3	1.48	0.79
2:B:520:PHE:O	2:B:522:PRO:HD3	1.82	0.78
2:D:99:ARG:HD3	4:D:2066:HOH:O	1.84	0.75
2:B:185:GLU:HG3	4:B:2112:HOH:O	1.89	0.72
2:B:40:THR:HG22	2:B:43:PHE:H	1.54	0.72
2:B:280:ARG:HB3	2:B:280:ARG:NH1	2.05	0.72
2:B:63:ARG:HH12	2:B:64:MET:HG2	1.55	0.71
2:B:63:ARG:HH12	2:B:64:MET:CG	2.04	0.71
2:D:63:ARG:HH12	2:D:64:MET:CG	2.04	0.71
2:D:63:ARG:HH12	2:D:64:MET:HG2	1.56	0.70
2:D:40:THR:HG22	2:D:43:PHE:H	1.57	0.69
1:C:68:GLU:O	2:D:107:ARG:HD2	1.95	0.66
2:D:204:ILE:O	2:D:208:GLN:HG3	1.96	0.65
2:B:169:LEU:O	2:B:172:MET:HE2	1.96	0.65
2:D:169:LEU:O	2:D:172:MET:HE2	1.96	0.65
1:C:22:LEU:CD2	2:D:515:ARG:HG3	2.28	0.63
2:B:505:ARG:HD2	2:B:509:GLU:OE2	1.98	0.63
2:B:204:ILE:O	2:B:208:GLN:HG3	1.98	0.63
2:D:294:MET:O	2:D:298:LEU:HD13	2.00	0.62
2:D:505:ARG:HD2	2:D:509:GLU:OE2	1.99	0.62
2:B:172:MET:HE1	2:B:226:LEU:HD13	1.80	0.62
2:B:40:THR:HG23	2:B:42:ASP:H	1.66	0.60
2:D:149:MET:HE2	2:D:153:TYR:HD2	1.66	0.60
2:D:172:MET:HE1	2:D:226:LEU:HD13	1.81	0.60
4:A:2025:HOH:O	2:B:107:ARG:HD2	2.02	0.60
2:D:40:THR:HG23	2:D:42:ASP:H	1.67	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:313:ILE:HD13	2:B:332:ALA:HB2	1.84	0.59
2:B:63:ARG:NH1	2:B:64:MET:HG2	2.17	0.59
2:D:40:THR:CG2	2:D:42:ASP:H	2.15	0.59
2:D:63:ARG:NH1	2:D:64:MET:HG2	2.17	0.59
2:B:40:THR:CG2	2:B:42:ASP:H	2.15	0.59
2:B:149:MET:HE2	2:B:153:TYR:HD2	1.67	0.58
2:D:100:ARG:HB2	2:D:120:ILE:HB	1.85	0.58
2:D:313:ILE:HD13	2:D:332:ALA:HB2	1.84	0.58
1:C:89:ARG:NE	4:C:2043:HOH:O	2.28	0.57
2:B:99:ARG:HD3	2:B:119:GLU:OE2	2.04	0.57
2:D:386:LYS:HD3	2:D:386:LYS:C	2.30	0.57
2:B:383:ARG:HB3	2:B:383:ARG:NH1	2.17	0.56
2:D:441:SER:HB3	2:D:452:VAL:HG23	1.87	0.56
1:A:19:ASN:HB3	2:B:518:PHE:CZ	2.41	0.56
2:B:386:LYS:C	2:B:386:LYS:HD3	2.31	0.56
1:C:22:LEU:HD23	2:D:515:ARG:HG3	1.87	0.56
2:D:172:MET:HE3	2:D:226:LEU:HB2	1.86	0.55
2:B:172:MET:HE3	2:B:226:LEU:HB2	1.87	0.55
2:B:383:ARG:HH11	2:B:383:ARG:CB	2.18	0.55
2:B:217:ARG:HG3	2:B:217:ARG:HH11	1.72	0.55
2:B:64:MET:HE1	4:B:2093:HOH:O	2.06	0.55
2:B:40:THR:HG22	2:B:43:PHE:N	2.21	0.54
2:B:441:SER:HB3	2:B:452:VAL:HG23	1.88	0.54
2:D:40:THR:HG22	2:D:43:PHE:N	2.22	0.54
2:D:187:THR:HA	2:D:234:ASN:HD21	1.73	0.54
2:D:217:ARG:HH11	2:D:217:ARG:HG3	1.73	0.54
2:B:243:SER:O	2:B:244:ASN:HB2	2.08	0.53
2:B:315:ALA:O	2:B:318:ILE:HG12	2.08	0.53
1:C:36:ALA:HB3	1:C:37:PRO:HD3	1.89	0.53
2:D:294:MET:HA	2:D:460:MET:CE	2.35	0.53
2:B:187:THR:HA	2:B:234:ASN:HD21	1.73	0.53
1:C:96:GLN:HE21	2:D:147:PRO:HG3	1.74	0.53
1:C:156:ARG:HD2	4:D:2045:HOH:O	2.08	0.53
1:A:56:LEU:HD23	1:A:127:VAL:HG13	1.92	0.52
2:B:402:LYS:HB3	2:B:443:PRO:HG3	1.90	0.52
1:C:56:LEU:HD23	1:C:127:VAL:HG13	1.91	0.52
2:B:303:VAL:O	2:B:307:ARG:HG2	2.10	0.52
2:D:243:SER:O	2:D:244:ASN:HB2	2.09	0.52
1:A:36:ALA:HB3	1:A:37:PRO:HD3	1.90	0.52
2:D:303:VAL:O	2:D:307:ARG:HG2	2.09	0.52
2:D:149:MET:CE	2:D:153:TYR:HD2	2.23	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:443:PRO:HB2	2:B:447:GLY:HA2	1.91	0.51
2:D:268:GLN:HG3	4:D:2136:HOH:O	2.11	0.51
2:D:10:LYS:HG3	4:D:2005:HOH:O	2.12	0.50
2:D:315:ALA:O	2:D:318:ILE:HG12	2.11	0.50
2:D:63:ARG:NE	4:D:2035:HOH:O	2.43	0.50
2:D:176:THR:O	2:D:177:PHE:HB2	2.12	0.50
2:D:440:TRP:HB3	2:D:449:ARG:HG3	1.94	0.50
2:B:176:THR:O	2:B:177:PHE:HB2	2.11	0.50
2:B:372:LEU:O	2:B:375:PRO:HD3	2.12	0.50
2:D:421:VAL:HG13	4:D:2207:HOH:O	2.12	0.50
2:D:172:MET:CE	2:D:226:LEU:HB2	2.42	0.50
1:A:96:GLN:HE21	2:B:147:PRO:HG3	1.77	0.49
2:B:170:ALA:HA	2:B:172:MET:HE3	1.94	0.49
2:D:372:LEU:O	2:D:375:PRO:HD3	2.12	0.49
2:D:170:ALA:HA	2:D:172:MET:HE3	1.95	0.49
2:B:49:THR:HB	2:B:56:ILE:HA	1.94	0.49
2:D:49:THR:HB	2:D:56:ILE:HA	1.93	0.49
2:B:193:ASN:HA	4:B:2115:HOH:O	2.13	0.48
2:B:521:LYS:N	2:B:521:LYS:HD2	2.29	0.48
2:B:415:ARG:NH2	2:B:424:PRO:HB3	2.28	0.48
2:D:418:LEU:HB3	2:D:487:SER:HB3	1.95	0.48
2:B:440:TRP:HB3	2:B:449:ARG:HG3	1.95	0.48
2:B:149:MET:CE	2:B:153:TYR:HD2	2.25	0.48
2:B:188:ILE:H	2:B:234:ASN:ND2	2.12	0.48
2:B:294:MET:HG2	2:B:460:MET:HE2	1.96	0.48
2:D:415:ARG:NH2	2:D:424:PRO:HB3	2.29	0.48
2:D:188:ILE:H	2:D:234:ASN:ND2	2.11	0.47
2:B:172:MET:CE	2:B:226:LEU:HB2	2.44	0.47
2:B:240:VAL:HG13	4:B:2131:HOH:O	2.14	0.47
2:B:294:MET:CG	2:B:460:MET:HG3	2.41	0.47
2:B:121:ARG:HD3	4:B:2059:HOH:O	2.14	0.47
2:B:294:MET:HA	2:B:460:MET:CE	2.35	0.47
2:B:418:LEU:HB3	2:B:487:SER:HB3	1.95	0.47
1:A:9:ALA:HB1	1:A:10:PRO:HD2	1.97	0.47
2:B:414:SER:HA	2:B:449:ARG:HG2	1.97	0.47
2:B:491:GLU:HB2	4:B:2240:HOH:O	2.15	0.47
2:B:505:ARG:HD2	2:B:509:GLU:CD	2.40	0.47
2:D:185:GLU:HG3	4:D:2094:HOH:O	2.14	0.47
2:B:522:PRO:HB2	4:B:2257:HOH:O	2.14	0.47
2:B:57:ARG:HH22	3:B:1523:GOL:C1	2.28	0.46
2:D:69:THR:OG1	2:D:178:ASN:HB2	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:461:ILE:HD12	2:B:461:ILE:N	2.30	0.46
2:D:415:ARG:HD3	2:D:422:ASN:OD1	2.16	0.46
2:B:154:PHE:O	2:B:158:THR:HB	2.16	0.46
1:C:89:ARG:NH2	4:C:2043:HOH:O	2.42	0.46
2:D:294:MET:HG2	2:D:460:MET:HE2	1.96	0.46
2:B:69:THR:OG1	2:B:178:ASN:HB2	2.16	0.46
2:D:505:ARG:HD2	2:D:509:GLU:CD	2.40	0.46
2:D:428:GLY:N	4:D:2208:HOH:O	2.49	0.46
2:D:414:SER:HA	2:D:449:ARG:HG2	1.98	0.45
2:D:426:ALA:O	2:D:427:ALA:HB3	2.16	0.45
2:D:68:ASN:ND2	2:D:153:TYR:OH	2.50	0.45
2:B:370:TRP:HD1	2:B:378:THR:O	2.00	0.45
2:D:57:ARG:HH22	3:D:1523:GOL:C1	2.29	0.45
2:D:188:ILE:H	2:D:234:ASN:HD21	1.65	0.45
2:D:280:ARG:O	2:D:284:GLU:HB2	2.17	0.45
1:A:54:ASN:O	1:A:58:LEU:HD22	2.17	0.44
2:D:509:GLU:HA	2:D:512:VAL:CG2	2.48	0.44
2:B:229:LEU:HG	4:B:2115:HOH:O	2.18	0.44
2:D:80:ARG:NH1	2:D:210:LEU:HD12	2.33	0.44
2:D:154:PHE:O	2:D:158:THR:HB	2.17	0.44
2:D:443:PRO:HB2	2:D:447:GLY:HA2	1.99	0.44
2:D:257:THR:OG1	2:D:259:LYS:HG2	2.17	0.44
2:B:50:GLN:O	2:B:53:LEU:HB2	2.18	0.44
2:B:63:ARG:HH11	2:B:63:ARG:HB3	1.82	0.44
2:B:509:GLU:HA	2:B:512:VAL:CG2	2.48	0.44
2:D:63:ARG:HB3	2:D:63:ARG:HH11	1.83	0.44
2:B:415:ARG:HD3	2:B:422:ASN:OD1	2.17	0.44
2:D:445:GLU:H	2:D:445:GLU:CD	2.26	0.44
1:A:11:ILE:HG21	2:B:466:PRO:HB3	1.99	0.44
2:B:80:ARG:NH1	2:B:210:LEU:HD12	2.33	0.44
2:D:181:TYR:CD1	2:D:181:TYR:C	2.96	0.43
2:D:461:ILE:N	2:D:461:ILE:HD12	2.33	0.43
2:D:197:PRO:HA	2:D:223:THR:HA	2.00	0.43
2:D:50:GLN:O	2:D:53:LEU:HB2	2.18	0.43
2:D:201:GLU:OE2	2:D:217:ARG:HD3	2.18	0.43
2:D:35:GLU:CD	2:D:499:ARG:HH22	2.26	0.43
1:C:54:ASN:O	1:C:58:LEU:HD22	2.17	0.43
2:D:149:MET:CE	2:D:153:TYR:CD2	3.01	0.43
1:A:149:LEU:HD23	1:A:149:LEU:HA	1.93	0.43
2:B:201:GLU:OE2	2:B:217:ARG:HD3	2.18	0.43
2:B:380:TYR:CG	2:B:381:GLY:N	2.86	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:426:ALA:O	2:B:427:ALA:HB3	2.18	0.43
2:D:438:PHE:N	4:D:2208:HOH:O	2.51	0.43
2:D:370:TRP:HD1	2:D:378:THR:O	2.01	0.43
2:D:386:LYS:HD3	2:D:386:LYS:O	2.19	0.43
2:B:153:TYR:O	2:B:157:ILE:HG12	2.20	0.42
2:B:188:ILE:H	2:B:234:ASN:HD21	1.66	0.42
2:B:521:LYS:O	2:B:522:PRO:O	2.37	0.42
2:B:149:MET:CE	2:B:153:TYR:CD2	3.03	0.42
2:B:185:GLU:H	2:B:185:GLU:HG2	1.66	0.42
2:B:68:ASN:ND2	2:B:153:TYR:OH	2.52	0.42
2:B:35:GLU:CD	2:B:499:ARG:HH22	2.27	0.42
2:B:197:PRO:HA	2:B:223:THR:HA	2.00	0.42
2:B:401:ARG:HH11	2:B:401:ARG:HG3	1.84	0.42
2:D:294:MET:CA	2:D:460:MET:HE2	2.39	0.42
2:D:349:GLU:OE1	2:D:449:ARG:NH2	2.52	0.42
2:B:257:THR:OG1	2:B:259:LYS:HG2	2.20	0.42
2:D:24:LEU:HD12	2:D:24:LEU:HA	1.94	0.42
2:B:197:PRO:HG2	2:B:199:ARG:CZ	2.50	0.42
2:D:270:PRO:HA	2:D:370:TRP:CE3	2.55	0.42
1:A:124:SER:HA	1:A:125:PRO:HD3	1.93	0.41
2:B:386:LYS:HD3	2:B:386:LYS:O	2.20	0.41
2:D:313:ILE:HB	2:D:314:PRO:HD3	2.02	0.41
1:A:19:ASN:HB3	2:B:518:PHE:CE2	2.56	0.41
2:B:313:ILE:HB	2:B:314:PRO:HD3	2.02	0.41
2:D:197:PRO:HG2	2:D:199:ARG:CZ	2.51	0.41
2:B:229:LEU:HA	2:B:230:PRO:HD3	1.96	0.41
2:D:63:ARG:NH1	2:D:64:MET:HB3	2.35	0.41
2:D:63:ARG:CZ	4:D:2035:HOH:O	2.68	0.41
2:D:153:TYR:O	2:D:157:ILE:HG12	2.20	0.41
2:D:262:PRO:HG2	2:D:265:LEU:HG	2.02	0.41
2:B:270:PRO:HA	2:B:370:TRP:CE3	2.56	0.41
2:D:380:TYR:CG	2:D:381:GLY:N	2.88	0.41
1:A:17:ARG:HH11	1:A:17:ARG:HG3	1.85	0.41
2:B:99:ARG:NE	4:B:2059:HOH:O	2.53	0.41
2:D:294:MET:CG	2:D:460:MET:HG3	2.41	0.41
2:D:334:TRP:CE2	2:D:336:ARG:HA	2.56	0.41
1:A:80:TRP:HE1	1:A:148:PHE:HB3	1.86	0.41
1:C:11:ILE:HD13	2:D:466:PRO:HB3	2.03	0.41
2:B:181:TYR:CD1	2:B:181:TYR:C	2.98	0.40
1:C:19:ASN:HB3	2:D:518:PHE:CZ	2.56	0.40
1:A:22:LEU:HD22	2:B:515:ARG:HG2	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:178:ASN:HD22	2:D:178:ASN:HA	1.76	0.40
1:A:21:ILE:HB	2:B:516:THR:HB	2.02	0.40
2:D:509:GLU:O	2:D:512:VAL:HG23	2.22	0.40
2:B:63:ARG:NH1	2:B:64:MET:HB3	2.36	0.40
1:C:80:TRP:HE1	1:C:148:PHE:HB3	1.87	0.40
2:D:401:ARG:HH11	2:D:401:ARG:HG3	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/153 (99%)	149 (99%)	2 (1%)	0	100	100
1	C	151/153 (99%)	147 (97%)	4 (3%)	0	100	100
2	B	520/522 (100%)	507 (98%)	13 (2%)	0	100	100
2	D	520/522 (100%)	506 (97%)	14 (3%)	0	100	100
All	All	1342/1350 (99%)	1309 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	117/117 (100%)	114 (97%)	3 (3%)	40	63
1	C	117/117 (100%)	113 (97%)	4 (3%)	32	54
2	B	431/431 (100%)	411 (95%)	20 (5%)	24	41
2	D	431/431 (100%)	413 (96%)	18 (4%)	26	45
All	All	1096/1096 (100%)	1051 (96%)	45 (4%)	27	46

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	LEU
1	A	58	LEU
1	A	127	VAL
2	B	24	LEU
2	B	40	THR
2	B	53	LEU
2	B	63	ARG
2	B	153	TYR
2	B	158	THR
2	B	185	GLU
2	B	240	VAL
2	B	280	ARG
2	B	287	ASP
2	B	300	HIS
2	B	317	LEU
2	B	323	GLU
2	B	383	ARG
2	B	415	ARG
2	B	449	ARG
2	B	453	HIS
2	B	460	MET
2	B	491	GLU
2	B	502	LEU
1	C	56	LEU
1	C	58	LEU
1	C	118	GLN
1	C	127	VAL
2	D	24	LEU
2	D	40	THR
2	D	53	LEU
2	D	63	ARG
2	D	139	VAL
2	D	153	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	158	THR
2	D	185	GLU
2	D	240	VAL
2	D	287	ASP
2	D	300	HIS
2	D	317	LEU
2	D	415	ARG
2	D	449	ARG
2	D	453	HIS
2	D	460	MET
2	D	491	GLU
2	D	502	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	76	GLN
1	A	92	GLN
1	A	96	GLN
1	A	97	GLN
1	A	104	ASN
1	A	147	ASN
2	B	68	ASN
2	B	78	ASN
2	B	101	GLN
2	B	178	ASN
2	B	189	ASN
2	B	208	GLN
2	B	234	ASN
2	B	268	GLN
2	B	271	HIS
2	B	285	ASN
2	B	300	HIS
2	B	358	GLN
2	B	363	GLN
2	B	513	GLN
2	B	519	ASN
1	C	8	GLN
1	C	76	GLN
1	C	96	GLN
1	C	97	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	104	ASN
1	C	117	GLN
1	C	147	ASN
2	D	15	ASN
2	D	68	ASN
2	D	78	ASN
2	D	178	ASN
2	D	189	ASN
2	D	208	GLN
2	D	234	ASN
2	D	268	GLN
2	D	271	HIS
2	D	285	ASN
2	D	358	GLN
2	D	363	GLN
2	D	446	ASN
2	D	519	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	1523	-	5,5,5	0.49	0	5,5,5	0.56	0
3	GOL	D	1523	-	5,5,5	0.50	0	5,5,5	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	1523	-	-	0/4/4/4	-
3	GOL	D	1523	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1523	GOL	1	0
3	D	1523	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/153 (100%)	-0.39	4 (2%) 57 53	10, 16, 43, 72	0
1	C	153/153 (100%)	-0.44	0 100 100	10, 17, 43, 76	0
2	B	522/522 (100%)	-0.58	2 (0%) 88 86	6, 16, 30, 67	0
2	D	522/522 (100%)	-0.56	4 (0%) 82 80	7, 17, 31, 81	0
All	All	1350/1350 (100%)	-0.53	10 (0%) 84 81	6, 16, 33, 81	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	522	PRO	3.6
2	B	522	PRO	3.0
2	D	420	ASP	2.8
2	D	521	LYS	2.7
1	A	12	ALA	2.7
1	A	160	GLU	2.5
1	A	13	ALA	2.2
2	D	520	PHE	2.2
2	B	420	ASP	2.1
1	A	159	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	D	1523	6/6	0.67	0.21	41,44,48,53	0
3	GOL	B	1523	6/6	0.69	0.17	44,45,48,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.