



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:02 AM UTC

PDB ID : 8GKF / pdb_00008gkf
Title : Phosphopantetheinyl transferase PptT from Mycobacterium tuberculosis in complex with Raltitrexed.
Authors : Krieger, I.V.; Singh, A.; Sacchettini, J.C.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2023-03-18
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	235	7% 83% 10% 6%
1	B	235	5% 82% 13% 5%
1	C	235	14% 77% 18% .
1	D	235	17% 83% 12% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	235	
1	F	235	
1	G	235	
1	H	235	
1	I	235	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 14268 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4'-phosphopantetheinyl transferase PptT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	220	Total	C	N	O	S	0	0	0
			1686	1077	299	303	7			
1	B	223	Total	C	N	O	S	0	0	0
			1708	1093	302	306	7			
1	C	225	Total	C	N	O	S	0	0	0
			1712	1093	301	311	7			
1	D	225	Total	C	N	O	S	0	0	0
			1659	1061	296	297	5			
1	E	222	Total	C	N	O	S	0	0	0
			1672	1072	295	298	7			
1	F	97	Total	C	N	O	S	0	0	0
			701	455	121	123	2			
1	G	197	Total	C	N	O	S	0	0	0
			1508	968	267	268	5			
1	H	216	Total	C	N	O	S	0	0	0
			1617	1039	279	293	6			
1	I	217	Total	C	N	O	S	0	0	0
			1642	1049	284	302	7			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	228	ALA	-	expression tag	UNP O33336
A	229	GLY	-	expression tag	UNP O33336
A	230	GLU	-	expression tag	UNP O33336
A	231	ASN	-	expression tag	UNP O33336
A	232	LEU	-	expression tag	UNP O33336
A	233	TYR	-	expression tag	UNP O33336
A	234	PHE	-	expression tag	UNP O33336
A	235	GLN	-	expression tag	UNP O33336
B	228	ALA	-	expression tag	UNP O33336
B	229	GLY	-	expression tag	UNP O33336
B	230	GLU	-	expression tag	UNP O33336

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	231	ASN	-	expression tag	UNP O33336
B	232	LEU	-	expression tag	UNP O33336
B	233	TYR	-	expression tag	UNP O33336
B	234	PHE	-	expression tag	UNP O33336
B	235	GLN	-	expression tag	UNP O33336
C	228	ALA	-	expression tag	UNP O33336
C	229	GLY	-	expression tag	UNP O33336
C	230	GLU	-	expression tag	UNP O33336
C	231	ASN	-	expression tag	UNP O33336
C	232	LEU	-	expression tag	UNP O33336
C	233	TYR	-	expression tag	UNP O33336
C	234	PHE	-	expression tag	UNP O33336
C	235	GLN	-	expression tag	UNP O33336
D	228	ALA	-	expression tag	UNP O33336
D	229	GLY	-	expression tag	UNP O33336
D	230	GLU	-	expression tag	UNP O33336
D	231	ASN	-	expression tag	UNP O33336
D	232	LEU	-	expression tag	UNP O33336
D	233	TYR	-	expression tag	UNP O33336
D	234	PHE	-	expression tag	UNP O33336
D	235	GLN	-	expression tag	UNP O33336
E	228	ALA	-	expression tag	UNP O33336
E	229	GLY	-	expression tag	UNP O33336
E	230	GLU	-	expression tag	UNP O33336
E	231	ASN	-	expression tag	UNP O33336
E	232	LEU	-	expression tag	UNP O33336
E	233	TYR	-	expression tag	UNP O33336
E	234	PHE	-	expression tag	UNP O33336
E	235	GLN	-	expression tag	UNP O33336
F	228	ALA	-	expression tag	UNP O33336
F	229	GLY	-	expression tag	UNP O33336
F	230	GLU	-	expression tag	UNP O33336
F	231	ASN	-	expression tag	UNP O33336
F	232	LEU	-	expression tag	UNP O33336
F	233	TYR	-	expression tag	UNP O33336
F	234	PHE	-	expression tag	UNP O33336
F	235	GLN	-	expression tag	UNP O33336
G	228	ALA	-	expression tag	UNP O33336
G	229	GLY	-	expression tag	UNP O33336
G	230	GLU	-	expression tag	UNP O33336
G	231	ASN	-	expression tag	UNP O33336
G	232	LEU	-	expression tag	UNP O33336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	233	TYR	-	expression tag	UNP O33336
G	234	PHE	-	expression tag	UNP O33336
G	235	GLN	-	expression tag	UNP O33336
H	228	ALA	-	expression tag	UNP O33336
H	229	GLY	-	expression tag	UNP O33336
H	230	GLU	-	expression tag	UNP O33336
H	231	ASN	-	expression tag	UNP O33336
H	232	LEU	-	expression tag	UNP O33336
H	233	TYR	-	expression tag	UNP O33336
H	234	PHE	-	expression tag	UNP O33336
H	235	GLN	-	expression tag	UNP O33336
I	228	ALA	-	expression tag	UNP O33336
I	229	GLY	-	expression tag	UNP O33336
I	230	GLU	-	expression tag	UNP O33336
I	231	ASN	-	expression tag	UNP O33336
I	232	LEU	-	expression tag	UNP O33336
I	233	TYR	-	expression tag	UNP O33336
I	234	PHE	-	expression tag	UNP O33336
I	235	GLN	-	expression tag	UNP O33336

- Molecule 2 is TOMUDEX (CCD ID: D16) (formula: C₂₁H₂₂N₄O₆S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	
			32	21	4	6	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
2	C	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
2	D	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
2	E	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
2	F	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
2	G	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
2	H	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
2	I	1	Total	C	N	O	S	0	0
			32	21	4	6	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	11	Total	O	0	0
			11	11		
3	B	20	Total	O	0	0
			20	20		
3	C	6	Total	O	0	0
			6	6		
3	D	7	Total	O	0	0
			7	7		
3	E	8	Total	O	0	0
			8	8		
3	F	3	Total	O	0	0
			3	3		
3	G	9	Total	O	0	0
			9	9		
3	H	10	Total	O	0	0
			10	10		
3	I	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4'-phosphopantetheinyl transferase PptT




- Molecule 1: 4'-phosphopantetheinyl transferase PptT




- Molecule 1: 4'-phosphopantetheinyl transferase PptT





- Molecule 1: 4'-phosphopantetheinyl transferase PptT








• Molecule 1: 4'-phosphopantetheinyl transferase PptT




• Molecule 1: 4'-phosphopantetheinyl transferase PptT




• Molecule 1: 4'-phosphopantetheinyl transferase PptT



• Molecule 1: 4'-phosphopantetheinyl transferase PptT



• Molecule 1: 4'-phosphopantetheinyl transferase PptT



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	141.83Å 141.83Å 209.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	21.08 – 2.45 21.08 – 2.45	Depositor EDS
% Data completeness (in resolution range)	91.0 (21.08-2.45) 90.9 (21.08-2.45)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 2.44Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.281 , 0.326 0.282 , 0.325	Depositor DCC
R_{free} test set	3619 reflections (4.57%)	wwPDB-VP
Wilson B-factor (Å ²)	39.3	Xtrriage
Anisotropy	0.002	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	14268	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.92 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.4281e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: D16

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.25	0/1730	0.50	1/2363 (0.0%)
1	B	0.34	1/1753 (0.1%)	0.57	4/2394 (0.2%)
1	C	0.28	0/1757	0.53	0/2403
1	D	0.39	0/1702	0.60	0/2330
1	E	0.43	0/1716	0.57	1/2348 (0.0%)
1	F	0.22	0/712	0.57	0/965
1	G	0.41	0/1545	0.70	4/2106 (0.2%)
1	H	0.43	1/1657 (0.1%)	0.65	3/2264 (0.1%)
1	I	0.39	0/1683	0.64	2/2299 (0.1%)
All	All	0.36	2/14255 (0.0%)	0.60	15/19472 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	126	LEU	CA-C	-5.56	1.45	1.52
1	H	123	ASN	CA-C	-5.47	1.45	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	105	ARG	N-CA-C	7.20	119.13	111.28
1	G	103	GLY	O-C-N	-6.85	117.68	123.23
1	E	130	SER	N-CA-C	6.56	120.21	109.72
1	H	77	ASP	N-CA-C	6.00	120.36	109.32
1	G	83	TRP	O-C-N	5.99	126.44	121.35
1	B	36	GLU	CB-CG-CD	-5.94	102.50	112.60
1	G	213	ARG	N-CA-C	5.88	118.78	109.50
1	H	76	GLY	N-CA-C	-5.87	103.08	111.42
1	B	16	PHE	CA-C-N	5.47	131.99	121.54
1	B	16	PHE	C-N-CA	5.47	131.99	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	75	LYS	N-CA-C	5.46	117.79	108.90
1	G	86	GLY	N-CA-C	-5.44	107.73	115.30
1	I	58	CYS	N-CA-C	-5.35	105.56	111.71
1	I	61	ILE	N-CA-C	-5.26	105.37	110.42
1	B	17	GLU	N-CA-C	-5.19	99.75	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1686	0	1695	17	0
1	B	1708	0	1716	21	0
1	C	1712	0	1715	29	0
1	D	1659	0	1628	22	0
1	E	1672	0	1673	18	0
1	F	701	0	653	7	0
1	G	1508	0	1508	36	0
1	H	1617	0	1586	45	0
1	I	1642	0	1622	33	0
2	A	32	0	20	0	0
2	B	32	0	20	0	0
2	C	32	0	20	2	0
2	D	32	0	20	0	0
2	E	32	0	20	2	0
2	F	32	0	20	0	0
2	G	32	0	20	1	0
2	H	32	0	20	2	0
2	I	32	0	20	0	0
3	A	11	0	0	0	0
3	B	20	0	0	0	0
3	C	6	0	0	0	0
3	D	7	0	0	0	0
3	E	8	0	0	0	0
3	F	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	9	0	0	0	0
3	H	10	0	0	0	0
3	I	1	0	0	0	0
All	All	14268	0	13976	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:169:ARG:HH22	1:G:200:SER:HB2	1.27	0.98
1:G:169:ARG:NH2	1:G:200:SER:HB2	1.95	0.81
1:I:66:LEU:HD22	1:I:87:MET:HE1	1.64	0.76
1:A:122:PRO:HG2	1:A:125:VAL:HG21	1.66	0.76
1:G:181:GLU:HG3	1:G:190:ARG:HE	1.50	0.75
1:H:167:THR:HB	1:H:201:THR:HA	1.69	0.73
1:H:152:LEU:HD11	1:H:156:LYS:HE2	1.70	0.72
1:I:80:GLU:OE2	1:I:168:LYS:NZ	2.21	0.71
1:B:156:LYS:NZ	1:B:176:ALA:O	2.25	0.69
1:E:157:GLU:HG2	1:E:160:TYR:CE2	2.28	0.69
1:A:20:ALA:HB1	1:A:65:GLN:HE21	1.58	0.68
1:B:122:PRO:HG2	1:B:125:VAL:HG21	1.75	0.67
1:H:77:ASP:C	1:H:79:GLY:H	2.03	0.67
1:G:109:ARG:N	1:G:227:LEU:O	2.28	0.67
1:G:181:GLU:CG	1:G:190:ARG:HE	2.08	0.66
1:H:106:ASP:OD1	1:H:107:ALA:N	2.28	0.66
1:I:156:LYS:NZ	1:I:176:ALA:O	2.27	0.65
1:B:139:PRO:O	1:C:218:ARG:HD2	1.97	0.65
1:H:75:LYS:HD3	2:H:301:D16:OE1	1.97	0.65
1:B:129:ILE:HG21	1:B:153:PHE:HD1	1.62	0.64
1:G:187:TRP:HB3	1:G:216:VAL:HG22	1.80	0.64
1:C:56:ARG:HG2	1:C:73:ILE:HD12	1.80	0.63
1:E:138:MET:HE1	1:E:152:LEU:HD13	1.79	0.63
1:I:198:ASP:OD1	1:I:200:SER:N	2.25	0.63
1:I:103:GLY:HA3	1:I:108:VAL:HG21	1.80	0.63
1:B:12:PRO:HB2	1:B:15:VAL:HG21	1.81	0.62
1:G:6:LEU:HD22	1:G:217:GLU:HB3	1.83	0.61
1:B:157:GLU:HB2	1:B:160:TYR:CE2	2.35	0.61
1:I:91:LEU:O	1:I:161:LYS:NZ	2.29	0.61
1:D:193:SER:HB2	1:D:210:LEU:HB2	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:120:VAL:HG13	1:G:147:HIS:CE1	2.36	0.60
1:H:193:SER:HB2	1:H:210:LEU:HB2	1.84	0.60
1:I:122:PRO:HG2	1:I:125:VAL:HG21	1.83	0.60
1:G:157:GLU:HG2	1:G:161:LYS:HD2	1.84	0.59
1:D:156:LYS:NZ	1:D:176:ALA:O	2.37	0.58
1:D:210:LEU:HD12	1:D:227:LEU:HD21	1.85	0.58
1:I:109:ARG:N	1:I:227:LEU:O	2.34	0.58
1:B:139:PRO:HG3	1:B:148:TRP:CE2	2.38	0.58
1:C:6:LEU:HD22	1:C:217:GLU:HG2	1.87	0.57
1:I:55:VAL:HG11	1:I:91:LEU:HB3	1.87	0.57
1:H:210:LEU:HD13	1:H:227:LEU:HD21	1.87	0.57
1:A:105:ARG:HB2	1:A:105:ARG:HH11	1.70	0.56
1:C:121:LEU:HD13	1:C:125:VAL:HG23	1.86	0.56
1:G:90:SER:HB3	1:G:113:ILE:HG12	1.87	0.56
1:D:56:ARG:HG2	1:D:73:ILE:HD12	1.87	0.56
1:H:129:ILE:HG21	1:H:153:PHE:HD1	1.70	0.56
1:D:129:ILE:HA	1:D:173:PHE:HB3	1.88	0.56
1:G:161:LYS:NZ	2:G:301:D16:O	2.39	0.56
1:B:129:ILE:HG21	1:B:153:PHE:CD1	2.39	0.56
1:E:157:GLU:HG2	1:E:160:TYR:CZ	2.42	0.55
1:B:181:GLU:OE1	1:B:190:ARG:NH2	2.38	0.55
1:H:177:HIS:O	1:H:194:ARG:N	2.40	0.55
1:I:60:ARG:HA	1:I:63:LEU:HB2	1.89	0.55
1:I:210:LEU:HD23	1:I:227:LEU:HD21	1.89	0.55
1:H:56:ARG:HH12	2:H:301:D16:CD	2.20	0.54
1:H:138:MET:HE1	1:H:152:LEU:HB2	1.89	0.54
1:I:207:LEU:HD21	1:I:210:LEU:HD21	1.90	0.54
1:C:47:LYS:NZ	1:C:51:GLU:OE2	2.29	0.54
1:H:107:ALA:O	1:H:229:GLY:N	2.34	0.54
1:E:129:ILE:HA	1:E:173:PHE:HB3	1.90	0.54
1:E:135:ARG:HG3	1:E:148:TRP:HH2	1.73	0.54
1:G:103:GLY:HA3	1:G:108:VAL:HG21	1.89	0.54
1:G:218:ARG:C	1:G:220:LEU:H	2.15	0.53
1:B:138:MET:SD	1:B:152:LEU:HB2	2.49	0.53
1:C:183:ASP:OD1	1:C:190:ARG:NH1	2.42	0.53
1:I:23:GLU:O	1:I:24:LEU:HD12	2.08	0.53
1:H:210:LEU:HD12	1:H:225:ILE:HG21	1.89	0.53
1:A:163:TRP:CD1	1:A:171:LEU:HB2	2.45	0.52
1:H:77:ASP:C	1:H:79:GLY:N	2.65	0.52
1:H:138:MET:HE2	1:H:180:PHE:CE1	2.43	0.52
1:C:169:ARG:NH2	1:C:200:SER:O	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:VAL:HG22	1:B:221:VAL:HG22	1.92	0.52
1:C:121:LEU:HB3	1:C:125:VAL:CG2	2.40	0.52
1:H:85:ASP:OD1	1:H:85:ASP:N	2.42	0.52
1:I:62:ALA:HA	1:I:65:GLN:OE1	2.11	0.51
1:C:63:LEU:HD22	1:C:68:VAL:HG11	1.92	0.51
1:H:178:ILE:HG23	1:H:180:PHE:HE1	1.74	0.51
1:G:121:LEU:HA	1:G:150:ARG:HH21	1.75	0.51
1:D:163:TRP:CE3	1:D:171:LEU:HB2	2.45	0.51
1:G:60:ARG:HD3	1:G:70:PRO:HB3	1.91	0.51
1:E:56:ARG:HH12	2:E:301:D16:CD	2.24	0.51
1:F:157:GLU:HA	1:F:160:TYR:CE2	2.46	0.51
1:H:194:ARG:HH21	1:H:209:THR:CB	2.24	0.51
1:C:87:MET:HE1	1:C:104:ARG:HG2	1.91	0.51
1:F:210:LEU:HG	1:F:227:LEU:HD21	1.93	0.50
1:H:156:LYS:NZ	1:H:176:ALA:O	2.44	0.50
1:D:109:ARG:N	1:D:227:LEU:O	2.41	0.50
1:G:129:ILE:HG22	1:G:173:PHE:CG	2.47	0.50
1:A:105:ARG:HH21	1:D:43:ARG:NH1	2.10	0.50
1:I:63:LEU:HD23	1:I:87:MET:HE2	1.93	0.50
1:C:129:ILE:HG21	1:C:153:PHE:HD1	1.76	0.49
1:D:151:ILE:HG12	1:D:221:VAL:HG21	1.94	0.49
1:H:49:ARG:O	1:H:53:ILE:HG13	2.11	0.49
1:H:80:GLU:OE1	1:H:168:LYS:NZ	2.38	0.49
1:E:143:PRO:HD2	1:E:146:LEU:HD12	1.93	0.49
1:B:12:PRO:HB2	1:B:15:VAL:CG2	2.42	0.49
1:C:28:PRO:HD2	1:C:31:LEU:HD12	1.94	0.49
1:D:177:HIS:HB3	1:D:194:ARG:HB2	1.93	0.49
1:H:169:ARG:NH1	1:H:198:ASP:O	2.45	0.49
1:C:41:ILE:HD12	1:C:49:ARG:HG2	1.95	0.49
1:H:55:VAL:HG22	1:H:91:LEU:HD22	1.93	0.48
1:I:138:MET:HE2	1:I:148:TRP:HB2	1.95	0.48
1:C:56:ARG:NH1	1:C:73:ILE:O	2.45	0.48
1:H:104:ARG:O	1:H:108:VAL:HG22	2.13	0.48
1:F:114:ASP:OD1	1:F:115:ALA:N	2.46	0.48
1:D:191:PHE:CZ	1:D:212:GLY:HA3	2.48	0.48
1:G:83:TRP:HH2	1:G:91:LEU:HD21	1.78	0.48
1:I:51:GLU:HG3	1:I:98:ARG:HH21	1.78	0.48
1:B:16:PHE:CD1	1:B:19:LEU:O	2.67	0.48
1:C:48:ARG:HH22	2:C:301:D16:CD	2.27	0.48
1:G:55:VAL:HG13	1:G:91:LEU:HD22	1.96	0.48
1:G:116:GLU:HB3	1:G:150:ARG:HD2	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:85:ASP:O	1:I:87:MET:HG2	2.13	0.48
1:A:143:PRO:HD2	1:A:146:LEU:HD12	1.96	0.47
1:I:27:ASP:CG	1:I:50:ASN:HB3	2.39	0.47
1:I:181:GLU:OE1	1:I:190:ARG:NH2	2.48	0.47
1:C:132:PRO:HA	1:C:135:ARG:NH1	2.29	0.47
1:D:163:TRP:CE2	1:D:167:THR:HG21	2.50	0.47
1:H:7:VAL:HG13	1:H:97:TYR:OH	2.15	0.47
1:F:195:ILE:HD11	1:F:210:LEU:HD13	1.96	0.47
1:C:19:LEU:HD13	1:C:108:VAL:HG21	1.97	0.47
1:G:27:ASP:CG	1:G:50:ASN:HB3	2.40	0.47
1:C:129:ILE:HA	1:C:173:PHE:HB3	1.97	0.46
1:I:129:ILE:HA	1:I:173:PHE:HB3	1.97	0.46
1:H:44:SER:HB3	1:H:48:ARG:HG2	1.97	0.46
1:I:129:ILE:HG13	1:I:130:SER:HB3	1.97	0.46
1:A:140:ARG:HD2	1:E:187:TRP:CD2	2.50	0.46
1:G:117:PRO:O	1:G:150:ARG:NH1	2.48	0.46
1:H:129:ILE:O	1:H:156:LYS:HE3	2.16	0.46
1:I:195:ILE:HD11	1:I:210:LEU:HD12	1.98	0.46
1:E:122:PRO:HD2	1:E:125:VAL:HG21	1.98	0.46
1:H:194:ARG:HH21	1:H:209:THR:HB	1.81	0.46
1:C:129:ILE:HG21	1:C:153:PHE:CD1	2.51	0.46
1:I:198:ASP:OD1	1:I:199:GLY:N	2.49	0.46
1:A:27:ASP:CG	1:A:50:ASN:HB3	2.40	0.45
1:H:209:THR:O	1:H:210:LEU:HD22	2.16	0.45
1:F:114:ASP:OD2	1:F:154:CYS:HA	2.15	0.45
1:G:60:ARG:HA	1:G:63:LEU:HB2	1.97	0.45
1:G:169:ARG:HH22	1:G:200:SER:CB	2.13	0.45
1:B:129:ILE:O	1:B:156:LYS:HE3	2.17	0.45
1:B:116:GLU:HB3	1:B:150:ARG:HD2	1.98	0.45
1:H:122:PRO:O	1:H:125:VAL:HG22	2.16	0.45
1:A:110:SER:HB3	1:A:227:LEU:HD12	1.96	0.45
1:I:71:ALA:HB3	1:I:84:PRO:HG3	1.98	0.45
1:G:193:SER:HB2	1:G:210:LEU:HB2	1.98	0.45
1:C:195:ILE:HB	1:C:208:THR:HG22	1.98	0.45
1:G:121:LEU:HD23	1:G:150:ARG:HE	1.82	0.45
1:G:217:GLU:C	1:G:218:ARG:O	2.60	0.45
1:H:77:ASP:O	1:H:79:GLY:N	2.43	0.45
1:A:67:GLY:HA3	1:B:190:ARG:NH1	2.33	0.44
1:B:121:LEU:HD12	1:B:149:ASP:HB2	1.99	0.44
1:A:55:VAL:HG22	1:A:91:LEU:HD22	2.00	0.44
1:G:83:TRP:CH2	1:G:91:LEU:HD21	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:143:PRO:HD2	1:C:146:LEU:HD12	1.99	0.44
1:G:218:ARG:O	1:G:220:LEU:N	2.50	0.44
1:D:163:TRP:HD1	1:D:207:LEU:HD23	1.82	0.44
1:I:159:THR:HG23	1:I:210:LEU:HD13	1.98	0.44
1:G:84:PRO:O	1:G:87:MET:HB2	2.18	0.44
1:G:187:TRP:HE3	1:G:216:VAL:HG21	1.82	0.44
1:A:28:PRO:HB2	1:A:31:LEU:HD23	1.99	0.44
1:D:36:GLU:OE1	1:D:36:GLU:N	2.46	0.44
1:D:207:LEU:HD21	1:D:210:LEU:HD11	2.00	0.44
1:H:177:HIS:N	1:H:194:ARG:O	2.51	0.43
1:E:48:ARG:HH22	2:E:301:D16:CD	2.31	0.43
1:E:116:GLU:HB3	1:E:150:ARG:HD2	2.00	0.43
1:E:135:ARG:HG3	1:E:148:TRP:CH2	2.52	0.43
1:A:6:LEU:HD21	1:A:218:ARG:HD3	2.00	0.43
1:E:26:SER:O	1:E:28:PRO:HD3	2.16	0.43
1:H:151:ILE:HG12	1:H:221:VAL:HG21	1.99	0.43
1:B:138:MET:HE2	1:B:138:MET:HB3	1.68	0.43
1:F:189:GLY:HA3	1:F:214:TRP:CE2	2.54	0.43
1:H:91:LEU:O	1:H:161:LYS:NZ	2.47	0.43
1:C:163:TRP:CE3	1:C:171:LEU:HB2	2.54	0.43
1:D:129:ILE:HA	1:D:173:PHE:CB	2.49	0.43
1:G:163:TRP:CE2	1:G:167:THR:HG21	2.54	0.43
1:H:110:SER:HB2	1:H:166:LEU:HD13	2.01	0.43
1:H:138:MET:HE1	1:H:152:LEU:HD13	2.01	0.43
1:I:178:ILE:HA	1:I:192:VAL:O	2.19	0.43
1:H:195:ILE:HB	1:H:208:THR:HA	1.99	0.42
1:G:107:ALA:O	1:G:229:GLY:N	2.36	0.42
1:H:191:PHE:CZ	1:H:212:GLY:HA3	2.54	0.42
1:A:20:ALA:HB2	1:A:66:LEU:HD21	2.01	0.42
1:D:43:ARG:HH11	1:D:43:ARG:HD2	1.66	0.42
1:D:63:LEU:HB3	1:D:68:VAL:HB	2.00	0.42
1:I:109:ARG:NH2	1:I:205:PRO:O	2.41	0.42
1:A:129:ILE:HA	1:A:173:PHE:HB3	2.02	0.42
1:C:87:MET:HE2	1:C:87:MET:HA	2.01	0.42
1:H:138:MET:SD	1:H:148:TRP:HB2	2.60	0.42
1:C:15:VAL:HG12	1:C:15:VAL:O	2.20	0.42
1:B:157:GLU:HA	1:B:160:TYR:CD2	2.55	0.42
1:C:121:LEU:HD12	1:C:149:ASP:HB2	2.02	0.42
1:I:97:TYR:CZ	1:I:222:LEU:HD11	2.53	0.42
1:I:138:MET:HE2	1:I:138:MET:HB3	1.92	0.42
1:B:163:TRP:CE3	1:B:171:LEU:HB2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:105:ARG:HA	1:E:108:VAL:O	2.19	0.41
1:G:126:LEU:HD21	1:G:148:TRP:CH2	2.55	0.41
1:G:129:ILE:HG22	1:G:173:PHE:HB3	2.02	0.41
1:D:33:PRO:HG3	1:D:41:ILE:HD11	2.01	0.41
1:D:121:LEU:HD11	1:D:153:PHE:HB2	2.02	0.41
1:C:60:ARG:HD2	1:C:70:PRO:HB3	2.03	0.41
1:H:31:LEU:HB3	1:H:53:ILE:HG22	2.01	0.41
1:A:20:ALA:CB	1:A:65:GLN:HE21	2.31	0.41
1:H:61:ILE:O	1:H:65:GLN:HG2	2.20	0.41
1:E:28:PRO:HD2	1:E:31:LEU:HD12	2.03	0.41
1:G:187:TRP:HB3	1:G:216:VAL:CG2	2.48	0.41
1:H:121:LEU:HD13	1:H:125:VAL:HG23	2.02	0.41
1:A:28:PRO:O	1:A:31:LEU:HD23	2.20	0.41
1:F:142:MET:HE2	1:F:180:PHE:HB3	2.03	0.41
1:H:38:ALA:N	1:H:39:PRO:HD2	2.35	0.41
1:C:56:ARG:NH2	2:C:301:D16:CD	2.84	0.41
1:E:109:ARG:N	1:E:227:LEU:O	2.53	0.41
1:I:163:TRP:CE2	1:I:167:THR:HG21	2.56	0.41
1:B:137:ASP:OD1	1:C:187:TRP:HH2	2.05	0.40
1:E:43:ARG:NE	1:G:105:ARG:HH22	2.20	0.40
1:C:86:GLY:O	1:C:87:MET:HE2	2.22	0.40
1:D:41:ILE:HB	1:D:49:ARG:HG2	2.02	0.40
1:D:163:TRP:CD1	1:D:207:LEU:HD23	2.56	0.40
1:E:41:ILE:O	1:E:49:ARG:NH1	2.54	0.40
1:H:129:ILE:HG21	1:H:153:PHE:CD1	2.53	0.40
1:H:207:LEU:C	1:H:209:THR:H	2.30	0.40
1:I:83:TRP:HH2	1:I:91:LEU:HD21	1.86	0.40
1:I:138:MET:SD	1:I:152:LEU:HB2	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/235 (92%)	211 (98%)	5 (2%)	0	100	100
1	B	219/235 (93%)	214 (98%)	5 (2%)	0	100	100
1	C	223/235 (95%)	215 (96%)	8 (4%)	0	100	100
1	D	223/235 (95%)	213 (96%)	8 (4%)	2 (1%)	14	17
1	E	218/235 (93%)	217 (100%)	1 (0%)	0	100	100
1	F	81/235 (34%)	81 (100%)	0	0	100	100
1	G	189/235 (80%)	172 (91%)	14 (7%)	3 (2%)	7	7
1	H	208/235 (88%)	195 (94%)	11 (5%)	2 (1%)	12	14
1	I	209/235 (89%)	194 (93%)	14 (7%)	1 (0%)	24	32
All	All	1786/2115 (84%)	1712 (96%)	66 (4%)	8 (0%)	30	37

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	42	ALA
1	G	218	ARG
1	G	219	GLY
1	G	45	VAL
1	H	83	TRP
1	H	197	ILE
1	D	15	VAL
1	I	86	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/190 (93%)	175 (99%)	2 (1%)	65	76
1	B	179/190 (94%)	178 (99%)	1 (1%)	78	86
1	C	179/190 (94%)	176 (98%)	3 (2%)	53	67
1	D	163/190 (86%)	161 (99%)	2 (1%)	63	74
1	E	172/190 (90%)	169 (98%)	3 (2%)	53	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	65/190 (34%)	65 (100%)	0	100	100
1	G	156/190 (82%)	156 (100%)	0	100	100
1	H	163/190 (86%)	160 (98%)	3 (2%)	51	65
1	I	171/190 (90%)	169 (99%)	2 (1%)	63	74
All	All	1425/1710 (83%)	1409 (99%)	16 (1%)	65	76

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	ARG
1	A	105	ARG
1	B	135	ARG
1	C	56	ARG
1	C	160	TYR
1	C	203	SER
1	D	15	VAL
1	D	43	ARG
1	E	65	GLN
1	E	160	TYR
1	E	194	ARG
1	H	75	LYS
1	H	78	LYS
1	H	85	ASP
1	I	56	ARG
1	I	213	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	GLN
1	A	123	ASN
1	B	123	ASN
1	E	65	GLN
1	I	177	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	D16	I	301	-	33,34,34	0.73	0	46,48,48	0.89	2 (4%)
2	D16	F	301	-	33,34,34	0.73	0	46,48,48	0.95	2 (4%)
2	D16	A	301	-	33,34,34	0.72	0	46,48,48	0.88	1 (2%)
2	D16	B	301	-	33,34,34	0.74	0	46,48,48	0.91	1 (2%)
2	D16	D	301	-	33,34,34	0.74	0	46,48,48	0.89	1 (2%)
2	D16	C	301	-	33,34,34	0.75	0	46,48,48	0.88	2 (4%)
2	D16	H	301	-	33,34,34	0.75	0	46,48,48	0.90	1 (2%)
2	D16	G	301	-	33,34,34	0.75	0	46,48,48	0.95	1 (2%)
2	D16	E	301	-	33,34,34	0.74	0	46,48,48	0.90	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D16	I	301	-	-	4/25/25/25	0/3/3/3
2	D16	F	301	-	-	4/25/25/25	0/3/3/3
2	D16	A	301	-	-	4/25/25/25	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D16	B	301	-	-	4/25/25/25	0/3/3/3
2	D16	D	301	-	-	3/25/25/25	0/3/3/3
2	D16	C	301	-	-	4/25/25/25	0/3/3/3
2	D16	H	301	-	-	3/25/25/25	0/3/3/3
2	D16	G	301	-	-	7/25/25/25	0/3/3/3
2	D16	E	301	-	-	3/25/25/25	0/3/3/3

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	D16	C8A-C4A-C4	-3.06	116.81	120.11
2	I	301	D16	C8A-C4A-C4	-3.05	116.81	120.11
2	F	301	D16	C8A-C4A-C4	-3.05	116.82	120.11
2	H	301	D16	C8A-C4A-C4	-3.02	116.85	120.11
2	A	301	D16	C8A-C4A-C4	-3.02	116.85	120.11
2	E	301	D16	C8A-C4A-C4	-2.99	116.89	120.11
2	G	301	D16	C8A-C4A-C4	-2.98	116.89	120.11
2	C	301	D16	C8A-C4A-C4	-2.87	117.01	120.11
2	D	301	D16	C8A-C4A-C4	-2.84	117.04	120.11
2	C	301	D16	C4A-C8A-N1	-2.06	117.85	119.46
2	F	301	D16	C4A-C8A-N1	-2.05	117.85	119.46
2	I	301	D16	C5-C4A-C4	2.01	124.04	119.51

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	301	D16	CB-CA-CT-O2
2	G	301	D16	CB-CA-CT-O1
2	H	301	D16	CT-CA-CB-CG
2	C	301	D16	CB-CA-CT-O2
2	B	301	D16	CB-CA-CT-O1
2	C	301	D16	CB-CA-CT-O1
2	B	301	D16	CB-CA-CT-O2
2	I	301	D16	CB-CA-CT-O1
2	I	301	D16	CB-CA-CT-O2
2	E	301	D16	CT-CA-CB-CG
2	G	301	D16	CT-CA-CB-CG
2	A	301	D16	CB-CA-CT-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	H	301	D16	OE2-CD-CG-CB
2	C	301	D16	OE2-CD-CG-CB
2	F	301	D16	OE2-CD-CG-CB
2	E	301	D16	OE2-CD-CG-CB
2	G	301	D16	OE2-CD-CG-CB
2	D	301	D16	OE1-CD-CG-CB
2	H	301	D16	OE1-CD-CG-CB
2	E	301	D16	OE1-CD-CG-CB
2	I	301	D16	OE2-CD-CG-CB
2	I	301	D16	OE1-CD-CG-CB
2	G	301	D16	OE1-CD-CG-CB
2	C	301	D16	OE1-CD-CG-CB
2	F	301	D16	OE1-CD-CG-CB
2	A	301	D16	CB-CA-CT-O1
2	D	301	D16	OE2-CD-CG-CB
2	A	301	D16	OE2-CD-CG-CB
2	B	301	D16	OE2-CD-CG-CB
2	A	301	D16	OE1-CD-CG-CB
2	B	301	D16	OE1-CD-CG-CB
2	G	301	D16	N-CA-CT-O2
2	F	301	D16	CB-CA-CT-O1
2	F	301	D16	CB-CA-CT-O2
2	D	301	D16	CT-CA-CB-CG
2	G	301	D16	N-CA-CT-O1


There are no ring outliers.

4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	D16	2	0
2	H	301	D16	2	0
2	G	301	D16	1	0
2	E	301	D16	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the


average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand D16 A 301




Ligand D16 B 301




Ligand D16 D 301




Ligand D16 C 301




Ligand D16 H 301



Ligand D16 G 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	220/235 (93%)	0.59	17 (7%)	19 17	25, 40, 55, 71	0
1	B	223/235 (94%)	0.51	11 (4%)	35 33	21, 37, 54, 73	0
1	C	225/235 (95%)	0.92	33 (14%)	6 4	21, 43, 67, 88	0
1	D	225/235 (95%)	1.17	39 (17%)	4 3	25, 46, 75, 83	0
1	E	222/235 (94%)	0.66	16 (7%)	21 19	24, 42, 60, 69	0
1	F	97/235 (41%)	2.38	52 (53%)	0 0	42, 60, 71, 78	0
1	G	197/235 (83%)	1.32	41 (20%)	2 2	35, 53, 69, 80	0
1	H	216/235 (91%)	1.43	60 (27%)	1 1	34, 51, 74, 82	0
1	I	217/235 (92%)	1.51	66 (30%)	1 1	33, 51, 74, 82	0
All	All	1842/2115 (87%)	1.08	335 (18%)	3 3	21, 46, 71, 88	0

All (335) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	60	ARG	6.8
1	F	178	ILE	6.6
1	F	185	THR	5.6
1	I	53	ILE	5.6
1	F	175	ASP	5.6
1	F	227	LEU	5.4
1	H	77	ASP	5.3
1	F	158	ALA	5.0
1	F	170	TRP	5.0
1	F	163	TRP	5.0
1	G	208	THR	4.9
1	I	64	ASP	4.8
1	H	82	CYS	4.7
1	H	35	PRO	4.4
1	E	14	THR	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	137	ASP	4.3
1	D	134	GLU	4.3
1	D	131	LEU	4.3
1	B	16	PHE	4.2
1	D	138	MET	4.2
1	H	197	ILE	4.1
1	F	192	VAL	4.1
1	H	202	LEU	4.1
1	I	38	ALA	4.0
1	C	132	PRO	4.0
1	I	29	PRO	4.0
1	I	46	ALA	4.0
1	F	184	SER	4.0
1	A	67	GLY	3.9
1	D	14	THR	3.9
1	D	13	ALA	3.9
1	D	130	SER	3.9
1	H	69	PRO	3.9
1	I	68	VAL	3.9
1	I	57	HIS	3.8
1	I	61	ILE	3.8
1	F	183	ASP	3.8
1	I	54	THR	3.8
1	F	74	LEU	3.8
1	C	144	ALA	3.7
1	D	140	ARG	3.7
1	B	17	GLU	3.7
1	H	198	ASP	3.7
1	H	208	THR	3.7
1	H	17	GLU	3.7
1	F	12	PRO	3.7
1	C	136	ALA	3.6
1	F	179	THR	3.6
1	C	13	ALA	3.6
1	C	140	ARG	3.6
1	F	154	CYS	3.6
1	G	175	ASP	3.6
1	F	172	GLY	3.6
1	G	129	ILE	3.6
1	H	200	SER	3.6
1	D	42	ALA	3.6
1	H	207	LEU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	110	SER	3.5
1	D	145	ALA	3.5
1	C	29	PRO	3.5
1	D	125	VAL	3.5
1	H	5	THR	3.5
1	I	204	GLY	3.4
1	C	133	ALA	3.4
1	C	16	PHE	3.4
1	G	69	PRO	3.4
1	I	129	ILE	3.4
1	F	120	VAL	3.4
1	H	79	GLY	3.4
1	H	68	VAL	3.4
1	F	160	TYR	3.3
1	I	108	VAL	3.3
1	D	124	GLY	3.3
1	D	133	ALA	3.3
1	H	42	ALA	3.3
1	F	155	ALA	3.3
1	F	90	SER	3.3
1	E	185	THR	3.3
1	F	148	TRP	3.3
1	I	42	ALA	3.3
1	I	128	ALA	3.3
1	I	33	PRO	3.3
1	I	104	ARG	3.3
1	I	41	ILE	3.3
1	H	84	PRO	3.2
1	F	113	ILE	3.2
1	G	169	ARG	3.2
1	D	199	GLY	3.2
1	H	229	GLY	3.2
1	D	211	ARG	3.2
1	D	208	THR	3.2
1	F	187	TRP	3.2
1	A	17	GLU	3.2
1	E	29	PRO	3.2
1	B	185	THR	3.2
1	I	74	LEU	3.1
1	F	206	PRO	3.1
1	H	203	SER	3.1
1	I	69	PRO	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	167	THR	3.1
1	G	200	SER	3.1
1	D	17	GLU	3.1
1	G	148	TRP	3.1
1	D	65	GLN	3.0
1	G	159	THR	3.0
1	I	141	THR	3.0
1	G	128	ALA	3.0
1	A	204	GLY	3.0
1	F	208	THR	3.0
1	I	105	ARG	3.0
1	H	178	ILE	3.0
1	F	173	PHE	3.0
1	I	65	GLN	3.0
1	I	49	ARG	3.0
1	I	39	PRO	2.9
1	D	15	VAL	2.9
1	C	139	PRO	2.9
1	H	62	ALA	2.9
1	I	71	ALA	2.9
1	G	171	LEU	2.9
1	I	203	SER	2.9
1	I	56	ARG	2.9
1	D	183	ASP	2.9
1	G	18	ASP	2.9
1	H	29	PRO	2.8
1	F	207	LEU	2.8
1	H	130	SER	2.8
1	H	88	VAL	2.8
1	C	71	ALA	2.8
1	H	18	ASP	2.8
1	I	23	GLU	2.8
1	F	195	ILE	2.8
1	I	139	PRO	2.8
1	G	62	ALA	2.8
1	E	148	TRP	2.8
1	D	195	ILE	2.8
1	C	35	PRO	2.8
1	H	108	VAL	2.8
1	I	70	PRO	2.8
1	C	131	LEU	2.8
1	F	141	THR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	59	ALA	2.8
1	H	228	ALA	2.8
1	C	142	MET	2.8
1	A	65	GLN	2.8
1	I	103	GLY	2.7
1	I	28	PRO	2.7
1	G	55	VAL	2.7
1	D	141	THR	2.7
1	D	106	ASP	2.7
1	D	69	PRO	2.7
1	B	15	VAL	2.7
1	I	25	TYR	2.7
1	D	212	GLY	2.7
1	F	215	SER	2.7
1	I	63	LEU	2.7
1	F	11	LEU	2.7
1	H	31	LEU	2.7
1	F	176	ALA	2.7
1	C	106	ASP	2.6
1	H	89	GLY	2.6
1	C	69	PRO	2.6
1	H	73	ILE	2.6
1	I	73	ILE	2.6
1	I	60	ARG	2.6
1	F	10	VAL	2.6
1	F	221	VAL	2.6
1	I	44	SER	2.6
1	I	32	THR	2.6
1	D	129	ILE	2.6
1	H	53	ILE	2.6
1	F	150	ARG	2.6
1	B	130	SER	2.6
1	A	228	ALA	2.6
1	H	206	PRO	2.6
1	I	52	PHE	2.6
1	F	7	VAL	2.6
1	H	110	SER	2.6
1	I	95	ALA	2.6
1	G	85	ASP	2.6
1	H	30	GLY	2.6
1	D	142	MET	2.6
1	F	191	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	17	GLU	2.6
1	G	216	VAL	2.6
1	F	159	THR	2.6
1	I	115	ALA	2.6
1	C	31	LEU	2.5
1	D	126	LEU	2.5
1	H	227	LEU	2.5
1	H	54	THR	2.5
1	G	194	ARG	2.5
1	H	140	ARG	2.5
1	H	205	PRO	2.5
1	D	16	PHE	2.5
1	F	122	PRO	2.5
1	H	28	PRO	2.5
1	B	127	ASP	2.5
1	B	131	LEU	2.5
1	F	88	VAL	2.5
1	D	209	THR	2.5
1	G	209	THR	2.5
1	G	29	PRO	2.5
1	G	186	GLY	2.5
1	G	196	LEU	2.5
1	I	24	LEU	2.5
1	A	104	ARG	2.5
1	E	136	ALA	2.5
1	E	32	THR	2.5
1	C	148	TRP	2.4
1	D	216	VAL	2.4
1	G	193	SER	2.4
1	H	39	PRO	2.4
1	C	183	ASP	2.4
1	I	27	ASP	2.4
1	F	121	LEU	2.4
1	A	9	SER	2.4
1	C	204	GLY	2.4
1	G	45	VAL	2.4
1	C	70	PRO	2.4
1	H	168	LYS	2.4
1	F	212	GLY	2.4
1	I	124	GLY	2.4
1	A	66	LEU	2.4
1	H	106	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	87	MET	2.4
1	B	5	THR	2.3
1	F	209	THR	2.3
1	G	122	PRO	2.3
1	H	70	PRO	2.3
1	H	141	THR	2.3
1	I	5	THR	2.3
1	D	200	SER	2.3
1	H	204	GLY	2.3
1	G	197	ILE	2.3
1	E	18	ASP	2.3
1	F	118	HIS	2.3
1	G	177	HIS	2.3
1	A	68	VAL	2.3
1	D	139	PRO	2.3
1	A	32	THR	2.3
1	F	89	GLY	2.3
1	H	196	LEU	2.3
1	E	68	VAL	2.3
1	F	8	ALA	2.3
1	I	20	ALA	2.3
1	G	163	TRP	2.3
1	C	138	MET	2.3
1	G	192	VAL	2.3
1	I	97	TYR	2.3
1	I	84	PRO	2.3
1	F	223	THR	2.3
1	H	201	THR	2.3
1	B	129	ILE	2.3
1	C	187	TRP	2.3
1	I	66	LEU	2.3
1	F	111	VAL	2.3
1	I	125	VAL	2.3
1	B	133	ALA	2.2
1	E	13	ALA	2.2
1	I	201	THR	2.2
1	F	93	HIS	2.2
1	G	184	SER	2.2
1	H	195	ILE	2.2
1	H	163	TRP	2.2
1	I	18	ASP	2.2
1	G	173	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	190	ARG	2.2
1	D	136	ALA	2.2
1	H	172	GLY	2.2
1	G	19	LEU	2.2
1	I	26	SER	2.2
1	A	70	PRO	2.2
1	G	120	VAL	2.2
1	H	122	PRO	2.2
1	I	107	ALA	2.2
1	I	92	THR	2.2
1	I	94	CYS	2.2
1	B	207	LEU	2.2
1	E	31	LEU	2.2
1	G	124	GLY	2.2
1	H	61	ILE	2.2
1	E	175	ASP	2.2
1	F	114	ASP	2.2
1	H	102	VAL	2.2
1	I	226	VAL	2.2
1	I	82	CYS	2.2
1	D	213	ARG	2.2
1	D	204	GLY	2.1
1	G	63	LEU	2.1
1	G	227	LEU	2.1
1	I	185	THR	2.1
1	C	17	GLU	2.1
1	G	44	SER	2.1
1	G	48	ARG	2.1
1	H	217	GLU	2.1
1	A	72	PRO	2.1
1	C	87	MET	2.1
1	I	8	ALA	2.1
1	A	64	ASP	2.1
1	G	198	ASP	2.1
1	H	85	ASP	2.1
1	E	28	PRO	2.1
1	I	143	PRO	2.1
1	H	192	VAL	2.1
1	H	107	ALA	2.1
1	A	202	LEU	2.1
1	D	217	GLU	2.1
1	C	64	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	72	PRO	2.1
1	I	102	VAL	2.1
1	F	214	TRP	2.1
1	F	220	LEU	2.1
1	I	6	LEU	2.1
1	G	229	GLY	2.1
1	C	41	ILE	2.1
1	E	41	ILE	2.1
1	C	127	ASP	2.1
1	A	29	PRO	2.1
1	C	28	PRO	2.1
1	H	58	CYS	2.1
1	G	108	VAL	2.0
1	E	133	ALA	2.0
1	D	181	GLU	2.0
1	G	170	TRP	2.0
1	G	195	ILE	2.0
1	I	182	THR	2.0
1	C	137	ASP	2.0
1	I	164	PHE	2.0
1	C	196	LEU	2.0
1	A	185	THR	2.0
1	C	33	PRO	2.0
1	D	12	PRO	2.0
1	C	130	SER	2.0
1	E	177	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	D16	F	301	32/32	0.78	0.16	36,48,58,61	0
2	D16	G	301	32/32	0.91	0.10	33,38,46,47	0
2	D16	H	301	32/32	0.91	0.12	32,41,48,51	0
2	D16	I	301	32/32	0.91	0.11	30,43,54,58	0
2	D16	D	301	32/32	0.92	0.09	24,30,36,41	0
2	D16	E	301	32/32	0.92	0.10	25,30,39,40	0
2	D16	C	301	32/32	0.93	0.09	22,27,32,38	0
2	D16	A	301	32/32	0.94	0.08	19,28,33,38	0
2	D16	B	301	32/32	0.95	0.08	17,26,36,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around D16 F 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D16 G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D16 H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D16 I 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D16 D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D16 E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D16 C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D16 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around D16 B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.